




# The Hitchhiker's Guide to **Cursor** (You Don't Need To Bring a Towel for This)

< VibeKode Munich | June 2026 >



# Mor Hananovitz

- AI Engineering Group Lead



- GenAI Lecturer




- WiDS IL Community Leader



Snowboarder, CrossFiter, Boulder Climber

# Agenda

A decorative graphic on the left side of the slide, consisting of a series of horizontal bars of various colors (green, pink, purple, red, teal, yellow, white, orange, light green, dark grey) arranged in a staggered, overlapping fashion.

01 Cursor Overview

02 Where are My Models at?

03 Modes of Operation

04 Spoilers for What's Next



01 { ..

# Let's talk about Cursor

Product features, Where is the AI?



Files


✓ IDE



- New Agent ⌘ ⌘ L
- Hide Terminal ⌘ J
- Search Files ⌘ P
- Open Browser ⌘ ⌘ B
- Maximize Chat ⌘ ⌘ E
- Add Repository ⌘ ⌘ A

✓ Agentic Coding


✓ Terminal




# Cursor vs. VS code

## Native AI workspace:

- Code completion
- Code generation
- Chat abilities
- Full integration -IDE & terminal



# Agent what does it do?




- Learn your repo
- Large scale tasks



>>> Code generation

# How Does it Work?



*\*This is why edits land in the right file with the right imports - Cursor doesn't just see the open tab.*





# Controlling the Agent



# How to control the Agent?

## Rules

The system  
prompt for your  
project

## Allow list

Don't ask me -  
just run it

## Skills / Commands

Complex  
repetitive and  
standertized  
tasks

## Memories

“all alone in  
the moonlight..”



# Rules 101

```
your-project/  
  .cursor/  
    rules/  
      index.mdc          # Project-wide “always on” context  
      conventions/  
        code-style.mdc   # Style & patterns (Auto Attached / Manual)  
        commit-messages.mdc  
      workflows/  
        pr-checklist.mdc # Reusable checklists/templates  
        docs-generation.mdc  
      areas/  
        backend.mdc      # Scoped by globs to backend/*  
        frontend.mdc     # Scoped by globs to frontend/**  
        infra.mdc        # Scoped by globs to infra/**
```





# How to write your rules

Open each rule.mdc file with:

- description: what is this .mdc file for
- globs: area
- alwaysApply: true / false





# Things to consider



Style guides

Tests

Code structure

Design requests

Security

Code changes





# Things I have but – AI loves

mkdir 

“““

Docstring

“““

Code ~~changes~~

# comments



  emojis



vas



@vasumanmoza

Follow



Claude 4 just refactored my entire codebase in one call.

25 tool invocations. 3,000+ new lines. 12 brand new files.

It modularized everything. Broke up monoliths. Cleaned up spaghetti.

None of it worked.  
But boy was it beautiful.

# Manage your Allowlist

Auto-Run

Auto-Run Mode

Choose how Agent runs tools like command execution and file writes

Use Allowlist

Command Allowlist

Commands that can run automatically

echo ×

grep ×

ls ×

pytest ×

make test ×

make format ×

make lint ×

python3 -m venv ×

python3 -m pip ×

./venv/bin/python ×

./venv/bin/pip ×

python ×

source ×

pipenv install ×

pipenv run ×

make setup ×

make run ×





02 { ..

Where are my models  
at?




} ..



## Model Selection Demo



# Major Considerations



- Performance benchmark
- Context window (input / output tokens)
- Reasoning abilities 🧠
- Max Models

MAX Mode NEW

Get maximum context window and tool calls. For advanced users that are cost insensitive.

Billed at API pricing ↗





03 { ..

# Different Modes of Operation

Ask, Agent, Plan Mode




} ..




{ ..

don't ask what  
your **AGENT** can  
do for you but  
what you can  
do for your  
**ASK**

} ..





<!DOCTYPE html>  
<html style="height:100%">  
<head>

body {  
background: #585858 url(...);  
background-color: #f5f5f5;  
}

<meta name="viewport" ...>  
<title> Breaking News</title>  
</head>

h1 {  
font-family: Arial, sans-serif;  
font-size: 15px;  
line-height: 1.42857143;

<body style="color: #444;">  
<div style="height: 100px;">  
<div style="text-align: center;">

Demo

<h2 style="margin: 0; background-color: #f5f5f5; padding: 5px 10px;">



04 { ..

What's Next?

No Spoilers!





# Tomorrow at 17:00!

Advanced  
Harness

Hooks – what  
are they  
used for?

Plan Smart!

Agents  
screen

Cost  
Optimization

Choosing the  
Right LLM



# Thanks!

< Do you have any questions? >



CREDITS: This presentation template was created by **Slidesgo**, and includes icons by **Flaticon**, and infographics & images by **Freepik**



# Chatbot Arena





03 { ..

Choosing the right  
LLM for the job



} ..

# { Memory bank

Git repo

You tube tutorial

“initialize memory bank”

