

(1)10 PANEL ONEWAY DOOR SYSTEM

Prepared for: Typ Customer

Project Location: Typ Location


S-1	Cover Page
S-2	Top and bottom Track
S-3	Panel View

Notes:


1. Typical detail for a door; not to be used for construction.

2. Rail and top track shown assume 3" beams are used.

3. Panels Are Comprised Of Hot-rolled Framing Sections And Light Gauge Girts, bolted together.





Closed Position




Open Position



Client Signature:	Project: 10 PANEL ONEWAY DOOR SYSTEM	
DESIGN DWG: MEW	Location: Typ Location	
CHECKED:	Customer: Typ Customer	
MFG DWG:		
MFG APPR:	Title: Cover Page	
Q.A:		
PERMIT:	Project No: 200XX	
APPROVAL DATE:		
REVISION: A	S - 1	
REVISION DATE:		
Last Saved:		



Approximate weight of Top Track:5850 lbs

Top Track			
			Client Signature:
			Project: 10 PANEL ONEWAY DOOR SYSTEM
			DESIGN DWG: MEW
			Location: Typ Location
			CHECKED:
			Customer: Typ Customer
			MFG DWG:
			Title: Top and Bottom Track
			MFG APPR:
			Project No: 200XX
			Q.A:
			S - 2
			PERMIT:
			APPROVAL DATE:
			REVISION: A
			REVISION DATE:
			Last Saved:

SYSTEM DEFLECTION LIMITS  
3 in Upward Deflection  
6 in Downward Deflection

