

Maze Media

One collection. Four Apple experiences.

A native front door to a privately operated home lab.

iPhone

Touch-first access

iPad

Room to explore

Apple TV

Native remote control

Mac

Desktop companion

DESIGN PORTFOLIO • 06 SEPTEMBER 2026 • DEVELOPMENT BUILD 11

DESIGN BRIEF / PUBLIC EDITION

A coherent experience for a privately operated collection.

Product direction, four platform editions, service responsibilities and the path to verified delivery.

This brief accompanies the public MazeMedia repository. It summarizes the existing application design and its next steps. It does not publish binaries, operational credentials or a completed TestFlight release.


Documentation checkpoint: September 6, 2026. Development build 11; build 9 remains the last recorded TestFlight release.

github.com/Morlock52/MazeMedia

Four editions. One content model.

PLATFORM PORTFOLIO / SHARED CONTENT, DISTINCT INTERACTION

Designed for the device in front of you.



Screenshots document the implemented interface. Demo content is deliberate; it is not proof of live service availability.

The original screenshots use demo content. They show the implemented layout while protecting the owner's library. Figma provides the editable publication structure around the captures.

Reading this brief

Pages 3-14 follow the twelve section folders in the repository. Each section has a design narrative and a separate PLAN.md. Proposed work and acceptance requirements are kept distinct from recorded results.

Public scope

The architecture preserves service roles and trust boundaries. The private baseline, IP inventory, management endpoints and personal household state are intentionally outside this public edition.

Product vision & design system

Make a privately operated collection easy to explore from the Apple device already in use.

Maze Media is the client experience for Morlock's Maze. It brings media and selected household services into a consistent navigation model while leaving storage, identity and service administration in the home lab. The product goal is broad access to the owner's content; the current implementation is deliberately narrower than that goal. A service tile does not establish complete support for its provider.

User journey

Open Home, choose a collection or service, inspect its content, then return through a predictable Back or Done action. Keep the current location visible and make failed requests distinguishable from an empty library.

Next delivery priorities

1. Maintain one destination and capability inventory across all four editions.
2. Audit contrast, text scaling, focus indication and empty/error/loading states.
3. Refresh publication captures after accepted UI changes; retain their build and capture method.

Required acceptance criteria

Each visible destination has an owner, implementation status and return path. A first-time reader can tell a current feature from a proposed one. Keyboard, VoiceOver and remote focus checks are recorded per platform.

Detailed decisions and requirements: [sections/01-product/PLAN.md](#)


iPhone edition

A compact, touch-first entrance to the library and household services.

The iPhone edition uses Home, Library, Live, More and Search as its five bottom tabs. Home provides direct entry to collections and supported services. Jellyfin supplies movies, shows, saved videos and music; the app presents native playback. RomM and Jellyseerr use an embedded service browser, while Mealie and Home Assistant appear on the main menu.

User journey

Home / All libraries / collection / item / Play. In the service browser, Back and Forward move through the service; Done returns to Maze Media. Home / Connect Apple TV approves the television's short-lived household pairing code.



Simulator / demo fixture, September 5.

Next delivery priorities

1. Retain the passing build 11 pause, seek, restart, resume and dismissal behavior.
2. Complete sustained playback, subtitle, AirPlay and Picture in Picture checks with representative streams.
3. Verify foreground/background recovery and service renewal on Wi-Fi and cellular separately.

Required acceptance criteria

Recorded build 11 controls test passes on a physical iPhone. Each browser destination can return to the app without a navigation dead end. A failed stream exposes a useful retry or compatibility action.

Detailed decisions and requirements: [sections/02-iphone/PLAN.md](#)


iPad edition

A persistent sidebar and wider content area for browsing and reading.

The iPad shares the iOS application target and service model. Its sidebar exposes Home, Movies, Shows, Live TV, Search, Games and Services, with household shortcuts. Catalog and series detail views use the additional space. This is a device-specific presentation of the shared product, not a separate server stack.

User journey

Sidebar / Shows / series / season / episode. Back returns through the content hierarchy without losing the sidebar. Service browser pages retain Back, Forward, Reload and Done.



Simulator / demo fixture, September 5.

Next delivery priorities

1. Finish the current physical controls and automatic-enrollment acceptance checks.
2. Exercise rotation, narrow windows and keyboard presentation.
3. Retest RomM's game launch and return path on the actual iPad; a successful library page is insufficient.

Required acceptance criteria

Video pause/seek/resume is proven on the final iPad candidate. Rotation and window changes preserve the selected item. No nested login page traps the user inside a browser.

Detailed decisions and requirements: sections/03-ipad/PLAN.md


Apple TV edition

A native, remote-driven experience for shared viewing.

Apple TV keeps five sidebar destinations: Home, Movies, Shows, Live TV and Search. Core media is negotiated through Jellyfin and played with AVKit. Home also opens native Mealie recipes and Home Assistant state views. The television application does not embed WebKit or a general-purpose browser.

User journey

Move remote focus from the sidebar into content, choose a title or channel, and open the native player. Back returns to the prior view. Household access can be approved from an already approved iPhone or iPad using the TV's temporary code.



Simulator / demo fixture, September 5.

Next delivery priorities

1. Wake the physical Apple TV and finish build 11 transport-controls acceptance.
2. Retest long playback, track selection and recovery after app switching.
3. Design native counterparts for requested services only when their APIs and remote interactions are viable.

Required acceptance criteria

The remote can pause, resume, seek when supported, and exit playback. Native recipe and household-state navigation passes on physical TV hardware. No unsupported browser or unverified game feature is advertised as complete.

Detailed decisions and requirements: [sections/04-tvos/PLAN.md](#)


Mac edition

A desktop companion built from the shared iOS target with Mac Catalyst.

The Mac edition brings the sidebar, native media player and service destinations into a resizable window. The locally delivered development build targets Apple silicon and macOS 14 or later; recorded runtime checks used macOS 27 beta. It is a signed local development application, not a notarized public download or a Mac App Store release.

User journey

Choose a sidebar destination with the pointer, browse to an item and open playback. The controls panel provides transport, speed and sound controls. Close controls returns to the player; Done returns to the collection.



Mac runtime / demo fixture, September 6.

Next delivery priorities

1. Repeat automated mouse acceptance without the floating dialog that interrupted XCTest.
2. Verify keyboard navigation, window resizing and external-display behavior.
3. Prepare distribution signing/notarization or Mac App Store delivery as a separate release decision.

Required acceptance criteria

The installed app launches and loads its navigation and provider content. Recorded mouse checks cover pause, seek, restart, resume and speed selection. The automated test is reported as interrupted until an uninterrupted run passes.

Detailed decisions and requirements: [sections/05-mac/PLAN.md](#)


Library, video, music & live TV

One Jellyfin content model, with playback capabilities matched to each stream.

Jellyfin owns the catalog, user session, playback negotiation and media delivery. The app preserves folders, collections, series, seasons and episodes. Music is a Jellyfin audio experience; Music Assistant integration is separate planned work. Saved videos in the owner's Youtube folder use the same native playback path as other Jellyfin video.

User journey

Browse or search / item details / direct or server-converted playback / progress checkpoint / return. Live TV follows the existing server chain: ErsatzTV schedule/payout / xTeVe tuner/guide bridge / Jellyfin / native Apple player.



Simulator / demo fixture, September 5.

Next delivery priorities

1. Build a representative format matrix including saved videos, films, episodes, music and live channels.
2. Check first frame, sustained advancement, seek/resume, interruption and stop reporting.
3. Verify available tracks, fit/fill, volume, AirPlay and Picture in Picture on each supported device.

Required acceptance criteria

A play action results in decoded frames and advancing time, or an explicit error. Leaving playback stops or hands off the session according to the intended lifecycle. Resume position remains valid after failure and relaunch.

Detailed decisions and requirements: [sections/06-library-playback/PLAN.md](#)

Games & media requests

Bring RomM and Jellyseerr into the app with an obvious way back.

RomM and Jellyseerr are separate open-source services with existing household routes. On iPhone, iPad and Mac, Maze Media provides an embedded browser with a constrained service destination. Reaching a catalog does not prove game execution or a completed request. The last implementation checkpoint keeps these app-specific routes on the private access path.

User journey

Home / Games or Requests / service content. Use browser Back/Forward within the service, Reload for a recoverable load failure, and Done to return to the native application.

Next delivery priorities

1. Test the exact game-launch path beyond the second authentication screen.
2. Validate controller/touch input, game exit and browser history on the iPad.
3. Specify a native TV requests API and authorization contract before adding a TV tile.

Required acceptance criteria

The requested game actually starts and accepts input on the target device. The browser returns to Maze Media from nested pages and error screens. Private route requirements are explained before the user encounters a blank page.

Detailed decisions and requirements: [sections/07-games-requests/PLAN.md](#)

Photos, books & saving content

A scoped photo integration today; a clear plan for reading and write-back.

The current photo integration uses Immich. Approved devices request a restricted per-device key for asset read/view and use the provider's direct asset route. The photo route still depends on private connectivity at the recorded checkpoint. Complete Kavita and Audiobookshelf readers, downloads and save-back workflows are planned client features. Existing service configuration does not establish reader or transfer functionality.

User journey

Current: Home / Photos / asset grid / detail. Planned: choose a reader or upload destination, select content, review the destination, then save with progress, conflict and retry handling.

Next delivery priorities

1. Define provider-specific reading contracts for books, comics, audiobooks and podcasts.
2. Design upload and save-back flows for iPhone/iPad with explicit destination and permissions.
3. Test pagination, unavailable assets, key revocation and interrupted transfers.

Required acceptance criteria

Photo metadata and permitted assets load with a scoped key. A completed save is confirmed by provider-side retrieval, not merely a progress animation. Public documentation continues to distinguish implemented reading from planned write-back.

Detailed decisions and requirements: [sections/08-photos-reading/PLAN.md](#)

Mealie & Home Assistant

Everyday household information without repeated login prompts on approved devices.

Mealie and Home Assistant are main-menu destinations. iPhone/iPad use embedded service views; Apple TV uses native recipe and state interfaces. Dedicated public app origins accept approved-device sessions, while service administrator credentials remain server-side. Recorded iPhone/iPad checks opened recipe content and the populated household dashboard over Wi-Fi with NetBird disconnected.

User journey

Home / Mealie / recipe ingredients and steps / Done. Home / Home Assistant / household states / Done. On TV, use native categories and remote Back; supported light/switch actions require confirmation.

Next delivery priorities

1. Test session expiration, renewal, revocation and foreground return.
2. Verify cellular-only access and first enrollment separately from the Wi-Fi VPN-off checkpoint.
3. Review native TV action confirmations and provider-specific failure messages.

Required acceptance criteria

Approved access opens actual content rather than stopping at a login shell. Anonymous, replayed and revoked access is denied. Read-only documentation checks do not actuate household devices.

Detailed decisions and requirements: [sections/09-household/PLAN.md](#)


Home-lab architecture & network integration

A logical map of the existing environment and the routes the applications depend on.

The design draws on the September 4 network baseline retrieved on September 5, then on later implementation and acceptance records. Proxmox hosts the virtualized environment; CT100 contains the media/service stack, with other VMs/containers and attached storage supporting the household. NetBird provides private reachability. Reverse proxies expose selected HTTPS origins. Pocket ID supplies human identity for protected entrances. This publication is a dated architecture view, not a fresh fleet-health audit.

User journey

The app selects a provider route, establishes the appropriate identity/session, requests catalog or household data, and obtains provider-delivered content. Operator consoles, host control, storage administration and break-glass access stay outside the consumer app.



Next delivery priorities

1. Maintain an owner-only inventory mapping logical service names to actual origins, ports, peers, policies and storage dependencies.
2. Reconcile the baseline with live DNS, proxy configuration and NetBird policies before changing a route.
3. For new NetBird configurations, evaluate the current Networks model; do not infer a migration of the existing environment.

Required acceptance criteria

Every app destination has an explicit provider, route class, identity method and failure behavior. An off-VPN claim names the tested service, device, network and enrollment state. The public repository contains logical topology without operational addresses or credentials.

Detailed decisions and requirements: [sections/10-home-lab/PLAN.md](#)

Device identity, enrollment & session design

Remove repeated prompts without removing authorization.

An approved device owns a P256 private key held in Keychain/Secure Enclave where available. The access service validates short-lived signed challenges and issues host-scoped service sessions. Jellyfin setup approves that device's own Quick Connect exchange; Immich provisions a separate restricted key. For household approval, the TV displays an eight-digit, five-minute, single-use code. An already approved iPhone or iPad approves that code.

User journey

Enroll through the existing protected route / create or retrieve device identity / prove possession / obtain a provider-specific session / renew when appropriate / revoke when the device is removed. First enrollment and ordinary access after approval are separate cases.

Next delivery priorities

1. Document enrollment prerequisites and recovery for replaced devices.
2. Verify single-use challenges, expiry, wrong-host cookies and revoked credentials.
3. Retest automatic setup on iPad and final TV pairing independently of iPhone success.

Required acceptance criteria

Only the intended approved device completes the provider exchange. Revocation removes access and the associated scoped photo key. Screenshots, diagnostics and public plans contain no tokens, pairing secrets or private keys.

Detailed decisions and requirements: [sections/11-identity/PLAN.md](#)

Version history, evidence & delivery

Keep implementation, runtime verification and publication as separate milestones.

This portfolio records the September 6 development checkpoint. Build 9 is the last recorded TestFlight release. Build 10 introduced the household access and native setup work. Build 11 adds the shared video controls and local Mac delivery. Current screenshots mainly show the September 5 interface with demo content, plus a September 6 Mac capture. They are not a screenshot set for every historical build.

User journey

Implement / review / run contract/unit tests / validate on hardware / archive the final source / upload / confirm Apple processing and tester availability. Publishing this documentation repository does not perform any of those release steps.

Next delivery priorities

1. Finish iPad controls/automatic setup and Apple TV transport acceptance.
2. Repeat the Mac mouse suite without the blocking floating dialog.
3. Refresh archives from final source and upload only after required checks pass.
4. Verify build processing and the correct internal TestFlight group after upload.

Required acceptance criteria

The source revision and delivered binary are identified. A compile result is never used as proof of physical playback. A build appears to testers only after Apple processing and group availability are confirmed.

Detailed decisions and requirements: [sections/12-release/PLAN.md](#)

A clear line between a design and a release.

Recorded checks

iPhone build 11 controls passed twice. The Mac recorded 70 unit tests passed and two opt-in skips, plus direct mouse checks. The final automated Mac mouse run was interrupted by a floating dialog. iPad and Apple TV controls acceptance, final archive refresh and Apple processing remain separate release gates.

Home-lab proof

Mealie and Home Assistant opened real content on iPhone and iPad with NetBird off over Wi-Fi. That does not establish cellular-only access, off-network initial enrollment, long-duration renewal or public access for other services.

Source records

Implementation revision: a0ea5e7b2048dc8fe97b43c83f29c64af0fc00a1. Network baseline: September 4, retrieved September 5, supplemented by later implementation entries. The repository evidence register names the retained test artifacts and distinguishes historical checkpoints.

Continue in the repository

[Portfolio and section plans](#)

[Editable Figma publication](#)

[Primary upstream sources](#)

Publication and rights

Screenshots remain real application captures. The Figma boards are editorial artwork. No open-source license is granted by this design publication; third-party service names remain the property of their respective projects.