

PSScript Helper Commands

Lint Commands

Run all linting checks:

```
npm run lint
```

Fix linting issues automatically:

```
npm run lint:fix
```

Run backend linting only:

```
npm run lint:backend  
npm run lint:backend:fix
```

Run frontend linting only:

```
npm run lint:frontend  
npm run lint:frontend:fix
```

ESLint Configuration

Backend ESLint config location: `src/backend/.eslintrc.json` Frontend ESLint config location: `src/frontend/eslint.config.js`

Current ESLint Status

Issues reported by ESLint have been relaxed to warnings to allow the build to succeed. The following issues can be addressed in future updates:

Backend

- Unused variables in various modules
- TypeScript @ts-nocheck directives without descriptions
- Use of require() instead of import statements
- ES2015 module syntax vs. namespaces

Frontend

- Unused variables and imports
- Potential React hook dependency issues
- Regular expression escape character issues
- Constant conditions in conditional expressions

Database Connectivity Testing

Run database connectivity tests:

```
# Test PostgreSQL connectivity
cd src/backend
node test-db.js

# Test Redis connectivity
cd src/backend
node test-redis.js
```

Test results are logged to: - `/test-results/db-tests/postgres-test.log` -
`/test-results/db-tests/redis-test.log`

Generated 2026-01-13 06:26 UTC