PSSCRIPT

Training Guide

End-to-end walkthrough with screenshots and labs

PSScript Manager Training

PSScript Training Guide

Last updated: April 29, 2026.

This guide trains users on the current hosted app at `https://pstest.morloksmaze.com`.

Program Overview

PSScript is a governed workspace for PowerShell scripts. The current training path covers:

- Supabase Auth and admin approval
- script upload, metadata, versioning, delete, and bulk delete
- hosted script editing and VS Code `.ps1` export
- full script design and management lifecycle
- AI analysis using the current criteria payload
- runtime requirements for PowerShell version, modules, and assemblies
- PDF analysis export
- keyword and vector-backed discovery
- assistant and agentic route aliases
- hosted operations through Netlify and Supabase
- mobile navigation and responsive pages



System Overview

Layer	Current implementation
UI	React/Vite on Netlify
API	Netlify Functions under `/api/*`
Auth	Supabase Auth plus `app_profiles.is_enabled`
Data	hosted Supabase Postgres with RLS and `pgvector`
AI	hosted provider calls through Netlify Functions
Backups	admin-only hosted data maintenance

Feature Cheat Sheet

Area	What to verify	Screenshot
Login	Supabase login and Google OAuth entry	`../screenshots/readme/login.png`
Dashboard	Desktop and mobile cards render without overlap	`../screenshots/readme/dashboard.png`
Scripts	List, filters, delete, bulk selection	`../screenshots/readme/scripts.png`
Upload	File intake, metadata, and hosted 4 MB limit	`../screenshots/readme/upload.png`
Edit	Hosted script editing and VS Code `.ps1` export	`../screenshots/readme/script-edit-vscode.png`
Analysis	Scores, criteria, runtime requirements, remediation, PDF export	`../screenshots/readme/analysis-runtime-requirements.png`
Assistant	`/agentic` resolves to assistant instead of 404	`../screenshots/readme/agentic-assistant.png`
Settings	Profile and admin surfaces	`../screenshots/readme/settings-profile.png`
Data maintenance	Backup-first admin maintenance	`../screenshots/readme/data-maintenance.png`

Environment Setup

Use production for training with approved accounts:

```
https://pstest.morloksmaze.com
```

Use local mock mode only for screenshot rehearsal or non-mutating classroom demos:

```
cd src/frontend
VITE_DISABLE_AUTH=true VITE_USE_MOCKS=true npm run dev -- --host 127.0.0.1
```

Do not configure a local database for training. Database-backed exercises use hosted Supabase.

Guided Walkthrough

1. Sign in with an approved account.
2. If you land on pending approval, ask an admin to enable your profile.
3. Review dashboard status on desktop or mobile.
4. Open Scripts and inspect list controls.
5. Design a safe test `.ps1` file with purpose, owner, examples, and test expectation.
6. Upload the script with category, tags, and description.
7. Open the script detail page.
8. Open the edit page, make a safe metadata-only change if the record is disposable, and confirm the **Open in VS Code** export downloads a `.ps1` copy.
9. Run or view AI analysis.
10. Read the runtime requirements panel before approving execution.
11. Export the analysis report and confirm the download is a PDF.
12. Search for the script by keyword and by meaning.
13. Open `/agentic` and confirm it routes to the assistant.
14. Open Settings -> Data Maintenance as an admin and review backup controls without running destructive actions.
15. Delete only disposable test scripts and record cleanup evidence.

Role-Based Paths

Role	Focus
Script author	upload, metadata, analysis, PDF export
Security reviewer	criteria payload, findings, remediation, evidence
Platform admin	approval gate, backups, logs, data maintenance
Mobile reviewer	topbar, drawer, dashboard, script list, settings
Support analyst	reproduction notes, screenshots, deploy id, Function logs, Supabase logs

Hands-On Labs

Lab 01: Upload, Analyze, Export

1. Upload a safe test script.
2. Open the edit page and export a `.ps1` copy for local VS Code review.
3. Review scores, runtime requirements, and findings.
4. Export the analysis PDF.
5. Confirm the file is a PDF, not JSON.

Lab 02: Search And Similarity

1. Search by cmdlet or title.
2. Search by a natural-language description.
3. Compare ranking and relevance.

Lab 03: Assistant And Documentation

1. Open the assistant.
2. Ask for a safe remediation pattern.
3. Open `/agentic` and confirm it lands in the assistant experience.

Lab 04: Operations And Governance

1. Check `https://pstest.morloksmaze.com/api/health`.
2. Review Netlify deploy state and Function logs.
3. Review Supabase logs for API/database failures.
4. Open Settings -> Data Maintenance and confirm backup list access as an admin.

Lab 05: Governance, Support, Cleanup

1. Capture a support-ready screenshot and route.
2. Verify PDF export and delete behavior on disposable test data.
3. Record Netlify/Supabase evidence fields for the case.
4. Confirm cleanup without touching unrelated production records.

Operational Readiness

Area	Check	Target
Netlify app	production URL loads	200/app shell
Netlify Functions	`/api/health` returns hosted status	healthy/degraded with reason
Supabase	Auth and database reachable	no auth/DB errors
RLS	disabled users blocked	`403 account_pending_approval`
Export	analysis report download	PDF content type
Edit export	script editor export	`.ps1` file for local VS Code
Runtime requirements	analysis route	PowerShell version and modules/assemblies visible
Mobile	dashboard/navigation readable	no overlap
Data maintenance	backup list/create	admin only
Upload size	hosted upload route	UI blocks files above 4 MB
Delete	disposable test scripts	intended records removed only

Troubleshooting

Issue	Likely cause	Fix
Pending approval	profile exists but is disabled	admin enables user in Settings -> User Management
`/agentic` 404	stale deploy or redirect mismatch	redeploy Netlify and verify redirects
Export is JSON	old frontend/API build	redeploy and verify `/api/scripts/:id/export-analysis` headers
Runtime requirements missing	stale frontend deploy or script still loading	verify deploy ID, reload route, and check script content
VS Code export missing	stale frontend deploy or route not loaded	verify `/scripts/:id/edit` and latest assets
Delete fails	auth/ownership/admin mismatch	inspect API response and user role
Data maintenance fails	non-admin user or Supabase route error	check Netlify Function logs and Supabase logs
Mobile overlap	stale frontend deploy	verify latest production deploy and screenshots

Source-Guided Training Notes

- PowerShell lifecycle training should emphasize static analysis, documentation, examples, tests, versioning, and code signing where appropriate.
- Netlify support training should tie issues to the active deploy because functions and frontend assets are deployed together and are immutable per deploy.
- Supabase training should treat RLS, explicit policies, hosted backups, MFA, and service-key protection as core operating controls.

Primary sources:

- https://learn.microsoft.com/en-us/powershell/gallery/concepts/publishing-guidelines?view=powershellget-3.x
- https://docs.netlify.com/build/functions/overview/

- https://supabase.com/docs/guides/database/postgres/row-level-security
- https://supabase.com/docs/guides/deployment/going-into-prod

Appendix

- Support: `../SUPPORT.md`
- Deployment: `../NETLIFY-SUPABASE-DEPLOYMENT.md`
- Data maintenance: `../DATA-MAINTENANCE.md`
- Screenshots: `SCREENSHOT-ATLAS.md`

Generated 2026-04-29 14:08 UTC