PSScript Comprehensive Testing Plan - 2026

📋 Executive Summary

This document outlines a comprehensive testing strategy for the PSScript PowerShell script management platform, following January 2026 industry best practices for full-stack React, Node.js, and PostgreSQL applications.

Testing Framework Strategy (2026): - **Vitest** for unit and component tests (faster than Jest, native ESM support) - **Playwright** for E2E tests (already configured in project) - **Supertest** for API endpoint testing - **Real PostgreSQL** with Docker for integration tests - **GitHub Actions** for CI/CD automation

🎯 Testing Levels & Scope

1. Smoke Tests (Critical Path)

Purpose: Verify basic functionality and critical user paths work **Execution Time:** ~5 minutes **Tools:** Manual browser testing + Playwright

Test Cases:

- [ ] **ST-01**: Application loads at http://localhost:3000
- [ ] **ST-02**: Login page renders correctly
- [ ] **ST-03**: Default login (green button) works
- [ ] **ST-04**: Manual login works (admin@example.com / Password123)
- [ ] **ST-05**: Dashboard renders after login
- [ ] **ST-06**: Navigation sidebar functional
- [ ] **ST-07**: Logout works
- [ ] **ST-08**: Backend API responds (health check)
- [ ] **ST-09**: Database connection active
- [ ] **ST-10**: Redis connection active

2. Frontend Unit Tests (React Components)

Purpose: Test individual components in isolation **Tools:** Vitest + React Testing Library **Target Coverage:** 80%+

Component Test Cases:

- [ ] **FU-01**: Login.tsx form validation
- [ ] **FU-02**: Login.tsx default login function
- [ ] **FU-03**: Dashboard.tsx stats cards rendering
- [ ] **FU-04**: Dashboard.tsx React Query hooks
- [ ] **FU-05**: Navbar.tsx user menu functionality
- [ ] **FU-06**: Sidebar.tsx navigation items
- [ ] **FU-07**: AuthContext.tsx state management
- [ ] **FU-08**: useAuth hook functionality
- [ ] **FU-09**: ScriptCard.tsx props handling

- [ ] **FU-10**: CategoryBadge.tsx rendering

3. Frontend Integration Tests

Purpose: Test component interactions and data flow **Tools:** Vitest + React Testing Library + MSW (Mock Service Worker)

Integration Test Cases:

- [ ] **FI-01**: Login flow with API mocking
- [ ] **FI-02**: Dashboard data fetching with React Query
- [ ] **FI-03**: Navigation state persistence
- [ ] **FI-04**: Auth token refresh flow
- [ ] **FI-05**: Protected route access control
- [ ] **FI-06**: Form submission with validation
- [ ] **FI-07**: Error boundary handling
- [ ] **FI-08**: Loading state transitions

4. Backend Unit Tests (Node.js/TypeScript)

Purpose: Test business logic and utilities **Tools:** Jest or Vitest **Target Coverage:** 85%+

Backend Test Cases:

- [ ] **BU-01**: User model password validation
- [ ] **BU-02**: User model login attempt tracking
- [ ] **BU-03**: JWT token generation
- [ ] **BU-04**: JWT token verification
- [ ] **BU-05**: bcrypt password hashing
- [ ] **BU-06**: Request validation middleware
- [ ] **BU-07**: Error handling utilities
- [ ] **BU-08**: Database query builders
- [ ] **BU-09**: Script hash calculation
- [ ] **BU-10**: File upload validation

5. Backend Integration Tests (API + Database)

Purpose: Test API endpoints with real database **Tools:** Jest/Vitest + Supertest + Docker PostgreSQL **Strategy:** Real database testing (2026 best practice)

API Endpoint Test Cases:

- [ ] **BI-01**: POST /api/auth/login (successful login)
- [ ] **BI-02**: POST /api/auth/login (invalid credentials)
- [ ] **BI-03**: POST /api/auth/login (user not found)
- [ ] **BI-04**: POST /api/auth/register (new user)
- [ ] **BI-05**: POST /api/auth/register (duplicate email)
- [ ] **BI-06**: POST /api/auth/refresh (token refresh)
- [ ] **BI-07**: GET /api/auth/me (user profile)
- [ ] **BI-08**: PUT /api/auth/user (update profile)
- [ ] **BI-09**: GET /api/scripts (list scripts)
- [ ] **BI-10**: POST /api/scripts (create script)
- [ ] **BI-11**: GET /api/scripts/:id (get script)
- [ ] **BI-12**: PUT /api/scripts/:id (update script)
- [ ] **BI-13**: DELETE /api/scripts/:id (delete script)
- [ ] **BI-14**: GET /api/categories (list categories)
- [ ] **BI-15**: POST /api/scripts/analyze (AI analysis)
- [ ] **BI-16**: GET /api/stats (dashboard stats)
- [ ] **BI-17**: GET /api/activity (recent activity)

6. E2E Tests (End-to-End with Playwright)

Purpose: Test complete user flows in real browser **Tools:** Playwright (already configured) **Browsers:** Chromium, Firefox, WebKit

E2E Test Cases:

- [ ] **E2E-01**: Complete login flow
- [ ] **E2E-02**: Complete logout flow
- [ ] **E2E-03**: Dashboard navigation
- [ ] **E2E-04**: Script upload flow
- [ ] **E2E-05**: Script analysis flow
- [ ] **E2E-06**: Script editing flow

- [ ] **E2E-07**: Script deletion flow
- [ ] **E2E-08**: Search functionality
- [ ] **E2E-09**: Category filtering
- [ ] **E2E-10**: User profile update
- [ ] **E2E-11**: AI assistant interaction
- [ ] **E2E-12**: Error handling (404, 500)
- [ ] **E2E-13**: Responsive design (mobile, tablet, desktop)
- [ ] **E2E-14**: Dark mode toggle
- [ ] **E2E-15**: Session persistence

7. Database Tests

Purpose: Test database operations and migrations **Tools:** Jest + pg (PostgreSQL client)

Database Test Cases:

- [ ] **DB-01**: Connection pool management
- [ ] **DB-02**: User CRUD operations
- [ ] **DB-03**: Script CRUD operations
- [ ] **DB-04**: Category CRUD operations
- [ ] **DB-05**: File hash deduplication
- [ ] **DB-06**: Vector embedding storage/retrieval
- [ ] **DB-07**: Transaction handling
- [ ] **DB-08**: Constraint violations
- [ ] **DB-09**: Migration execution
- [ ] **DB-10**: Index performance

8. UI/UX Manual Tests

Purpose: Verify user experience and visual consistency **Tools:** Manual browser testing + Chromatic (visual regression)

UI/UX Test Cases:

- [ ] **UI-01**: All buttons clickable and responsive
- [ ] **UI-02**: All forms accept valid input
- [ ] **UI-03**: All error messages displayed correctly

- [ ] **UI-04**: Loading states show spinners
- [ ] **UI-05**: Success messages display
- [ ] **UI-06**: Modal dialogs open/close
- [ ] **UI-07**: Dropdown menus function
- [ ] **UI-08**: Tooltips display on hover
- [ ] **UI-09**: Icons render correctly
- [ ] **UI-10**: Layout responsive on mobile (320px-480px)
- [ ] **UI-11**: Layout responsive on tablet (768px-1024px)
- [ ] **UI-12**: Layout responsive on desktop (1280px+)
- [ ] **UI-13**: Dark mode colors correct
- [ ] **UI-14**: Light mode colors correct
- [ ] **UI-15**: Focus states visible (accessibility)

9. Linting & Code Quality

Purpose: Ensure code quality and consistency **Tools:** ESLint, TypeScript compiler

Linting Test Cases:

- [ ] **LT-01**: Backend ESLint passes (src/backend)
- [ ] **LT-02**: Frontend ESLint passes (src/frontend)
- [ ] **LT-03**: TypeScript compilation succeeds (backend)
- [ ] **LT-04**: TypeScript compilation succeeds (frontend)
- [ ] **LT-05**: No console.error in production code
- [ ] **LT-06**: No unused imports
- [ ] **LT-07**: No unused variables
- [ ] **LT-08**: Consistent code formatting (Prettier)

10. Security Tests

Purpose: Identify security vulnerabilities **Tools:** npm audit, OWASP ZAP, manual testing

Security Test Cases:

- [ ] **SEC-01**: No dependency vulnerabilities (npm audit)
- [ ] **SEC-02**: SQL injection prevention (parameterized queries)
- [ ] **SEC-03**: XSS prevention (input sanitization)

- [ ] **SEC-04**: CSRF protection implemented
- [ ] **SEC-05**: JWT secret properly secured
- [ ] **SEC-06**: Password hashing (bcrypt 10+ rounds)
- [ ] **SEC-07**: Rate limiting on auth endpoints
- [ ] **SEC-08**: HTTPS enforcement (production)
- [ ] **SEC-09**: Secure headers (helmet middleware)
- [ ] **SEC-10**: Input validation on all endpoints
- [ ] **SEC-11**: File upload restrictions (size, type)
- [ ] **SEC-12**: Authentication required for protected routes
- [ ] **SEC-13**: Authorization checks (role-based access)
- [ ] **SEC-14**: Session timeout working
- [ ] **SEC-15**: Sensitive data not in logs

11. Performance Tests

Purpose: Ensure acceptable performance under load **Tools:** Artillery, Lighthouse, React DevTools Profiler

Performance Test Cases:

- [ ] **PERF-01**: Page load time < 3s (Lighthouse)
- [ ] **PERF-02**: Time to Interactive < 5s
- [ ] **PERF-03**: First Contentful Paint < 1.5s
- [ ] **PERF-04**: API response time < 200ms (avg)
- [ ] **PERF-05**: Database query time < 100ms (avg)
- [ ] **PERF-06**: 100 concurrent users supported
- [ ] **PERF-07**: No memory leaks in React components
- [ ] **PERF-08**: Bundle size < 500KB (main chunk)
- [ ] **PERF-09**: Images optimized (WebP/AVIF)
- [ ] **PERF-10**: Code splitting implemented

🛠️ Testing Tools & Setup

Frontend Testing Stack

```
# Install Vitest for frontend unit/integration tests
npm install -D vitest @vitest/ui @testing-library/react @testing-

# Install MSW for API mocking
npm install -D msw

# Configure Vitest
# Create vitest.config.ts in src/frontend
```

Backend Testing Stack

```
# Install testing dependencies
npm install -D jest supertest @types/jest @types/supertest

# Or use Vitest for consistency
npm install -D vitest
```

E2E Testing (Already Configured)

```
# Playwright is already installed
npx playwright test

# Run specific test
npx playwright test login.spec.ts

# Debug mode
npx playwright test --debug
```

Linting Commands

```
# Run all linting checks
npm run lint

# Fix linting issues
npm run lint:fix

# Backend only
npm run lint:backend

# Frontend only
npm run lint:frontend
```

📊 Test Execution Plan

Phase 1: Smoke Tests (Day 1)

Duration: 1-2 hours **Priority:** CRITICAL - Execute all smoke tests manually - Document any failures - Fix critical issues immediately

Phase 2: Linting & Code Quality (Day 1)

Duration: 1 hour **Priority:** HIGH - Run ESLint on frontend and backend - Fix critical errors, document warnings - Run TypeScript compiler checks

Phase 3: Manual UI/UX Tests (Day 1-2)

Duration: 2-3 hours **Priority:** HIGH - Test all buttons and interactive elements - Verify responsive design - Check accessibility features

Phase 4: API Integration Tests (Day 2)

Duration: 3-4 hours **Priority:** HIGH - Test all authentication endpoints - Test all script management endpoints - Test with real database

Phase 5: E2E Tests (Day 2-3)

Duration: 4-6 hours **Priority:** MEDIUM - Run existing Playwright tests - Add missing test coverage - Fix failing tests

Phase 6: Unit Tests (Day 3-4)

Duration: 8-12 hours **Priority:** MEDIUM - Write unit tests for critical components - Write unit tests for business logic - Aim for 80%+ coverage

Phase 7: Security & Performance (Day 4-5)

Duration: 4-6 hours **Priority:** MEDIUM - Run npm audit - Run Lighthouse audits - Test load handling

📈 Success Criteria

Minimum Acceptance Criteria

- ✅ All smoke tests pass (100%)
- ✅ No critical ESLint errors
- ✅ All authentication endpoints functional
- ✅ Dashboard renders and displays data
- ✅ No security vulnerabilities (high/critical)
- ✅ Lighthouse score > 80

Target Criteria

- ✅ 80%+ unit test coverage
- ✅ 90%+ integration test coverage
- ✅ All E2E tests pass
- ✅ Lighthouse score > 90
- ✅ All UI elements accessible (WCAG 2.1 AA)

🔄 CI/CD Integration (GitHub Actions)

Recommended Workflow

```yaml
name: CI/CD Pipeline

on:
  push:
    branches: [main, develop]
  pull_request:
    branches: [main]

jobs:
  lint:
    runs-on: ubuntu-latest
    steps:
      - uses: actions/checkout@v3
      - uses: actions/setup-node@v3
        with:
          node-version: '18'
      - run: npm ci
      - run: npm run lint

  test-backend:
    runs-on: ubuntu-latest
    services:
      postgres:
        image: pgvector/pgvector:pg15
        env:
          POSTGRES_PASSWORD: postgres
        options: >-
          --health-cmd pg_isready
          --health-interval 10s
          --health-timeout 5s
          --health-retries 5
    steps:
      - uses: actions/checkout@v3
```

```
      - uses: actions/setup-node@v3
      - run: npm ci
      - run: npm run test:backend

  test-frontend:
    runs-on: ubuntu-latest
    steps:
      - uses: actions/checkout@v3
      - uses: actions/setup-node@v3
      - run: npm ci
      - run: npm run test:frontend

  e2e:
    runs-on: ubuntu-latest
    steps:
      - uses: actions/checkout@v3
      - uses: actions/setup-node@v3
      - run: npx playwright install --with-deps
      - run: npm run test:e2e
      - uses: actions/upload-artifact@v3
        if: failure()
        with:
          name: playwright-report
          path: playwright-report/
```

🚀 Framework Improvements Recommended

1. Testing Infrastructure

- **Add Vitest** for faster unit tests (replace Jest if present)
- **Add MSW** for API mocking in frontend tests
- **Add testing-library/user-event** for better user interaction simulation
- **Add @axe-core/playwright** for automated accessibility testing

2. Code Quality Tools

- **Add Prettier** for consistent code formatting
- **Add husky** for pre-commit hooks
- **Add lint-staged** to lint only changed files
- **Add commitlint** for conventional commits

3. Performance Monitoring

- **Add Lighthouse CI** for automated performance tracking
- **Add Bundle Analyzer** to monitor bundle size
- **Add React DevTools Profiler** integration

4. Security Enhancements

- **Add Snyk** for continuous vulnerability scanning
- **Add OWASP Dependency Check**
- **Add SonarQube** for code quality and security analysis

5. Documentation

- **Add JSDoc** comments for public APIs
- **Add Storybook** for component documentation
- **Add API documentation** (Swagger/OpenAPI)
- **Add architecture decision records** (ADRs)

6. Developer Experience

- **Add Docker Compose** test environment
- **Add VS Code** testing extensions configuration
- **Add test coverage** reports with Istanbul/c8
- **Add test utilities** helpers for common patterns

📚 Testing Best Practices (2026)

Based on industry research from January 2026:

1. **Test Features, Not Functions** - Focus on user-facing behavior rather than implementation details
2. **Use Real Databases** - Docker makes it easy to test against actual PostgreSQL
3. **Prefer Integration Tests** - They catch more bugs than pure unit tests
4. **Keep E2E Tests Focused** - Test critical paths only, they're slow and expensive
5. **Mock External Services** - Don't make real API calls in tests
6. **Use Migrations in Tests** - Same database setup as production
7. **Run Tests in Parallel** - Faster feedback with isolated test environments
8. **Fail Fast** - Run linting and unit tests before slower integration/E2E tests
9. **Visual Regression Testing** - Catch UI bugs with screenshot comparisons
10. **Accessibility Testing** - Automated checks with axe-core

📖 References (January 2026)

Based on current industry standards:

- Vitest vs Jest 30: Why 2026 is the Year of Browser-Native Testing
- Top Testing Libraries for React in 2026
- Node.js Testing Best Practices
- Comprehensive Guide to Testing React Apps
- Modern Frontend Testing with Vitest, Storybook, and Playwright
- CI/CD Best Practices with GitHub Actions
- Postgres and Integration Testing in Node.js Apps
- Scalable React and Secure Node.js in 2025

Testing Plan Created: January 8, 2026 Framework: React + Node.js + PostgreSQL Testing Strategy: Vitest + Playwright + Real Database Testing Status: 🚧 READY FOR EXECUTION

Generated 2026-01-16 23:34 UTC