Module 01: Platform Foundations

Last updated: April 29, 2026.

Objectives

- Sign in through Supabase Auth.
- Understand the enabled-profile approval gate.
- Navigate the current desktop and mobile shell.
- Identify Netlify Functions and hosted Supabase as the production architecture.

Prerequisites

- Approved account for `https://pstest.morloksmaze.com`, or local mock UI mode for non-mutating classroom demos.
- No local database requirement.

Walkthrough

1. Open the production app.
2. Sign in and confirm you are not on pending approval.
3. Review the dashboard cards.
4. On mobile width, open the navigation drawer and confirm routes are reachable.
5. Open Scripts, Assistant, Analytics, and Settings.

Visual References




Dashboard
PSScript
⌘K
Dashboard
Scripts
Search
Categories
Documentation
Chat
Agentic
Analytics
Settings
AI OPS STUDIO
Review, catalog, and harden PowerShell scripts with enterprise-grade AI analysis, voice workflows, and deployment-safe recommendations.
Total Scripts 0%
0
Categories
13
Avg. Security Score 0%
0.0 /10
AI Analyses 0%
0
Recent Scripts
View All
All
Automation
Automation & Workflows
Cloud Management
Curl Category 1777279
Data Management
Development Tools
Monitoring & Diagnostics
Network Management
Security
Security & Compliance
System Administration
User Management
Utilities & Helpers
README Screenshot 177743...
Private
Temporary README screenshot seed data
Unknown date
README Screenshot 177743...
Private
Temporary README screenshot seed data
Unknown date
E2E Script 1777419398456
Private
Created by Playwright
Unknown date
E2E Script 1777370628379
Private
Created by Playwright
Unknown date
E2E Script 1777369247828
Private
E2E Script 1777368595210
Private
Script Categories
Recent Activity
View All
User
updated Example Script 0
Voice


Settings Profile
PSScript
⌘K
Dashboard
Scripts
Search
Categories
Documentation
Chat
Agentic
Analytics
Settings
Back to Dashboard
Back to Settings
Profile Settings
Manage your personal information and account settings
Profile
Appearance
Security
User Management
Notifications
Script Categories
API Settings
Data Maintenance
R
readme-shot-1777439375493-c9789b95
psscript-readme-shot-1777439375493-c9789b95@example.invalid
Member since: 4/29/2026
Username
readme-shot-1777439375493-c9789b95
Email Address
psscript-readme-shot-1777439375493-c9789b95@exa
First Name
Last Name
Job Title
Company
Bio
Tell us a bit about yourself...
Save Changes
collapse
Voice

Service Map

Service	Role	Production
Netlify site	React app and SPA routing	`https://pstest.morloksmaze.com`
Netlify Functions	same-origin API	`/api/*`
Supabase Auth	identity/session	hosted Supabase
Supabase Postgres	scripts, analyses, vectors, backups	hosted Supabase

Key Concepts

- Enabled Supabase profile access is required for protected app/API routes.
- Hosted Supabase Postgres is the canonical database.
- Netlify Functions are the production API.
- Local mock UI mode is for demos and screenshots, not production data.

Verification Checklist

- You can reach Dashboard, Scripts, Assistant, Analytics, and Settings.
- Mobile navigation opens and closes without covering unreadable content.
- You can explain why disabled users cannot access protected APIs.

Generated 2026-04-29 14:08 UTC