SOPHOS | ACADEMY

SOPHOS ENDPOINT ENGINEER

EL15: SOPHOS ENDPOINT LAB WORKBOOK | 7.0V1 | SEPTEMBER 2026

SOPHOS | ACADEMY

CONTENTS

Contents 2

Introduction 5

About the Lab Environment 5

Accessing the Lab Environment 5

About this Workbook 5

Workbook conventions 5

Lab Environment 6

IMPORTANT: **READ THIS** BEFORE YOU START YOUR LAB ENVIRONMENT 6

Getting Help 7

Getting Started with Sophos Endpoint 8

Task 1: Register for a Sophos Central Trial 8

Objective 8

Task 8

Solution Walkthrough 10

User Management 12

Task 1: Manually Add Users 12

Objective 12

Task 12

Solution Walkthrough 13

Task 2: Install and Configure AD Sync 14

Objective 14

Task 14

Solution Walkthrough 16

Task 3: Configure Role-Based Access 20

Objective 20

Task 20

Solution Walkthrough 21

Deployment 22

Task 1: Install Sophos Endpoint on Windows 22
Objective 22
Task 22
Solution Walkthrough 23
Device Management 24
Task 1: Configure Software Packages 24
Objective 24
Task 24
Solution Walkthrough 25
Task 2: Create a Server Group 26
Objective 26
Task 26
Solution Walkthrough 27
Policies 28
Task 1: Test the Threat Protection Policy 28
Objective 28
Task 28
Solution Walkthrough 29
Task 2: Configure and Test Web Control 30
Objective 30
Task 30
Solution Walkthrough 31
Task 3: Configure and Test Application Control 33
Objective 33
Task 33
Solution Walkthrough 34
Reports 36
Task 1: Review Control Reports 36
Objective 36

Task 36

Solution Walkthrough 37

Appendix 38

Environment Overview 38

User Accounts 38

© 2026 Sophos Limited. All rights reserved. No part of this document may be used or reproduced in any form or by any means without the prior written consent of Sophos.
Sophos and the Sophos logo are registered trademarks of Sophos Limited. Other names, logos, and marks mentioned in this document may be the trademarks or registered trademarks of Sophos Limited or their respective owners.
While reasonable care has been taken in the preparation of this document, Sophos makes no warranties, conditions, or representations (whether express or implied) as to its completeness or accuracy. This document is subject to change at any time without notice.
Sophos Limited is a company registered in England number 2096520, whose registered office is at The Pentagon, Abingdon Science Park, Abingdon, Oxfordshire, OX14 3YP.

SOPHOS | ACADEMY

INTRODUCTION

These labs accompany the Sophos Endpoint Certified Engineer course (ET15) and form the practical part of the certification. They are estimated to take 2 hours to complete.

ABOUT THE LAB ENVIRONMENT

These labs are designed to be completed in the hosted lab environment. If you're not using the hosted lab environment (for example, this course is being taught in a classroom and not completed online), some details such as hostnames and IP addresses may vary. Your instructor will provide details on accessing the lab environment and any localized changes.

We recommend completing each lab task when directed to do so in the training content. Before starting the lab, please watch the getting started with your lab video available here:
https://training.sophos.com/cloudlabs/GetStartedWithYourLab/play.html

ACCESSING THE LAB ENVIRONMENT

You can start your lab environment by clicking the Launch Lab Environment link in the Course Introduction's Lesson Resources section. The environment will open in a pop-up window. If the window does not open, check that your browser isn't blocking pop-ups. If you need to leave your environment and return to it, you can use the Launch Lab Environment link again to log back into the same environment.

Important note: Once you start your environment, it'll be available for **7 days**. Once your environment expires, it's automatically **deleted**.

ABOUT THIS WORKBOOK


- Labs that cover larger subjects are divided into several tasks.
- Each task has two parts:
    - The **task** that tells you what needs to be accomplished, any specific notes required
    - A **solution walkthrough** that goes through the task step-by-step.
- An Appendix, which provides the environment details and user accounts, is available at the end of this workbook.

WORKBOOK CONVENTIONS

This workbook uses the following conventions throughout:

Bold text	• Actions: On-screen elements that you interact with, for example, menu items, buttons, tick boxes, and tabs • Important points to note
'Single quotes'	On-screen elements that you don't interact with, for example, page titles, and field names
Courier New font	Commands to be executed
Underlined	Hyperlinks
<variables>	Variables will be shown between chevrons, for example <Red ID>

LAB ENVIRONMENT




The Azure hosted lab environment consists of a single Windows 2025 server. The lab environment has internet access to Sophos Central to complete lab tasks.

IMPORTANT: **READ THIS** BEFORE YOU START YOUR LAB ENVIRONMENT

It is important that you create a new Sophos Central trial account to complete these lab tasks. The trial account will include the licenses required to complete lab tasks.

Once your lab has started, you will find an email forwarder in the panel on the right. This panel can be resized and popped out into a separate window.



The email forwarder in your lab can be used to sign up for a new Sophos Central trial and will forward emails to the email address registered to your lab.

IMPORTANT: Before using this email forwarder for your Sophos Central trial, send a test email to ensure it is fully set up.

If you have a problem with the email forwarder, use a **temporary email address** (for example Gmail or Outlook) and **not your business email address** to create the trial.

NOTE: Sophos Central is constantly being updated and improved. Because of this, the user interface may sometimes differ from the taught content.

If you do notice a specific step where the instructions do not match what you are seeing on-screen, please report this to globaltraining@sophos.com and we will be able to correct these instances.

GETTING HELP

If you require assistance with these lab tasks please reach out to us at globaltraining@sophos.com

GETTING STARTED WITH SOPHOS ENDPOINT


TASK 1: REGISTER FOR A SOPHOS CENTRAL TRIAL

OBJECTIVE

Create and secure a Sophos Central trial account to complete all lab tasks.

TASK

Once your lab has started, you will find an email forwarder in the panel on the right. This panel can be resized and popped out into a separate window.



The email forwarder in your lab can be used to sign up for a new Sophos Central trial and will forward emails to the email address registered to your lab.

IMPORTANT: Before using this email forwarder for your Sophos Central trial, send a test email to ensure it is fully set up.

If you have a problem with the email forwarder, use a temporary email address (for example Gmail or Outlook) and not your business email address to create the trial.

On Your Local Computer

Browse to https://www.sophos.com/products/central-activation and sign up for a new Sophos Central **Free Trial**.

When you receive the activation email, click the link to complete the account setup.

Once you've logged into Sophos Central, use the **Profile Menu** at the top right to **configure multi-factor authentication**.

IMPORTANT: You can create a passkey, but you'll also want to add an authenticator app to MFA to log in to Sophos Central on the lab server.


Log out of Sophos Central.

Task Summary
You've registered for and activated a Sophos Central trial account to complete these lab tasks.

Jump to the next task

IMPORTANT NOTE: You must create a Sophos Central trial account to complete these labs. This ensures that all features are available. Do NOT use an existing Sophos Central account.

Once your lab has started, you will find an email forwarder in the panel on the right. This panel can be resized and popped out into a separate window.



The email forwarder in your lab can be used to sign up for a new Sophos Central trial and will forward emails to the email address registered to your lab.

IMPORTANT: Before using this email forwarder for your Sophos Central trial, send a test email to ensure it is fully set up.

If you have a problem with the email forwarder, use a temporary email address (for example Gmail or Outlook) and not your business email address to create the trial.

	On **Your Local Computer**
1	Open a web browser and go to https://www.sophos.com/products/central-activation
2	Click **Free Trial**
3	Follow the on-screen instructions to register for a trial If the email forwarder has not worked, please follow these rules for using a temporary email account. • Do **not** use your primary work email address. We recommend using a temporary email account to create this evaluation. • Make sure you use an email address that you can access. • You'll need to use an email address that hasn't already been registered with Sophos Central.

4	Check your inbox and open the email with the subject 'Activate your Sophos Central account.' You'll receive an email with an activation link. Please note that this may take several minutes to arrive.
5	Click **Create Password** in the email This will open the activation page.
6	Enter and confirm a password of your choice
7	Select where to store the data in the 'Central Admin Portal' drop-down menu Once a country has been selected, the location **can't** be changed once your account is created.
8	Read the statements and select all the checkboxes
9	Click **Activate Account**
10	Close any dialog boxes that appear when you log in Sophos Central is now ready to use.
11	Open the **Profile Menu** in the top-right by clicking the user icon 
12	Select **My info**
13	Click **Manage MFA**
14	Log in with your username and password, and enter the security code that is sent to your email
15	Follow the instructions on-screen to complete the MFA setup **IMPORTANT**: You can create a passkey; however, you'll also want to add an authenticator app to MFA to log in to Sophos Central on the lab server in your hosted environment.
16	Open the **Profile Menu** in the top-right and click **Sign Out**

Task Summary
You've registered for and activated a Sophos Central trial account to complete these lab tasks.

USER MANAGEMENT

TASK 1: MANUALLY ADD USERS

OBJECTIVE

Manually create user accounts in Sophos Central to enable role-based access to management features and establish baseline administrative identities.

TASK



On **Your Local Computer**

Sign in to your **Sophos Central** account.
Create the following **user accounts** manually:

First Name	Last name	Email Address	Role
Rose	Jones	rosejones@ad.trainingdemo.xyz	User
Gus	Turner	gusturner@ad.trainingdemo.xyz	User
River	Grey	rivergrey@ad.trainingdemo.xyz	User
Emma	Carter	emmacarter@ad.trainingdemo.xyz	User



Task Summary

You've manually created 4 new user accounts.

Jump to the next task

SOLUTION WALKTHROUGH

	On **Your Local Computer**
1	Open **Google Chrome** and browse to **https://central.sophos.com**
2	**Sign in** using your login credentials
3	Select **My Environment > Users & Groups**
4	Click **Add > Add User**
5	Type **Rose Jones** into the 'First and Last name' field
6	In the 'Email' field type **rosejones@ad.trainingdemo.xyz**
7	Click the **Role** drop-down menu and select **User**
8	Click **Save and Add Another**
9	Type **Gus Turner** into the 'First and Last name' field
10	Ensure the role drop-down menu is set to 'User'
11	In the 'Email' field type **gusturner@ad.trainingdemo.xyz**
12	Click **Save and Add Another**
13	Type **River Grey** into the 'First and Last name' field
14	Ensure the role drop-down menu is set to 'User'
15	In the 'Email' field type **rivergrey@ad.trainingdemo.xyz**
16	Click **Save and Add Another**
17	Type **Emma Carter** into the 'First and Last name' field
18	Ensure the role drop-down menu is set to 'User'
19	In the 'Email' field type **emmacarter@ad.trainingdemo.xyz**
20	Click **Save**

Task Summary
You've manually created 4 new user accounts.

TASK 2: INSTALL AND CONFIGURE AD SYNC

OBJECTIVE

Integrate Sophos Central with Active Directory by configuring and running AD Sync to centrally manage users and groups from an existing directory service.

TASK

On your **Lab Server**

Connect to the **Lab Server** in your hosted environment.

Install and configure the Sophos Central AD Sync Utility to import users and groups into Sophos Central.

You'll need to create API credentials to use in the AD Sync setup. Create an API Credential called **Active Directory** in Sophos Central with the **Service Principal Directory Sync** role.

The AD Sync Utility tool is downloaded by navigating to **Global Settings > Directory Services**. Directory Services are listed in the Platform section.

The domain controller is **lab-<lab ID>.ad.trainingdemo.xyz**

> The domain controller will be pre-populated and will start with the lab-<lab_ID> of your hosted lab environment. This information is denoted in <> as it will be different per environment.

The following username and password details must be used for the Active Directory:

- AD Username: **TRAININGDEMO\CentralADSync**
- AD Password: **Sophos1985!**

Configure the search base for users to be:
OU=TRAINING USERS,OU=TRAINING,DC=AD,DC=TRAININGDEMO,DC=XYZ
Configure the following LDAP filter for users: **(!userAccountControl:1.2.840.113556.1.4.803:=65536)**

Configure the search base for groups to be:
OU=TRAINING GROUPS,OU= TRAINING,DC=AD,DC=TRAININGDEMO,DC=XYZ
Configure the following LDAP filter for groups: **(groupType:1.2.840.113556.1.4.803:=-2147483648)**

Once you have completed the AD synchronization, there will be new users and groups to be added. You should also see that a user you manually added has been merged with an AD user account, this will show as an account to modify in the synchronization tool.

All changes must be approved.

Task Summary

You've installed the AD Sync Utility tool, configured it to synchronize the desired users and groups to Sophos Central, and initiated a synchronization.

Jump to the next task

SOLUTION WALKTHROUGH

Instructions

On Your **Lab Server**

1	**Connect** to your **Lab Server** in your hosted environment
2	Open **Google Chrome** and navigate to **https://central.sophos.com**
3	**Sign in** using your email address and password for your trial account You'll need to authenticate using MFA to log in to your Sophos Central account. If you haven't already configured MFA, do this now by following the on-screen instructions.
4	Close and acknowledge any dialog boxes
5	Select **Global Settings** in the top menu
6	In the Access Control section, select **API Credentials**
7	**Accept** the Sophos API Terms of Use
8	Click **Add Credential**
9	Enter the 'Credential name' as **Active Directory**
10	From the 'Role' drop-down menu, select **Service Principal Directory Sync**
11	Click **Add**
12	Open **Notepad** from the start menu
13	Switch back to Sophos Central, and next to the 'Client ID', click **Copy**
14	**Paste** the Client ID into the Notepad file
15	Switch back to Sophos Central, click **Show Client Secret** **Note:** The client secret will only be displayed **once**.
16	Next to the 'Client Secret', click **Copy**
17	**Paste** the Client Secret into the Notepad file
18	**Save** the Notepad file as API Credentials.txt to the Desktop Keep the file open, as you'll need to use the credentials in this task.

19	Switch back to Sophos Central and select **Directory Services** from the left-hand menu Directory Services is listed under Platform in the Global Settings menu.
20	Click **Download AD Sync installer**
21	In the browser downloads menu, double-click on the **SophosCentralADSyncSetup.msi** once the download has completed
22	Click **Run**
23	Click **Next** twice
24	Click **Install**
25	Click **Finish** Leave the option to 'Launch Sophos Central AD Sync Utility' selected.
26	In the 'Active Directory Synchronization Setup' window, click **Next** The setup tool may open behind the browser window. Use the tool bar to locate the synchronization tool.
27	In the Client ID field, enter the **Client ID** The Client ID can be copied and pasted from the Notepad file you created and saved to the Desktop in step 17.
28	In the Client Secret field, click **Change secret**
29	**Copy** the Client Secret from the Notepad file and **paste** it into the 'Client Secret' and 'Confirm Client Secret' fields
30	Click **Change Client Secret** The API Credentials are validated once the Client Secret has been entered. You should see a message confirming the credentials are correct.
31	Click **Next**

32 Configure the Active Directory connection with the following details:

Field	Value
Use LDAP over an SSL connection	Select
Host name	lab-<lab ID>.ad.trainingdemo.xyz
Port number	636
Active Directory username	TRAININGDEMO\CentralADSync
Active Directory password	Sophos1985!

> The host name will be pre-populated and will start with the lab-<lab_ID> of your hosted lab environment. This information is denoted in <> as it will be different per environment.

33 Click **Next**, then click **Next** again

34 Deselect **Sync public folders**

35 Click **Define Filters...**

36 Click **Edit** to modify the default search base

37 Modify the search base to:

OU=TRAINING USERS,OU=TRAINING,DC=AD,DC=TRAININGDEMO,DC=XYZ

38 Click **OK**

39 In the text field at the bottom, enter the following LDAP filter:

(!userAccountControl:1.2.840.113556.1.4.803:=65536)

> This will be combined with the default filters and will filter out accounts where the password does not expire. In this environment, this option is only used with service accounts. The exclamation mark at the start indicates that the filter must **not** be true, that is, that the user must not have the option selected.
>
> More information on userAccountControl values can be found on the Microsoft website:
>
> https://support.microsoft.com/en-gb/help/305144/how-to-use-the-useraccountcontrol-flags-to-manipulate-user-account-pro

40 Select the **Users Groups** tab

41 Click **Edit...** and modify the search base to:

OU=TRAINING GROUPS,OU=TRAINING,DC=AD,DC=TRAININGDEMO,DC=XYZ

42 Click **OK**

43	In the text field at the bottom, enter the following LDAP filter: **(groupType:1.2.840.113556.1.4.803:=-2147483648)** This will be combined with the default filters and will select security groups, not distribution groups.
44	Click **OK**
45	Click **Next**
46	Click **Finish** We're not scheduling automatic synchronization.
47	Click **Preview and Sync...** You'll need to wait while AD Sync Utility checks for updates. If you get an error, check your filters for errors.
48	Review the information that will be imported into Sophos Central, then click **Approve Changes and Continue** There should be new users and groups to be added. You should also see an account to modify. This is a merged account; it merges a manually added account and an account in the AD.
49	Once the synchronization has finished, click **Exit**
50	Switch back to Sophos Central and **Refresh** Sophos Central in the browser You should see that the Synchronization status is successful.

Task Summary

You've installed the AD Sync Utility tool, configured it to synchronize the desired users and groups to Sophos Central, and initiated a synchronization.

TASK 3: CONFIGURE ROLE-BASED ACCESS

OBJECTIVE

Create and assign a custom management role to restrict administrative permissions while allowing required operational access.

TASK

On **Your Local Computer**

Create a new management role called **Support Helpdesk** with the following properties:

Role Management is listed in the 'Access Control' section of Global Settings.

- The base role is **Read-only**
- **Help desk access to Server Protection and Endpoint Protection**
- Enable **access to logs & reports**
- Enable **policy assignment to users, device, etc...**
- **Start Live Response sessions on computers**
- **Start Live Response sessions on servers**

Apply the newly created role to the user **Jim Brown**.

Task Summary

You've configured a custom role in Sophos Central

Jump to the next task

SOLUTION WALKTHROUGH

Instructions



On Your **Local Computer**

1	Open your browser and navigate to **https://central.sophos.com**
2	**Sign in** using your email address and password for your trial account You'll need to authenticate using MFA to log in to your Sophos Central account. If you haven't already configured MFA, do this now by following the on-screen instructions.
3	Select **Global Settings** in the top menu
4	In the 'Access Control' section, select **Role Management**
5	Click **Add role**
6	In the 'Name' field, enter **Support Helpdesk**
7	Leave the 'Base role' set to **Read-only**
8	In the 'Product access for Sophos Central Admin' section, select **Help desk** for 'Server Protection' and 'Endpoint Protection'
9	Scroll to the bottom of the role and select to turn on the following features: • **Enable access to logs & reports** • **Enable policy assignment to users, device, etc...** • **Start Live Response sessions on computers** • **Start Live Response sessions on servers**
10	Click **Save**
11	Select the **My Environment** drop-down menu
12	Select **Users & Groups**
13	Select the user **Jim Brown**
14	Click **Edit**
15	From the 'Role' drop-down menu select **Support Helpdesk**
16	Click **Save**



Task Summary

You've configured a custom role in Sophos Central

DEPLOYMENT

TASK 1: INSTALL SOPHOS ENDPOINT ON WINDOWS

OBJECTIVE

Deploy the Sophos Endpoint Agent to a Windows server to ensure the system is protected and centrally managed.

TASK

On your **Lab Server**

Install Sophos Endpoint on your hosted **Lab Server** using the installer available in your Sophos Central account.

Note: Installation may take up to 15 minutes to complete. You can't move on to the next lab task until the installation is complete.

Restart the Lab Server once installation is completed.

Task Summary

You've installed the Sophos Endpoint Agent on your host lab server.

Jump to the next task

SOLUTION WALKTHROUGH

Instructions



On Your **Lab Server**

1	Open **Google Chrome** and navigate to **https://central.sophos.com**
2	**Sign in** using your email address and password for your trial account You'll need to authenticate using MFA to log in to your Sophos Central account. Close the Product Setup window if it appears.
3	Select **My Environment** in the top menu
4	Click **Installers**
5	In the 'Server' section, click **Download Windows Server installer**
6	From the browser downloads menu, double-click **SophosSetup.exe** and click **Run** The installer will perform pre-installation checks. If you see a message about restarting the server, click 'Continue'.
7	Click **Install** The installation typically takes 15 minutes to complete. Restart the lab server once the installation is complete. **Important**: You can't move on to the next lab task until the installation is complete.
8	Once the installation is completed, click **Finish**
9	**Restart** the Lab Server



Task Summary

You've installed the Sophos Endpoint Agent on your host lab server.

DEVICE MANAGEMENT

TASK 1: CONFIGURE SOFTWARE PACKAGES

OBJECTIVE

Select and apply an appropriate software package to control how and when software updates are delivered.

TASK



On **Your Local Computer**

Review the software packages available.

Configure the **Update Management Base Policy** to use the **latest Fixed term support** software package.



Task Summary

You've configured the updating policy and defined the software package applied to protected servers.

Jump to the next task

SOLUTION WALKTHROUGH

Instructions



On your **local computer**

1	Open your browser and navigate to **https://central.sophos.com**
2	**Sign in** using your email address and password for your trial account You'll need to authenticate using MFA to log in to your Sophos Central account. If you haven't already configured MFA, do this now by following the on-screen instructions.
3	Select **Global Settings** in the top menu
4	In the 'Products & Services' drop-down menu select **Endpoint & Server**
5	Select **Software Package**
6	Select the **Windows Server** tab
7	Review the packages available for Windows Servers
8	Click the **My Products** drop-down menu
9	Select **Server > Policies**
10	Click **Base Policy – Update Management**
11	Click the **SETTINGS** tab
12	In the drop-down menu for 'Windows' select the first Fixed term support package '**FTS**' in the list
13	Click **Save**



Task Summary

You've configured the updating policy and defined the software package applied to protected servers.

TASK 2: CREATE A SERVER GROUP

OBJECTIVE

Organize protected servers into a logical group to allow targeted policy assignment and centralized management.

TASK

On Your Local Computer

Create a new top-level server group named **Support Servers**.

Add the **Lab-<ID>** server to the group.

> The ID your lab has will differ per environment.

Task Summary

You've created a server group and added a server to the group.

Jump to the next task

SOLUTION WALKTHROUGH

Instructions

On **your local computer**

1	Open your browser and navigate to **https://central.sophos.com**
2	**Sign in** using your email address and password for your trial account You'll need to authenticate using MFA to log in to your Sophos Central account. If you haven't already configured MFA, do this now by following the on-screen instructions.
3	Select **My Products** in the top menu
4	Select **Server > Servers**
5	Select the **Server Groups** tab
6	Click **Add Server Group**
7	Leave 'Create new top level group' selected and click **Next**
8	In the 'Group Name' field, enter **Support Servers**
9	In the 'Available Servers' field, select **Lab-<Lab ID>** The <Lab ID> your lab has will differ per environment.
10	Click the blue arrow  to move the selected server to the 'Assigned Computers' column on the right
11	Click **Save**

Task Summary

You've created a server group and added a server to the group.

POLICIES

TASK 1: TEST THE THREAT PROTECTION POLICY

OBJECTIVE

Validate threat protection functionality by triggering and observing malware detection and response behavior on a protected server.

TASK

On your **Lab Server**

On your Lab Server, test the threat protection policy by navigating to **sophostest.com**

Select **Endpoint Security**.

Select **Anti-Virus EICAR test** and then **Download File**

Note the activity on the server.

Navigate to **C:\ProgramData\Sophos\Clean\Logs** and view the **SophosCleanup.log**, searching for EICAR.

Sophostest.com has several tests that can be run to test protection. Take some time to test the protection and view the events and information reported back to Sophos Central for the server.

All changes must be approved.

Task Summary

You've tested the recommended threat protection policy settings.

SOLUTION WALKTHROUGH

Instructions

On Your **Lab Server**

1	Open **Google Chrome** and navigate to **https://sophostest.com**
2	Select **Endpoint Security**
3	Click **Anti-virus EICAR test**
4	Click **Download File**
5	Note the activity that happens on the server
6	Click the **Start** menu
7	Select **File Explorer**
8	Navigate to **C:\ProgramData\Sophos\Clean\Logs\SophosCleanup.log** You may need to click View > Show > Hidden items to view the Program Data folder
9	Scroll to the bottom of the file and look for EICAR and note the action applied to the file
10	Sophostest.com has several tests that can be run to test protection. Take some time to test the protection and view the events and information reported back to Sophos Central for the server.

Task Summary

You've tested the recommended threat protection policy settings.

TASK 2: CONFIGURE AND TEST WEB CONTROL

OBJECTIVE

Configure web control policies to restrict access to high-risk website categories and verify enforcement on a protected system.

TASK

On your **Lab Server**

In Sophos Central, **edit** the Server **Base Policy – Threat Protection** to turn on 'Block QUIC browser connections', and 'SSL/TLS decryption of HTTPS websites'. **Save** your changes.

Configure the base Server Web Control policy to control access to **gambling** and **web-based email**.

Configure the policy to **Block** 'Gambling' and **Warn** for **'**Anonymizer Proxies**'**.

Ensure 'log web control events' are turned on.

Ensure the policy has been applied by checking the 'Policy' tab in the ESH (Endpoint Self Help) tool. To open the ESH tool, open the Sophos Endpoint Agent, click 'About' in the bottom-right, then click 'Open Endpoint Self Help'. Check the last Sophos Central policy update time.

Test the policy by accessing the sites:

- **https://proxysite.com**
- **https://betway.com**

When you browse to a proxy site, click **Proceed** when the warning message is shown.

Task Summary

You've configured and tested a web control policy to block and warn when users access specific website categories.

Jump to the next task

SOLUTION WALKTHROUGH

Instructions



On your **Lab Server**

1	Open **Google Chrome** and navigate to **https://central.sophos.com**
2	**Sign in** with your email address and password You'll need to authenticate using MFA to log in to your Sophos Central account. Close any pop-up windows in Sophos Central.
3	Select the **My Products** drop-down menu
4	Select **Server > Policies** in the drop-down menu
5	Select **Base Policy – Threat Protection**
6	Click the **SETTINGS** tab
7	Scroll down to the 'Advanced Settings'
8	Turn on **Block QUIC browser connections**
9	Turn on **SSL/TLS decryption of HTTPS websites**
10	Scroll to the top of the policy and click **Save**
11	Scroll down to the 'Web Control' section and select **Base Policy – Web Control**
12	Select the **SETTINGS** tab
13	Turn on **Web Control**
14	In the 'Gambling' field, select **Block**
15	In the 'Anonymizer Proxies' field, select **Warn**
16	Ensure 'log web control events' are turned on.
17	Click **Save** The 'Save' button is at the top of the policy, you will need to scroll up to click Save.
18	Open a new browser tab
19	Enter the URL https://proxysite.com Ensure the policy has been applied by checking the 'Policy' tab in the ESH (Endpoint Self Help) tool. To open the ESH tool, open the Sophos Endpoint Agent, click 'About' it the bottom-right, then click 'Open Endpoint Self Help'. Check the last Sophos Central policy update time.
20	Click **Proceed/Continue**

21 Open a new browser tab and enter the URL **http://betway.com**

Ensure the policy has been applied by checking the Policy tab in the ESH tool.

This site will be blocked as per the Web Control policy.

Task Summary

You've configured and tested a web control policy to block and warn when users access specific website categories.

TASK 3: CONFIGURE AND TEST APPLICATION CONTROL

OBJECTIVE

Restrict the execution of controlled applications using Application Control and verify enforcement through endpoint testing.

TASK

On your **Lab Server**

Application Control can be used to prevent the use of inappropriate applications or applications that you wish to restrict for all users.

Confirm that you can open **Mozilla Firefox** from the Desktop then close it.

Edit the **Application Control policy** and **configure** it to **detect controlled applications when users access them** and to **block any detected applications.**

The policy must be **configured** to **detect controlled applications during scheduled and on-demand scans**.

The following applications must be added to the policy:

- **Firefox (v7 and higher)**
- **Firefox 1**
- **Firefox 2**
- **Firefox 3**
- **Firefox 4**
- **Firefox 5**
- **Firefox 6**
- **Firefox Portable**

- Enter the following Desktop Message to the policy:

This application isn't supported. Please contact IT.

Test that the policy works by attempting to open Mozilla Firefox.

Please note that the policy will take a couple of minutes to apply.

Task Summary

You've configured and tested an application control policy to restrict access to an application.

Jump to the next task

SOLUTION WALKTHROUGH

Instructions



On your **Lab Server**

1	From the Desktop, open **Mozilla Firefox** and confirm it opens
2	Close Mozilla Firefox
3	Open **Google Chrome** and navigate to **https://central.sophos.com**
4	**Sign in** using your email address and password for your trial account You'll need to authenticate using MFA to log in to your Sophos Central account. If you haven't already configured MFA, do this now by following the on-screen instructions.
5	Select the **My Products** drop-down menu
6	Select **Server > Policies**
7	Select **Base Policy – Application Control**
8	Click the **SETTINGS** tab
9	Click **Add/Edit List**
10	Select **Internet browser**
11	Select the following applications: • **Firefox (v7 and higher)** • **Firefox 1** • **Firefox 2** • **Firefox 3** • **Firefox 4** • **Firefox 5** • **Firefox 6** • **Firefox Portable**
12	Click **Save to List**
13	Click **Detect controlled applications when users access them (You will be notified).**
14	Click **Block the detected application**
15	In the Desktop messaging text box enter the following text: **This application isn't supported. Please contact IT.**

16	Click **Save** to save the policy The Save button is at the top of the policy, you will need to scroll up to click Save.
17	Open the **Sophos Endpoint Agent** on your Lab Server
18	Click **About**
19	Click **Open Endpoint Self Help Tool**
20	Select the **Policy** tab
21	Check the 'Last Sophos Central Policy Update' timestamp
22	Open **Mozilla Firefox** from the Desktop
23	Note the activity on the server

Task Summary

You've configured and tested an application control policy to restrict access to an application.

REPORTS

TASK 1: REVIEW CONTROL REPORTS

OBJECTIVE

Analyze web control, application, and security event reports to identify policy enforcement outcomes and user activity.

TASK

On **Your Local Computer**

Important: Reports are updated regularly, so you should allow 20-30 minutes after testing the policies before completing this task.

In Sophos Central, **review** the **Web control reports**.

View those users who proceeded through warned sites and blocked sites.

View the **Events report** and filter it to show policy violators and web control events.

View the **Blocked Applications** report.

Task Summary

You've reviewed the web control reports in Sophos Central.

SOLUTION WALKTHROUGH

Instructions



On **your local computer**

1	**Important**: Reports are updated on regular frequency, so you should allow 20-30 minutes after testing the policies before completing this task. Open your browser and navigate to **https://central.sophos.com**
2	**Sign in** using your email address and password for your trial account You'll need to authenticate using MFA to log in to your Sophos Central account. If you haven't already configured MFA, do this now by following the on-screen instructions.
3	Select **Reports** in the top menu
4	In the 'Web control' section, select **Warned Sites**
5	Note the entries listed for warned sites
6	Click **Reports** in the breadcrumb menu
7	Select **Blocked Sites** in the 'Web control' section
8	Note the entries listed for blocked sites
9	Click **Reports** in the breadcrumb menu
10	Select the **Events Report**
11	**Un-check** Type (0) in the filter menu
12	Select **Policy Violators** and **Web Control**
13	Click **Update**
14	Review the returned data
15	Click **Reports** in the breadcrumb menu
16	Select the **Blocked Applications** report
17	Note the applications listed.



Task Summary

You've reviewed the web control reports in Sophos Central.

APPENDIX

ENVIRONMENT OVERVIEW

The environment used to complete these labs is comprised of multiple computers, connected via a simple network.

Computer	Description
Lab<Lab_ID>.ad.trainingdemo.xyz	This is a Windows 2025 server. Throughout this workbook it is referred to as **Lab Server**

USER ACCOUNTS

The table below details the user accounts in the lab environment.

Username	Full name	Password	Scope and privileges
TRAININGDEMO\labuser	Administrator	See hosted environment for details	Domain administrator AD.TRAININGDEMO.XYZ