STELLAR CYBER®

# STELLAR CYBER OPEN XDR
# USER INTERFACE OVERVIEW


L00 - INTRODUCTION TO USER INTERFACE (UI) OVERVIEW ..... 2
L00A-PRES: Introduction and Agenda (04m:55s) ..... 2
L01 - UI OVERVIEW ..... 3
L01A-PRES: Overview (06m:50s) ..... 3
L01B-DEMO: Overview (03m:15s) ..... 5
L02 - QUESTION MARK ICON ..... 6
L02A-PRES: Top Right Question to User (09m:25s) ..... 6
L02B-DEMO: Top Right Question to User (16m:45s) ..... 8
L03 - TOP MENU BAR ..... 12
L03A-PRES: Menu Bar (05m:50s) ..... 12
L03B-PRES: Menu Bar (10m:55s) ..... 14
L04 - FILTERS, SEARCH, AND TIME ..... 17
L04A-PRES: Filters, Search, and Time (06m:00s) ..... 17
L04B-DEMO: Filters, Search, and Time (06m:00s) ..... 19
L05 - PIE AND BAR CHARTS ..... 24
L05A-PRES: Pie and Bar Charts (05m:35s) ..... 24
L05B-DEMO: Pie and Bar Charts (13m:20s) ..... 25
L06 - TABLES ..... 29
L06A-PRES: Tables (11m:10s) ..... 29
L06A-DEMO: Tables (24m:50s) ..... 32
L07 - ALERT DETAILS ..... 38
L07A-PRES: Alert Details (07m:25s) ..... 38
L07B-DEMO: Alert Details (07m:25s) ..... 40
L08 - INTERFLOW DICTIONARY ..... 45
L08A-PRES: Interflow Dictionary and Cases (06m:20s) ..... 45
L08B-DEMO: Interflow Dictionary and Cases (14m:10s) ..... 47
L09 - OTHER INTERFACES - CLI AND API ..... 50
L09A-PRES: Other Interfaces - CLI and API (05m:40s) ..... 50
L09B-DEMO: Other Interfaces - CLI and API (16m:50s) ..... 52

# L00 - INTRODUCTION TO USER INTERFACE (UI) OVERVIEW

## L00A-PRES: Introduction and Agenda (04m:55s)

**00:00-01:00**
Hi and welcome to the *Stellar Cyber Open XDR User Interface Overview* module. I'm David Shirley from the Stellar Cyber Enablement and Training team. The lessons in this module show how to navigate and use the user interface of Stellar Cyber's Data Processor. We start with accessing the Data Processor, followed by a tour of the menu structure, and a detailed look at working with charts tables, Alerts, and Cases. We finish this module with a look at other ways to configure the Stellar Cyber platform, including the CLI, via the console and an overview of interacting with Stellar Cyber's API or application programming interface. Throughout this module there may be new concepts and terms you may not be familiar with, but that's okay and to be expected. The important thing is that you become familiar with the concepts and terms described. Through the Stellar Cyber Open XDR training curriculum, your understanding and application of cybersecurity principles will deepen with each repetition iteration and example.

**01:00-02:00**
As you advance, you're on your way to becoming a cybersecurity superstar. Thank you for your dedication. The *Stellar Cyber Open XDR User Interface Overview* module is made up of the following lessons.

- *Overview*. At a high level we will see the different ways for administrators and SOC analysts to interact with the platform, including the user interface, console access, and Stellar Cyber's API.
- *Top right - Question Mark to User.* This lesson introduces the user interface's links to help administrators and SOC analysts from access to the Knowledge Base to contacting Stellar Cyber's customer success team and connections to the Stellar Cyber Academy and community portals.

**02:00-03:00**

- *Menu Bar*. Navigating the user interface always starts with the menu bar. This lesson gives you an overview of the layout and structure and highlights where the Stellar Cyber product features are accessed.
- *Filters, Search, and Time*. Stellar Cyber ingests huge amounts of data. The ability for SOC analysts to quickly get to the specific data they are looking for starts with the three areas, filter, search, and time. This lesson is an overview of how these features interact together. For a detailed look at these features, view the deep dive series for filter and search tools.
- *Pie and Bar Charts*. Visual representation is key to quickly understanding data. This lesson looks at the different ways to interact with both pie charts and bar charts in the user interface.

**03:00-04:00**

- *Tables*. Tables of data are prolific in the user interface appearing on the majority of pages that both administrators and SOC analysts work with. This lesson focuses on the many powerful features of tables that speed up the access and visibility of data.

- *Alert Details*. Alerts are one of the foundational pieces of the Stellar Cyber platform. Understanding how to view and navigate the features of the Alert detail view is paramount to the performance of the SOC analyst. This lesson looks at all the elements that make up the Alert detail.
- *Interflow Dictionary and Cases*. Both the Interflow dictionary and Cases are very powerful features of the user interface. The Interflow dictionary operates a little differently than other pages in the UI. Understanding this tool and how it is able to quickly visualize data differently is important to both administrators and SOC analysts.

**04:00-04:55**

Cases are the result of correlated Alerts and a powerful feature of the user interface for SOC analysts. This lesson is an overview of how these pages operate.

- *Other interfaces - CLI and API*. In addition to the browser-based user interface are two other tools to interact with the Stellar Cyber platform. Console or command-line interface access, and application programming interface, or API. Console access is available to the Data Processor components of the Data Lake and Data Analyzer as well as the sensor family of Modular Sensors and server sensors, both Windows and Linux. The API is a very powerful tool to pull and push data from the Stellar Cyber Data Processor. This lesson provides an overview of both interfaces.

Now let's get started. Happy learning!

# L01 - UI OVERVIEW

## L01A-PRES: Overview (06m:50s)

**00:00-01:00**

The first lesson in the *Stellar Cyber Open XDR User Interface Overview* module is *Overview. Overview.* At a high level we will see the different ways for administrators and SOC analysts to interact with the Stellar Cyber platform, including the user interface, console access, and Stellar Cyber's API. So to get started with how we access the Stellar Cyber platform let's just have a little tour of the overview of our network architecture and all the pieces involved here. So on the top right side of your screen is our Stellar Cyber platform. It can be delivered as both a SaaS platform managed by Stellar Cyber, or it can be installed as an on premises solution where you can have that on hardware of your own or in your own cloud infrastructure.

**01:00-02:00**

That Data Processor is what runs our UI, so that's going to be the main piece that we're going to be looking at in this overview. The other pieces in this architecture is the network we've got in the top left where we see a Modular Sensor, some firewalls, Windows Server sensors, Linux Server sensors, and the very top right is the API. So all of those pieces make up our Stellar Cyber platform. So let's look at what we're going to talk about today. Mainly the user interface, our browser-based web interface is the main piece but the other ways we can access the Stellar Cyber platform for configuration and viewing is as you can see–the Modular Sensor both virtualized and physical sensors. Our Windows

Server sensor has an interface, a command-line interface. The Linux Server sensor has a command-line interface and then in the top right, next to our Stellar Cyber platform, we have our API and application programming interface.

**02:00-03:00**
We'll talk about how to use that. And the Data Processor and the Data Lake both have consoles. So command line access available for both of those, so they are the main ways that we will interact with our Stellar Cyber platform. The user interface is a streamlined and intuitive web based user interface for cybersecurity operations. It unifies and provides advanced visualizations, alerting threat detection, automation, and response across the entire security landscape within an organization. There are several ways to interact with the Stellar Cyber platform as we've seen. There is the user interface or the UI. This is the main and most used interface. There's the console or CLI command-line interface access that we access the Data Lake, the Data Analyzer, modular and server sensors. When I say we access we can access those through the user interface as well...

**03:00-04:00**
...but we can also access those via a command-line interface. And then we have our application programming interface, as well our API. So they're the sections that we're going to go through today and do an overview of. The Data Processor runs that embedded web server that any browser with the sufficient capabilities can use. So any modern browser whether it is Chrome or Firefox or Edge, all of those can easily use our web interface. The system supports any number of connections on the standard TCP ports for the HTTPS protocol, so that is port 443. Note: after initial download of the JavaScript application, all further communication with the DP, the Data Processor, consists of the REST API calls and fetch data and issues commands. The REST API is proprietary; there is no need for us to understand that. The calls that we do need to understand later on in this lesson will be our API calls for the application programming interface.

**04:00-05:00**
The command-line interface or for the console access. So we can see there's the beginning of the login to two consoles for the Data Lake and the Data Analyzer. The Windows Server sensor has a command-line interface to it. We'll have a quick look at that. Linux Server sensor also has a command-line interface and our Modular Sensor both physical and virtualized have command-line interfaces or console access. Then the final one is the API or the application programming interface. So Stellar provides a public API that lets you interact with the product programmatically, allowing you to write your own scripts and retrieve data from the product and creates entities within it. Stellar Cyber is always adding new features to the API product. So look out for those as new software is released.

**05:00-06:00**
Starting with accessing the user interface. So it's an HTTPS TCP protocol 443 and we browse to the address of our Data Processor. A Server certificate is recommended. So we can see in the top left here this has a valid certificate from a third party where if we look on the one on the left, sorry on the right, we can see this is a self signed certificate so the DP will deploy with a self signed certificate so that we can have secure communications encrypted communications, but from an identity

perspective we add absolutely recommend installing a server certificate. To access our deployment… so it is https colon forward slash forward slash and then the IP address or the FQDN or the URL of the management address of your Data Processor. So that's how we access our DP.

**06:00-06:50**
We can see there the communication if there's a firewall in between needs to have TCP and port 443 open or allowed in a rule, permitted in a rule, and then we just enter our username or our email address depending on how you have your users configured in your system. And then next, final one, enter your password and select **Sign In** to continue. There we are. We have presented now with our default home screen that we'll talk about the idea of default. So welcome to the Stellar Open XDR user interface. And this is the main way of interacting with the Stellar Cyber product. So this is where we'll start and use most of our module and lessons, using the user interface. The lesson, *Overview*, is complete. Thank you.

## L01B-DEMO: Overview (03m:15s)

**00:00-01:00**
The next lesson in the *Stellar Cyber Open XDR User Interface Overview* module is *Demonstration of Overview. Demonstration of Overview.* In this lesson, you will see a high-level demonstration of the different ways for administrators and SOC analysts to interact with the Stellar Cyber platform, including the user interface, console access, and Stellar Cyber's API. In this demonstration, I will show you an overview of the different ways of accessing the Stellar Cyber platform for installation, configuration, and security operations. Let's start with initial access to the Stellar Cyber Data Processor's user interface. So here we are in one of our UIs, our DPs. This Data Processor has a valid public sign certificate. So when we log in…

**01:00-02:00**
…it's going to remember my username admin and it's remembered my password. So just to show you let me open up the cert here. Here's our certificate and we can view that certificate and see that it has been signed by a third party, and so the identity is secure. If I look at a different DP, that does not have a valid public certificate, it's got a self signed cert. Let me jump across and look at that. And we will log in. We can still log in. It is still secure in that it is HTTPS. Admin. But from an identity perspective we can't validate that. So if I look at its certificate, we see here, "Certificate not valid." I go look at it and it's clearly a self signed cert.

**02:00-03:15**
So a certificate all the same. So we have encryption and we have security from that perspective but from an identity perspective we're not really sure which host we're going to because there's no chain of certificates. So that's the UI from the UI perspective. There are other ways we can engage with the Stellar Cyber platform. Let me show you another one. For example, the console of a Modular Sensor. So let me open up a console. Let's choose our Modular Sensor. We'll log in as Aella. So another way to engage with our Stellar Cyber platform. We'll spend some more time at the end of this module

talking about the different ways we can interact in in the console, the CLI. The third way to access is via the API and we'll do a demonstration of that later in this module.

The lesson, *Demonstration of Overview*, is complete. Thank you.

# L02 - QUESTION MARK ICON

## L02A-PRES: Top Right Question to User (09m:25s)

**00:00-01:00**
The next lesson in the *Stellar Cyber Open XDR User Interface Overview* module is *Top Right - Question Mark to User. Top Right - Question Mark to User*. This lesson introduces the user interface's links to help administrators and SOC analysts from access to the Knowledge Base to contacting Stellar Cyber's customer success team and connections to the Stellar Cyber Academy and community portals. So we start our tour of the user interface with the question mark at the top right side. The question mark button opens a menu that provides access to the documentation and other tools such as the learning portal, the support portal, and ways for you to provide direct feedback on the product and other features. So we have our context-based Knowledge Base. We'll talk about how that works.

**01:00-02:00**
Knowledge base home. So to the documentation, release notes to find out something specific about the version of code that you're running, the new features that were enabled for that version of code. The Learning Portal, also known as the Stellar Cyber Academy. The product roadmap so you can see what's coming in the product what are the new features that are on the horizon, and you can participate in asking about new features, adding new features, or commenting on existing features in the roadmap, A community, a place to share ideas with fellow Stellar Cyber users, and the Support Portal, your link to Stellar Cyber's customer success team. There is also a way where you can provide feedback with a pop-up window to share any ideas you have about our product. In a bit more detail so the Knowledge Base context This is the top one So depending on where you are in the UI...

**02:00-03:00**
...the top Knowledge Base link will take you directly to the relevant page in the Knowledge Base. So you can see here this one highlighted is for the **Alerts** page. So if you are in the **Alerts** section of the user interface and you click on the **Question Mark** button, you can always see that the top Knowledge Base is a link contextually to where you are using the interface. And we can see there if you click on that you'll be taken to the Knowledge Base, but specifically to where you were in the UI. So in this example, using the **Alerts** page will show where you were in the user interface when you clicked on the question mark. The second one is the Knowledge Base home. So this link will take you to the homepage of the Knowledge Base of the software version of the Data Processor you are navigating so wherever you are in the user interface this will always take you to the homepage of the Stellar Cyber Knowledge Base.

**03:00-04:00**

**Release Notes** takes you to the Knowledge Base's listing of those release notes by software version. This is another way for you to find out what version you're running, just look in the URL. So we can see there that it takes us directly to the release notes section of the Knowledge Base with a list of all the previous versions of code and the release notes associated to them. So you can see there up in the URL you can see what version of code you're running. That's one easy place to find that. The Learning Portal also known as the Stellar Cyber Academy, a fantastic place where there is lots of content to learn Stellar Cyber. So sign up with your organizational or educational email for your free account. The Product Roadmap. So another link to the Knowledge Base where you can see what is planned, what is coming up from different features that either Stellar Cyber has come up with or your fellow Stellar users have contributed to what's coming in the roadmap.

**04:00-05:00**

So please have a look there. Question Mark, Product Roadmap and go add your weight behind what you think. The product should be and where it should be taken. The community, so another place where you can certainly share your ideas. So sign up and sign in and share your Stellar Cyber experiences and ideas with your fellow users in the community. So a great place for you to interact with other users of the product. Our Support Portal. So this is your link to Stellar Cyber's customer success team. So if you need to log tickets, if there are issues that you need resolved, please sign up and sign in, and log your tickets for a fantastic response from our Stellar Cyber customer success team. And then the final one is the Feedback. This will open up a pop-up window where we can see...

**05:00-06:00**

...just a really quick way for you to leave your name, phone number, email, what the feedback is and there's an ability to add a screenshot, if that's important to your feedback. Okay. So moving on. They're all from our question mark. The next icon along is the **Heartbeat** button. Now that is not always green. We hope it's always green but it could be red or yellow as well. And this gives us a really quick view of the status of our Stellar Cyber Data Processor. So the green up in the corner just to catch your eye is like everything's happy. Of course if you saw that was red it would require further investigation to understand what's not right with the processor at the moment. So if you click on that button, you'll end up in the status. The other way to look at this is **Visualize | System Status**, and take you to a dashboard that will show us from the sensors to the DP of what's going on with the platform.

**06:00-07:00**

Green is good. Yellow is there's something that needs to be amended, and red is there's a problem that needs to be addressed. So keep an eye out on the top right corner for the **Heartbeat** icon. Next to the **Heartbeat** icon is the **Bookmark** button. We can see that it's used to assign a different page for our home screen. So by default, we've seen when we sign into the screen, we are taken to that Open XDR Kill Chain screen. If you'd like to make it something else, we can use this button to change your home screen so that when you click on the Stellar Cyber logo on the top left or when you first sign in, that is the page that you are taken to. So when you navigate away from the XDR Kill Chain page, that's the default home page when you first sign in, the gray bookmark button appears in the utility screen. When you're on your homepage it turns up orange. So keep an eye out for that.

**07:00-08:00**
Next to that is the **Alarm Bell** button and that shows us the number of unread system messages. So it doesn't show us this in this screen capture, but there is a little red number that shows the number of unread messages. So to check that, click the button, and it will launch this notification so you'll get a drop-down menu showing us the unread notifications from the system. So users with appropriate access can specify rules that govern how the system notifications are generated in the System Action Center. And that will indicate what gets displayed here. Next to that is the beginning of understanding how to configure our system. So we're talking about tenants here. This is the tenant drop down So Stellar Cyber is truly a multi-tenant platform. This allows a single Stellar deployment to serve any number of unique separate companies, organizations, or departments while keeping security information fully separated.

**08:00-09:00**
Not only is the data separate, but machine learning is also unique for each of those tenants. So in that drop down, is where we can see in this example there are three tenants. We've got the root tenant, customer one, and customer two. We have some customers that have hundreds of tenants, so the search box becomes a very useful tool to search for the tenant name. So if you have a deployment that's going to have hundreds of tenants, I suggest you come up with a great naming scheme to be able to find those tenants easily. Next to that we have our user drop down. That has three elements to it. It has **Pause Animation**. So the XDR Kill Chain graphic that is animated, we can pause that. So if there's a reason you don't want to see that moving, we come into your user, click on the drop down, pause animation.

**09:00-09:25**
The **Profile** button lets you edit your user settings for your account In this case we're signed in as admin. So if we click on the **Profile** button it would change the profile for the admin user. And the final one is **Logout**, so that ends the current session, and we'll return you to the login page of our UI.

The lesson, *Top Right - Question Mark to User* is complete. Thank you.

## L02B-DEMO: Top Right Question to User (16m:45s)

**00:00-01:00**
The next lesson in the *Stellar Cyber Open XDR User Interface Overview* module is *Demonstration of Top Right - Question Mark to User. Demonstration of Top Right - Question Mark to User*. This lesson demonstrates the user interface's links to help administrators and SOC analysts from access to the Knowledge Base to contacting Stellar Cyber's Customer Success team and connections to the Stellar Cyber Academy and Community portals. In this demonstration I will show you the functions and use of the Question Mark and the links below it including the Knowledge Base, documentation, linking to the Stellar Cyber Academy, and accessing help from Stellar Cyber's Customer Success team. We'll also look at the platform status icon and the tenant and user sections. So let's start with the Question Mark. First we would better log in.

**01:00-02:00**
So from the top right corner we've got a Question Mark, a Heartbeat, a bell, Tenants, and users. We're going to start with the Question Mark. So the Question Mark. Now the very first two pieces are links to the Knowledge Base The first one is a contextual link. So depending on where you are in the user interface is where it will take you to the documentation in the Knowledge Base. This is Knowledge Base home, so let's select this one Knowledge Base home. Here we are and here we are in our Knowledge Base, a fantastic documentation of our product. If you wanted to get to here without going via the user interface you can type in docs dot Stellar Cyber dot ai, and that will also take you there. The difference that you could just see just then is when I type in docs dot Stellar Cyber dot ai...

**02:00-03:00**
...I end up with this drop down that I can choose between what version of software is it that my deployment is running. Am I running 4.3.7? Am I running five one zero or five one one? And that will take you to the different versions of the documentation. If I just go to there from my Question Mark, it takes me directly to the version of documentation that this platform is running. So we go straight there; I don't have the drop down option. I don't need to know that. So here I am in the documentation. Just a quick overview of how this works from an interface perspective. On the left side we've got this panel where we have drop down links that we can expand. So if I was looking to install a Modular Sensor in ESXI. Hit the drop down. I look for installing a Modular Sensor. And then I look for a Modular Sensor in ESXi. There we are VMware and select it. So that's one way of getting there.

**03:00-04:00**
Another way would be to go up into the search and say Modular Sensor ESXi. Let's try that. And there it is in my results: *Installing a Modular Sensor in VMware* will take me to the same place. Okay. So a couple of different ways of driving the documentation. Let's close those tabs. Alright. So the difference between the home and this top one, this top one I said was contextual, so if I was to click straight from here, right? We're on the home screen. If I was to click on that you can say it will take me not to the home of the Knowledge Base, but the homepage of using the XDR Kill Chain because that's the page that I was on here I was on the XDR Kill Chain. If I went for example to Cases and I was looking at Cases, and from up here I chose. You can see this has changed now this will take me straight to Cases. You can see at the top here,

**04:00-05:00**
*"You are here: NEW ARTICLES, New and Updated in Next Releases, Working with Cases,"* is where that's taking me to. So let's say I was working with Alerts and I'm in the **Alerts** page you can see here it's now changed Knowledge Base to Alerts. If I select that it'll take me into the Knowledge Base at the Alerts section. So that's a nice contextual piece. So if you need help, and you're in the UI and you're not sure of how to do something in there, (select) Question Mark and choose the top one is the contextual one that will take you to the area of the documentation that's related to what it is you're actually working on. The next piece is Release Notes. Highly recommend before you upgrade and after you upgrade to read the Release Notes for the version of code that your DP is running or your Modular Sensor is running. So let's say we're running five dot one dot one and from in there here is a whole bunch of information relating to this release of the software.

**05:00-06:00**
So another place we can find some great information. So next on our Question Mark list, the Learning Portal, the Stellar Cyber Academy, Let's jump in there and have a look. So please create an account with your organization or your education email address. Select **LOGIN**, log in with that email address, and here we are inside of our Academy. Let's look in the course catalog. There's a great one about architecture and there we are. So we could jump in and watch that, straight from the UI to our Stellar Cyber Academy.

**06:00-07:00**
What else do we have? Let's just go back to the home screen. What else do we have? That was our Learning Portal. We've got our Product Roadmap. Again being taken to our documentation. And we'll see we're in the section of our road map, which is right down the bottom here. If I go back to our UI and Question Mark, Knowledge Base home, scroll all the way to the bottom, there it is: our Product Roadmap portal. Another place to find some great information particularly about what's coming up with our platform. Let's close that back here. I have Community. So a place for you to log in, create an account, share your experiences with the other Stellar Cyber users out there, great resource for you to use there. So another direct link to some resources for you.

**07:00-08:00**
Back to our DP. Support Portal. So if you had a ticket, if you're having an issue and you need to contact our Stellar Cyber Customer Success team, click on Support Portal. That'll take you to a place to sign up and continue on in there. What is left on our Question Mark? So Community, Support Portal, and Feedback...will pop up a menu and this will take you directly. Type in your name, phone number, your email address, your contact information, and what is your feedback? Is it a feature request? If it's a ticket, if there's something. an issue, please use the Customer Success portal but if this is just feedback about your use of the product or perhaps a feature request, please feel free to use that as well So another place to contact Stellar Cyber. Okay That's all of the Question Marks The next one is the Heartbeat. So if I click on that Heartbeat, you can see it's green now.

**08:00-09:00**
What that is showing us is that all of the pieces of our interface, of our Stellar Cyber platform, are up and running and healthy. We can see we've got sensor health. We've got our sensor authorizations helping. Although there is this red piece here, this red section, it is just saying that one of our sensors needs to be upgraded, but this takes us to show us at a very quick version of viewing of is our platform healthy and happy. So lots of green there, which is fantastic. That'll give us the green heart up the top. The other way to get there is to go to **Visualize** and **System Status**, and that will take us to that same visualization dashboard of what's going on with our platform and all the pieces associated to that. So that is our Heartbeat. Let's look at a platform where we don't happen to have a green heart and we can see what's wrong with that. So let's jump into that. So we'll log in...

**09:00-10:00**
...admin...wait for our initial home screen to come up and we can see that we've got a big red Heartbeat. So if I select that Heartbeat, let's find out what's wrong. So it's a sensor health issue, and

we can see it's red. We have one disconnected. So that would have me very quickly go to **System | Sensors** to see what the issue is. And I can see that one of my Modular Sensors is disconnected. So that red visualization up in that top right corner is a great way for us to quickly see what's going on as opposed to our quick view. Here is everything's happy and healthy. No real reason to jump in here. Just the fact that one of our sensors needs to be upgraded is not enough to give us a red Heartbeat. So if I was to look at that sensor–so **System**, and then over here to **Sensors**, we can see that there is one upgrade waiting to happen. So just make that column a bit bigger.

**10:00-11:00**
We can see that our AD3SRV is ready for an upgrade. It's running 4.3.7. Everyone else is running 5.1.1. So that's the reason if we go into our status to see that we've got that version or that gives you a percentage. So one quarter of our sensors need an upgrade. What's next? We have a ribbon. I don't know what we call that. Let's call it a ribbon or a bookmark and set it as our homepage. If I click on the Stellar Cyber logo here on the top left, I'm taken to what is deemed the home page. That page–let's just go to **Alerts** just to show you something else–that page we're looking at is just a visualization. So if I go to **Visualize** and then **XDR Kill Chain**, that is my home page. It's the same as clicking up on the left the Stellar Cyber logo.

**11:00-12:00**
If I wanted to change that view, let's say I was really interested in the System Status, that's my role. This is the homepage I want, I navigate to the page I want. Come up here and set it as our homepage. You can see it turns gold when we're on the home page. So now if I go to **Visualize | XDR Kill Chain** it's gray; that is not my home page. If I click the logo at the top left, I'll be taken to my new home page. It goes gold or orange, because that's our home page. So back to **Visualize | XDR Kill Chain**, and I could change it back to that. So set there and that is a per user function. So depending on who your users are and what their preference is you could choose anything. You could choose **Investigate | Threat Hunting** and make that my home page. So that if I'm in system and then sensors and I want to go back to my home page, I just click on the Stellar Cyber logo at the top left and there I am **Investigate | Threat Hunting.** I've changed that. Gold tells us that this is what it's set to.

**12:00-13:00**
So let's just put it back to what it comes out of the box with, which is our XDR Kill Chain view. The next one is the bell. So we can see here we got a bell with a little number, a little icon telling us that there's some notifications. I click on the bell and here are some messages for us. So another way of alerting us that there's something going on in the system to have a look at so we can see here this one's about connector monitoring. Actually they all are about connector monitoring. Let's say I've read them and I'm all happy. Everything's good. Mark them as red. And close the bell and we can see now that our number has gone away. So that's where we see some notifications turn up and we can see notifications. I can do a **View All** and see all of our notifications here. Notifications we'll also talk about in System Action Center, which can produce notifications as well. So there's our bell icon.

**13:00-14:00**

I want to view all of them. And you can go scroll in a way to have a look through them. One last thing up here, Only show unread. So if I had some unread messages I don't want to see all of my messages. I just want to see the unread ones. We could select that as well. So I can view all and takes us to here. So that is our bell with our messages. The next one is tenants. So we drop down, here is our tenants. This Data Processor has a number of tenants. It has a root tenant. Every Data Processor has a root tenant. And you can see two more tenants have been added here: Customer One and Customer Two and the root tenant. So I get a choice of how I want to view my system. So currently you can see we're looking at all tenants and all tenants for the past month they're showing. Let's just pick a number here.

**14:00-15:00**
We are seeing 1,137 Alerts for all tenants. If I was to look at a different tenant, there are no Alerts for the tenant that's called Customer One. It's probably the same for Customer Two. Nothing listed there. So this is a way to filter from a tenant perspective of what we're looking at. So we'll go back to all tenants. I want to see everything. So all tenants including the root tenants. So I'm looking at root plus Customer One plus Customer Two. Show me everything. If there was a tenant group, we would also see that listed. Let's go create a tenant group to see what that looks like. So go to **System**, **Tenant Groups**, and **Create.** Let's create one called, "David." Who are our tenant members? We're going to choose that one, (select) **Add**. We're going to choose that one. Well, you probably call this customer, right? Customer you could call it: Customer - One & Two.

**15:00-16:00**
And if we add two now we've added two, give it a logo if you wanted to, click **Submit**, and I've now created a group of tenants. Alright. So what we would see then is if I go **System** and then **Users**, I get this David that's already in here. I edit that. I go to Partner, and there it is. Partner can go to tenant group, and this user up here, David, would have access to the tenant group which has multiple tenants in it. So that's how that one would work. Let me just clean that up again. So I'm going to go back to tenant groups. I'm going to delete that. And then that's gone. Okay. Good stuff. So the last one then is our users. So under here you can see I'm logged in as admin, I've got a couple of things I can do. I can pause the animation.

**16:00-16:45**
The animation we're talking about if we go to our home screen, is this animation of our XDR Kill Chain. So that will just keep animating away. Now maybe that's distracting to you and I say I want to turn that off; I'm trying to concentrate on something else, so I can pause the animation. And now this will no longer animate. So that's the first one there. Second one is the Profile. So if I click on admin or the user and then profile takes me directly to being able to edit that user. Then the final one is to log out of this interface.

The lesson, *Demonstration of Top Right - Question Mark to User* is complete. Thank you.

# L03 - TOP MENU BAR

## L03A-PRES: Menu Bar (05m:50s)

**00:00-01:00**
The next lesson in the *Stellar Cyber Open XDR User Interface Overview* module is *Menu Bar. Menu Bar*. Navigating the user interface always starts with the menu bar. This lesson gives you an overview of the layout and structure and highlights where the Stellar Cyber product features are accessed. The next part of our tour of the user interface is the menu bar. So our omnipresent menu bar is always available to select different menu items to navigate through the user interface. Starting with Cases. Our Cases are made up of correlated Alerts a lot more on that in our SOC analyst modules. Alerts are threats created from machine learning, statistical analysis rules, heuristic rules, and custom rules. That's how we access Alerts or one of the places we can access Alerts. We'll see a few more.

**01:00-02:00**
The Visualize part of our menu, **Visualize** provides access to predefined and custom dashboards, as well as the ability to create and manage new dashboards and charts. Next is the **Investigate** menu that gives us different views for threat hunting to search Stellar Cyber's database or the Data Lake for information related to your observed security events and also asset and user analytics are available to view there as well. The **Respond** menu is the "R" in Open XDR (extended detection and response) so we can define our own Alert types through automation there or create schedules and reports, initiate and manage actions for users, firewalls, and device actions taken in response to events all from the **Respond** menu. The **System** menu. We will take a much wider look at what's available in our **System** menu.

**02:00-03:00**
The first piece is the collection grouping. So all the things to do with ingesting data from our security and network sources into the Data Processor. Not the only place that it comes in, but a big piece of how it comes in. Our sensors and profiles for Modular and Server sensors are configured in these two sections, receivers, destinations for sensors and other data sources to send their data to, and custom log parsers for logs that are not all from sources of logs that are not already included in the hundreds already created by Stellar Cyber. So if there are security logs or network data that are not relevant to your security environment, they can be filtered here. Log sources for redirecting a source to an existing parser port. So if you have a device that you can't change the destination port number, this is where we can configure that to redirect it to the right parser port number.

**03:00-04:00**
**System | Integrations**: So we start with connectors. So Stellar Cyber can also use API connections to pull data from local SaaS and cloud-based technologies. The API connectors are also used to push changes such as blocking on a firewall or disabling users. The API connectors are developed per request, and are released with new versions of Stellar Cyber.

And then our threat intelligence. There are a number of threat-intelligence feeds coming into Stellar Cyber. If you have your own threat intel platform that you want to bring in data from, this is where that is configured.

The Data Processor: So this section includes screens used to configure all things data-related backups standby storage. You can also configure the Data Processor to route data to external data syncs. We can see here the difference between an on premises deployment and a SaaS deployment.

**04:00-05:00**
In a SaaS deployment, Steller's DevOps team is managing that for you, so no need to see those menu items.

Machine learning: So the ability to turn on and off detections or exclusions otherwise known as Alert filtering. So if we want to filter out Alerts that are not relevant to our deployment, we can do that via exclusions. Again, if we have a difference between an on prem and a SaaS deployment exclusions are the only way or Alert filtering in the SaaS deployment.

Configurations: So this is where we see our lookup lists. We can create queries, recipients for actions for our email recipients and saved scripts can be configured there.

**System | Deployment**. So depending on whether you are an on prem deployment or you are a SaaS deployment will look different here Also will depend on what version of code you're running.

**05:00-05:45**
This is all about how to connect our Modular Sensors, our server sensors back to our data platform, how to access the software. So depending on what version of software you're running and whether you're on premises or SaaS deployment, check with the documentation for exactly how to manage these different environments.

And then **System | Administration.** So these are server-specific settings or our DP-specific settings, as well as licensing, users tenant access, and privileges for those RBACs, mail services, so if we're having our platform send email updates, that needs to be configured this is where we configure our certificates and do our software upgrades.

The lesson, *Menu Bar*, is complete. Thank you.

## L03B-PRES: Menu Bar (10m:55s)

**00:00-01:00**
The next lesson in the *Stellar Cyber Open XDR User Interface Overview* module is *Demonstration of Menu Bar. Demonstration of Menu Bar*. Navigating the user interface always starts with the menu bar. This lesson includes a demonstration that gives you an overview of the layout and structure and highlights where the Stellar Cyber product features are accessed. In this demonstration, I will show you the structure of the user interfaces menu from Cases to system. We will see some of the

differences between an on premises and a SaaS deployment with regard to the menu options. Let's start with the **Cases** menu and work our way to the **System** menu. Log in. Okay.

**01:00-02:00**
So we've talked from our question mark through our platform status with the heartbeat, to our notifications to tenants to users, now we're going to start on the other side and we're going to go from Cases through to System, just to do a really quick overview of this menu system. So Cases is where we manage our correlated Alerts. So Alerts that are triggered in the platform are then correlated into Cases. It's not a very interesting view here. Let's just create some more. I'm going to clear that because it defaults to the last day. There we go. We'll talk about more in a later lesson on this. So there are our Cases. So as I said, where Alerts are correlated into Cases, meaning they had some sort of a relationship. The next one is Alerts. And we can see Alerts are triggered by all our different detection mechanisms from machine learning to heuristic rules to statistical rules and even our own manual ATH automated threat-hunting playbooks can generate Alerts.

**02:00-03:00**
These Alerts in this page from this menu, because we're focusing on the menu at this stage, are grouped into Alert types. So what we're seeing here are Alert types. These are not the individual Alerts. These are the types of Alerts and you can see by default, it's put it's ordered it by the total number of that type of Alert. So we can see our external firewall denial anomaly has the most occurring Alerts that puts us up at the top of the list. So you could go ahead and order this. We'll talk about tables in a later lesson. The next one is **Visualize**. So we can access here both predefined and custom dashboards. So we see a long list here about predefined dashboards that we see, and we can go create dashboards and charts, and then our custom dashboard. So we've already seen this at the very beginning. Our XDR Kill Chain is a dashboard of sorts.

**03:00-04:00**
If we go **Visualize** and **System Status** we've also looked at that one. But we have other available views or dashboards. We've got an operational view showing us event classes, event origins, categories, legacies, Alerts criticality, Alert types that are coming in. So a visualization of that. So again, we're just talking about the menu here. The menu is **Visualize**, **Investigate**. We use selected views from this to perform our threat hunting. So **Investigate** has Threat Hunting. We'll spend a lot of time in that during this module. We've got asset analytics, which talks specifically about our assets. Let's have a quick look. So we can look in here. Here is our assets view. It looks a bit like a dashboard at this stage. We can go look at the different assets they're in here.

**04:00-05:00**
Another one is **Investigate | User Behavioral Analytics** where we talk about our different users in the system that have been identified. Next is **Respond,** the "R" in our XDR, our extended detection and response. So we can see we have automated responses where we can go create a rule for automated playbooks to happen. So when certain conditions are met we will trigger a response. They are created under **Respond | Automation**. If we just quickly look at one of those, we create one, give it a name, a bunch of information to fill out here about how we want to work, how often and where are we going to look, we can bind a query to it so we can choose what must be triggered. We can

add calculations to that query, our conditions for what actions are going to happen. And then the last piece what actions are we going to send: an email, a Slack message, use a webhook responder, a firewall, maybe we're going to block an IP address, create an Alert when we talked about manually created Alerts, maybe we'll disable a user in Active Directory...

**05:00-06:00**

...or choose to run a script on another host. So that's our **Respond | Automation.** And **Respond | Reports,** where we can report on our dashboard and have them send us a report. So an example was the Alerts report. We can now see these are reports that can be printed out. Final one, **Respond | Schedule Reports.** and we can schedule those reports. So the reports we've made we can create a schedule for them. We would see that list of reports that have been scheduled here. We haven't configured any of those in this platform. But again we're just talking about the top menu at this stage, not the how to configure or what to do. Now the last one is **System**. So under **System** we have a bunch of categories. We have the **Collection** category, and **Integrations** category, **Data Processor**, **Machine Learning**, **Configurations**, **Deployment**, **and Administration**, all different pieces of the menu...

**06:00-07:00**

...as far as how to configure our Data Platform, whether we're configuring sensors or their profiles, or we're talking about filtering with filtering different logs that are coming in or traffic filters from an NDR perspective what are we going to not filter. We don't want to come in integration to our connectors, whether we're connecting to cloud-security devices, threat intelligence, or a configuration around that. This is probably the biggest piece under Data Processor where we see the difference between an on premises deployment or often you hear people refer to it as on prem, and a SaaS deployment where it's a cloud-based deployment. So we'll go have a look at a SaaS deployment so you can see how this menu differs. Remember this is just the interface. We're not going through these individual elements on how to configure them. They're in different modules and courses throughout our learning curriculum.

**07:00-08:00**

So I just want to show you here, **Data Processor, Data Management, Standby Management, Data Analyzer, Data Analyzer Profiles, Data Lake, Data Sinks, Resources**, and **Enrichments**. Let's have a look at that when we compare it. We'll go to a SaaS deployment and see what that looks like. **Machine Learning**. So we've got **Machine Learning**. We can turn on and off and **Exclusions**, these are our Alert filters that we can configure in there under **Configurations**. So we can have saved queries that we could use to bind to a host of things. We could bind a saved query to a search. We could bind it to an ATH playbook. We could bind it to a chart or a dashboard. So there's lots of places where we can use a saved query. **Recipients** is where we can have pre configured recipients to use throughout the platform and we'll actually see one of those in use when we look at the Alerts detail. **Saved Scripts** that we could use to execute on a host and **Lookups** that we can bind to our queries.

**08:00-09:00**

Then **Deployment** down the bottom piece is about where we get software depending again, what software version you're running, and whether we are on prem or a SaaS deployment. Then under

**Administration** now, again all of this is dependent on your role-based access. Depending on the type of role you've got, we could limit the user to what they see. So that's the other thing that could limit not just between an on prem and a SaaS deployment but what is your scope? What are you allowed to look at in this platform? So whether we're looking at the licensing or software upgrades for the DP or what we were talking about role-based access, adding users, creating tenants creating tenant groups, just some general settings for the DP, a mail server if we want the data platform to send Alerts to an email, certificates we talked about earlier, yes we definitely want to load some certificates for better security using the device.

**09:00-10:00**
I think we talked about System Action Center earlier to notify our engineers, administrators, and analysts of different things going on in the platform. So that's under **System**. So for the last piece, let's go find another Data Processor that's a SaaS deployment. One moment. Alright. Here we are logged into our SaaS deployment. We can see **Cases**–similar, actually not similar–more than similar, the same Alerts, the same. **Visualize**, the same, although in this instance there's a panel missing here because I haven't created a custom dashboard that would show up in that space. **Investigate | Threat Hunting**, all of these the same. **Respond**, all the same. It's **System** that's changing. Here's the big piece that's different. You can see under **Data Processor** because this SaaS deployment is managed by Stellar Cyber's DevOps team...

**10:00-10:55**
...you don't need to know what's going on with the Data Lake and the Data Analyzer. That is all hidden from you. You don't need to work on that. That is all taken care of by Stellar Cyber's DevOps team. So we're not seeing it there. So a number of elements that are missing from there. So we've got our SaaS platform here and our on prem menu there. So you can see that there are differences between the two. So depending on which one you will use, whether it's an on prem deployment or a SaaS deployment, just be aware that the menus will change for what's available. So there it is one more last time on prem and our SaaS platform. The lesson, *Demonstration of Menu Bar*, is complete. Thank you.

# L04 - FILTERS, SEARCH, AND TIME

## L04A-PRES: Filters, Search, and Time (17:55)

**00:00-01:00**
The next lesson in the *Stellar Cyber Open XDR User Interface Overview* module is *Filters, Search, and Time. Filters, Search and Time.* Stellar Cyber ingests huge amounts of data. The ability for SOC analysts to quickly get to the specific data they are looking for starts with the three areas: filters, search, and time. This lesson is an overview of how these features interact together. This is just a short lesson overview in different ways to filter what we're seeing coming through our user interface. Of course the Data Lake ingests a huge amount of data and we need ways to sift that for our administrators and our SOC analysts. So the first piece here is our content search, our search bars. So we can see there that search bar uses Lucene query string, mini language syntax. And that includes things like wildcards.

**01:00-02:00**
In this example, our MSG underscore origin dot source is using star (*) agents. So anything that finishes with the word agent would show up in that term. It can use ranges. So we see there event_score. For a range we need a square bracket with a 50 to 100 or whatever your numbers are Important that the T-O is capitalized. Boolean operators so we can use things like greater than in this example, an event score greater than sixty. We can do groupings. In this example we'll see two groupings: We've got message origin dot source of star dot agent agent and and that is a capital A-N-D. The next piece is another grouping with a rounded bracket opening with event underscore score of greater than 60. So there's that Boolean operator with an OR, so capital O-R and severity of greater than 50.

**02:00-03:00**
So an example here is to say whatever it is that we're looking for has to have that message origin source that ends in agent **and** it has to have one of these two: either a score of greater than sixty or a severity of greater than fifty. So that's a grouping syntax or a regular expression syntax, which looks crazy when you see it written down like that. What we're actually looking for is a file path that is forward slash home forward slash engineer forward slash farm monitor test forward slash david dot txt. But because those forward slashes could be special characters in our search, we have to put a backslash in front of them to let the system know that the next character coming is to be taken literally, not as a piece of code. So just as a text character. Another place for us to filter what is being displayed is the filter panel. So it's available at the left of most displays by toggling it open and closed with the button in the toolbar.

**03:00-04:00**
That button is the **Filters** button. When you set a filter, the displayed data is immediately updated. In addition, if you set a filter from the filters panel, the **Filters** button updates to show the number of filters applied after the panel is toggled closed. So what it says is if we put a filter in there or one two or three filters in maybe we have an Alert score filter, an asset tag filter, and we've bound the query to what we're looking at and we then collapse the filter panel, you'll see a little number displaying how many filters have been bound in that filter panel. And filters and searches are persistent across our pages. So if we have a filter, for example an Alert score or that query or asset tag, and we are looking at **Investigate | Threat Hunting** and then we decide to go to **Visualize** and look at a dashboard, just know that those filters are persistent across those pages when we change.

**04:00-05:00**
So to clear the filter you've actually got to clear it. Going to another page does not reset that filter. And the final filter in this section is about time or dates and time. So the time filter narrows or expands your displayed result based on the date and time. The first time type is absolute, so it is a range of dates. So if we can have an absolute range of say, the first of May to the ninth of May, that would be an absolute range. We could have daily, where we choose one day at a time for the full twenty four hours of just a particular date, or we can have a relative, which is what's displayed in our graphic here. Now with a relative display, we have a time interval and an auto refresh. So the time interval could be, as we can see in the table fifteen minutes thirty minutes one hour right through to a

month, and then based on what that time interval is, the auto refresh times change. So you can see from the bottom working up a week and a month has no auto refresh.

**05:00-06:00**
So if we're looking at that volume of data there is no auto refresh. But as we start to narrow down what we're looking at from twenty four hours down to thirty minutes, we can see we have a refresh of either none. We don't want to refresh what's been displayed, right up to thirty minutes but if we choose fifteen minutes, it drops to seconds and we can refresh in five, ten, fifteen, and thirty second increments and that's just going to refresh what's available on the page. That beginning one to have a relative time interval of 15 minutes and a refresh of five or 15 or ten seconds was great for when we're testing and we're expecting to see data arrive. So a great way to have automatically refresh the page rather than us manually having to do that. Those three different ways of filtering what we're seeing, search, filter bar. and our time filter.

The lesson, *Filters, Search, and Time* is complete. Thank you!

## L04B-DEMO: Filters, Search, and Time (06m:00s)

**00:00-01:00**
The next lesson in the *Stellar Cyber Open XDR User Interface Overview* module is *Demonstration of Filters, Search and Time. Demonstration of Filters, Search and Time*. Stellar Cyber ingests huge amounts of data. The ability for SOC analysts to quickly get to the specific data they are looking for starts with the three areas: Filters, Search, and Time. This lesson is an overview of how these features interact together. In this demonstration, I will show you a high-level look at how we filter the view of the data from the Data Lake. We will look at filters, search, and time filters. Let's start with the main search bar with a few examples. First we need to log in.

**01:00-02:00**
So we've already seen that we can filter at a very high level from the tenant perspective where we can filter which view we're looking at, whether it's a tenant root tenant, or all tenants. What I didn't show you before is you actually, if you had many tenants and some of our customers have hundreds of tenants, you can actually use this little search window. So part of the search lesson we're looking at. Let's say we were looking for root. We could type in R-O-O, and the root tenant will be shown If we were looking for the customer one, C-U-S-T, and that will filter down to just showing our tenants that start with C-U-S-T. So that's the first thing we can do. Choose the look from the tenant perspective. Now we can move on to our search bar. So the main search bar up here you can see the logo in there for Lucene. It is a Lucene search query language.

**02:00-03:00**
Now the content of what we type into this search bar and our filters bar is persistent across different views. So if I was to search in here for, I'm going to fail to think of anything else but David, let's search for David. Clearly some things have shown up. Now if I go into **Investigate | Threat Hunting**. David is still persistent here. If I was to look at a **Visualize | Operational View**, David is still persistent. Okay. So to clear that out we just hit the cross mark there. Let's look at another way we can filter if we (go to )

**Investigate | Threat Hunting**. The next one is what indices are we looking at from an index perspective? If I click on Alert, so by default every time we go into **Investigate | Threat Hunting**, the default indices or the default index is the Alerts index. I can choose to deselect Alerts and maybe look at the Linux events index...

**03:00-04:00**

...or deselect that, maybe look at the traffic index. Now we'll see data relating to the traffic index or deselect that, maybe look at the Windows events index, or I could look at all of them together. Now one thing to know if we select all of them together, we are limited in time, and we'll talk about time in a moment, but we can see here the time interval is the most we can see is the last twenty four hours if we select all of these indexes. So if I just choose Alerts, I can go all the way up to a month back just to look at a single index. Now back to our search in here. So a couple of different examples in the search as I said we're using the Lucene search syntax. We can type some wildcards in. So for example let's say I was looking for message_origin.source.

**04:00-05:00**

I want to use, for that field, an asterisk and then "agent." And the reason I've chosen that if we just if I was having to spell agent right. Agent. If I look down here for our top log sources, I can see that I've got a Linux agent and Windows agent. So if I do star agent, let's see what comes back in that search for it using a wildcard. Just those two. Okay. So that's one example of this search bar. Sorry and I just hit the cross over there to clear that search. Another one we can search for ranges, and I might look for event score. The way we type that in is a square bracket fifty to one hundred and square bracket. Okay. That didn't work. The reason it didn't work is the proper syntax is a capital T-O.

**05:00-06:00**

And now we're seeing if we look down at our scores, which we can't see in this screen. There we are. All our scores are between 50 and 100 that we're looking at. Maybe if I increase that to say 90 and 100. We had 360. So I don't have any ones that are high. Maybe I'll just go back to 80. There you go. Now all of them are 80 and above. Click the cross to remove that. So that's a range. Using a Boolean operator that's supported as well. We could type in something like maybe I'm looking for event_score of greater than 60 maybe. Now we can see all of our Alerts scores are greater than sixty. So that's another way we can type a search using a Boolean operator. Let's close that couple more to go a grouping.

**06:00-07:00**

So let's say we're looking for message_origin.source. The origin source we're looking for, let's go back to star agent. So anything that starts with "agent," so we should see our Windows agent and our Linux agent show up there, but I also wanted those event scores. So I could say something like, AND means I'm combining them and this time we're using a round bracket and I want an event score of greater. So here's a Boolean greater than 60 OR. so this is the grouping bit. So inside these round brackets is a grouping, and maybe we'll have what we'll use. Let's use this **Severity** column. So a severity of make let's make that greater than 50. So what this is saying from a grouping perspective, is the message origin source has to be star agent. That's one criteria AND this one or this one.

**07:00-08:00**
So there's your grouping. There's a couple of different groupings in there. So let's hit on that. So there we go. We've got some. The first piece matched. That's one of our agents, something ending with agent. And then let's look: Have we got event scores greater than sixty or severities greater than fifty? So here's a great example. Here's an example. So we've got an Alert score that's twenty nine, well that's not more than sixty, but the other one was it is either more than fifty where's our twenty nine, but this severity is sixty so that's more than fifty. So that's why that will show up that you can have one or the other. It's not both. If we wanted them to be both, we'd put an AND in here and that would get rid of a few more. So let's look and say at the moment we've got twenty. If we do an AND we're down to seventeen. So that is how we do a grouping in the search. Another one is regular expressions.

**08:00-09:00**
So say we were looking for something like file_path. I'm looking for the file paths, for example, like a fin monitoring file path. So file_path:. Okay. Now in quotes we're going to do a backslash and a forward slash. And what that is saying, this is the regular expression to say, the backslash says whatever's coming next is an actual character not a formatting or not a special character. It's just a character. So backslash forward slash home forward slash S-C engineer. Sorry, I've missed one. S C backslash I didn't even spell that right. Let me do that again. S C Engineer and then we want to do forward slash file monitor so we can say backslash forward slash file monitor test, backslash forward slash.

**09:00-10:00**
We're looking for david dot txt. Let's see what shows up here. Nothing. Well, probably the reason that's showing up with nothing is I know because we're talking about SC engineer that's a Linux one and because we've got it on Alerts that's not going to show up. So let's change the index from Alerts to Linux Events. There we go! We've got seven records that relate back to... We could actually be more specific say in Stellar Cyber parlance, we could say seven Interflow records that have file_path that matches home engineering file monitor test david.txt and there they are down here. So there's our file path. There's the field name that matches. That's an example of a regular expression. They're all in that search pane. Now we've got the filter pane off to the left.

**10:00-11:00**
So let's just go back to Alerts. So I'll choose Alerts. The moment we do that we've been knocked back to twenty-four hours because we've two of them selected. So rather than choosing Alerts first, let's put that back to a month. What I would do is, a good habit is to unselect or deselect what the index you're currently looking at is before you choose the next one, and that will leave our time intact. So now we're back to Alerts. So we've been looking at where we can type in search phrases. On the left here we have this **Filters** pane that opens up. And the **Filters** pane is another place where we can filter what has been displayed in the main part of the page. So anything that goes into our search bar or our **Filters** pane will reduce what we see in these charts whether they're these bar charts, these pie charts, or in this table. So let's have an example there. Let's say I didn't know how to do Alert score or typing it in.

**11:00-12:00**
I can simply come over here, choose Alert score, and now I've got a slider. So now I want to see. I think if we made it 90 nothing showed up. So let's drag it right up to ninety again and see what we see. Should see zero right? Zero. Now let's drag it back to 80 and I know some showed up. So back to 80 and we're back to some Alerts. If I click the **Filters** button again it'll hide that pane. But what you can see up here with the little number on filters is that there are some filters that are currently in use. Now that filter that's in use what do we say a score of 80 to 90 can be combined with something up here. So let's make it... why don't we combine it with a severity of more than seventy five. Severity of greater than seventy same because we know there's one down there. I haven't spelled severity right. Severity of greater than 70.

**12:00-13:00**
They're all greater than seventy. They're all seventy five. Well, that's a bit convenient. Why don't we do fidelity? Let's do a fidelity...we've got some as low...well there are some that are ninety five and some that are ninety nine. So why don't we do... Let's change that too. So I don't have to clear it, I can just type over it and redo it. Fidelity of greater than ninety six. Let's see. So we had eighteen. Now we've got eight. So these two filters or searches are working in combination. Anything in here AND it must match that as well. So it must match the Alert score of being twenty eighty and a hundred, and it must match our search criteria of having a fidelity of greater than ninety six. So that's how we'll use both of those together. (Selecting) **Clear all** up here clears everything in our filter pane and our search term. So now we're just back to square one of seeing everything. So our filter pane over here...

**13:00-14:00**
If there's not a field in here that you're looking to filter on, we can add it down here. I could click in here and look for one so let's look for say, app ID. App ID. There it is, I just select it. I've now got App ID as an entry here. I could type an App ID in here of well no four. Let's hope something shows up with an App ID of four. Select enter, and I've just shrunk it down. So now I know all of the records and everything in these pie charts and bar charts matches. How many have we got? We've just got this one. We've just got an App ID of four. The other nice thing we could do here, let's say I don't know what that field name is by looking at App ID. I can tell you for sure it's not App space ID but as you could just see what I just did then if you put your mouse over it, it will show you the pop up of App ID is App ID. The other thing we can do is use this button called **Copy as a Query**.

**14:00-15:00**
So if I copy that as a query I can paste it up here, and it'll show me app ID colon and four. So I could remove it from here. Let's reset that and paste it in there and I can have the same query there. So that's how you can sort of mix and match them and use them together. Now the final piece to do here, let's clear them all. We did talk about it a little earlier. We've got time up here. So there's a couple of different flavors of time. The one we've been looking at is relative. We have a relative time of and a time interval of a month. So we can see that goes from a month, to a week, to twenty four hours, twelve hours, five hours, one hour, thirty minutes, and fifteen minutes. So let's just look at the last fifteen minutes. So no Alerts in the last fifteen minutes. Maybe let's go look at thirty minutes. No Alerts in the last thirty minutes. No Alerts in the last hour.

**15:00-16:00**
Last five hours there are two Alerts. That's one way we can, another way we can filter besides filtering with a search filtering with our filter pane. We can filter based on the time scale that we're looking at it. So that's relative to right now. This is from now and the last five hours. That's the relative. There are two others. There's absolute and daily. Absolute is I want to pick a range. I want to be very specific. So I could click on my calendar and say I want to see everything from Monday at midnight. So we can move those sliders. So that's Monday midnight like just as it cracked Monday morning. Okay. And I want to go to, I don't know. Let's say I wanted to see a full week. So I want to go to Sunday, and I want the full piece in here, twenty three, which is eleven PM, twenty three fifty nine. So I'm going to capture everything for that week. And then you must, you can see it flashing up there.

**16:00-17:00**
You've got to click the little magnifying glass. Click to search and update charts. So there we go. So within that time frame of the 15th at midnight, to the 21st at one minute to midnight, there is an impact to what we're looking at. So that's an absolute. The final one is daily. So if we choose daily, I can just pick a date. I can say show me everything from the 16th. And that is for the full day from minute one on the 16th until the end of the day of the 16th. Once you've chosen that we can just use these arrows to progress. Now we're looking at the 17th, the 18th, 19th, and everything changes. So I can have a search left in here. We could have, I don't know, severity of greater than 70. Let's see if it can make a difference. Yeah it did. Great.

**17:00-17:55**
And I could leave that in there while I moved between my day. So on this day, the 20th of April, only had one Alert with the severity of more than 70, same for the 21st. None on the 22nd, but if I clear it, were there any Alerts on the 22nd? Yes, there were eight. So that shows us for an overview. There is a much more detailed search module on how to go through in a very detailed fashion of how to really search and search well in our platform. I just want to give you an overview of looking at our indexes. Well, starting at the top really is looking at tenants, then indexes, then search, filters, and time and how they all work together.

The lesson, *Demonstration of Filters, Search and Time*, is complete. Thank you.

# L05 - PIE AND BAR CHARTS

## L05A-PRES: Pie and Bar Charts (05m:35s)

**00:00-01:00**
The next lesson in the *Stellar Cyber Open XDR User Interface Overview* module is *Pie and Bar Charts. Pie and Bar Charts*. Visual representation is key to quickly understanding data. This lesson looks at the different ways to interact with both pie charts and bar charts in the user interface. In this lesson we're talking about pie charts and bar charts and how we interact with them. So a number of different features for a pie chart. We have filter for and filter out. So we'll see exactly how to do that, adding into the filtering capabilities we talked about in the previous lesson, changing from a pie to a doughnut. That is just a visualization of what that pie chart will look like. The drop down, so we can

see the number of elements included in that pie chart and then a mouse over to change the raw numbers to percentages.

**01:00-02:00**
And then scroll bars, in case there is more data than we can see in that space. Right. Let's look at the individual pieces of these. So if you mouse over one of those elements in the legend, one of the entries in the legend, you can see a small plus and minus magnifying glass turns up, or a magnifying glass with a plus in it and one with a minus in it. They are the filter for and filter out, if you select one of those. So in this example, the Modular Sensor is selected. If we were to filter for and click the plus button, then we're going to add to our filter of the entire page. So we've got our filter panel to the left, to say I only want to see data that is from the Modular Sensor. If we filter out, that is saying I don't want to see any data on this page that was from a Modular Sensor. So filter and filter out we can have as many of those as we like.

**02:00-03:00**
For different elements, different charts on the page. So that's our filter for and filter out. So the selection here as we said will be added to our filter pane on the left side of the page. The pie charts for pie and donut so you can see there is a small button at the top right of the legend that will just toggle between it being a pie chart fully filled in a doughnut with the center out. So that's just the visualization, maybe of what's a more pleasing view for you to look at. The drop down. So there are a lot of defaults when we look at the pages that have charts associated to them. In this example, the drop-down default was ten, but if you had more than ten in the legend and you wanted to see more of those in the pie chart, you can select up to ten. In this example five, ten, fifteen, twenty, I believe there's a twenty five. Some charts have up to a hundred. So depending on what we're looking at a drop down to show the top number of.

**03:00-04:00**
Now in this example, we've got ten, yet there's only five in the legend, so we wouldn't see anymore even if we selected fifteen. Pie charts, to look at a slice. If you mouse over a slice of the pie chart it changes the records. So you can see that in the top image here it has a total of 1,182 records. If we mouse over one slice and we can see we've moused over the largest slice which is the top entry in the legend, which is Modular Sensor, it changes that the total count to a percentage count for Modular Sensor. So of those five log sources of the different sources coming in whether it's Modular Sensor, the pfsense firewall, or our Windows or Linux Server sensors, or our firewall from Sophos, thirty-seven percent of the records that we're seeing out of that 1,182 are from the Modular Sensor.

**04:00-05:00**
Scrollbars. So it's not very visible here in this visualization, but we can see here that we have a number of legend entries that don't fit in the screen size that's been allocated for this pie chart. So if you look very carefully on the right side there is a scroll bar to scroll up and down and there's actually a horizontal scroll bar as well. So different ways of navigating around the pie chart. For a bar chart so this one's showing a bar chart of and it's a stacked chart over time. Mousing over the x axis for the data reveals a pop of the actual data for what you're seeing there. So in this example, we are seeing a stacked bar chart for the different amount of documents associated to different indexes in

our Data Lake. If we highlight or mouse over one of the time scale down the bottom. Now that time scale of course will change based on what we're viewing.

**05:00-05:35**
So there's fifteen records there. I can't see on this one. I think this one is for 15 minutes, but if we had a month we would see every second day there or groupings of two days. So we'll see fifteen along the bottom. If we highlight one of those x-axis fields, then we will see a pop up showing more detail of what those values are for that particular piece of the bar chart.

The lesson, *Pie and Bar Charts*, is complete. Thank you.

## L05B-DEMO: Pie and Bar Charts (13m:20s)

**00:00-01:00**
The next lesson in the *Stellar Cyber Open XDR User Interface Overview* module is *Demonstration of Pie and Bar Charts. Demonstration of Pie and Bar Charts*. Visual representation is key to quickly understanding data. This lesson demonstrates the different ways to interact with both pie charts and bar charts in the user interface. In this short demonstration, I will show you the features associated with charts–both pie charts and bar charts–and how to work with them in the platform. Let's start with pie charts in **Investigate | Threat Hunting**. First thing to do is sign in of course. Alright. So **Investigate | Threat Hunting**. We know by default we land at the Alerts index. Let's change our time.

**01:00-02:00**
I just want it back to relative and let's have a huge amount of data so we've got a lot to work with. The past month we're looking at. Okay. So the first one for pie charts. Now it probably showed up a couple of times that you've seen before, but in any of these pie charts and we've got three of them to work with here: We've got top sensors, top log sources, and top log source classes. So these are our sensors in the platform. These are our types of sensors and sources of traffic in our platform. And these are different types of data classes made up from these sources. So the first thing I want to look at is the idea of filter out and filter for. And being that we're right in the back of our filtering and search lesson. Let's have a look. So if I want to see all of the data, all of the Alerts right? the Interflow Alert records, for that came in from say our PFS firewall. So we can see it's purple here that matches the purple there.

**02:00-03:00**
The first thing we can do is if we mouse over our pfSense firewall. The first thing we see pop up is this little plus and minus. If I leave it long enough, it'll say filter for is the plus. And the minus is filter out, meaning I either want a filter that I only want to see data related to the pfSense firewall or I want to exclude it from what I'm seeing. So let's first click the plus. Now you can see I am only seeing Alert traffic so these Alert Interflow records all have a log source from a pfSense firewall. So that's one way of seeing doing a filter for. Now if I go up you can see now we've got a filter up here. If I open up that filter pane, there is our filter pane: log source pfSense firewall. So let me remove that, and let's try it the other way around. I want to see everything except pfSense firewall. So I come in here and I click the minus this time.

**03:00-04:00**
So you can see over here instead of it sort of being that light blue it's now red, meaning we're filtering it out. It's not included in what we're seeing. And I can have a bunch of them. Let's say I don't see any of the firewalls, any Alerts that source from a firewall. So let me also get rid of our firewall sophos. I will hit the minus filter out. Now you can see a couple of them over here. As I do that in real time, everything in this page, our pie charts, our bar charts, and our table, is all excluding these two. And of course I can say, I can have a combination of excluding and including. So let's say I want to exclude those two as I have, but I want to include only I only want to see traffic from, this is a bit tricky because these are all related. Let me think of an example. So I think a better example. Let's clear all of those. A better example, because I know we have two Windows servers up here. We've got WINAD and an AD3.

**04:00-05:00**
I know they're both Windows servers. So let's say this. Let's say I wanted to include all Windows agent data. I click a plus so you can see over here and we get that sort of light blue, and now I'm down to two, but I wanted to exclude all Sysmon traffic. So I could come over here and exclude Sysmon. So you can see here, now that I'm looking at it I can see that most of the traffic that's not Sysmon traffic was coming from our WINAD-SJ-TR-DC1. But I really want to nail it down, so I could exclude that one as well. So let's minus on that. I'm down to one Interflow record. There's one Alert that matches all of this, that matches excluding and including. So that's a way we can work with our pie charts, in this example. So I'm clearing all those to go back to the start.

**05:00-06:00**
Now another thing I can do if I mouse over a pie chart, you can see it goes from the total number of records to a percentage. So because my mouse is over this part of the pie, it's saying of these one 1,116 log sources. If I mouse over, you can see that 36 percent of them was the Modular Sensor. If I choose the next one, the pfSense one down here, 19 percent were pfSense. So that's another little feature we can do. We can change the shape of this. So at the moment this is a pie chart. I can come up here and click on this little circle to make it a doughnut rather than a pie. That's really just a visual thing. You can do that for all of them if you wanted them all to look like a doughnut instead of a pie. That's another little feature we can do.

**06:00-07:00**
Another piece that's important here is by default you can see these have all come up top-ten sensors, top-ten log sources, top-ten source classes. Now I know in this deployment that even if I make this more I know there's no more than what's already listed. So if I make that twenty five, nothing's really going to change here. But I know over here there's probably more than what we're seeing here. So let's drop this down and make it 25. And that didn't make a difference. So that's a little embarrassing. Let me try a different one. So instead of Alerts, let's deselect Alerts, unselect Alerts, and go to Windows events. Okay. So in Windows events we don't have any filters here, so we're all okay. And we're looking here at log source classes of Windows events. Look at all those. There's definitely more. So let's go back to ten. We could say that's the ten we're looking at and we can see them and say, "Yep, okay great ten, but now I want to make that say twenty five."

**07:00–08:00**
And you can see the number changed as well. So now we're seeing a lot more. Now they may be more than 25 and we're not seeing all of them, but at least we're seeing more but clearly the biggest one for sure is this one this Microsoft Windows security auditing. So let's remove that and see if we can just make this a bit better. So wow! Then the next one, Microsoft Windows Sysmon, so between those two it's the lion share of Windows event classes. So let's filter that one out as well. Now we're starting to get a bit more of a mix. If we're now seeing that the next biggest one, service control manager, let's remove that. Now we're getting to have a more even mix. Let's just keep removing them and see if they, you know, there's always one that seems to be the dominant one doesn't it? And you could just keep doing that until there are none left. So they're getting closer and closer to been more even.

**08:00-09:00**
There we go. Actually we're going in a different direction now. So there you go. That's an example of how we can use the plus and minus. How we can change the top down to see how many of those we're going to look at. Of course I can come up here. I can say there's a filter. There's a whole bunch of them down here. You can remove them one by one. Probably take a while to remove them all. So the quickest way to remove them all is just to clear all at the top and we're back to seeing everything again. Then the final part here is and I think we've probably shown it when I was scrolling in here, there is a scroll bar here that we can grab and move up and down. There's a horizontal one, but I think we're nearly seeing everything. So that's not for that window not so important but certainly the up and down one is. I'm actually just using my mouse to scroll up and down. So another feature of a pie chart. Now as far as the bar chart goes, there's not a whole lot we can do in this view.

**09:00-10:00**
Even if we had, let's just say, select all indexes (indices). So now we can see there's a whole bunch of them over here and I can scroll. I can scroll if I get my mouse in the right place. There's a whole bunch of them. I can't plus and minus them here filter for and filter out because these are the indexes I can do that over here. But what I can do is to see in this bar chart? It's now a stacked chart. So we're seeing the most occurring documents are traffic documents and then the next most occurring are the Windows events. Now if I wanted to see actual details of those, I actually go down and pick something from that x axis. And so we can see some detail in there. Now we're looking at the last twenty four hours. So each of these entries is one hour. So if you look at the time at the top this was twenty twenty four zero four two seven.

**10:00-11:00**
So twenty seventh of April, eleven AM. I move my mouse across one, Ten AM, move another one nine AM. Now let's do something different. Let's actually shrink this down even further. Let's say instead of 24 hours we're just going to do an hour. This changes down here. You'll probably see so six forty, move across one, six thirty six, six thirty two, six so it's every four minutes these increments are in. And if I went down to say even the last fifteen minutes, again one of the increments now? Six forty five, six forty four, so that every minute now I imagine if you counted those there'd be fifteen of them. So to

see the detail just mouse over the x-axis entry down the bottom. One thing I forgot to show you in the last one is as far as this part goes, this auto refresh, it's only available...

**11:00-12:00**
Actually let's just change this to, let's just pick one index. Let's just go with Alerts. Okay. And we're going to make it, well, let's start with a month. So if we have a month, there is no auto refresh, and that is the same as if we have it for a week. If we choose a week, no auto refresh. But the moment we get a little less than that, so down to 24 hours, this auto refresh shows up. And in our option there is we can have this interface what we're looking at here, auto refresh every five minutes, ten minutes, fifteen minutes, or every thirteen minutes, we can have that refreshed. Now let's say we said every five minutes, and if you had this up in a SOC, up in on wall this would continually update every five minutes it would refresh the data that is available on this page.

**12:00-13:00**
Now if I go down to even down to the last 30 minutes, the refresh rate is still from none to 30 minutes. It's available. If I go one less than that, I just go 15 minutes. You can see this now turns into seconds. So I'm now looking at the most recent, really last thirty seconds, 15 seconds, ten, five. So if I put that five seconds. Every five seconds you'll see this do a little refresh. There you go. You just saw that spinner refresh. Maybe I'll pick some more. I know our Windows hosts are very chatty the way we have them set up. So let's choose Windows events. There you go. Even the last 15 minutes there were 3,950 events. So surely while we're chatting here and watching we should see this update. So every five seconds this is refreshing. And there we go. We've seen a change right there.

**13:00-13:20**
So maybe you want to see something in real-time refreshing. So I just wanted to add that because I forgot to talk about that when we were talking about time. That's it for our pie charts and our bar charts in this view.

The lesson, *Demonstration of Pie and Bar Charts* is complete. Thank you.

# L06 - TABLES

## L06A-PRES: Tables (11m:10s)

**00:00-01:00**
The next lesson in the *Stellar Cyber Open XDR User Interface Overview* module is *Tables. Tables.* Tables of data are prolific in the user interface, appearing on the majority of pages that both administrators and SOC analysts work with. This lesson focuses on the many powerful features of tables that speed up the access and visibility of data. This lesson takes us through all of the different features of how to work with the table and it's quite extensive, the capabilities with working with tables. So tables appear in many different pages and in many different contexts from tables of users to tables of Alerts, this lesson will take us through all the different ways we can interact with these tables. So the first one is the number of results. We'll see up in the top that we will see it is what's been listed in the table...

**01:00-02:00**
...the visible listing in the table, and of the total amount of records that are in the table. So there are a number of pages to this table depending on the number of records you have. The refresh content. So if we hit that button that will refresh the content in the table and any charts that are also on the page. The table search. So this is an additional search. So we have our time search, we have our search bar and we have a filters pane. This search here is just for the table. So any search entered in here is only for the table. We'll see some more detail on that. Exporting. We're able to export what's in the table. We'll see the two different ways we can export to a CSV. And then we have our columns at the top. Our columns can change depending what table it is and what fields we choose to include in those columns.

**02:00-03:00**
The bulk actions on the left allow us to select one or more records or by choosing the top to select all of the records in the table, not just a page. Expand a record. We can see that rather than having to hit the "i" button and go into details, to see field names, we can expand a record here and write in the table and see all the fields and values. The field value option we'll see all the different things we can do with an actual value from within the table. The actions itself will change depending on what sort of table we're in and what records we're viewing. Let's start with the search. So uses the same Lucene query string mini language syntax as in our main search window. Searches all records in the table so not just the ones that are displayed. So if there's more records than just one page it will search for all of the records. And it only filters the table. So if we start the search with a thousand records in the table, and it reduces to 71 in the table...

**03:00-04:00**
...that's only the table that that will happen in. It won't happen if there's charts above or charts below. And it can only have one search term for the table. If you want to include multiple search criteria, you have to add it to the search term. And the example we've got there is having event_score of 23 and a severity of 20. So you can add multiple search terms in a single search phrase. To clear that, clear all, but that will only clear the search in the table search. It won't clear the search in the main search window and it won't clear the search in the filter pane on the left. Exporting to CSV. There's two options there. We can select all columns or just the selected columns If it's the selected columns what is exported is just the columns that are listed in your table as you have it displayed or all columns.

**04:00-05:00**
And that could include all of the fields that could be contained in these records. Some of those searched could some of those exports could exceed 300 fields in that table. To add and remove columns, click the **Columns** button, which will expand this left panel. It'll allow you to check and uncheck columns for fields that are going to be in your table and there's also a search window for you to search for additional fields that you want to have added as columns in your table. The hamburger button or the triple bar or the trigram symbol, however you want to call it, we're going to stick with hamburger. That's what's in our documentation. If you mouse over the column header or the title or the field value there, that will bring up that hamburger icon. From that you can see a tab in there to change the size and position of that column. And then there is also a filter.

**05:00-06:00**
So if you click on the other tab within that pop up, there is a filter for that column. Now depending on what sort of field value it is will either be a string search or it could be a for example this one where it's a number. It could be a high and low number or minimum and maximum number. Sorting the column is just a matter of clicking on the field value at the top of the column and click on it again to reverse the sort. So it's either ascending or descending based on that column, so it'll either be a time based or a number based or it'll be alphabetical if it's a text value. If you mouse over the column name you'll get one the column name. In this example, Alert score is what's listed in the table. But you'll also get the actual field value. In this example you can see it is event_score. To drag and rearrange the columns just click on one and drag left or right to rearrange the columns left or right.

**06:00-07:00**
Those check boxes on the left side are for bulk actions. You can either select them individually or we can select them as a group of all of the boxes together. So the box above with a line in it says some of the records are selected. If there's a check mark in that top box it means All of the records are selected in the table. We can choose them individually and it will tell us exactly how many records have been selected. So you can see the result up there. To clear the selection, there is a **Clear all** button to remove the ones that have been selected. Now we're looking at a table of Alerts and because we can add Alerts to a Case, we have that button exist in this table, the **Add to Case**. The **Add a Comment** would be to add comments to the Interflow records that we're looking at the table, and then we've got a drop down. And the drop down is either **Status, Event Tags,** or **Assignee**.

**07:00-08:00**
And depending on which one you choose in that first drop down will change what's available in that second drop down. So not showing it all in this screen capture; we're seeing the **Status** drop down. You can change it from **New** to **In Progress**, **Ignored**, or **Closed**. But if you had **Event Tag**, of course there'd be a drop down for event tags you've used so far or to add another one or if you choose the **Assignee**, the column to the right drop down would have names available in the system. To expand a record–so right within the table, we're able to see all of the fields and their values that are available in this Interflow record. So previously we used to have to click on the "i," the more info button, to pop up the detail pane to look at. In this version of our tables there is an expand that record and we can see all of the field values and field names that are in that Interflow record. If you mouse over one of the cells in this table, it'll see a little pop up window for field value options.

**08:00-09:00**
Those options are: we can show and hide the column within here. So if the column already exists, this button will remove it from visibility in the table. If this field does not exist, it will add it to the table. So that's a really quick way to add a column to our table. You can filter for or filter out based on the value in this field. That will be added to the filter pane on the left side. This will be different to the table filter. This will affect all of the elements on the page, whether they are charts or tables. We can copy to clipboard. So we'll just copy the value of this field. And in this example, it would copy–seventy is the Alert score–so just the seventy would be copied to the clipboard. And we can copy it as a

query. So we'll see the actual field name and the score is copied as a query, which we could then add to our search bar.

**09:00-10:00**
Another way to interact with the table is to right click. So before we were looking at the field values in an expanded table for that record. Now we're looking at it as just a row. If you right click on that seventy value, we get a pop up window that has a number of different features. First one is to add or exclude a filter. And we say that like the previous one it adds it to the filter pane on the left side So it's not specific to this table. It will impact all elements on the page, charts, and tables. We can copy the clipboard. So like we did in the previous version, we'll just copy the value seventy, and then we have the ability to copy with headers. So it'll copy both the field name and the value. So in this example it's the field name, not the actual field name, but just the common name. So Alert score is as in what we're seeing for the column heading.

**10:00-11:10**
If we want to copy it as the actual field name, we'd copy as a query. And so you can see the difference between Alert score in seventy and event underscore score in seventy so like before we can copy as a query. So just another way to get that value and the actual field name for a search term. Now the final piece in this will depend on what type of table you're looking at. The actions will change. So in this example, we're looking at a table of Alerts. So under the **Actions** column, there will be a more info and find original records because for an Alert there are original records that were used to trigger the Alert. In another example, for example, **Visualize | File Integrity Monitoring**, there are tables in that page that allow you to drill down to the threat hunting. So depending on what Interflow records you're looking at, will have actions available under that column.

The lesson, *Tables*, is complete. Thank you.

## L06A-DEMO: Tables (24m:50s)

**00:00-01:00**
The next lesson in the *Stellar Cyber Open XDR User Interface Overview* module is *Demonstration of Tables. Demonstration of Tables.* Tables of data are prolific in the user interface, appearing on the majority of pages that both administrators and SOC analysts work with. This lesson demonstrates many of the powerful features of tables that speed up the access and visibility of data. In this demonstration, I will show you how to work with tables. There are many features when working with tables and tables are present in the majority of our pages we look at. They're a great tool to master. So let's start with the table's own search. There are tables in many of our different views, so understanding these and working with them is a great skill or great piece of knowledge to understand. So as I say that here we are at our home screen.

**01:00-02:00**
No tables, but let's just go straight to **Investigate | Threat Hunting** where a lot of people spend time. We know, we just went through our charts. Why are we looking at the last fifteen minutes? Let's bump that right out to a month to get some data in our view. So chart, chart, chart, well they're all

charts, right? Pie, pie, pie, pie, and bar chart. But at the bottom of it here is our table. And the table is like really where the details are. These are a high-level view of groupings of data and it's the table where we start to see the individual record. Let's start looking at different features of these tables. So the first thing we can see is beyond the search at the top here, if I type in a search here, it will impact everything from these charts and the table. If I add a filter in here it will impact everything. So let's just do the very simplest one. We're in Alerts so let's do an Alert score and just bump that. Let's look at the table data here, right? Let's think about this.

**02:00-03:00**
So you can see here from our top sensors, 1,137 is the total count there, and 1,137 if we look down in our **Documents** table of our Interflow records–our Alert Interflow records. Let's bump that to say 60, it drops to 191 and you can see here it drops to not 191. So anything that's done in the **Filter** pane or the search window impacts everything on this page. Let's clear that. If I was looking at something on the page, but I actually just want to filter what was in the table, it's got its own filter box that we can use here. So let's pick an example I can see. Let's scroll back, let's say an Alert score of 21. I know that there's at least one of those. So if I did an event underscore score of, what did I say, twenty one?

**03:00-04:00**
It changed what was down here. We're now down to 43 records down here but you can see up here in our pie charts, no change at all. It's just a search for this table. So just be clear that the searches in the filter pane on the left and the search bar at the top impact the entire page, where the search in the table search only impacts what's appearing in our table. Okay. So I can clear that and it will clear it out from the top. Another way you can do it...let's do another one: fidelity of 50. There's one. It's got fifty. Okay. There's a bunch of records. There are 62 records that have a fidelity of 50. I click the cross there to reset the search. The other thing you can do is a "clear all" up here. That will do the same thing. Now if I was looking at two searches, let's say I wanted to have Alert scores of more than 27...

**04:00-05:00**
...or severity of greater than 15, I could do this, I could do event_score, what'd I say of greater than 27? So at the moment we are at 1,137 or one thousand one hundred and thirty seven. Enter. Fantastic. I'm now down to 747 and let's get rid of that. I want to add another one, I could say, severity of 50. You can see what's happened there. There's only one search. The search, my previous search of Alert scores, has been replaced by the severity score. If you wanted to do both, what you would have to do is something like this, severity of 50 and an event score greater than 27. And that will be in a single entry.

**05:00-06:00**
So we've got two search filters in the same entry. Now if I remove that and said...let's Command+A. I didn't cross it; I just Command+A and deleted it and I said now I want a fidelity of fifty. It just overrides what was in there. So we can only have one search in our table search. I suppose it's a bit like you can only have one search up here as well, but we can have multiple searches in our filters. So just be aware of that. That's something to be aware of. And then just a "Clear all" there. Another one we've got over here, a feature, Export CSV. So you can see here we're looking at–we've got tables

from Time, Alert Score, Fidelity, Severity, Alert Type, Description, Tenant, Source Reputation, and Action.

**06:00-07:00**
If I want to export this table with 1,137 records I can do (an) export. I get a choice: **Selected Columns** or **All Columns**. Let's do the **Selected Columns** first. Okay That's jumped up and dropped it down in my... Let's open it. We can see we've got those columns: Time, Alert Score, Fidelity, Severity, I have Alert Type, Description, Tenant, and Source Reputation. If I go back to my DP, that's all of them right? They were all there. Now if I instead do **Export | All Columns**, and open that, we can see here it starts off with Time, Alert Score, Fidelity, Severity, Source Reputation...but all of a sudden we've got all of the others right out to...wow! It goes up to (cell) MD. So the quickest way I know how to count those is to highlight them all. We're in Excel.

**07:00-08:00**
Go down the bottom: 342. So there's 342 fields that there could be data in. I could be scrolling for a long time. So that's the difference between exporting **Selected Columns**–what we can see here–and selecting all the columns for our export. Okay. So what am I looking at here? We're talking about columns. How can I have some more columns? Let's first just remove our filters pane to give me more space. So I've got a nice bit of space here where I can see lots of them. I can scroll backwards and forwards, to see all of my columns. But let's say there's too many. I want to get rid of a couple. I'm actually not interested in **Severity** and I'm not interested in **Tenant** because they're all there and maybe I'm not interested in **Source Reputation** either. I can go across here to **Columns** and we can see here what we're seeing. So I didn't want **Source Reputation**. I didn't want **Tenant**, and I didn't want **Severity**. Select **Columns** again to reduce that.

**08:00-09:00**
So now I can't scroll left and right because all of the columns that I want to see are now visible. If I did want to have more columns and you could say, "Wow! Why is **Fidelity** taking up so much room?" I can highlight **Fidelity**, find that in between and shrink that column size down. Let's do the same for **Alerts**, shrink it down. I do want to see **Alert Score**. So I want to see that. **Description**–I want to see more of that, so we can make that bigger if we want to do that. So we can choose how to do that. Another thing we can do is to say, you know, what I want my... let's bring back **Severity**. So select **Columns**. I can't see it there. I could be scrolling all day looking for it if I do it like that. So why don't I just type in the search bar up here, S-E-V for **Severity**. Check it, and there it is back again, **Severity**. But I don't want it over there so I can click on it and drag it over and drop it and to the right of **Fidelity** and let go.

**09:00-10:00**
So that's another way we can rearrange our columns there. Another feature for the columns in the table is if I go up and mouse over **Alert Score**, what we can see are two things: One–when I drop it over, it says Alert scores bracket event underscore score. That's how I get the actual field name, not sort of just a title for this column. But the other thing that's popped up are these three lines or often referred to as a hamburger symbol or a triple bar or a trigram symbol, whichever one you want to use. Let's call it the hamburger symbol. Click on that and we get a couple of extra things we can do. I

can arrange the columns in a particular way. Say I want to pin the column. I can pin it to the left or to the right of the table. I can remove the column; that would be a quick way to get rid of it. If I remove the column, **Score** is gone. I'd have to come back in here and **Score** and **Alert Score**, check it.

**10:00-11:00**
It's all the way over the right side. Let's bring it all the way back to the left. Nope. A little bit further. It was to the left of **Fidelity**, but to the right of **Time**. Okay. So we've got that back. Back up to our hamburger symbol. What else can we do? Pin, remove, auto size this column. So let's say, for example, this column was all squashed up and I couldn't see everything. I can select the hamburger symbol, auto size this column and I get the full piece here. I could do the same for all of them. I could auto size all the columns. You can see how much **Description** is going to use. Okay. What else can we do? If we go to the hamburger, and instead of choosing the hamburger symbol here, there's a filter symbol over here. So if I click on the filter symbol, because of this Alert field. Oh sorry. I must be on the **Time** field. I'm on the **Time** one. Alert Score. If I'm on a filter, because it's a number, I get a minimum and a maximum. Let's do that again.

**11:00-12:00**
If I'm on the **Time**, I get date fields because it's a time and date. Let's see what it would be an application type for a filter. It's a text search and I'm guaranteed it'll be exactly the same for...let's scroll this one right back. It's just using that way too much space. Actually, we could remove it. Let's do that. Select the Hamburger symbol. De-select **Filter**, the hamburger one and remove this column. Okay. There we go. What else I can do is sort the column. So say I was in this column and I'm but at the moment you can see that down-arrow next to **Time** is showing that we are sorting this table by time. Let's say I want to see all of the highest Alert Scores. I can go to the **Alert Score** field. If I check the heading name I'm still sorting it from lower score to higher score because the arrow's going up.

**12:00-13:00**
If I click it again, it'll be the other way around. So the highest **Alert Score** was 82 for **Alerts** for the last month. The highest was a score of 82, this private to private exploit anomaly. So we can sort our columns ascending and descending. We showed you that if we highlight a field **Fidelity** and well that's a bad example. **Fidelity** is the field name. Let's do **Alert Type**. You can see there **Alert Type** is XDR underscore event dot display underscore name. That gives the actual field name that we would see in there. Now we've got these check boxes on the side, these bulk actions. So I can either choose all of them from the top–that will choose everything in the table, not just the page of the table. So sorry. Let's go to the bottom and we are looking at the top fifty or fifty in the table, but there's many pages in there.

**13:00-14:00**
If I made that ten, we're going to have lots of pages, more than just these ten. So If I check all of them, it's not just the ten in this page. It's all 1,137. Now we see the moment I check either all of them or one of them, we get this menu or this bar that appears. It'll tell us how many are selected. We can have a button to select all of them. Clear all. Let's go back to one of them. So that's a few operations there about selecting them. But what gets added over here are these buttons: **Add to Case, Add a Comment**, and then these choices in here. So let's go through what a couple of them are. **Add to**

**Case** would be I'm going to add this to an existing Case. Here are all our Cases that are currently existing, or I could create a new Case to say that this is the beginning, the first Alert in a Case that I want to create.

**14:00-15:00**
Of course we're not talking Cases here. I can go rename the Case, but let's go back to where we were. So, sorry, checkbox, **Add to Case**, either existing one or we can create a new one. Another thing we can do is add a comment. Maybe I was going to say I want to add a comment for these same three Alerts. **Add a Comment**. My comment is, I don't know, "same three Alerts," and select **Submit**. I've just added that same comment to all of those three Alerts. So it's a bit of a bulk update. The other thing I could do is change their status. We don't know what the status for these Alerts are. Let's add the **Status** column. We search for status, we choose the Status column, close that. And now I've got a Status column. These are all in progress. These ones are new. So let's unselect those So clear all.

**15:00-16:00**
And let's get this one and this one, which don't have a status, and let's give them a status. So we're going to be a status of let's make these guys **in progress** and apply. Now they are both in progress. The difference between the **Add to Case** button and the **Add a Comment** button, these are buttons, but status is one of the drop downs we can do here. For these two Alerts, we change the status to **in progress**, but we could also change the drop down and choose **Event Tags** and give it a tag. We've got one custom tag that's been put in there already or I could put a tag of "David" in there and apply. So now we've applied that. You see Action Complete up there. The final one we could do is **Assignee**. I can assign these events to an engineer or to an analyst. So **Assignee**, click on the drop down and I'm going to assign these to David and apply. Now they've been added to David. So another thing we can do with the bulk update...

**16:00-17:00**
...either one too many, all of them, however you want to use those checkboxes, then a clear all and we're back to just viewing again. Another great feature that's been added is the expand a record. So we used to always have to go into this "i" to see all the details. Now what we can see is that if we expand the record here, here are all of the fields and values associated to this record. And so we can see all of them. I'll scroll down to the very bottom. That is all of the fields and their associated values for this record just with that drop down. You can do that for any of them of course. Let's stick with the top one. Now if you mouse over a particular field, let's pick **Alert Score** here. If I mouse over this field you see these five buttons that show up. The first one is **Hide Column** because the Alert score is already there.

**17:00-18:00**
So that's why that's hide. If we picked a different one, so **Alert type** is certainly not along here. So if I look at **Alert Type** it would be...I didn't think...Oh we do have **Alert Type**! A bad example. Let's choose anomaly tag. This one would be show column. So if I click that, now we can see that Anomaly Tag showed up. Okay. So back to Alert Score. So let's remove that. I don't want to see that. So hide it and you can see it removed it. So the first one is Show or Hide the Column. The next one is to filter for or filter out. Now we saw those two buttons show up when we were looking at our charts in the previous

lesson. If I choose this one **Alert Score** filter for. This will say I only want to see all Alerts that have a score of 82. So let's do that. Filter for. There's only one. Now the difference between using the table search and doing that example is that put it into our **Filter** pane...

**18:00-19:00**

...which impacts all of our charts, our pie charts, our bar charts, and the table are all impacted by doing that. Let's go up here and clear that. We've obviously had a change in scores. Our 82 is gone. Let's pick another one. Sorry. There is our Alert Score. I was looking at the wrong column; I was looking at Severity. So an Alert score of 82. Let's say I want to see all of the data that doesn't have 82. Sorry, anything but 82. So I filter out. There was one. Actually we knew there was one record, so that's not very interesting, but same thing. There it is in red. Let's clear that out. Come back to our record. What else can we do? So we can add or hide the column. We can filter in or filter out, or I can copy to clipboard. What copy to clipboard will do is copy the value of this field.

**19:00-20:00**

So if I wanted to just grab that value, not such an interesting one because I could probably remember 82, but let's say this one I can't remember. That's too big a number. I'm going to copy that to the clipboard. So if I went up to the top now and pasted it in here, it's just copying the value. If I come back down here, this was the one. The final one is copy as a query. So rather than just a value, we'll get the field name and the field value. Copy the query. Let's come up to the top and paste it. And so we can see that the field name is actual and then that's the value. So not an interesting one. Well, let's pick a better one. App Family. We know App Family is not going to be the field name. So if I copy that one as a query, we'll see what the actual field name is. There it is: app underscore family is the actual field name.

**20:00-21:00**

This difference between app underscore family and app underscore family dot keyword will be explained in great detail in the *Search* module. So let's clear that out. Okay. Back to expanding. So we've covered all of them. Show/hide column, filter for/filter out, copy the data, the field value, the 82, and copy it as a query. Let's minimize that. Let's close our **Filter** pane. What else can we do with this table? If I right-click on a value, so we're looking at the whole record here, if I right click on this 82, we get another pop up. So I get this is add as including filter or what we've seen as filter for, filter out, copy to clipboard will copy the 82, copy as query–we saw that before.

**21:00-22:00**

The difference here is now Copy with Headers. So if we Copy with Headers, we will get more than just the 82. If we paste that we can see the header is **Alert Score** and the number is 82 or the value of that field. That Alert Score written here, that is not the field name. That is the name in the table. We wouldn't be able to use that for search. If I press enter there, a whole bunch of things are going to happen. One: it's going to pick up any record that has the word "Alert" or the word "score" or the number "82." That's certainly not what we're looking for. If we've really wanted to do a search we would right click, and we would copy as query. Let's see how different they are. There it is: event underscore colon 68. So if we pick that now, we're going to see all the Alerts with 68. That's another

thing we can do with the right-click on a field value. The final thing for a table we want to cover is the actions.

**22:00-23:00**
We are looking at **Investigate | Threat Hunting** and the **Alerts** index. We are looking at Alerts. This table is Interflow records of Alerts. In the **Alerts** table there are two options. There's more info and there's a magnifying glass, which says find original records, because an Alert is triggered from some original records and there could be one or many of those original records. If we were to look at a different index, we'll see, for example, let's change to...we're not going to look at Alerts. Let's look at **Linux Events**. If we look at **Linux Events**, there's only more information. There's not original records. These are the original records from Linux. Different actions will show different options depending on where we are. Let's go back to our **Alerts** index. We're still looking at a month.

**23:00-24:00**
Another place we could look and see, what can we see as far as actions are concerned. Let's look at **Visualize** and our **File Integrity Monitoring**. So we've got a couple of interesting things here. Now here's a table. Here's a table, two different tables, **Actions**, magnifying glass. Look at that one. Drill down to threat hunting. Let's see where that takes us. If I drill down the threat hunting based on...is there anyone we know here? Any particular one? Any of those will do. Actually there are 3,652 of them. Remember there was a David dot txt, so let's type in David here and shrink that right down. There is our Home SC Engineering file monitoring. If we drill on that, we are taken to **Investigate | Threat Hunting** with this search. Searching for file underscore path and there is what we typed in before.

**24:00-24:50**
If you want this one with a tenant name of a root tenant and a message origin pro. So there's quite a few pieces put into that search to show us these records. Here we are in the **Linux Events**. It knows exactly where to take us to look for those records. So we can see how those actions are different now. The more info would actually show us the record rather than what we were in before. Let's go clear that. We want no Linux. We want our Alerts back and we want to remove that search. There we are, back to a month, Alerts, and the next thing we're going to do is show you the details of what's in an Alert.

The lesson, *Demonstration of Tables*, is complete. Thank you.

# L07 - ALERT DETAILS

## L07A-PRES: Alert Details (07m:25s)

**00:00-01:00**
The next lesson in the *Stellar Cyber Open XDR User Interface Overview* module is *Alert Details. Alert Details*. Alerts are one of the foundational pieces of the Stellar Cyber platform. Understanding how to view and navigate the features of the Alert Detail view is paramount to the performance of the SOC analyst. This lesson looks at all the elements that make up the Alert Detail view. So in this example

where we see what all the details are for the pop up of an Interflow record, we're going to go through this example being an Alert detail pop up. So depending on what sort of Interflow record it is, it could be a Windows Event, it could be a Linux Event, or it could be in this example an Alert. So you'll have different fields and different options available. This is probably the most likely one that analysts will look at is the Alert detail. So we'll go through all the details in this.

**01:00-02:00**
So we'll start at the top and make our way down to the bottom going through all the different features that are available in this pop-up window. The first one is the Alert name. See that written up at the top. The next one is the light bulb icon, that will take us directly to the Knowledge Base for reference to this Alert. So the example there is it will take us exactly to our exploit attempt in our Knowledge Base. The Forward icon or the Forward Arrow will take a copy of this or a copy to the clipboard, a URL specifically to this Alert or this Interflow record so that you can use it for a reference later or maybe you want to email it to a colleague, but either way clicking this button will copy it to the clipboard. For some of our Interflow records an Alert is where these links will show up...

**02:00-03:00**
...and not for all Alert records, but for most of them we will see if there's a reference back to the MITRE ATT&CK framework or the attack dot mitre dot org website you'll see links for both tactic and technique and sometimes sub-technique that will take you directly to the MITRE ATT&CK in a new tab in your browser. The **Status** is to change the status from new to in progress or ignored or closed from that drop down. We have the ability to change the assignee for this Interflow record or for this Alert Interflow record. We could change the assignee to an analyst for review of this. And then we've got our tabs. We've got our **Key Fields, Cases, Details, JSON,** and **Actions**. Each of those tabs change the display in what we see in this pop-up window. So let's go through some of these in more detail. So the drop down, the status drop down we can change as I said before, to new in progress ignored or closed.

**03:00-04:00**
They're the different statuses that we can have for an Alert. Assignee–So in that drop down we see a list of users available in the Data Processor and from that we can choose to select a user to assign them to this Interflow record or this Alert in this example. The key fields–So we're looking at the first tab. So that's the default tab. When you open up this pop-up window, that's the first one you see is this default **Key Fields** tab. In the default **Key Fields** tab there are a couple of features in there to look at. If you click on that little "i" next to a field name, you can see that there's some helper pop up, so that some more information about that field. If we mouse over the field value to the right, you'll see a little copy will show up is one example.

**04:00-05:00**
Or if we have another one that's got the three dots that will pop up, you can see and then we get the choice for **Asset Detail View** or the **360 Panoramic View**, including/excluding filters to add to our filter pane on the left, or we can copy to clipboard the value, or copy as a query, which will bring both the field name and the value as a query string. The **Cases** tab–So the **Cases** tab lists all of the Cases that the Alert has been correlated to. So in this example there is only one Case that this Alert has

been correlated to. If it had been correlated to more than one Case, you would see all of the Cases listed here. We can click on that link in the name that will take us directly to the Case that this Alert has been associated to or correlated to. If we click on the **Details** tab, we will see every field and value that is available in this record.

**05:00-06:00**
So in this example this is an Alert Interflow record. We will see all of the field and the values that are in this record in alphabetical order. In the **JSON** tab we will see all of the fields and the field values that we saw in the **Details** tab, but this time it is in the structure of a JSON format. The other ability to do in here is we have the ability to click the JSON copy button at the top, which will copy the JSON record to the clipboard for later use. The **Action** tab has many features available. So let's go through those. There is a search field. So this is really just searching what the available actions are within here. So it's not searching the record per se. It's not going to add it to our **Filters** tab, it is just searching the available actions that are listed here.

**06:00-07:00**
The **View Action History** will take us to see what has been listed in that record. Those same values are available in the **Details** pane and in the **JSON** record pane. This is just another place to view those. We can add an Alert filter. So adding an Alert filter at this stage grabs details from this Alert, and the fields and values, and starts to create an Alert filter for you, pre-populating all of those fields. We can add a tag to our record. So we can use a new tag or we can use existing tags to add to this record. We can add a comment to the record for future viewing. That will be the same idea as looking in the history or the action history here. We could trigger an email. So I could send an email directly from this pop up about this record to a user. And then we have our **External Actions**. Now depending on what type of record it is, what type of connectors you have, is what will be available here.

**07:00-07:25**
The buttons available here under **External Actions**. In this example, we can see **Run a Script** and **Disable User**. But if we had more connectors in our Data Processor, there would be many more additional external actions based on the connectors you have available.

The lesson, *Alert Details*, is complete. Thank you.

## L07B-DEMO: Alert Details (07m:25s)

**00:00-01:00**
The next lesson in the *Stellar Cyber Open XDR User Interface Overview* module is *Demonstration of Alert Details. Demonstration of Alert Details.* Alerts are one of the foundational pieces of the Stellar Cyber platform. Understanding how to view and navigate the features of the **Alert Details** view is paramount to the performance of the SOC analyst. This lesson looks at all the elements that make up the **Alert Details** view. In this demonstration I will show you the elements of the Alert Detail. We'll start with the general layout and drill down in all the different elements of the Alert Details including stage, tactic, and technique, to update fields for Status and assignee, right through to all the different details

in the tabs of our Alert Detail. Let's start with having a look at a number of different ways we can view an Alert.

**01:00-02:00**
So back to our UI logging in. We start at the home screen, which is also the **Visualize | XDR Kill Chain** screen. Right. In this screen, this is the first place we can go to. So we've got a Kill Chain. These one, two, three, four, five, sections–Initial Attempts, Persistent Foothold, Exploration, Propagation, and Exfiltration and Impact–if we mouse over those...well you can see they've got two numbers. This one, for example, is seven and four eighty four. What that actually means is if we mouse over it, you can see that they are initial attempt tactics. So you can see the tactics. And then in that little pop-up window we can see it's critical and total. What that is saying is there are seven critical Alerts and 484 Alerts associated to Initial Attempts.

**02:00-03:00**
Or this one: Exfiltration and Impact. We have zero critical Alerts and five total that relate to that section of the Kill Chain. So this is the first place we can go to get to an Alert. If I click on any of those...let's go with Propagation. It's got a lot of critical Alerts. Propagation and we're taken to the Alerts in the **Alerts** page, and we can see there's already a filter there. So when we're taken to the **Alerts** page, we are only looking at Alert types. So you can see the Alert type. These are types of Alerts. These are the number of Alerts that are of this type. So in this example, there are 49 private to private exploit anomaly Alerts. The reason we're only looking at the propagation is that's what we clicked on in the Kill Chain. If we go over here to Filters, we can see there is a filter for Propagation.

**03:00-04:00**
So if I remove that, now we're seeing all of our Alerts. So it's as if we just...let's go back to the start. It's as if we just clicked on the **Alerts** menu. So that's the second place we can go. So here we are in the **Alerts** menu. We have no filters. There's no number up here. We don't have any search. So we're seeing all of the Alert types for the past month. We can see here that this table is sorted by the total number of Alerts for each Alert type. The largest one there is external firewall denial anomaly. There are 218 of them. So again we're just looking at the Alert type. If we want to get to the individual Alert, we would click the **View** button over here. Now what we're looking at is just the Alerts that are associated to External Firewall Denial Anomaly.

**04:00-05:00**
Here are the individual Alerts that map back to that Alert type. So we've looked at it from the Kill Chain. We've looked at it from the **Alerts** tab. Where else can we go? We can go to the **Cases** tab. Let's have a look at our Cases. We'll talk about Cases later in this module because there's only one Case here and I can tell you why, but let's go look I can I'll give you a little hint. There is a little number on our filter. So already our view has been filtered, but what we are seeing, there is one Case. A private to private exploit anomaly is the Case name and the name of the Case. It's got a score of 68. What we're looking for is it has one Alert. So another place we could go is we can go into the Case. Let's select the name. Here I am looking at the Case and in the Case in the very first page of the Case is a table with associated Alerts. Here is another way for me to see an individual Alert.

**05:00-06:00**
Another view is via the **Visualize** and **Analyst View**. Another table showing us a list of Alerts. And this is probably a number we're more familiar with from earlier lessons in this module: 1,137 for this past month. So there is a list of Alerts from the Visualize...a dashboard that's just got a table in it. That's effectively what we're looking at here. And then the last place that we've already seen so much of is **Investigate | Threat Hunting.** We have the Alerts index by default, so everything in this table are our Alerts. So that's how we can see our Alerts. All the different places we can go to to see a list of Alerts. Okay. Let's open up one. I'm randomly picking these are private to private exploit anomaly...

**06:00-07:00**
...more info, and opens up this panel. Now this panel is a collection of information specific to this Alert and is framed in a way that is very user friendly. Let's start at the top and work our way down. We start at the top. We have private to private exploit anomaly. That is the name of this Alert. We have a light bulb right next to it. The light bulb says go to Knowledge Base. So if we wanted to know more about private to private exploit anomaly, we can go to our Knowledge Base. Here we are under machine learning. So we can see where we are here. You are here. We're in the reference section, detection and correlation overview, Alert type model summary, and Alert types by name. Here is our private to private exploit anomaly.

**07:00-08:00**
So it gives us a description of what this Alert is, where it is in the Kill Chain. We knew it was in the Propagation. We saw it in there before, the tactic and the technique: exploitation of remote services, and then links from within here to MITRE ATT&CK. Those same links that are here in our documentation, if we go back to our UI, are also here. So if I click on our tactic here, lateral movement, it'll open up a new tab in the MITRE ATT&CK website showing us that detail. If I close that, come back here, same for technique. The technique is exploitation of remote services. I click on that, and off to the MITRE ATT&CK website for further investigation. Okay. So we've got a name, a light bulb. We didn't talk about this one. Copy link–All the copy link does is if I open up a new tab and paste the link, it'll take us straight there. So it is a URL specifically for that Alert. So that's what that Forward button does.

**08:00-09:00**
So if you needed to send it to someone, a team member you're working on I need some help with this or this is the Alert that I was talking about that needs some more research, or this is the Alert that we're okay with, that Forward button gives us a URL to that. Alright. Next we have a plain English explanation of the Alert where we can do a show more / show less and we can see there and in internal traffic. This is not a lesson on threat hunting. This is a lesson on the view and the fields available in our Alert Detail. So we continue on. The Alert score, a typical actual. So because this is an anomaly, there is a typical and an actual. So something happened in the last five minutes. Where do we see this? Like in a five-minute interval we can see there.

**09:00-10:00**
And here are our scores that we've seen in our table while we're going through the table: the Fidelity, Severity, Threat Intel, if there was threat intel associated with it. There wouldn't be threat intel for an

exploit anomaly and what was the period? It was over five minutes. The next piece we can do is update fields associated with this Alert. So the first one we can do is the Status. The Status and we I think we updated some of these in previous lessons. We could change this from **In Progress** to **Ignored** or **Closed**. If we said, actually I'll make it **New**. So we've changed the Status to **New**. We can see that action completed. We get our green banner up there. I could assign it to a user in the system. Let's assign it to David. So that's now been assigned. Going further down we have these tabs: **Key Fields, Cases, Details, JSON,** and **Actions**. You can see by the little blue bar there that the one that is highlighted is the **Key Fields** tab. In the **Key Fields** tab, we have this information here. So the key fields associated with this Alert. In our example it's tenant.

**10:00-11:00**

The exploit signature, if we go highlight this little "i" it'll tell us a bit more information about it. There's some little "i's" all the way down that we can actually look at to tell us a bit more about that field and what we're talking about. We can see it's the root tenant. So if I highlight that, we can see a copy shows up or a copy, copy, copy, copy. And now we have one with three dots. Now this isn't the three dots. We'll find one that's more interesting than this because the three dots we can have. This is an internal IP address. Of course it is. It's a private to private exploit, but the three dots will open up and give us some more information. Now the **Asset Detail View** could take us straight to there. The **Panoramic View** will show us everything related to that IP address. **VirusTotal**–If there was something to do with virus we can go and look it up. Let's find an Alert that virus will be interested for.

**11:00-12:00**

We're used to doing these filters, so we can filter in, act as an include filter or a filter for and a filter out of this IP address. Copy the clipboard. We've seen that and a Copy as Query. We've also seen that where it'll copy the query of the source host field name and their IP address. So to make that a little more interesting, let's go find a better one. Let's look for one with this IP address that I found before: 194.165.16.73. It should be an external firewall. There we go. External firewall denial anomaly. Let's look at the details of that. So down here now we've got an external IP address. So the difference here is now we've got our three dots. The VirusTotal for this will be certainly more interesting than we do a three dots for an internal address. So let's look up **VirusTotal Lookup**. We can see here fifteen of the ninety vendors flag this IP address as malicious. So a really quick way for us to do some investigations around that IP address.

**12:00-13:00**

So back to our DP. Another one, let's go find a better one. Let's do the who is. Let's do a...clear our search and search for a brute forcer. We'll just search for "brute." Let's go with an external login failure. Let's try that. Let's do a who is. And we can see here we've got a bunch of information is who is for this address our 91.238.181.16, which we can copy. Is in continent of Europe, country of Germany, gives us a latitude and longitude. So we've got some Enrichment that's going on that shows us that information. Okay Then we get of course we can copy that field.

**13:00-14:00**

The next tab to look at is the **Cases** tab. So if we go to Cases, we can see here it's not too much to look at here but what we're looking at is the Cases that are associated or more the other way around,

the Cases that this Alert is associated with. And at the moment we can see this Alert is associated with one Case. If we click on that link, it'll take us straight to that Case to show us the Case that has that Alert. Here you go. Here is a Case that has many Alerts, of which one of them was the one that we were just working with. So this external user login failure anomaly is just one of the Alerts. How many are there? There are 62 Alerts that are associated with this Case. We're not going to go into this in detail, but a nice thing we can do is go at the analysis and gives us this great graph ML look to see how all of these things are associated.

**14:00-15:00**

We can see really the core of it is this host here that is having the issues in this Case. Back to our **Alert** view. That's what we can see here. If this Alert was associated to more, or let's use a better word if this Alert was correlated together into more Alerts in this one, we would see a list of them here. So that is the **Cases** view. In the **Details** view what we're seeing now are all of the fields and their values that exist in this Interflow record for an Alert. So if I forget if we go back, which I don't remember which one it was, it's one of these. Remember we can do the down arrow to expand it out here are all the field names here, bit trickier but we can remember do those pop ups here. If we go look at our detail and details, these are all of the field names and the values within this Alert Interflow record. And we can see all of them in there.

**15:00-16:00**

If we go to the **JSON** tab, the **JSON** tab shows us all of the same information that was in the **Details** field, but we're seeing it in a JSON record format. The extra thing we can do in here is there is a copy, so we can copy it to clipboard, we could go to our text editor, and paste it in there, and we can see there it is in our JSON format. That is all of the details in that Alert. What's one of the fields that we could pick up? We could pick up at a minimum we could pick up stuffing. So if we did a search for stuffing and we find the first one, there it is. Credential stuffing is the event name. Let's see if there's something else. There you go, Display name. That's probably what we're looking at at the top here. That would be the display name internal just credential stuffing. Where else do we see it? We see it as the name.

**16:00-17:00**

Actually that's probably what we're seeing as well name. Is it listed anywhere else? No. That's all. Okay. So there you go. And back to our Alert, Okay. So we've looked at the Key Fields, the Cases, the details, the JSON record that we can copy, and the last one is Action. So what are the actions we can do here? Well, the first one is we can search. Another search field. This search searches for all the available actions. So if I was to search for add, all the adds will show up. We will see the **Add an Alert Filter, Add a Tag, Add a Comment**, is what we'd see there. So if I close that off, all the rest of them come back. Okay. The **View the Action History**–well let's if we view action history there is one piece of history here. We can see that the Status was changed to **In Progress**. If we go back…let's change something. Let's, well we could do it up here. Right? We could go to **In Progress** and let's make it **Ignored**.

**17:00-18:00**

Now if we go look at our action history, we'll see that we've changed it to **Ignored** as well. Another one we could do is Assign a User. So we could say let's assign the user David, look at the action history, and we'll see that the user has been assigned there. You can see event assignee change to David. Back here, what else can we do? We could add an Alert filter. So if this was an example where we did not want to see Alerts generated of this type, we can if we click the **Add an Alert Filter** button. Up comes a window with a bunch of fields that are already populated to help match this specific Alert that's been triggered. We'd give it a name, choose a tenant, choose if we want to add or remove some of these, and then submit would be another thing we could do. **Add a Tag**. Of course we could do that. We could add a tag for this. We've now got the David tag. We could submit that should show up in our history. There we've had a tag added now.

**18:00-19:00**

Back to V**iew Actions, Trigger an Email**. So we could send an email. I'm going to send an email. We don't have a recipient so let's quickly go add a recipient, and I'll show you how to do that. So let me just duplicate this tab so we can leave this where we're up to. So here we are. To quickly create a recipient, we go to **System | Recipients | Create**, we'll give it a name, David. It's all tenants. The message type is an email, the email address. We've typed our email, and then select **Submit**. Okay. So now when I go back to my other tab and I do a **Trigger an Email**, recipients, David. It's already there ready to go. So what do I want to do?

**19:00-20:00**

I want to send a message: "Please check this Alert," and I want to add it as an attachment. Let's append to the bottom of the email the body of the email as well and submit. So you can see that an email has been sent successfully. So let me jump into my email and show you what that looks like. So here is my email. There you go. That's what I wrote. Please check this Alert, and we have the JSON format of the Alert pasted into this email. You can see there's the assignee we associated before. If I scroll down there should be also an attachment of that record. There it is In JSON format. If I open that, here it is in our editor. It's all the same details. We don't have to attach the detail to the email, but that's what we chose to do. So the last one listed here is **Run a Script**.

**20:00-21:00**

There are actually some more external actions, but the External Actions will be displayed based on what is in the Alert. So the **Run a Script**, if we had previously and it's not set up in this example, if we previously had a host that we could send a script to we could execute a script based on information in this Alert. So let me go open up another Alert to find information that will show up a couple more tabs for us. So one moment. I'm going to go clear everything from here. Remove all our filters. Okay. So now we've got everything again. I'm going to give you an example of...let's find an Alert that's associated to one of our servers. Let's go with the Windows Server. We're going to filter for. Let's see if we can find this. So the suspicious LSASS Process Access. Let's check that. And go to our **Actions**, and here is another one: **Disable User**. So the **Disable User**, the connector, is our Active Directory server.

**21:00-22:00**

For, I don't know, ten minutes can take me to work this out. I'm going to ten minutes. I'm going to disable the user David, and then submit that. Now another one we could do that's missing here. I'll have to go find a different record. So one moment. Let's clear what we're filtering for. So the final one I'll do, let's pick up this suspicious LSASS process again, open it up and have a look. So the last piece here is the **Rules** tab. In the **Rules** tab we can see where this came from. It's got a Status of rule. SigmaHQ is the source of the rule when it was created, when it was modified, what is the rule name, and a link. We can click on the web archive for that link.

**22:00-22:45**
What was the article associated with this? And then we can see. Here it is. With the Mimikatz hunting for in-memory Mimikatz with Sysmon, If we go back to our there is a second link there's a slide share link we can look at, and there is some more information regarding for credential dumping related to Mimikatz. And then the last piece if we go down, we can actually see the rule. Here is the rule: I can download it. And open it. And here is the rule inside our text editor. So a couple more things of what we can do with our detail of the Alert.

The lesson, *Demonstration of Alert Details,* is complete. Thank you.

# L08 - INTERFLOW DICTIONARY

## L08A-PRES: Interflow Dictionary and Cases (06m:20s)

**00:00-01:00**
The next lesson in the *Stellar Cyber Open XDR User Interface Overview* module is *Interflow Dictionary and Cases. Interflow Dictionary and Cases*. Both the Interflow dictionary and Cases are very powerful features of the user interface. The Interflow dictionary operates a little differently than other pages in the UI. Understanding this tool and how it is able to quickly visualize data differently is important to both administrators and SOC analysts. Cases are the result of correlated Alerts and a powerful feature of the user interface for SOC analysts. This lesson is an overview of how these pages operate. Having looked at our charts and our tables, there is another unique view that has a couple of different options that's worth looking at. This one is the Interflow dictionary features.

**01:00-02:00**
So let's just have a quick talk through this as it operates just a little differently than our other charts and tables and views within the UI. So to get there, we navigate to **Investigate | Threat Hunting**, then select **Open Interflow Dictionary**. Once we do that, this is the view that we will see. Now it's a slightly different view as we said to the charts and tables we're used to seeing, but it's a fabulous tool for looking at records in a slightly different way. Now one thing to do here is to select the field value on the left. And that's what brings up our balloons in that middle field and the legends' entries in the right column. So to do that definitely use the browser find feature. There are many fields listed in that table. In this example you can see we've searched for DST IP. So the quick way to do that is to open up your browser search with a control f or a command f depending on if you're using Windows or a Mac.

**02:00-03:00**
Once you click on that, the balloons will then show up filtering that field,filtering all of the records that you've seen in your table based on the search criteria at the top, the filter panels on the left, or the filter searches in the filter pane on the left, and then this will then show those records from that field's perspective. And when I say that field in this example it's the DST IP example. So just another way to interact with the UI, is our Interflow dictionary, a very powerful tool to quickly visualize records in a different way. With the Interflow dictionary open, and much like we had with charts, there is a drop down on the left that will have the number of field values associated to the field that we've chosen. The field we've chosen here is destination IP or DST IP.

**03:00-04:00**
So that drop down will show how many balloons there will be or how many entries there will be in that **Legends** field. So we can see we can have a very small amount like it's listed ten here or it can be right up to I believe it goes up to a hundred and have many more balloons in that visualization. Filter for and filter out exist here. Now these will be added to the filter pane on the left. So like we could in our charts, and we can in our tables, we can filter for and filter out. A really handy feature here particularly if you had one field value that was very dominant and you wanted to remove that, we could do a filter out and would remove that balloon from what we're visualizing. A quick look at the **Cases** page because it operates slightly differently to the rest of the UI with some of the features here. So we'll just do a quick overview of what's different here and how they behave. The filters, for example, these are the filters that are specific to Cases.

**04:00-05:00**
So if you are in **Investigate | Threat Hunting**, and we had some search terms in and some filters in and you went to visualize a dashboard, those filters are persistent. They are not the same filters as what we would see here in Cases. So something to note: The moment you go to the Cases page, there are some defaults that are already applied in the filter pane and we can see that the status is filtered to **Escalated, New**, and **In Progress**. And we are looking only at Cases that were created in the last 24 hours. If you wanted to see Cases that were created older than 24 hours we are to go into filters and clear that or go into filters and extend what it is being filtered for. The search term up there is not the same as the Lucene search for our main pages. This is a simple text search that searches within the table of our Cases.

**05:00-06:20**
If we look at how to work with the table in our **Cases** page, we can see there is that same hamburger available, if we highlight or just mouse over the table column name. And we can see there we also have the ability to select and filter using that filter icon. Now the filter icon, depending on what type of field value it is, it will have a slider bar if it's a a number in this example where we have because it's a Case number here it could be from zero to a hundred, but that will change depending on what type of field it is, the field value, whether it's a string, a number, or a defined number range. Clear all to remove all of our searches, and there can only be one search per field. So we can't have multiple searches per field. Like we could add into that filter pane on the left in using the table filter, only one search per field. The right side in the pie chart–All that does is at the top you might want more "real

estate" to view the table of Cases here. So click on the button at the top to hide and show our pie charts on the right pane.

The lesson, *Interflow Dictionary in Cases*, is complete. Thank you.

## L08B-DEMO: Interflow Dictionary and Cases (14m:10s)

**00:00-01:00**
The next lesson in the *Stellar Cyber Open XDR User Interface Overview* module is *Demonstration of Interflow Dictionary and Cases. Demonstration of Interflow Dictionary and Cases.* Both the Interflow dictionary and Cases are very powerful features of the user interface. The Interflow dictionary operates a little differently than other pages in the UI. Understanding this tool and how it is able to quickly visualize data differently is important to both administrators and SOC analysts. Cases are the result of correlated Alerts and a powerful feature of the user interface for SOC analysts. This lesson includes a demonstration of how these pages operate. In this demonstration, I will show you the Interflow dictionary and how it is a little different to what we've already seen and the power of its capabilities.

**01:00-02:00**
We will finish the demonstration by looking at some of the features of the **Cases** page. Let's start with going to **Investigate | Threat Hunting.** We need to log into our system, our Data Processor. In we go **Investigate | Threat Hunting**. Okay. We're going to look at Linux Events, so uncheck **Alerts** and check **Linux Events**. And let's look for FIM. So here we are FIM over here, File Integrity Monitoring. So let's filter for all our Alerts. So we're down to 7,750 FIM. So if we go over to our filters, we can see that that's what we're filtering for. Now if I go into the Interflow dictionary, and this time let's search for event action, there it is: Event action. Highlight that. Wow!

**02:00-03:00**
So we can see here for our Linux Events for FIM. The event action was initial scan was the biggest one, then created, then attributes moved. So again we can come in here and modify by filtering for or filtering out. Maybe we want to filter this one out because it's so large. And we get down to a fewer amount. Now I don't think because there's already one, two, three, four, five listed, we're already looking at the top ten. So there's not going to be any more for that. Close one final example Actually let's get rid of our filter, clear all And this time we're going to go look at Windows Events. So if we uncheck Linux and check for Windows Events, we can still see here, we're looking at the past month. There's twenty one million Windows Event records. We're going to filter for Sysmon.

**03:00-04:00**
So if we come over here and we look at our source class, we've got Microsoft Windows Sysmon. Let's filter for Sysmon. It's four hundred and seventy seven thousand. Now let's go into our Interflow record to say, if I wanted to know what were the Event IDs for all of these, I can see someone down here. Here's a bunch of two fifty fives, but it'd be too hard to go through this table. There are four hundred and seventy seven thousand records in here. So I can see there's a two fifty five, there's a sixteen, there's a thirteen, but if I wanted to know well, which Event ID has the most or which has the fewest

number of events out of these four hundred and seventy seven thousand? Again our Interflow dictionary is fantastic for that. We open that up. Wow! Straight away well this is access subject. You know that's not what we're looking for. We're looking for Event ID.

**04:00-05:00**
So again, let's find event. There's 446 of them, Event data. Look at all those event datas! Again it's too much. I'll keep typing: event underscore ID, and there it is. So I click on the event_ID and there we go. So number one in our list is number ten our of our Sysmon. Remember that that's what we're looking at over here. We've filtered for Microsoft Windows Sysmon as a message class. So we're seeing that Sysmon is the message class and these are the related Event IDs. Remember we saw some two five fives, and I think we saw some twelves and thirteens in that list, but by far the number one is number ten in that. It's a huge category.

**05:00-06:00**
Now while we're looking at this we know that we are filtering for Sysmon. So let's remove Sysmon while keeping Event ID. So remove Sysmon down here, close our filters, and then look at that. It's changed. It's saying show me all the Event IDs just for Sysmon. Now we're saying show me all the Event IDs, and 5156 is clearly the largest there. So let's open up a record. So if I filter for to say well how do I find out a bit more about this 5156? Let's filter for so that's all we're seeing. So now if I go down every one of these is a 5156, I open that for some more info. I go to my Event ID, and here we have a little looking glass. Open that up and we're taken to look at what is 5156. So what is it? A Windows filtering platform has allowed a connection. Okay. Not terribly interesting. So let's get rid of that one.

**06:00-07:00**
Let's get rid of 5156 and see what the next most important one was. So filter remove that and we actually want to remove it to see what the next best one is. Next best one is ten. So we know that was one of the Sysmon ones. So let's look for ten. We could scroll down and go, were we lucky? Did we get a ten? Nope we didn't. So the quickest thing to do is to filter for a ten. Come down now all of them are tens. Open it up. Look at what is the Event ID? There's a process access, for example on that one, So a really great way for us to quickly find what we're looking for. So I'm going to remove the ten. Let's just see how many there are. So that's the top ten. We know that there are a lot of Event IDs. So let's scroll down and make it a hundred. It's going to look like a party. Look at them all. So if we one by one just removed all the big ones, all the little ones it sort of looks like our celestial system and there is a bunch in there.

**07:00-08:00**
So by number that's how many there are where there's clearly at least a hundred if we look at all these dots and certainly if we scroll down here, maybe not a hundred, but certainly a lot of different Event IDs related to our search. So Interflow dictionary is a great way for us to look at that. So let's clear all that. Close the Interflow dictionary. Now we're just back to **Investigate | Threat Hunting** looking at Windows events. We can close our browser search. So the last piece to look at here is Cases. Let's jump up to Cases. We saw this before where we saw only one of them. So let's go through some of the features of the **Cases** page.

**08:00-09:00**
So the first one is, well that's a little dull, only seeing one. But I do see a little number up here, which means there's a filter. So there's a default filter when we look and I know that if we open that up the default filter is showing us just the last day of Cases. So if I clear that, all of a sudden we've gone from one to 356 Cases. Now the filter here works the same if I close that. I now get a bigger view If I want an even bigger view so we've got over here Cases by severity Case, Cases by status, either new and in progress, it's like what I can scroll but I actually would like to see a bit more real estate here. There's a little button up here that allows me to show and hide those pie charts. So let's just remove them for the moment. The other piece to recognize what it defaults to, is the status of Escalated, New, and In Progress.

**09:00-10:00**
So what did we say? There were 356. Let's select all. 357. So one of them, there's one of them that's not escalated. Let's remove that. New, In Progress. We've got one of them. What is it? How do we know if close or open or or the quickest thing to do would be to jump up here and open that and it will tell us that it is resolved. That's the quickest way we could do that. So this is not a system. This is just a test system so SOC analysts aren't working on this resolving Cases. So Let's clear all our filters, go back to our defaults. We should be back up to 356. There we go. So columns fairly similar to the way we were looking at tables. We can go into our columns and see which ones we would like to add and remove. So, for example, they're all in the Root Tenant. That's not very interesting. So I can't remove tenant though.

**10:00-11:00**
You can see there are Tenant Case ID and Case name must be there. But if I was less interested in say, who was the creator of this, I could remove System. I'm sorry I could remove Creator. Why can't I find it? There it is: Creator. And there it goes or add it back again. Unassigned, assigned, so I could remove who the assignee to give us a bit more space. Okay. When it comes to our columns, so same thing. Here's our hamburger Case ID. We can auto size this column. We can auto size all of them. We can reset them of what should be here and what the default view is. Let's just give us some more space again. And back to our hamburger, and then there is a filter. So because I've chosen to filter on a numerical field, we get to give it a minimum and a maximum. So I could say a minimum of ten and a maximum of 90.

**11:00-12:00**
So we should get rid of all of them. Oh sorry. I thought I was doing. I apologize I thought I was doing the score. So a score of well here we go. Here's a score with a slider. We can change the scores from, I don't know what the scores and all these are. There we are. We've found some within there, but we can only have one up here. So if I come over now, let's say that was the score, can I have a bit more space here, please? That was the score, and here is the severity. So if I come up here and say, “I want a severity only of high,” now we get our two searches at the top. So we're looking for well I know it says null, but it wasn't null. What we're left with is you can see the little filter icon of which fields have filters on them so that I can come back in here and jump in and clear those out or I could come up to here, well sorry I could come up to here and do a clear or I could close them off one by one.

**12:00-13:00**
And let's sort these by **Created At** dates. I want to drag that column over here. Where did it go? **Created At**? I want to sort them by created. That's an old date. Let's create it from a new date, but you're probably what you're going to want to sought them by is the score. We want to have the most highly scoring Cases first. They're the first ones that we're going to want to deal with. We have the choice of as we said filtering in the table view. We can also filter up here of course. We could go to the score, and change our sliders here. That'll affect the table. We can change the severity because I only want to see critical ones, which is a bit silly because critical is based on the score and we've put a filter score in.

**13:00-14:10**
Let's close those ones down. I could change the date. We've got a filter here. We're only looking at those three statuses. And if we wanted to add an extra filter, we come down here and look at what's not used yet. So what's a good example we can use? Maybe a tenant. We could show the tenant to create a tenant ID filter, open up the tenant, and there are the tenants that we have. If we jump up here we can see that we have the route, customer one, and customer two. So we could say show me all of them. I know all going to be in the root. Show me all of the Cases associated. Well, let's do customer one. I know there's going to be zero in there. So if we choose that, it should drop to zero, so now we know that that is working too. Clear all and we should see them all back. Close the columns, close the filters, and show our pie chart again, and there we are back to the default view. The lesson, *Demonstration of Interflow Dictionary and Cases*, is complete. Thank you.

# L09 - OTHER INTERFACES - CLI AND API

## L09A-PRES: Other Interfaces - CLI and API (05m:40s)

**00:00-01:00**
The next lesson in the *Stellar Cyber Open XDR User Interface Overview* module is *Other Interfaces - CLI and API. Other Interfaces - CLI and API.* In addition to the browser-based user interface are two other tools to interact with the Stellar Cyber platform console or command-line interface access and application programming interface, or API. Console access is available to the Data Processor components of the Data Lake and Data Analyzer, as well as the sensor family of Modular Sensors and Server sensors, both Windows and Linux. The API is a very powerful tool to pull and push data from the Stellar Cyber Data Processor. This lesson provides an overview of both interfaces.

**01:00-02:00**
Just very quickly, the last couple of ways that you can interface with the Stellar Cyber platform is the command-line interface by the console and our API. So let's just cover those two at a very high level. Okay. So to access the Data Lake, the Data Analyzer, and Modular Sensors and for Modular Sensors that is both virtualized Modular Sensors and our hardware appliance Modular Sensors. You access that via SSH to port 22. We log in as Aella, and then whatever you change the password to. Now that command line looks very similar depending on which platform you're on. Now of course there are some different commands available on the Data Analyzer compared to the Data Lake and certainly

then different again compared to a Modular Sensor. They are similar to what we would see on a Linux Server sensor. So similar CLI in the structure on what that looks like.

**02:00-03:00**

The difference here is you can see you log in to your Linux host, And from within your Linux host console, we run Aella underscore CLI, so no password to get in there once you have your access to the Linux host. And the final one is our Windows Server sensor. To log in there, we run the Windows agent sensor CLI app, and from within there, no username or password. It is a very different available list of commands that we'll see in the demo of how different these all are. Well, particularly how different Windows is to the similarities between the Data Lake, the Data Analyzer, the Modular Sensor, and the Linux Server sensor. The Windows one's quite different. We'll see that in the demo. The last way we're going to cover to interact with the Stellar Cyber platform is through the Stellar Cyber's API, or an application programming interface.

**03:00-04:00**

So as we've seen before that Stellar Cyber provides a public API that lets you interact with the product programmatically allowing you to write your own scripts, retrieve data from the product, and create entries within it. There are many things you can do with our API and we are forever creating new ways and expanding the capabilities of our API. So just a quick list: We can create, delete, and list our connectors; look up tables, reports, security event filters; we can create, delete, and update lists of tenants and tenant groups; we can retrieve detailed Case information or sensor information, storage usage, ingestion statistics, configuration and hits of log filters and user activity logs for the Stellar Cyber user accounts. We can update Case information. So this is where we would push back to the platform information where we update Case information or tags or status of Alerts and comments for events.

**04:00-05:00**

We can add event to the security index, either bulk or standard. We can perform Elasticsearch queries on specific indexes using the API, and of course we can reset user passwords through the API. Now they are users from within the Stellar Cyber platform. To do all of that, your user account must have root scope and super admin privileges, and then there's a token that gets generated to connect into the system. Another adjunct tool for our API is this tool called Swagger, or API Swagger. So it is a software tool that easily assists you in providing API core syntax without needing to know the underlying details. So in this reference document, which is part of our Knowledge Base, you can see this is an interactive part of our Knowledge Base, where you can enter search terms...

**05:00-05:40**

...and then execute Swagger to show you the syntax of what it would look like in either a cURL command or the URL syntax. So a really clever way without having to know all of the syntax for either the cURL or for the URL, we can type in those queries into the Swagger tool, execute it, and it will show us exactly what's needed to provide back to our API.

The lesson, *Other Interfaces - CLI and API*, is complete. Thank you.

## L09B-DEMO: Other Interfaces - CLI and API (16m:50s)

**00:00-01:00**

The next lesson in the Stellar Cyber Open XDR User Interface Overview module is *Demonstration of Other Interfaces - CLI and API. Demonstration of Other Interfaces - CLI and API.* In addition to the browser-based user interface, are two other tools to interact with the Stellar Cyber platform: Console or command-line interface access, and application programming interface, or API. Console access is available to the Data Processor components of the Data Lake and Data Analyzer as well as the sensor family of Modular Sensors and Server sensors, both Windows and Linux. The API is a very powerful tool to pull and push data from the Stellar Cyber Data Processor. This lesson provides a demonstration of both interfaces.

**01:00-02:00**

In this demonstration, I will show you some of the other ways to interact with the Stellar Cyber platform besides the browser-based user interface we've been using. They are the console, or CLI the command-line interface, and the Stellar Cyber platform's own API, application programming interface. Let's start with the console access for the Data Processor. We are not going to log into the UI. We're going to open up a SSH to our DL, and open. Okay. When we open that, we log in as Aella without password. Now it does say Data Processor DL-master, but just to just to show. We do a **`show`**. Well, let's just see. Look. There's a bunch of commands on here.

**2:00-03:00**

We can see a question mark will show us all the commands. If I look at all the show commands, **`show`** space **`?`** will show us a list of those commands. The first one I want to do is a show role and there it tells us it is the DL master. Okay. So some of the syntax of commands, for example, if we were going to set an IP address for one of our interfaces we do a set INT. So here's something about this interface. If I press tab, it'll complete the command. M-A-N for management, it will complete the command. So that's one way we can interact with this interface. Let's have a look at show status, always an important one. What we want to see there is the big green and ready, a show version shows us that our Data Lake is running 5.1.1. So that's it. That's our Data Lake. Let's have a look at one of the other devices.

**03:00-04:00**

A **`quit`** to leave. We open up the Data Analyzer and log in as Aella, and I'll enter our password. It's the same thing. I know it says DR there. It was previously called the data refinery, now we call it and you'll see all through the documentation. It is the Data Analyzer. That's what the DR is there for. If we do a show status it is happy, up, and ready. Sorry. What we meant to do is a show role a DR-master, a data refinery master. So not too much to do there. The same sort of command, same sort of interface as our Data Lake.

**04:00-05:00**

So a **`quit`** to leave there. Let's look at our Modular Sensor. Aella, our password. Okay. And here we are in our Modular Sensor How do I know it is a Modular Sensor? Well let's look at a couple of different things. I mean the first thing I could do would be...let's do a show version. And there we go.

We can see we're in a Modular Sensor, running feature, modular, That's the name of it is SC Modular Sensor. We've got our IP address of the Modular Sensor, our CM is one seven five that it's connecting to. It's all looking good there. A **`show system`**.

**05:00-06:00**
See how long this device has been up for. So pretty happy there. Show module. What is it running? We can see there it's running a log collector. We hope that's one of the primary features of our Modular Sensor. So if we do a **`show log forwarder`**, and we can see there that our input are pfSense firewalls. That's where that information has been coming from there. Our logs coming in and a `show interface`. We can see there we have a management interface an ethernet one with I'm sorry, an ethernet zero with a bunch of Rx traffic because it is doing some network traffic monitoring. Couple more interface commands So let's do a **`show cm`**.

**06:00-07:00**
We already saw that in the show system. We see that it's established one seven five. So something we can do is an exclamation mark ping to one nine two dot one six eight dot one dot one seven five. We'd expect that with a status of a control c to stop with a status of established. We expect we could be able to ping that. Something else we can do because we can see that Shell is one of the commands here so we can do a shell dig Google dot com or the shorter version of that. Shell dig plus short. I missed the plus. Plus short to Google dot com. We'll see the same information there. There's our one four two for our DNS and there it is in the short version. So that's our Modular Sensor and a **`quit`** to get out of there.

**07:00-08:00**
The final one is to our Linux device. Let's come in here. We're going to sign into Linux first. This is not signing into the sensor. We're going to sign into Linux. Okay. Here we are in Linux. So to get into the console of our Linux Server sensor, we issue **`aella_cli`**. And here we are. You'll see it looks very similar to a Modular Sensor. So a couple of commands for Linux. Do a **`show version`**.

**08:00-09:00**
We can see that we're running on our Ubuntu-20.04, running version 5.1.1, connecting to our CM of 175 same as our Modular Sensor. So what else can we do in here? We've done a **`show version`**. What about **`show system`**? See how long that's been up and running for and the final one, which we've already seen is the **`show cm`** will show us that same information that we saw in here. I suppose differences here we can see it's established. So look just another way we can interface with the Stellar Cyber platform is some console access to the Data Lake, the Data Analyzer, a Modular Sensor, a Linux Server sensor. The final one to look at, and let's just **`quit`** out of there. The final one to look at is the Windows one. So to do that we're in Windows. We come in here and we can go to Windows Agent Sensor...

**09:00-10:00**
...and run the CLI. And here we are in the CLI. Now, a much more restricted set of show commands, for example, than what we've seen from those other consoles. Let's go through the important ones. If we do a **`show ?`** That's what we can see. So the ones here are...let's do a **`show cm`**. Same one. It's talking

to 192.168.1.175. Interesting configuration about this one is that we're using that Modular Sensor as an aggregator. That's why we're seeing a next hop of 10.20.1.15. EWe'll talk about aggregators later in this curriculum. The final one here is, what about a **`show aggregator`** to actually show that aggregated there. So you can see that our aggregator is up and our CM is up and that's what we're happy about.

**10:00-11:00**
So a couple of different ways. The final piece here for different ways to interact with the Stellar Cyber platform is the Stellar Cyber API. Let's go have a look at some of the features of that and how we use it. So just a couple of things to show you about the API interface. The first thing I want to show you is of course we need some credentials to log into the system. Let's just jump back into our UI. First thing I want to show you is I've already created a user in here called David API, and that's what we're going to use to log in here. If we edit that user, we can see that it's already had a token generated for this API. So a way we need credentials to use the API. The next thing I'm going to show you is the documentation. If we jump up here and go to API.

**11:00-12:00**
We can see in here *Introducing the Stellar API.* Just to let you know that there are a bunch of things we can do in here. As it says there, here's a summary of what we can do with our API. We can create, delete, and list connectors. There is a whole bunch of things that we can do via our API. Now the tool I'm going to use to show you the connection to the API is a tool called Postman. I'm going to go into Postman now. Here we are in Postman. I've got our SE Lab set up. I've generated our JSON web token, so we're ready to go. So Cases. So we need to go to our URL to get to our lab. And at the end of this–**`connect/API/v1`**–we're going to put in **`cases`**, and then select **Send**.

**12:00-13:00**
This should give me a list of all of the Cases in the system. We can see there are a bunch of them. What did we say? We saw it in the last lesson. There were three hundred and something seventy four Cases, something like that. There we can see, we can see all of our Cases: internal, credential stuffing, and 56 others. The 56 others were how many I think that size there is how many Alerts have been correlated into that one. The other example is let's say, we want to pull a list of the users. So I could go to the users example here. And in this one I type in **`users`**, send it through, and here are all of our users. We know that there's a user called David API, there it is. There's our user. With its dummy email address, when it last logged in with an epoch time…

**13:00-14:00**
…and a bit more information. We can see the profile it is. It's a super admin. Not much more to tell you about that there. Now the other piece in the documentation I want to take you through is there's a fabulous tool in here called Swagger. Let's search for Swagger. This tool is fantastic in putting together API calls. Let's go to Swagger UI. What this will do for us is things like this like let's say I wanted a list of maybe a sensor list. Is there a sensor or where did I see a sensor list? There it is: data sensors.

**14:00-15:00**

So let's say I expand on that, and here it puts all the parameters in. So if I type parameters here, so I can put a customer ID in there...Let's try it out. I can put a customer ID in there that would drop down and only pull the sensors for that customer ID. So this is not a very exciting one. Let's go back up to Cases. I know Cases has a lot more. So let's drop down in Cases. Now what we can do well first of all we'll try it out to get it going. I could put a tenant ID string in. I could put a name string in. Now remember this is for Cases. So let's say I wanted Cases with a particular score. I want the score to be from 50 to 100. Now maybe that's the only parameter I want to put in, but you can see there are a lot there are many more parameters that we could use. I come all the way to the bottom and I select **Execute.** It will give me the syntax of what I've got to put in.

**15:00-16:00**

It's Cases from to. So I could copy that, go back to Postman. I could go back to my Cases, and I could add that to the end here. I think I've got Cases twice. And enter. So we could see here. I don't know if there's a number of records there are maybe the size a 153k was that response. Let's say see how many Cases there are between actually let's just make it higher. Let's make it ninety and a hundred because I know that...no, eighty. I think we saw some of them weren't as high as that. Eighty to a hundred. We can see that, at least, has dropped right down. We're down to 14k. The size of this has got a lot smaller to show us all of those Cases. Just a great way to spell out what does the syntax to this look like. We just jump into our Swagger and enter fields as we see them here whether it's I want to see assignees to David or however we want that to look.

**16:00-16:50**

Well let's type that in to David. If we then select **Execute** again, we can see what the syntax to that looks like. You can see there all that is an ampersand assignee David, so look another way to access the Stellar Cyber platform. But clearly, the main way, the most important way to get in here is through the user interface. I hope that's been a good overview, and I look forward to working with you on further lessons in these modules. The lesson, *Demonstration of Other - Interfaces CLI and API*, is complete. Thank you.