Stellar Cyber 6.6.0s is now live! Discover all the updates in the release notes!

Azure AD B2C SSO: Configure & Upload Policies / Keys

The steps in this section are critical to perform after you have completed steps in the previous section. Here you manage the keys and policies to support the overall configuration.

If you stop and return to any of the procedures in this configuration process, ensure that you switch to the correct directory before you continue so that you are working on the correct Azure AD B2C Tenant container.

- **Upload the Stellar Cyber DP Server Certificate**
- **Configure Custom Policies to support SAML**
    - **Download & Rename Sample Template Files**
    - **Make Global Edits to the Files**
    - **Edit TrustFrameworkBase.xml**
    - **Edit TrustFrameworkLocalization.xml**
    - **Edit TrustFrameworkExtensions.xml**
    - **Edit SignUpOrSignin.xml**
    - **Edit ProfileEdit.xml**
    - **Edit PasswordReset.xml**
    - **Edit SignUporSigninSAML.xml**
- **Upload Custom Policies**

The order in which you perform certain steps matters. Perform the steps in exactly the order shown.


Upload the Stellar Cyber DP Server Certificate

Steps


1. Locate the Stellar Cyber DP server .pfx you obtained before you started the steps in this topic. If you created a password for it, have that value noted.

Self-signed server certificates are NOT supported by Azure AD B2C for this purpose.


2. Access **All services** from the top-left corner of the Azure portal, and then search for and select **Azure AD B2C**.



3. From the **Overview** page, select **Identity Experience Framework**.
4. Select **Policy Keys** and then select **Add**.



5. For **Options**, choose **Upload**.



6. Enter a **Name** for the policy key for the Stellar Cyber pfx file. For example, enter **SamlIdpCert**. The prefix **B2C_1A_**is added automatically to the name of your key.

The name you enter here **MUST** be the same as the values for the following fields in the file ending with TrustFrameworkBase.xml:


```
<Key Id="MetadataSigning"
StorageReferenceId="B2C_1A_SamlIdpCert" />

<Key Id="SamlMessageSigning"
StorageReferenceId="B2C_1A_SamlIdpCert" />

<Key Id="SamlAssertionSigning"
StorageReferenceId="B2C_1A_SamlIdpCert" />
```

7. Browse to and select the public .pfx certificate file with the private key that you obtained for the Stellar Cyber DP. (Password is not required unless you created the pfx with a password)
8. Click **Create**.

9. The pane refreshes to display the key and the associated container file that is automatically created: B2C_1A_AdminClientEncryptionKeyContainer.



Configure Custom Policies to support SAML

> If you stop and return to any of the procedures in this configuration process, ensure that you switch to the correct directory before you continue so that you are working on the correct Azure AD B2C Tenant container.

Download & Rename Sample Template Files

Steps

The following instructions are based on sample templates that you can download below. The template files are set up to support configuration of both Authentication and Authorization, but can also be used to configure just Authentication.

> As you edit these files, pay attention to the following:
>
> - Note that some attributes appear multiple times. You MUST ensure they are all consistent.
> - The values are case sensitive.
> - The policy names within each template file (PolicyId attribute) must match the naming of the corresponding file. In the templates, the syntax for the filenames is <upload order number> _<tenant name-domain>—<**filename**>.xml.

1. Download the **sample** policy templates.
    - If you are configuring standard logins, use: authentication_authorization.zip
    - If want to configure multi-factor authentication that will use Microsoft Authenticator (Azure Native) use: authentication_authorization_MFA.zip

      Ensure you Enabled security defaults as mentioned in the previous topic.
2. Unzip the package and either use the samples as a guide to customize your own policy files or customize these for upload.
3. Rename all the files to use the **Azure AD B2C Primary Domain** you copied to your worksheet, replacing `stellarpmb2c.onmicrosoft.com` with your primary domain.

Make Global Edits to the Files

Steps

Make the following global edits in every file.

1. Use the **Azure AD B2C Primary Domain** you copied to your worksheet and replace the `TenantId` value and the domain portion of the `PublicPolicyUri="http://<domain>/<filename>` value.
2. Use the **Azure AD B2C Tenant ID** you copied to your worksheet) and replace the `TenantObjectId` value.

Edit TrustFrameworkBase.xml

Steps

1. Some of the edits for this file were completed with the Global edits you made above. Edit the file ending with **TrustFrameworkBase.xml** and ensure the highlighted values were made.

```
<TrustFrameworkPolicy
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns="http://schemas.microsoft.com/online/cpim/schemas/2013/06"
PolicySchemaVersion="0.3.0.0"
TenantId="stellarpmb2c.onmicrosoft.com"
PolicyId="B2C_1A_TrustFrameworkBase"
PublicPolicyUri="http://stellarpmb2c.onmicrosoft.com/B2C_1A_TrustFrameworkBase" TenantObjectId="04fcef19-20fe-4655-9498-3e5050b6dda1">
```

2. Make the additional changes, as needed, to ensure the highlighted values below are consistent with the values you recorded on your worksheet.

```
<Item
Key="IssuerUri">https://stellarpmb2c.b2clogin.com/stellarpmb2c.onmicrosoft.com/B2C_1A_signup_signin_SAML</Item>

<Key Id="MetadataSigning"
StorageReferenceId="B2C_1A_SamlIdpCert" />

<Key Id="SamlMessageSigning"
StorageReferenceId="B2C_1A_SamlIdpCert" />

<Key Id="SamlAssertionSigning"
StorageReferenceId="B2C_1A_SamlIdpCert" />

<Key Id="issuer_secret"
StorageReferenceId="B2C_1A_TokenSigningKeyContainer" />

<Key Id="issuer_refresh_token_key"
StorageReferenceId="B2C_1A_TokenEncryptionKeyContainer" />
```

Your standard authentication file will look similar to the following:

Azure AD or Azure Active Directory refers to Microsoft Entra ID.

TrustFrameworkBase.xml

```
1  <TrustFrameworkPolicy xmlns:xsi="http://www.w3.org/2001/XMLSchema-
2  instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema"
```

```
xmlns="http://schemas.microsoft.com/online/cpim/schemas/2013/06"
PolicySchemaVersion="0.3.0.0" TenantId="stellarpmb2c.onmicrosoft.com"
PolicyId="B2C_1A_TrustFrameworkBase"
PublicPolicyUri="http://stellarpmb2c.onmicrosoft.com/B2C_1A_TrustFrame
workBase" TenantObjectId="04fcef19-20fe-4655-9498-3e5050b6dda1">
  <BuildingBlocks>
    <ClaimsSchema>
      <!-- The ClaimsSchema is divided into three sections:
           1. Section I lists the minimum claims that are required for
the user journeys to work properly.
           2. Section II lists the claims required for query string
parameters and other special parameters
              to be passed to other claims providers, esp.
login.microsoftonline.com for authentication.
              Please do not modify these claims.
           3. Section III lists any additional (optional) claims that
can be collected from the user, stored
              in the directory and sent in tokens during sign in. Add
new claims to be collected from the user
              and/or sent in the token in Section III. -->
      <!-- NOTE: The claims schema contains restrictions on certain
claims such as passwords and usernames.
           The trust framework policy treats Azure AD as any other
claims provider and all its restrictions
           are modelled in the policy. A policy could be modified to
add more restrictions, or use another
           claims provider for credential storage which will have its
own restrictions. -->
      <!-- SECTION I: Claims required for user journeys to work
properly -->
      <ClaimType Id="socialIdpUserId">
        <DisplayName>Username</DisplayName>
        <DataType>string</DataType>
        <UserHelpText />
        <UserInputType>TextBox</UserInputType>
        <Restriction>
          <Pattern RegularExpression="^[a-zA-Z0-9]+[a-zA-Z0-9_-]*$"
HelpText="The username you provided is not valid. It must begin with
an alphabet or number and can contain alphabets, numbers and the
following symbols: _ -" />
        </Restriction>
      </ClaimType>
      <ClaimType Id="tenantId">
        <DisplayName>User's Object's Tenant ID</DisplayName>
        <DataType>string</DataType>
        <DefaultPartnerClaimTypes>
          <Protocol Name="OAuth2" PartnerClaimType="tid" />
          <Protocol Name="OpenIdConnect" PartnerClaimType="tid" />
          <Protocol Name="SAML2"
PartnerClaimType="http://schemas.microsoft.com/identity/claims/tenanti
d" />
        </DefaultPartnerClaimTypes>
        <UserHelpText>Tenant identifier (ID) of the user object in
Azure AD.</UserHelpText>
      </ClaimType>
      <ClaimType Id="objectId">
        <DisplayName>User's Object ID</DisplayName>
        <DataType>string</DataType>
        <DefaultPartnerClaimTypes>
          <Protocol Name="OAuth2" PartnerClaimType="oid" />
          <Protocol Name="OpenIdConnect" PartnerClaimType="oid" />
          <Protocol Name="SAML2"
PartnerClaimType="http://schemas.microsoft.com/identity/claims/objecti
dentifier" />
        </DefaultPartnerClaimTypes>
        <UserHelpText>Object identifier (ID) of the user object in
Azure AD.</UserHelpText>
      </ClaimType>
      <!-- Claims needed for local accounts. -->
      <ClaimType Id="signInName">
        <DisplayName>Sign in name</DisplayName>
        <DataType>string</DataType>
        <UserHelpText />
        <UserInputType>TextBox</UserInputType>
      </ClaimType>
      <ClaimType Id="signInNames.emailAddress">
        <DisplayName>Email Address</DisplayName>
        <DataType>string</DataType>
        <UserHelpText>Email address to use for signing in.
</UserHelpText>
        <UserInputType>TextBox</UserInputType>
      </ClaimType>
      <ClaimType Id="accountEnabled">
        <DisplayName>Account Enabled</DisplayName>
        <DataType>boolean</DataType>
        <AdminHelpText>Specifies whether the user's account is
enabled.</AdminHelpText>
```

If you are configuring Azure native multi-factor authentication, your file will look

```
      <UserHelpText>Specifies whether your account is enabled.
</UserHelpText>
      </ClaimType>
      <ClaimType Id="password">
        <DisplayName>Password</DisplayName>
        <DataType>string</DataType>
        <UserHelpText>Enter password</UserHelpText>
        <UserInputType>Password</UserInputType>
      </ClaimType>
      <!-- The claim types newPassword and reenterPassword are
considered special, please do not change the names.
           The UI validates that the user correctly re-entered their
password during account creation based on these
           claim types.      -->
      <ClaimType Id="newPassword">
        <DisplayName>New Password</DisplayName>
        <DataType>string</DataType>
        <UserHelpText>Enter new password</UserHelpText>
        <UserInputType>Password</UserInputType>
        <Restriction>
          <Pattern RegularExpression="^((?=.*[a-z])(?=.*[A-Z])(?
=.*\d)|(?=.*[a-z])(?=.*[A-Z])(?=.*[^A-Za-z0-9])|(?=.*[a-z])(?=.*\d)(?
=.*[^A-Za-z0-9])|(?=.*[A-Z])(?=.*\d)(?=.*[^A-Za-z0-9]))([A-Za-
z\d@#$%^&amp;*\-_+=[\]{}|\\:',?/`~&quot;();!]|\.(?!@)){8,16}$"
HelpText="8-16 characters, containing 3 out of 4 of the following:
Lowercase characters, uppercase characters, digits (0-9), and one or
more of the following symbols: @ # $ % ^ &amp; * - _ + = [ ] { } | \ :
' , ? / ` ~ &quot; ( ) ; ." />
        </Restriction>
      </ClaimType>
      <!-- The password regular expression above is constructed for
AAD passwords based on restrictions at https://msdn.microsoft.com/en-
us/library/azure/jj943764.aspx

        ^( # one of the following four combinations must appear in the
password
          (?=.*[a-z])(?=.*[A-Z])(?=.*\d) |            # matches lower
case, upper case or digit
          (?=.*[a-z])(?=.*[A-Z])(?=.*[^A-Za-z0-9]) |  # matches lower
case, upper case or special character (i.e. non-alpha or digit)
          (?=.*[a-z])(?=.*\d)(?=.*[^A-Za-z0-9]) |     # matches lower
case, digit, or special character
          (?=.*[A-Z])(?=.*\d)(?=.*[^A-Za-z0-9])       # matches upper
case, digit, or special character
        )
        ( # The password must match the following restrictions
          [A-Za-z\d@#$%^&*\-_+=[\]{}|\\:',?/`~"();!] |   # The list of
all acceptable characters (without .)
          \.(?!@)                                       # or . can
appear as long as not followed by @
        ) {8,16}$                                       # the length
must be between 8 and 16 chars inclusive

      -->
      <ClaimType Id="reenterPassword">
        <DisplayName>Confirm New Password</DisplayName>
        <DataType>string</DataType>
        <UserHelpText>Confirm new password</UserHelpText>
        <UserInputType>Password</UserInputType>
        <Restriction>
          <Pattern RegularExpression="^((?=.*[a-z])(?=.*[A-Z])(?
=.*\d)|(?=.*[a-z])(?=.*[A-Z])(?=.*[^A-Za-z0-9])|(?=.*[a-z])(?=.*\d)(?
=.*[^A-Za-z0-9])|(?=.*[A-Z])(?=.*\d)(?=.*[^A-Za-z0-9]))([A-Za-
z\d@#$%^&amp;*\-_+=[\]{}|\\:',?/`~&quot;();!]|\.(?!@)){8,16}$"
HelpText=" " />
        </Restriction>
      </ClaimType>
      <ClaimType Id="passwordPolicies">
        <DisplayName>Password Policies</DisplayName>
        <DataType>string</DataType>
        <UserHelpText>Password policies used by Azure AD to determine
password strength, expiry etc.</UserHelpText>
      </ClaimType>
      <ClaimType Id="client_id">
        <DisplayName>client_id</DisplayName>
        <DataType>string</DataType>
        <AdminHelpText>Special parameter passed to EvoSTS.
</AdminHelpText>
        <UserHelpText>Special parameter passed to EvoSTS.
</UserHelpText>
      </ClaimType>
      <ClaimType Id="resource_id">
        <DisplayName>resource_id</DisplayName>
        <DataType>string</DataType>
        <AdminHelpText>Special parameter passed to EvoSTS.
</AdminHelpText>
        <UserHelpText>Special parameter passed to EvoSTS.
```

similar to this.

```
</UserHelpText>
        </ClaimType>
        <ClaimType Id="sub">
          <DisplayName>Subject</DisplayName>
          <DataType>string</DataType>
          <DefaultPartnerClaimTypes>
            <Protocol Name="OpenIdConnect" PartnerClaimType="sub" />
          </DefaultPartnerClaimTypes>
          <UserHelpText />
        </ClaimType>
        <ClaimType Id="identityProvider">
          <DisplayName>Identity Provider</DisplayName>
          <DataType>string</DataType>
          <DefaultPartnerClaimTypes>
            <Protocol Name="OAuth2" PartnerClaimType="idp" />
            <Protocol Name="OpenIdConnect" PartnerClaimType="idp" />
            <Protocol Name="SAML2"
PartnerClaimType="http://schemas.microsoft.com/identity/claims/identit
yprovider" />
          </DefaultPartnerClaimTypes>
          <UserHelpText />
        </ClaimType>
        <ClaimType Id="displayName">
          <DisplayName>Display Name</DisplayName>
          <DataType>string</DataType>
          <DefaultPartnerClaimTypes>
            <Protocol Name="OAuth2" PartnerClaimType="unique_name" />
            <Protocol Name="OpenIdConnect" PartnerClaimType="name" />
            <Protocol Name="SAML2"
PartnerClaimType="http://schemas.xmlsoap.org/ws/2005/05/identity/claim
s/name" />
          </DefaultPartnerClaimTypes>
          <UserHelpText>Your display name.</UserHelpText>
          <UserInputType>TextBox</UserInputType>
        </ClaimType>
        <ClaimType Id="email">
          <DisplayName>Email Address</DisplayName>
          <DataType>string</DataType>
          <DefaultPartnerClaimTypes>
            <Protocol Name="OpenIdConnect" PartnerClaimType="email" />
          </DefaultPartnerClaimTypes>
          <UserHelpText>Email address that can be used to contact you.
</UserHelpText>
          <UserInputType>TextBox</UserInputType>
          <Restriction>
            <Pattern RegularExpression="^[a-zA-Z0-
9.!#$%&amp;'^_`{}~-]+@[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+)*$"
HelpText="Please enter a valid email address." />
          </Restriction>
        </ClaimType>
        <ClaimType Id="otherMails">
          <DisplayName>Alternate Email Addresses</DisplayName>
          <DataType>stringCollection</DataType>
          <UserHelpText>Email addresses that can be used to contact the
user.</UserHelpText>
        </ClaimType>
        <ClaimType Id="userPrincipalName">
          <DisplayName>UserPrincipalName</DisplayName>
          <DataType>string</DataType>
          <DefaultPartnerClaimTypes>
            <Protocol Name="OAuth2" PartnerClaimType="upn" />
            <Protocol Name="OpenIdConnect" PartnerClaimType="upn" />
            <Protocol Name="SAML2"
PartnerClaimType="http://schemas.microsoft.com/identity/claims/userpri
ncipalname" />
          </DefaultPartnerClaimTypes>
          <UserHelpText>Your user name as stored in the Azure Active
Directory.</UserHelpText>
        </ClaimType>
        <ClaimType Id="upnUserName">
          <DisplayName>UPN User Name</DisplayName>
          <DataType>string</DataType>
          <UserHelpText>The user name for creating user principal name.
</UserHelpText>
        </ClaimType>
        <ClaimType Id="newUser">
          <DisplayName>User's New Account Indicator</DisplayName>
          <DataType>boolean</DataType>
          <UserHelpText />
        </ClaimType>
        <ClaimType Id="executedSelfAsserted">
          <DisplayName>Executed-SelfAsserted-Input</DisplayName>
          <DataType>string</DataType>
          <UserHelpText>A claim that specifies whether attributes were
collected from the user.</UserHelpText>
        </ClaimType>
        <ClaimType Id="authenticationSource">
```

Edit TrustFrameworkLocalization.xml

Steps

The edits for this file should have been completed with the Global edits, above.

Edit the file ending with **TrustFrameworkLocalization.xml** and ensure the highlighted values are consistent with the values you recorded on your worksheet.

```
<TrustFrameworkPolicy
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns="http://schemas.microsoft.com/online/cpim/schemas/2013/06"
PolicySchemaVersion="0.3.0.0"
TenantId="stellarpmb2c.onmicrosoft.com"
PolicyId="B2C_1A_TrustFrameworkLocalization"
PublicPolicyUri="http://stellarpmb2c.onmicrosoft.com/B2C_1A_TrustFrameworkLocalization" TenantObjectId="04fcef19-20fe-4655-9498-3e5050b6dda1">
  <ClaimsProviders>
    <ClaimsProvider>
      <DisplayName>AuthenticationSource</DisplayName>
      <TechnicalProfile Id="AuthenticationSource">
        <DisplayName>string</DisplayName>
        <Protocol Name="None" />
        <OutputClaims>
          <OutputClaim ClaimTypeReferenceId="authenticationSource" />
        </OutputClaims>
        <UserHelpText>Specifies whether the user was authenticated at Social IDP or local account.</UserHelpText>
      </TechnicalProfile>
    </ClaimsProvider>
    <!-- SECTION II: Claims required to pass on special parameters -->
    <ClaimsProvider>
      <DisplayName>nca</DisplayName>
      <TechnicalProfile Id="nca">
        <DisplayName>nca</DisplayName>
        <DataType>string</DataType>
        <UserHelpText>Special parameter passed for local account authentication to login.microsoftonline.com.</UserHelpText>
      </TechnicalProfile>
    </ClaimsProvider>
    <ClaimsProvider>
      <DisplayName>grant_type</DisplayName>
      <TechnicalProfile Id="grant_type">
        <DisplayName>grant_type</DisplayName>
        <DataType>string</DataType>
        <UserHelpText>Special parameter passed for local account authentication to login.microsoftonline.com.</UserHelpText>
      </TechnicalProfile>
    </ClaimsProvider>
    <ClaimsProvider>
      <DisplayName>scope</DisplayName>
      <TechnicalProfile Id="scope">
        <DisplayName>scope</DisplayName>
        <DataType>string</DataType>
        <UserHelpText>Special parameter passed for local account authentication to login.microsoftonline.com.</UserHelpText>
      </TechnicalProfile>
    </ClaimsProvider>
    <ClaimsProvider>
      <DisplayName>objectIdFromSession</DisplayName>
      <TechnicalProfile Id="objectIdFromSession">
        <DisplayName>objectIdFromSession</DisplayName>
        <DataType>boolean</DataType>
        <UserHelpText>Parameter provided by the default session management provider to indicate that the object id has been retrieved from an SSO session.</UserHelpText>
      </TechnicalProfile>
    </ClaimsProvider>
    <ClaimsProvider>
      <DisplayName>isActiveMFASession</DisplayName>
      <TechnicalProfile Id="isActiveMFASession">
        <DisplayName>isActiveMFASession</DisplayName>
        <DataType>boolean</DataType>
        <UserHelpText>Parameter provided by the MFA session management to indicate that the user has an active MFA session.</UserHelpText>
      </TechnicalProfile>
    </ClaimsProvider>
    <!-- SECTION III: Additional claims that can be collected from the users, stored in the directory, and sent in the token. Add additional claims here. -->
    <ClaimsProvider>
      <DisplayName>Given Name</DisplayName>
      <TechnicalProfile Id="givenName">
        <DisplayName>Given Name</DisplayName>
        <DataType>string</DataType>
        <DefaultPartnerClaimTypes>
          <Protocol Name="OAuth2" PartnerClaimType="given_name" />
          <Protocol Name="OpenIdConnect" PartnerClaimType="given_name" />
          <Protocol Name="SAML2" PartnerClaimType="http://schemas.xmlsoap.org/ws/2005/05/identity/claims/givenname" />
        </DefaultPartnerClaimTypes>
        <UserHelpText>Your given name (also known as first name).</UserHelpText>
        <UserInputType>TextBox</UserInputType>
      </TechnicalProfile>
    </ClaimsProvider>
    <ClaimsProvider>
      <DisplayName>Surname</DisplayName>
      <TechnicalProfile Id="surname">
        <DisplayName>Surname</DisplayName>
        <DataType>string</DataType>
        <DefaultPartnerClaimTypes>
          <Protocol Name="OAuth2" PartnerClaimType="family_name" />
          <Protocol Name="OpenIdConnect" PartnerClaimType="family_name" />
          <Protocol Name="SAML2" PartnerClaimType="http://schemas.xmlsoap.org/ws/2005/05/identity/claims/surname" />
        </DefaultPartnerClaimTypes>
        <UserHelpText>Your surname (also known as family name or last name).</UserHelpText>
        <UserInputType>TextBox</UserInputType>
      </TechnicalProfile>
    </ClaimsProvider>
    <ClaimsProvider>
      <DisplayName>mail</DisplayName>
      <TechnicalProfile Id="mail">
        <DisplayName>mail</DisplayName>
        <DataType>string</DataType>
        <DefaultPartnerClaimTypes>
          <Protocol Name="OAuth2" PartnerClaimType="mail" />
          <Protocol Name="OpenIdConnect" PartnerClaimType="mail" />
          <Protocol Name="SAML2" PartnerClaimType="http://schemas.xmlsoap.org/ws/2005/05/identity/claims/mail" />
        </DefaultPartnerClaimTypes>
        <UserHelpText>mail</UserHelpText>
        <UserInputType>TextBox</UserInputType>
      </TechnicalProfile>
    </ClaimsProvider>
    <ClaimsProvider>
      <DisplayName>stellar_privilege</DisplayName>
      <TechnicalProfile Id="extension_stellar_privilege">
        <DisplayName>stellar_privilege</DisplayName>
        <DataType>string</DataType>
```

Your file will look similar to this.

TrustFrameworkLocalization.xml

```
        <DefaultPartnerClaimTypes>
          <Protocol Name="OAuth2" PartnerClaimType="mail" />
          <Protocol Name="OpenIdConnect" PartnerClaimType="mail" />
          <Protocol Name="SAML2" PartnerClaimType="stellar_privilege"
        </DefaultPartnerClaimTypes>
        <UserHelpText>stellar_privilege</UserHelpText>
        <UserInputType>TextBox</UserInputType>
      </ClaimType>
      <ClaimType Id="extension_stellar_scope">
        <DisplayName>stellar_scope</DisplayName>
        <DataType>string</DataType>
        <DefaultPartnerClaimTypes>
          <Protocol Name="OAuth2" PartnerClaimType="mail" />
          <Protocol Name="OpenIdConnect" PartnerClaimType="mail" />
          <Protocol Name="SAML2" PartnerClaimType="stellar_scope" />
        </DefaultPartnerClaimTypes>
        <UserHelpText>stellar_scope</UserHelpText>
        <UserInputType>TextBox</UserInputType>
      </ClaimType>
      <ClaimType Id="extension_stellar_tenant">
        <DisplayName>stellar_tenant</DisplayName>
        <DataType>string</DataType>
        <DefaultPartnerClaimTypes>
          <Protocol Name="OAuth2" PartnerClaimType="mail" />
          <Protocol Name="OpenIdConnect" PartnerClaimType="mail" />
          <Protocol Name="SAML2" PartnerClaimType="stellar_tenant" />
        </DefaultPartnerClaimTypes>
        <UserHelpText>stellar_tenant</UserHelpText>
        <UserInputType>TextBox</UserInputType>
      </ClaimType>
      <ClaimType Id="extension_stellar_tenant_group">
        <DisplayName>stellar_tenant_group</DisplayName>
        <DataType>string</DataType>
        <DefaultPartnerClaimTypes>
          <Protocol Name="OAuth2" PartnerClaimType="mail" />
          <Protocol Name="OpenIdConnect" PartnerClaimType="mail" />
          <Protocol Name="SAML2"
PartnerClaimType="stellar_tenant_group" />
        </DefaultPartnerClaimTypes>
        <UserHelpText>stellar_tenant_group</UserHelpText>
        <UserInputType>TextBox</UserInputType>
      </ClaimType>
    </ClaimsSchema>
    <ClaimsTransformations>
      <ClaimsTransformation Id="CreateOtherMailsFromEmail"
TransformationMethod="AddItemToStringCollection">
        <InputClaims>
          <InputClaim ClaimTypeReferenceId="email"
TransformationClaimType="item" />
          <InputClaim ClaimTypeReferenceId="otherMails"
TransformationClaimType="collection" />
        </InputClaims>
        <OutputClaims>
          <OutputClaim ClaimTypeReferenceId="otherMails"
TransformationClaimType="collection" />
        </OutputClaims>
      </ClaimsTransformation>
      <ClaimsTransformation Id="AssertAccountEnabledIsTrue"
TransformationMethod="AssertBooleanClaimIsEqualToValue">
        <InputClaims>
          <InputClaim ClaimTypeReferenceId="accountEnabled"
TransformationClaimType="inputClaim" />
        </InputClaims>
        <InputParameters>
          <InputParameter Id="valueToCompareTo" DataType="boolean"
Value="true" />
        </InputParameters>
      </ClaimsTransformation>
    </ClaimsTransformations>
    <ClientDefinitions>
      <ClientDefinition Id="DefaultWeb" />
      <ClientUIFilterFlags>LineMarkers,
esh</ClientUIFilterFlags>
      ClientDefinition>
    </ClientDefinitions>
    <Contents>
      <!-- This content definition is to render an error page that
      <ContentDefinition Id="api.error">
        <LoadUri>~/tenant/templates/AzureBlue/exception.cshtml</LoadUr
i>
        <RecoveryUri>~/common/default_page_error.html</RecoveryUri>
        <DataUri>urn:com:microsoft:aad:b2c:elements:contract:globalexc
eption:1.2.1</DataUri>
        <Metadata>
          <Item Key="DisplayName">Error page</Item>
```

Edit TrustFrameworkExtensions.xml

Steps

1. Some of the edits for this file were completed with the Global edits you made above. Edit the file ending with **TrustFrameworkExtensions.xml** and ensure the highlighted values were made.

```
      </Metadata>
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
      </ContentDefinition>
xmlns="http://schemas.microsoft.com/online/cpim/schemas/20
      <ContentDefinition Id="api.idpselections">
        <LoadUri>~/tenant/templates/AzureBlue/idpSelector.cshtml</Load
Uri>
13/06" PolicySchemaVersion="0.3.0.0"
        <RecoveryUri>~/common/default_page_error.html</RecoveryUri>
TenantId="stellarpmb2c.onmicrosoft.com"
        <DataUri>urn:com:microsoft:aad:b2c:elements:contract:providers
election:1.2.1</DataUri>
PolicyId="B2C_1A_TrustFrameworkExtensions"
        <Metadata>
          <Item Key="DisplayName">Idp selection page</Item>
PublicPolicyUri="http://stellarpmb2c.onmicrosoft.com/B2C_1
          <Item Key="language.intro">Sign in</Item>
        </Metadata>
A_TrustFrameworkExtensions" TenantObjectId="04fcef19-20fe-
      </ContentDefinition>
      <ContentDefinition Id="api.idpselections.signup">
4655-9498-3e5050b6dda1">
        <LoadUri>~/tenant/templates/AzureBlue/idpSelector.cshtml</Load
Uri>
        <RecoveryUri>~/common/default_page_error.html</RecoveryUri>
        <DataUri>urn:com:microsoft:aad:b2c:elements:contract:providers
        1.2.1</DataUri>
        <Metadata>
          <Item Key="DisplayName">Idp selection page</Item>
          <Item Key="language.intro">Sign up</Item>
        </Metadata>
      </ContentDefinition>
      <ContentDefinition Id="api.signuporsignin">
<Item Key="client_id">0c54849b-121f-496e-b1c3-
        <LoadUri>~/tenant/templates/AzureBlue/unified.cshtml</LoadUri>
        <RecoveryUri>~/common/default_page_error.html</RecoveryUri>
406976bec48b</Item>
        <DataUri>urn:com:microsoft:aad:b2c:elements:contract:unifiedss
p:2.1.5</DataUri>
        <Metadata>
<InputClaim ClaimTypeReferenceId="client_id"
          <Item Key="DisplayName">Signin and Signup</Item>
        </Metadata>
Default="0c54849b-121f-496e-b1c3-406976bec48b" />
      </ContentDefinition>
      <ContentDefinition Id="api.selfasserted">
        <LoadUri>~/tenant/templates/AzureBlue/selfAsserted.cshtml</Loa
dUri>
        <RecoveryUri>~/common/default_page_error.html</RecoveryUri>
        <DataUri>urn:com:microsoft:aad:b2c:elements:contract:selfasser
ted:2.1.7</DataUri>
        <Metadata>
<Item Key="IssuanceClaimType">IdTokenAudience">01590824-a092-4271-99a3-
          <Item Key="DisplayName">Collect information from user
f3e37b9f22cc</Item>
page</Item>
        </Metadata>
<InputClaim ClaimTypeReferenceId="resource_id"
      </ContentDefinition>
      <ContentDefinition Id="api.selfasserted.profileupdate">
PartnerClaimType="resource" DefaultValue="01590824-a092-
        <LoadUri>~/tenant/templates/AzureBlue/selfAsserted.cshtml</Loa
dUri>
4271-99a3-f3e37b9f22cc" />
        <RecoveryUri>~/common/default_page_error.html</RecoveryUri>
        <DataUri>urn:com:microsoft:aad:b2c:elements:contract:selfasser
ted:2.1.7</DataUri>
        <Metadata>
          <Item Key="DisplayName">Collect information from user
page</Item>
<Item Key="ClientId">0c0abe38-79ab-45d3-99fe-
        </Metadata>
9378eec7b16f</Item>
      </ContentDefinition>
      <ContentDefinition Id="api.localaccountsignup">
        <LoadUri>~/tenant/templates/AzureBlue/selfAsserted.cshtml</Loa
dUri>
        <RecoveryUri>~/common/default_page_error.html</RecoveryUri>
        <DataUri>urn:com:microsoft:aad:b2c:elements:contract:selfasser
ted:2.1.7</DataUri>
        <Metadata>
<Item Key="ApplicationObjectId">3c34826e-3bd5-47a2-b44d-
          <Item Key="DisplayName">Local account sign up page</Item>
        </Metadata>
08c09034cef2</Item>
      </ContentDefinition>
      <ContentDefinition Id="api.localaccountpasswordreset">
        <LoadUri>~/tenant/templates/AzureBlue/selfAsserted.cshtml</Loa
dUri>
        <RecoveryUri>~/common/default_page_error.html</RecoveryUri>
        <DataUri>urn:com:microsoft:aad:b2c:elements:contract:selfasser
ted:2.1.7</DataUri>
        <Metadata>
          <Item Key="DisplayName">Local account change password
page</Item>
        </Metadata>
      </ContentDefinition>
      <ContentDefinition Id="api.localaccountsignin">
        <LoadUri>~/tenant/templates/AzureBlue/selfAsserted.cshtml</Loa
dUri>
        <RecoveryUri>~/common/default_page_error.html</RecoveryUri>
        <DataUri>urn:com:microsoft:aad:b2c:elements:contract:selfasser
ted:2.1.7</DataUri>
        <Metadata>
          <Item Key="DisplayName">Collect information from user
page</Item>
        </Metadata>
      </ContentDefinition>
```

2. Make the following additional edits, referring to the values you copied to your worksheet.

- Replace the values below with the **Application (client) ID** you saved for the **ProxyIdentityExperienceFramework** app.

```
<Item Key="client_id">0c54849b-121f-496e-b1c3-406976bec48b</Item>
<InputClaim ClaimTypeReferenceId="client_id"
Default="0c54849b-121f-496e-b1c3-406976bec48b" />
```

- Replace the values below with the **Application (client) ID** you saved for the **IdentityExperienceFramework** app.

```
<Item Key="IssuanceClaimType">IdTokenAudience">01590824-a092-4271-99a3-f3e37b9f22cc</Item>
<InputClaim ClaimTypeReferenceId="resource_id"
PartnerClaimType="resource" DefaultValue="01590824-a092-4271-99a3-f3e37b9f22cc" />
```

- Replace the value for `ClientId` with the **Application (client) ID** you saved for the **b2c-extensions-app**.

```
<Item Key="ClientId">0c0abe38-79ab-45d3-99fe-9378eec7b16f</Item>
```

- Replace the value for `ApplicationObjectId` with the **Object ID** you saved for the **b2c-extensions-app**.

```
<Item Key="ApplicationObjectId">3c34826e-3bd5-47a2-b44d-08c09034cef2</Item>
```

If you are configuring standard authentication, your file will look similar to this:

TrustFrameworkExtensions.xml

```
    </ContentDefinitions>
  </BuildingBlocks>
  <!--
      A list of all the claim providers that can be used in the
      technical policies. If a claims provider is not listed
      in this section, then it cannot be used in a technical policy.
  -->
  <ClaimsProviders>
    <ClaimsProvider>
      <DisplayName>Local Account SignIn</DisplayName>
      <TechnicalProfiles>
        <TechnicalProfile Id="login-NonInteractive">
          <DisplayName>Local Account SignIn</DisplayName>
          <Protocol Name="OpenIdConnect" />
          <Metadata>
            <Item Key="ProviderName">https://sts.windows.net/</Item>
            <Item
Key="METADATA">https://login.microsoftonline.com/{tenant}/.well-
known/openid-configuration</Item>
            <Item
Key="authorization_endpoint">https://login.microsoftonline.com/{tenant
}/oauth2/token</Item>
            <Item Key="response_types">id_token</Item>
            <Item Key="response_mode">query</Item>
            <Item Key="scope">email openid</Item>
            <!-- <Item Key="grant_type">password</Item> -->
            <!-- Policy Engine Clients -->
            <Item Key="UsePolicyInRedirectUri">false</Item>
            <Item Key="HttpBinding">POST</Item>
            <Item
Key="client_id">ProxyIdentityExperienceFrameworkAppId</Item>
            <Item
Key="IdTokenAudience">IdentityExperienceFrameworkAppId</Item>
          </Metadata>
          <InputClaims>
            <InputClaim ClaimTypeReferenceId="signInName"
PartnerClaimType="username" Required="true" />
            <InputClaim ClaimTypeReferenceId="password"
Required="true" />
            <InputClaim ClaimTypeReferenceId="grant_type"
DefaultValue="password" AlwaysUseDefaultValue="true" />
            <InputClaim ClaimTypeReferenceId="scope"
DefaultValue="openid" AlwaysUseDefaultValue="true" />
            <InputClaim ClaimTypeReferenceId="nca"
PartnerClaimType="nca" DefaultValue="1" />
            <InputClaim ClaimTypeReferenceId="client_id"
DefaultValue="ProxyIdentityExperienceFrameworkAppID" />
            <InputClaim ClaimTypeReferenceId="resource_id"
PartnerClaimType="resource"
DefaultValue="IdentityExperienceFrameworkAppID" />
          </InputClaims>
          <OutputClaims>
            <OutputClaim ClaimTypeReferenceId="objectId"
PartnerClaimType="oid" />
            <OutputClaim ClaimTypeReferenceId="tenantId"
PartnerClaimType="tid" />
            <OutputClaim ClaimTypeReferenceId="givenName"
PartnerClaimType="given_name" />
            <OutputClaim ClaimTypeReferenceId="surName"
PartnerClaimType="family_name" />
            <OutputClaim ClaimTypeReferenceId="displayName"
PartnerClaimType="name" />
            <OutputClaim ClaimTypeReferenceId="userPrincipalName"
PartnerClaimType="upn" />
            <OutputClaim ClaimTypeReferenceId="authenticationSource"
DefaultValue="localAccountAuthentication" />
          </OutputClaims>
        </TechnicalProfile>
        <TechnicalProfile Id="Saml2AssertionIssuer">
          <DisplayName>Token Issuer</DisplayName>
          <Protocol Name="SAML2" />
          <OutputTokenFormat>SAML2</OutputTokenFormat>
          <Metadata>
            <Item
Key="IssuerUri">https://stellarpmb2c.b2clogin.com/stellarpmb2c.onmicro
soft.com/B2C_1A_signup_signin_SAML</Item>
            <Item Key="TokenNotBeforeSkewInSeconds">600</Item>
          </Metadata>
          <CryptographicKeys>
            <Key Id="MetadataSigning"
StorageReferenceId="B2C_1A_SamlIdpCert" />
            <Key Id="SamlMessageSigning"
StorageReferenceId="B2C_1A_SamlIdpCert" />
            <Key Id="SamlAssertionSigning"
StorageReferenceId="B2C_1A_SamlIdpCert" />
          </CryptographicKeys>
          <InputClaims />
```

If you are configuring Azure native multi-factor authentication, your file will look

```
        <OutputClaims />
        <UseTechnicalProfileForSessionManagement ReferenceId="SM-
Saml-issuer" />
      </TechnicalProfile>
      <TechnicalProfile Id="SM-Saml-issuer">
        <DisplayName>Session Management Provider</DisplayName>
        <Protocol Name="Proprietary"
Handler="Web.TPEngine.SSO.SamlSSOSessionProvider, Web.TPEngine,
Version=1.0.0.0, Culture=neutral, PublicKeyToken=null" />
      </TechnicalProfile>
    </TechnicalProfiles>
  </ClaimsProvider>
  <ClaimsProvider>
    <DisplayName>Azure Active Directory</DisplayName>
    <TechnicalProfiles>
      <TechnicalProfile Id="AAD-Common">
        <DisplayName>Azure Active Directory</DisplayName>
        <Protocol Name="Proprietary"
Handler="Web.TPEngine.Providers.AzureActiveDirectoryProvider,
Web.TPEngine, Version=1.0.0.0, Culture=neutral, PublicKeyToken=null"
/>
        <CryptographicKeys>
          <Key Id="issuer_secret"
StorageReferenceId="B2C_1A_TokenSigningKeyContainer" />
        </CryptographicKeys>
        <!-- We need this here to suppress the SelfAsserted provider
from invoking SSO on validation profiles. -->
        <IncludeInSso>false</IncludeInSso>
        <UseTechnicalProfileForSessionManagement ReferenceId="SM-
Noop" />
      </TechnicalProfile>
      <!-- Technical profiles for local accounts -->
      <TechnicalProfile Id="AAD-UserWriteUsingLogonEmail">
        <Metadata>
          <Item Key="Operation">Write</Item>
          <Item
Key="RaiseErrorIfClaimsPrincipalAlreadyExists">true</Item>
        </Metadata>
        <IncludeInSso>false</IncludeInSso>
        <InputClaims>
          <InputClaim ClaimTypeReferenceId="email"
PartnerClaimType="signInNames.emailAddress" Required="true" />
        </InputClaims>
        <PersistedClaims>
          <!-- Required claims -->
          <PersistedClaim ClaimTypeReferenceId="email"
PartnerClaimType="signInNames.emailAddress" />
          <PersistedClaim ClaimTypeReferenceId="newPassword"
PartnerClaimType="password" />
          <PersistedClaim ClaimTypeReferenceId="displayName"
DefaultValue="unknown" />
          <PersistedClaim ClaimTypeReferenceId="passwordPolicies"
DefaultValue="DisablePasswordExpiration" />
          <!-- Optional claims. -->
          <PersistedClaim ClaimTypeReferenceId="givenName" />
          <PersistedClaim ClaimTypeReferenceId="surname" />
          <PersistedClaim ClaimTypeReferenceId="userPrincipalName"
/>
          <PersistedClaim ClaimTypeReferenceId="mail" />
          <PersistedClaim
ClaimTypeReferenceId="extension_stellar_privilege" />
          <PersistedClaim
ClaimTypeReferenceId="extension_stellar_scope" />
          <PersistedClaim
ClaimTypeReferenceId="extension_stellar_tenant" />
          <PersistedClaim
ClaimTypeReferenceId="extension_stellar_tenant_group" />
        </PersistedClaims>
        <OutputClaims>
          <OutputClaim ClaimTypeReferenceId="objectId" />
          <OutputClaim ClaimTypeReferenceId="newUser"
PartnerClaimType="newClaimsPrincipalCreated" />
          <OutputClaim ClaimTypeReferenceId="authenticationSource"
DefaultValue="localAccountAuthentication" />
          <OutputClaim ClaimTypeReferenceId="userPrincipalName" />
          <OutputClaim
ClaimTypeReferenceId="signInNames.emailAddress" />
        </OutputClaims>
        <IncludeTechnicalProfile ReferenceId="AAD-Common" />
        <UseTechnicalProfileForSessionManagement ReferenceId="SM-
AAD" />
      </TechnicalProfile>
      <TechnicalProfile Id="AAD-UserReadUsingEmailAddress">
        <Metadata>
          <Item Key="Operation">Read</Item>
          <Item
Key="RaiseErrorIfClaimsPrincipalDoesNotExist">true</Item>
```

similar to this:

TrustFrameworkExtensions.xml (MFA)

```
        </Metadata>
        <IncludeInSso>false</IncludeInSso>
        <InputClaims>
          <InputClaim ClaimTypeReferenceId="email"
PartnerClaimType="signInNames.emailAddress" Required="true" />
        </InputClaims>
        <OutputClaims>
          <!-- Required claims -->
          <OutputClaim ClaimTypeReferenceId="objectId" />
          <OutputClaim ClaimTypeReferenceId="authenticationSource"
DefaultValue="localAccountAuthentication" />
          <!-- Optional claims -->
          <OutputClaim ClaimTypeReferenceId="userPrincipalName" />
          <OutputClaim ClaimTypeReferenceId="displayName" />
          <OutputClaim ClaimTypeReferenceId="accountEnabled" />
          <OutputClaim ClaimTypeReferenceId="otherMails" />
          <OutputClaim
ClaimTypeReferenceId="signInNames.emailAddress" />
        </OutputClaims>
        <OutputClaimsTransformations>
          <OutputClaimsTransformation
ReferenceId="AssertAccountEnabledIsTrue" />
        </OutputClaimsTransformations>
        <IncludeTechnicalProfile ReferenceId="AAD-Common" />
      </TechnicalProfile>
      <TechnicalProfile Id="AAD-UserWritePasswordUsingObjectId">
        <Metadata>
          <Item Key="Operation">Write</Item>
          <Item
Key="RaiseErrorIfClaimsPrincipalDoesNotExist">true</Item>
        </Metadata>
        <IncludeInSso>false</IncludeInSso>
        <InputClaims>
          <InputClaim ClaimTypeReferenceId="objectId"
Required="true" />
        </InputClaims>
        <PersistedClaims>
          <PersistedClaim ClaimTypeReferenceId="objectId" />
          <PersistedClaim ClaimTypeReferenceId="newPassword"
PartnerClaimType="password" />
        </PersistedClaims>
        <IncludeTechnicalProfile ReferenceId="AAD-Common" />
      </TechnicalProfile>
      <!-- Technical profiles for updating user record using
objectId -->
      <TechnicalProfile Id="AAD-UserWriteProfileUsingObjectId">
        <Metadata>
          <Item Key="Operation">Write</Item>
          <Item
Key="RaiseErrorIfClaimsPrincipalAlreadyExists">false</Item>
          <Item
Key="RaiseErrorIfClaimsPrincipalDoesNotExist">true</Item>
        </Metadata>
        <IncludeInSso>false</IncludeInSso>
        <InputClaims>
          <InputClaim ClaimTypeReferenceId="objectId"
Required="true" />
        </InputClaims>
        <PersistedClaims>
          <!-- Required claims -->
          <PersistedClaim ClaimTypeReferenceId="objectId" />
          <!-- Optional claims -->
          <PersistedClaim ClaimTypeReferenceId="givenName" />
          <PersistedClaim ClaimTypeReferenceId="surname" />
          <PersistedClaim ClaimTypeReferenceId="userPrincipalName"
/>
          <PersistedClaim ClaimTypeReferenceId="mail" />
          <PersistedClaim
ClaimTypeReferenceId="extension_stellar_privilege" />
          <PersistedClaim
ClaimTypeReferenceId="extension_stellar_scope" />
          <PersistedClaim
ClaimTypeReferenceId="extension_stellar_tenant" />
          <PersistedClaim
ClaimTypeReferenceId="extension_stellar_tenant_group" />
        </PersistedClaims>
        <IncludeTechnicalProfile ReferenceId="AAD-Common" />
      </TechnicalProfile>
      <TechnicalProfile Id="AAD-UserReadUsingObjectId">
        <Metadata>
          <Item Key="Operation">Read</Item>
          <Item
Key="RaiseErrorIfClaimsPrincipalDoesNotExist">true</Item>
        </Metadata>
        <IncludeInSso>false</IncludeInSso>
```

Edit SignUpOrSignIn.xml

Steps

The edits for this file should have been completed with the Global edits you made above. Edit the file ending with **SignUpOrSignIn.xml** and ensure the highlighted values are consistent with the values you recorded on your worksheet.

```
<TrustFrameworkPolicy
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns="http://schemas.microsoft.com/online/cpim/schemas/2013/06" PolicySchemaVersion="0.3.0.0"
TenantId="stellarpmb2c.onmicrosoft.com"
PolicyId="B2C_1A_signup_signin"
PublicPolicyURI="http://stellarpmb2c.onmicrosoft.com/B2C_1A_signup_signin" TenantObjectId="04fcef19-20fe-4655-9498-3e505bb6dda1">
```

and

```
<TenantId>stellarpmb2c.onmicrosoft.com</TenantId>
```

```
          <InputClaims>
            <InputClaim ClaimTypeReferenceId="objectId"
Required="true" />
          </InputClaims>
          <OutputClaims>
            <!-- Optional claims -->
            <OutputClaim
ClaimTypeReferenceId="signInNames.emailAddress" />
            <OutputClaim ClaimTypeReferenceId="displayName" />
            <OutputClaim ClaimTypeReferenceId="otherMails" />
            <OutputClaim ClaimTypeReferenceId="givenName" />
            <OutputClaim ClaimTypeReferenceId="surname" />
            <OutputClaim ClaimTypeReferenceId="userPrincipalName" />
            <OutputClaim ClaimTypeReferenceId="mail" />
            <OutputClaim
ClaimTypeReferenceId="extension_stellar_privilege" />
            <OutputClaim
ClaimTypeReferenceId="extension_stellar_scope" />
            <OutputClaim
ClaimTypeReferenceId="extension_stellar_tenant" />
            <OutputClaim
ClaimTypeReferenceId="extension_stellar_tenant_group" />
          </OutputClaims>
          <IncludeTechnicalProfile ReferenceId="AAD-Common" />
        </TechnicalProfile>
      </TechnicalProfiles>
    </ClaimsProvider>
    <ClaimsProvider>
      <DisplayName>Self Asserted</DisplayName>
      <TechnicalProfiles>
        <TechnicalProfile Id="SelfAsserted-ProfileUpdate">
          <DisplayName>User ID signup</DisplayName>
          <Protocol Name="Proprietary"
Handler="Web.TPEngine.Providers.SelfAssertedAttributeProvider,
Web.TPEngine, Version=1.0.0.0, Culture=neutral, PublicKeyToken=null"
/>
          <Metadata>
            <Item
Key="ContentDefinitionReferenceId">api.selfasserted.profileupdate</Ite
m>
          </Metadata>
          <IncludeInSso>false</IncludeInSso>
          <InputClaims>
            <InputClaim ClaimTypeReferenceId="userPrincipalName" />
            <!-- Optional claims. These claims are collected from the
user and can be modified. Any claim added here should be updated in
the
                 ValidationTechnicalProfile referenced below so it can
be written to directory after being updated by the user, i.e. AAD-
UserWriteProfileUsingObjectId. -->
            <InputClaim ClaimTypeReferenceId="givenName" />
            <InputClaim ClaimTypeReferenceId="surname" />
            <InputClaim ClaimTypeReferenceId="userPrincipalName" />
            <InputClaim ClaimTypeReferenceId="mail" />
            <InputClaim
ClaimTypeReferenceId="extension_stellar_privilege" />
            <InputClaim ClaimTypeReferenceId="extension_stellar_scope"
/>
            <InputClaim
ClaimTypeReferenceId="extension_stellar_tenant" />
            <InputClaim
ClaimTypeReferenceId="extension_stellar_tenant_group" />
          </InputClaims>
          <OutputClaims>
            <!-- Required claims -->
            <OutputClaim ClaimTypeReferenceId="executed-SelfAsserted-
Input" DefaultValue="true" />
            <!-- Optional claims. These claims are collected from the
user and can be modified. Any claim added here should be updated in
the
                 ValidationTechnicalProfile referenced below so it can
be written to directory after being updated by the user, i.e. AAD-
UserWriteProfileUsingObjectId. -->
            <OutputClaim ClaimTypeReferenceId="givenName" />
            <OutputClaim ClaimTypeReferenceId="surname" />
            <OutputClaim ClaimTypeReferenceId="userPrincipalName" />
            <OutputClaim ClaimTypeReferenceId="mail" />
            <OutputClaim
ClaimTypeReferenceId="extension_stellar_privilege" />
            <OutputClaim
ClaimTypeReferenceId="extension_stellar_scope" />
            <OutputClaim
ClaimTypeReferenceId="extension_stellar_tenant" />
            <OutputClaim
ClaimTypeReferenceId="extension_stellar_tenant_group" />
          </OutputClaims>
          <ValidationTechnicalProfiles>
```

Your file will look similar to this.

```
    <ValidationTechnicalProfile ReferenceId="AAD-
UserWriteProfileUsingObjectId" />
                </ValidationTechnicalProfiles>
            </TechnicalProfile>
SignUpOrSignIn        </TechnicalProfiles>
    </ClaimsProvider>
    <ClaimsProvider>
      <DisplayName>Local Account</DisplayName>
      <TechnicalProfiles>
        <TechnicalProfile Id="LocalAccountSignUpWithLogonEmail">
          <DisplayName>Email signup</DisplayName>
          <Protocol Name="Proprietary"
Handler="Web.TPEngine.Providers.SelfAssertedAttributeProvider,
Web.TPEngine, Version=1.0.0.0, Culture=neutral, PublicKeyToken=null"
/>
          <Metadata>
            <Item Key="IpAddressClaimReferenceId">IpAddress</Item>
            <Item
Key="ContentDefinitionReferenceId">api.localaccountsignup</Item>
          </Metadata>
          <CryptographicKeys>
            <Key Id="issuer_secret"
StorageReferenceId="B2C_1A_TokenSigningKeyContainer" />
          </CryptographicKeys>
          <InputClaims>
            <InputClaim ClaimTypeReferenceId="email" />
          </InputClaims>
          <OutputClaims>
            <OutputClaim ClaimTypeReferenceId="objectId" />
        <OutputClaim ClaimTypeReferenceId="email"
PartnerClaimType="Work Email" xmlns:xsi="http://www.w3.org/2001/XMLSchema-
    <OutputClaim ClaimTypeReferenceId="newPassword"
instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema" Required="true"
/>
xmlns="http://schemas.microsoft.com/online/cpim/schemas/2013/06"
    <OutputClaim ClaimTypeReferenceId="tenantId"
PolicySchemaVersion="0.3.0.0" TenantId="steinarmsft.onmicrosoft.com"
Required="true" />
    <OutputClaim ClaimTypeReferenceId="identityProvider"
PublicPolicyUri="http://steinarmsft.onmicrosoft.com/B2C_1A_TrustFrameworkBase"
DefaultValue="Tenant" />
    <OutputClaim ClaimTypeReferenceId="authenticationSource"
TenantId="steinarmsft.onmicrosoft.com" DefaultValue="04fcef19-20fe-4655-9498-3e5050b6dda1">
      <OutputClaim ClaimTypeReferenceId="newUser" />
      <OutputClaim ClaimTypeReferenceId="displayName" />
      <OutputClaim ClaimTypeReferenceId="givenName" />
      <OutputClaim ClaimTypeReferenceId="surname" />
    </OutputClaims>
    <ValidationTechnicalProfiles>
      <ValidationTechnicalProfile ReferenceId="AAD-
UserWriteUsingLogonEmail" />
    </ValidationTechnicalProfiles>
    <UseTechnicalProfileForSessionManagement ReferenceId="SM-AAD" />
  </TechnicalProfile>
  <TechnicalProfile Id="SelfAsserted-LocalAccountSignin-Email">
    <DisplayName>Local Account Signin</DisplayName>
    <Protocol Name="Proprietary"
Handler="Web.TPEngine.Providers.SelfAssertedAttributeProvider, Web.TPEngine,
Version=1.0.0.0, Culture=neutral, PublicKeyToken=null" />
    <Metadata>
      <Item Key="SignUpTarget">SignUpWithLogonEmailExchange</Item>
      <Item Key="setting.operatingMode">Email</Item>
      <Item
Key="ContentDefinitionReferenceId">api.localaccountsignin</Item>
      <Item Key="IncludeClaimResolvingInClaimsHandling">true</Item>
    </Metadata>
    <DisplayName>Username</DisplayName>
    <InputClaims>
      <InputClaim ClaimTypeReferenceId="signInName" />
    </InputClaims>
    <OutputClaims>
      <OutputClaim ClaimTypeReferenceId="signInName" Required="true" />
      <OutputClaim ClaimTypeReferenceId="password" Required="true" />
      <OutputClaim ClaimTypeReferenceId="objectId" />
      <OutputClaim ClaimTypeReferenceId="authenticationSource" />
    </OutputClaims>
    <ValidationTechnicalProfiles>
      <ValidationTechnicalProfile ReferenceId="login-NonInteractive" />
    </ValidationTechnicalProfiles>
  </TechnicalProfile>
  <TechnicalProfile Id="LocalAccountDiscoveryUsingEmailAddress">
```

Edit ProfileEdit.xml

Steps

The edits for this file should have been completed with the Global edits you made above. Edit the file ending with **ProfileEdit.xml** and ensure the highlighted values are consistent with the values you recorded on your worksheet.

```
<ValidationTechnicalProfile ReferenceId="AAD-
UserWriteProfileUsingObjectId" />
            </ValidationTechnicalProfiles>
        </TechnicalProfile>
    </TechnicalProfiles>
</ClaimsProvider>
<ClaimsProvider>
  <DisplayName>Local Account</DisplayName>
  <TechnicalProfiles>
    <TechnicalProfile Id="LocalAccountSignUpWithLogonEmail">
      <DisplayName>Email signup</DisplayName>
      <Protocol Name="Proprietary"
Handler="Web.TPEngine.Providers.SelfAssertedAttributeProvider,
Web.TPEngine, Version=1.0.0.0, Culture=neutral, PublicKeyToken=null"
/>
      <Metadata>
        <Item Key="IpAddressClaimReferenceId">IpAddress</Item>
        <Item
Key="ContentDefinitionReferenceId">api.localaccountsignup</Item>
      </Metadata>
      <CryptographicKeys>
        <Key Id="issuer_secret"
StorageReferenceId="B2C_1A_TokenSigningKeyContainer" />
      </CryptographicKeys>
      <InputClaims>
        <InputClaim ClaimTypeReferenceId="email" />
      </InputClaims>
      <OutputClaims>
        <OutputClaim ClaimTypeReferenceId="objectId" />
        <OutputClaim ClaimTypeReferenceId="email"
PartnerClaimType="Work Email" />
        <OutputClaim ClaimTypeReferenceId="newPassword"
Required="true" />
        <OutputClaim ClaimTypeReferenceId="tenantId"
PartnerClaimType="tid" />
        <OutputClaim ClaimTypeReferenceId="identityProvider"
DefaultValue="Tenant" />
        <OutputClaim ClaimTypeReferenceId="authenticationSource"
DefaultValue="04fcef19-20fe-4655-9498-3e5050b6dda1" />
        <OutputClaim ClaimTypeReferenceId="newUser" />
        <OutputClaim ClaimTypeReferenceId="displayName" />
        <OutputClaim ClaimTypeReferenceId="givenName" />
        <OutputClaim ClaimTypeReferenceId="surname" />
      </OutputClaims>
      <ValidationTechnicalProfiles>
        <ValidationTechnicalProfile ReferenceId="AAD-
UserWriteUsingLogonEmail" />
      </ValidationTechnicalProfiles>
      <UseTechnicalProfileForSessionManagement ReferenceId="SM-AAD" />
    </TechnicalProfile>
    <TechnicalProfile Id="SelfAsserted-LocalAccountSignin-Email">
      <DisplayName>Local Account Signin</DisplayName>
      <Protocol Name="Proprietary"
Handler="Web.TPEngine.Providers.SelfAssertedAttributeProvider, Web.TPEngine,
Version=1.0.0.0, Culture=neutral, PublicKeyToken=null" />
      <Metadata>
        <Item Key="SignUpTarget">SignUpWithLogonEmailExchange</Item>
        <Item Key="setting.operatingMode">Email</Item>
        <Item
Key="ContentDefinitionReferenceId">api.localaccountsignin</Item>
        <Item Key="IncludeClaimResolvingInClaimsHandling">true</Item>
      </Metadata>
      <DisplayName>Username</DisplayName>
      <InputClaims>
        <InputClaim ClaimTypeReferenceId="signInName" />
      </InputClaims>
      <OutputClaims>
        <OutputClaim ClaimTypeReferenceId="signInName" Required="true" />
        <OutputClaim ClaimTypeReferenceId="password" Required="true" />
        <OutputClaim ClaimTypeReferenceId="objectId" />
        <OutputClaim ClaimTypeReferenceId="authenticationSource" />
      </OutputClaims>
      <ValidationTechnicalProfiles>
        <ValidationTechnicalProfile ReferenceId="login-NonInteractive" />
      </ValidationTechnicalProfiles>
    </TechnicalProfile>
    <TechnicalProfile Id="LocalAccountDiscoveryUsingEmailAddress">
```

```
<TrustFrameworkPolicy
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns="http://schemas.microsoft.com/online/cpim/schemas/2013/06"
PolicySchemaVersion="0.3.0.0"
TenantId="stellarpmb2c.onmicrosoft.com"
PolicyId="B2C_1A_ProfileEdit"
PublicPolicyUri="http://stellarpmb2c.onmicrosoft.com/B2C_1A_ProfileEdit"
TenantObjectId="04fe8f19-20fe-4655-9498-3e5050b6ddaa">
and
<TenantId>stellarpmb2c.onmicrosoft.com</TenantId>
```

Your file will look similar to this.



Edit PasswordReset.xml

Steps

The edits for this file should have been completed with the Global edits you made above. Edit the file ending with **PasswordReset.xml** and ensure the highlighted values are consistent with the values you recorded on your worksheet.

```
<ContentDefinitionParameters>{"api.idpselections":"&lt;TrustFrameworkKeySet xmlns:xsi=\"http://www.w3.org/2001/XMLSchema-instance\" xmlns:xsd=\"http://www.w3.org/2001/XMLSchema\" xmlns=\"http://schemas.microsoft.com/online/cpim/schemas/2013/06\"&gt;&lt;ClaimsSchema SchemaVersion=\"0.3.0.0\"&gt;&lt;ClaimType Id=\"tenantId\"&gt;&lt;DisplayName&gt;TenantId&lt;/DisplayName&gt;&lt;DataType&gt;string&lt;/DataType&gt;&lt;UserHelpText&gt;The user name for creating user principal name.&lt;/UserHelpText&gt;&lt;/ClaimType&gt;&lt;/ClaimsSchema&gt;&lt;/TrustFrameworkKeySet&gt;"}</ContentDefinitionParameters>
<TrustFrameworkPolicy xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
 xmlns:xsd="http://www.w3.org/2001/XMLSchema"
 xmlns="http://schemas.microsoft.com/online/cpim/schemas/2013/06"
 PolicySchemaVersion="0.3.0.0"
 TenantId="stellarpmb2c.onmicrosoft.com"
 PolicyId="B2C_1A_PasswordReset"
 PublicPolicyUri="http://stellarpmb2c.onmicrosoft.com/B2C_1A_PasswordReset"
 DeploymentMode="Development"
 UserJourneyRecorderEndpoint="urn:journeyrecorder:applicationinsights">
  <BasePolicy>
    <TenantId>stellarpmb2c.onmicrosoft.com</TenantId>
    <PolicyId>B2C_1A_SignUpOrSignIn_Email</PolicyId>
  </BasePolicy>
  <BuildingBlocks>
    <ClaimsSchema>
      <ClaimType Id="tenantId">
        <DisplayName>TenantId</DisplayName>
        <DataType>string</DataType>
        <UserHelpText>The user name for creating user principal name.</UserHelpText>
      </ClaimType>
      <ClaimType Id="newUser">
        <DisplayName>newUser</DisplayName>
        <DataType>boolean</DataType>
        <UserHelpText />
      </ClaimType>
      <ClaimType Id="executed-SelfAsserted-Input">
        <DisplayName>Executed-SelfAsserted-Input</DisplayName>
        <DataType>boolean</DataType>
        <UserHelpText>A claim that specifies whether attributes were collected from the user.</UserHelpText>
      </ClaimType>
      <ClaimType Id="authenticationSource">
        <DisplayName>AuthenticationSource</DisplayName>
        <DataType>string</DataType>
        <UserHelpText>Specifies whether the user was authenticated at Social IDP or local account.</UserHelpText>
      </ClaimType>
      <ClaimType Id="newCredentials">
        <DisplayName>newCredentials</DisplayName>
        <DataType>string</DataType>
        <UserHelpText>Special parameter passed for local account authentication to login.microsoftonline.com.</UserHelpText>
      </ClaimType>
      <ClaimType Id="grant_type">
        <DisplayName>grant_type</DisplayName>
        <DataType>string</DataType>
        <UserHelpText>Special parameter passed for local account authentication to login.microsoftonline.com.</UserHelpText>
      </ClaimType>
      <ClaimType Id="scope">
        <DisplayName>scope</DisplayName>
        <DataType>string</DataType>
        <UserHelpText>Special parameter passed for local account authentication to login.microsoftonline.com.</UserHelpText>
      </ClaimType>
      <ClaimType Id="objectIdFromSession">
        <DisplayName>objectIdFromSession</DisplayName>
        <DataType>boolean</DataType>
        <UserHelpText>Parameter provided by the default session management provider to indicate that the object id has been retrieved from an SSO session.</UserHelpText>
      </ClaimType>
      <ClaimType Id="isActiveMFASession">
        <DisplayName>isActiveMFASession</DisplayName>
        <DataType>boolean</DataType>
        <UserHelpText>Parameter provided by the MFA session management to indicate that the user has an active MFA session.</UserHelpText>
      </ClaimType>
      <!-- SECTION III: Additional claims that can be collected from the users, stored in the directory, and sent in the token. Add additional claims here. -->
      <ClaimType Id="givenName">
        <DisplayName>Given Name</DisplayName>
        <DataType>string</DataType>
        <DefaultPartnerClaimTypes>
          <Protocol Name="OAuth2" PartnerClaimType="given_name" />
          <Protocol Name="OpenIdConnect" PartnerClaimType="given_name" />
          <Protocol Name="SAML2" PartnerClaimType="http://schemas.xmlsoap.org/ws/2005/05/identity/claims/givenname" />
        </DefaultPartnerClaimTypes>
        <UserHelpText>Your given name (also known as first name).</UserHelpText>
        <UserInputType>TextBox</UserInputType>
```

Your file will look similar to this:

PasswordReset.xml

```
      </ClaimType>
      <ClaimType Id="surname">
        <DisplayName>Surname</DisplayName>
        <DataType>string</DataType>
        <DefaultPartnerClaimTypes>
          <Protocol Name="OAuth2" PartnerClaimType="family_name" />
          <Protocol Name="OpenIdConnect"
PartnerClaimType="family_name" />
          <Protocol Name="SAML2"
PartnerClaimType="http://schemas.xmlsoap.org/ws/2005/05/identity/claim
s/surname" />
        </DefaultPartnerClaimTypes>
        <UserHelpText>Your surname (also known as family name or last
name).</UserHelpText>
        <UserInputType>TextBox</UserInputType>
      </ClaimType>
      <ClaimType Id="mail">
        <DisplayName>mail</DisplayName>
        <DataType>string</DataType>
        <DefaultPartnerClaimTypes>
          <Protocol Name="OAuth2" PartnerClaimType="mail" />
          <Protocol Name="OpenIdConnect" PartnerClaimType="mail" />
          <Protocol Name="SAML2"
PartnerClaimType="http://schemas.xmlsoap.org/ws/2005/05/identity/claim
s/mail" />
        </DefaultPartnerClaimTypes>
        <UserHelpText>mail</UserHelpText>
        <UserInputType>TextBox</UserInputType>
      </ClaimType>
      <ClaimType Id="extension_stellar_privilege">
        <DisplayName>stellar_privilege</DisplayName>
        <DataType>string</DataType>
        <DefaultPartnerClaimTypes>
          <Protocol Name="OAuth2" PartnerClaimType="mail" />
          <Protocol Name="OpenIdConnect" PartnerClaimType="mail" />
          <Protocol Name="SAML2" PartnerClaimType="stellar_privilege"
/>
        </DefaultPartnerClaimTypes>
        <UserHelpText>stellar_privilege</UserHelpText>
        <UserInputType>TextBox</UserInputType>
      </ClaimType>
      <ClaimType Id="extension_stellar_scope">
        <DisplayName>stellar_scope</DisplayName>
        <DataType>string</DataType>
        <DefaultPartnerClaimTypes>
          <Protocol Name="OAuth2" PartnerClaimType="mail" />
          <Protocol Name="OpenIdConnect" PartnerClaimType="mail" />
          <Protocol Name="SAML2" PartnerClaimType="stellar_scope" />
        </DefaultPartnerClaimTypes>
        <UserHelpText>stellar_scope</UserHelpText>
        <UserInputType>TextBox</UserInputType>
      </ClaimType>
      <ClaimType Id="extension_stellar_tenant">
        <DisplayName>stellar_tenant</DisplayName>
        <DataType>string</DataType>
        <DefaultPartnerClaimTypes>
          <Protocol Name="OAuth2" PartnerClaimType="mail" />
          <Protocol Name="OpenIdConnect" PartnerClaimType="mail" />
          <Protocol Name="SAML2" PartnerClaimType="stellar_tenant" />
        </DefaultPartnerClaimTypes>
        <UserHelpText>stellar_tenant</UserHelpText>
        <UserInputType>TextBox</UserInputType>
      </ClaimType>
      <ClaimType Id="extension_stellar_tenant_group">
        <DisplayName>stellar_tenant_group</DisplayName>
        <DataType>string</DataType>
        <DefaultPartnerClaimTypes>
          <Protocol Name="OAuth2" PartnerClaimType="mail" />
          <Protocol Name="OpenIdConnect" PartnerClaimType="mail" />
          <Protocol Name="SAML2"
PartnerClaimType="stellar_tenant_group" />
        </DefaultPartnerClaimTypes>
        <UserHelpText>stellar_tenant_group</UserHelpText>
        <UserInputType>TextBox</UserInputType>
      </ClaimType>
    </ClaimsSchema>
    <ClaimsTransformations>
      <ClaimsTransformation Id="CreateOtherMailsFromEmail"
TransformationClaimType="item" />
        <InputClaims>
          <InputClaim ClaimTypeReferenceId="otherMails"
TransformationClaimType="collection" />
        </InputClaims>
        <OutputClaims>
          <OutputClaim ClaimTypeReferenceId="otherMails"
```

Edit SignUporSigninSAML.xml

Steps


1. The edits for this file should have been completed with the Global edits you made above. Edit the file ending with **SignUpOrSigninSAML.xml** and ensure the highlighted values are consistent with the values you recorded on your worksheet.

```
TransformationClaimType="collection" />
<TrustFrameworkPolicy
      </OutputClaims>
xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
      </ClaimsTransformation>
      <ClaimsTransformation Id="AssertAccountEnabledIsTrue"
TransformationMethod="AssertBooleanClaimIsEqualToValue">
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
        <InputClaims>
xmlns="http://schemas.microsoft.com/online/cpim/schemas/20
          <InputClaim ClaimTypeReferenceId="accountEnabled"
TransformationClaimType="inputClaim" />
13/06" PolicySchemaVersion="0.3.0.0"
        </InputClaims>
        <InputParameters>
TenantId="stellarpmb2c.onmicrosoft.com"
          <InputParameter Id="AssertBooleanClaimIs" DataType="boolean"
Value="true" />
PolicyId="B2C_1A_signup_signin_saml"
        </InputParameters>
      </ClaimsTransformation>
PublicPolicyUri="http://stellarpmb2c.onmicrosoft.com/B2C_1
    </ClaimsTransformations>
A_signup_signin_saml" TenantObjectId="04fcef19-20fe-4655-
    <ClientDefinitions>
      <ClientDefinition Id="DefaultWeb">
9498-3e5050b6dda1"
        <ClientUIFilterFlags>LineMarkers,
MetaRefresh</ClientUIFilterFlags>
      </ClientDefinition>
and </ClientDefinitions>
    <ContentDefinitions>
      <!-- This content definition is to render an error page that
<TenantId>stellarpmb2c.onmicrosoft.com</TenantId>
displays unhandled errors. -->
      <ContentDefinition Id="api.error">
        <LoadUri>~/tenant/templates/AzureBlue/unified.cshtml</LoadUr
i>
        <RecoveryUri>~/common/default_page_error.html</RecoveryUri>
        <DataUri>urn:com:microsoft:aad:b2c:elements:contract:globalexc
eption:1.2.1</DataUri>
        <Metadata>
          <Item Key="DisplayName">Error page</Item>
Key="PartnerEntity">https://testdp.stellarcyber.ai/sso/sam
        </Metadata>
l/metadata</Item>
      </ContentDefinition>
      <ContentDefinition Id="api.idpselections">
        <LoadUri>~/tenant/templates/AzureBlue/idpSelector.cshtml</Load
Uri>
        <RecoveryUri>~/common/default_page_error.html</RecoveryUri>
        <DataUri>urn:com:microsoft:aad:b2c:elements:contract:providers
election:1.2.1</DataUri>
        <Metadata>
          <Item Key="DisplayName">Idp selection page</Item>
          <Item Key="language.intro">Sign in</Item>
        </Metadata>
      </ContentDefinition>
      <ContentDefinition Id="api.idpselections.signup">
<Item
        <LoadUri>~/tenant/templates/AzureBlue/idpSelector.cshtml</Load
Uri>
Key="PartnerEntity">https://testdp.stellarcyber.ai/sso/sam
        <RecoveryUri>~/common/default_page_error.html</RecoveryUri>
l/metadata?cust_id/<Stellar Cyber tenant ID></Item>
        <DataUri>urn:com:microsoft:aad:b2c:elements:contract:providers
election:1.2.1</DataUri>
        <Metadata>
          <Item Key="DisplayName">Idp selection page</Item>
          <Item Key="language.intro">Sign up</Item>
        </Metadata>
      </ContentDefinition>
      <ContentDefinition Id="api.idpselections.signup">
        <LoadUri>~/tenant/templates/AzureBlue/idpSelector.cshtml</Load
Uri>
        <RecoveryUri>~/common/default_page_error.html</RecoveryUri>
        <DataUri>urn:com:microsoft:aad:b2c:elements:contract:providers
election:1.2.1</DataUri>
        <Metadata>
          <Item Key="DisplayName">Idp selection page</Item>
          <Item Key="language.intro">Sign in</Item>
        </Metadata>
      </ContentDefinition>
      <ContentDefinition Id="api.idpselections.signup">
        <LoadUri>~/tenant/templates/AzureBlue/idpSelector.cshtml</Load
Uri>
        <RecoveryUri>~/common/default_page_error.html</RecoveryUri>
        <DataUri>urn:com:microsoft:aad:b2c:elements:contract:providers
election:1.2.1</DataUri>
        <Metadata>
          <Item Key="DisplayName">Idp selection page</Item>
          <Item Key="language.intro">Sign in</Item>
        </Metadata>
      </ContentDefinition>
      <ContentDefinition Id="api.idpselections.signup">
        <LoadUri>~/tenant/templates/AzureBlue/idpSelector.cshtml</Load
Uri>
        <RecoveryUri>~/common/default_page_error.html</RecoveryUri>
        <DataUri>urn:com:microsoft:aad:b2c:elements:contract:providers
election:1.2.1</DataUri>
        <Metadata>
          <Item Key="DisplayName">Idp selection page</Item>
          <Item Key="language.intro">Sign up</Item>
        </Metadata>
      </ContentDefinition>
      <ContentDefinition Id="api.idpselections.signup">
        <LoadUri>~/tenant/templates/AzureBlue/idpSelector.cshtml</Load
Uri>
        <RecoveryUri>~/common/default_page_error.html</RecoveryUri>
        <DataUri>urn:com:microsoft:aad:b2c:elements:contract:providers
election:1.2.1</DataUri>
        <Metadata>
          <Item Key="DisplayName">Idp selection page</Item>
          <Item Key="language.intro">Sign in and Signup</Item>
        </Metadata>
      </ContentDefinition>
      <ContentDefinition Id="api.selfasserted">
        <LoadUri>~/tenant/templates/AzureBlue/selfAsserted.cshtml</Loa
dUri>
        <RecoveryUri>~/common/default_page_error.html</RecoveryUri>
        <DataUri>urn:com:microsoft:aad:b2c:elements:contract:selfasser
ted:2.1.7</DataUri>
        <Metadata>
          <Item Key="DisplayName">Collect information from user
page</Item>
        </Metadata>
      </ContentDefinition>
      <ContentDefinition Id="api.selfasserted.profileupdate">
        <LoadUri>~/tenant/templates/AzureBlue/selfAsserted.cshtml</Loa
dUri>
        <RecoveryUri>~/common/default_page_error.html</RecoveryUri>
        <DataUri>urn:com:microsoft:aad:b2c:elements:contract:selfasser
ted:2.1.7</DataUri>
        <Metadata>
          <Item Key="DisplayName">Collect information from user
page</Item>
        </Metadata>
      </ContentDefinition>
```

2. Locate the line containing PartnerEntity, and replace the hostname portion with the **URL of your Stellar Cyber DP** host.

3. If you are configuring Authentication for a specific Stellar Cyber tenant, then additionally modify that line as indicated below using the **Stellar Cyber Tenant ID** (not your Microsoft Entra ID (formerly Azure AD) Tenant ID) you noted before you began configuration. The cust_id/ tenant ensures that the configuration is applicable to just that specific Stellar Cyber tenant.

Example:



You would enter this: `<Item Key="PartnerEntity">https://testdp.stellarcyber.ai/sso/saml/metadata/?cust_id/29443942</Item>`

If you are configuring standard authentication, your file will look similar to this:

```
    <ContentDefinition Id="api.localaccountsignup">
      <LoadUri>~/tenant/templates/AzureBlue/selfAsserted.cshtml</Loa
dUri>
      <RecoveryUri>~/common/default_page_error.html</RecoveryUri>
      <DataUri>urn:com:microsoft:aad:b2c:elements:contract:selfasser
ted:2.1.7</DataUri>
      <Metadata>
        <Item Key="DisplayName">Local account sign up page</Item>
      </Metadata>
    </ContentDefinition>
    <ContentDefinition Id="api.localaccountpasswordreset">
      <LoadUri>~/tenant/templates/AzureBlue/selfAsserted.cshtml</Loa
dUri>
      <RecoveryUri>~/common/default_page_error.html</RecoveryUri>
      <DataUri>urn:com:microsoft:aad:b2c:elements:contract:selfasser
ted:2.1.7</DataUri>
      <Metadata>
        <Item Key="DisplayName">Local account change password
page</Item>
      </Metadata>
    </ContentDefinition>
    <ContentDefinition Id="api.localaccountsignin">
      <LoadUri>~/tenant/templates/AzureBlue/selfAsserted.cshtml</Loa
dUri>
      <RecoveryUri>~/common/default_page_error.html</RecoveryUri>
      <DataUri>urn:com:microsoft:aad:b2c:elements:contract:selfasser
ted:2.1.7</DataUri>
      <Metadata>
        <Item Key="DisplayName">Collect information from user
page</Item>
      </Metadata>
    </ContentDefinition>
  </ContentDefinitions>
</BuildingBlocks>
<!--
    A list of all the claim providers that can be used in the
technical policies. If a claims provider is not listed
    in this section, then it cannot be used in a technical policy.
  -->
<ClaimsProviders>
  <ClaimsProvider>
    <DisplayName>Local Account SignIn</DisplayName>
    <TechnicalProfiles>
      <TechnicalProfile Id="login-NonInteractive">
        <DisplayName>Local Account SignIn</DisplayName>
        <Protocol Name="OpenIdConnect" />
        <Metadata>
          <Item Key="ProviderName">https://sts.windows.net/</Item>
          <Item
Key="METADATA">https://login.microsoftonline.com/{tenant}/.well-
known/openid-configuration</Item>
          <Item
Key="authorization_endpoint">https://login.microsoftonline.com/{tenant
}/oauth2/token</Item>
          <Item Key="response_types">id_token</Item>
          <Item Key="response_mode">query</Item>
          <Item Key="scope">email openid</Item>
          <!-- <Item Key="grant_type">password</Item> -->
          <!-- Policy Engine Clients -->
          <Item Key="UsePolicyInRedirectUri">false</Item>
          <Item Key="HttpBinding">POST</Item>
          <Item
Key="client_id">ProxyIdentityExperienceFrameworkAppId</Item>
          <Item
Key="IdTokenAudience">IdentityExperienceFrameworkAppId</Item>
        </Metadata>
        <InputClaims>
          <InputClaim ClaimTypeReferenceId="signInName"
PartnerClaimType="username" Required="true" />
          <InputClaim ClaimTypeReferenceId="password"
Required="true" />
          <InputClaim ClaimTypeReferenceId="grant_type"
DefaultValue="password" AlwaysUseDefaultValue="true" />
          <InputClaim ClaimTypeReferenceId="scope"
DefaultValue="openid" AlwaysUseDefaultValue="true" />
          <InputClaim ClaimTypeReferenceId="nca"
PartnerClaimType="nca" DefaultValue="1" />
          <InputClaim ClaimTypeReferenceId="client_id"
DefaultValue="ProxyIdentityExperienceFrameworkAppID" />
          <InputClaim ClaimTypeReferenceId="resource_id"
PartnerClaimType="resource"
DefaultValue="IdentityExperienceFrameworkAppID" />
        </InputClaims>
        <OutputClaims>
          <OutputClaim ClaimTypeReferenceId="objectId"
PartnerClaimType="oid" />
          <OutputClaim ClaimTypeReferenceId="tenantId"
```

If you are configuring Azure native multi-factor authentication, your file will look

```
PartnerClaimType="tid" />
              <OutputClaim ClaimTypeReferenceId="givenName"
PartnerClaimType="given_name" />
              <OutputClaim ClaimTypeReferenceId="surName"
PartnerClaimType="family_name" />
              <OutputClaim ClaimTypeReferenceId="displayName"
PartnerClaimType="name" />
              <OutputClaim ClaimTypeReferenceId="userPrincipalName"
PartnerClaimType="upn" />
              <OutputClaim ClaimTypeReferenceId="authenticationSource"
DefaultValue="localAccountAuthentication" />
            </OutputClaims>
          </TechnicalProfile>
          <TechnicalProfile Id="Saml2AssertionIssuer">
            <DisplayName>Token Issuer</DisplayName>
            <Protocol Name="SAML2" />
            <OutputTokenFormat>SAML2</OutputTokenFormat>
            <Metadata>
              <Item
Key="IssuerUri">https://stellarpmb2c.b2clogin.com/stellarpmb2c.onmicro
soft.com/B2C_1A_signup_signin_SAML</Item>
              <Item Key="TokenNotBeforeSkewInSeconds">600</Item>
            </Metadata>
            <CryptographicKeys>
              <Key Id="MetadataSigning"
StorageReferenceId="B2C_1A_SamlIdpCert" />
              <Key Id="SamlMessageSigning"
StorageReferenceId="B2C_1A_SamlIdpCert" />
              <Key Id="SamlAssertionSigning"
StorageReferenceId="B2C_1A_SamlIdpCert" />
            </CryptographicKeys>
            <InputClaims />
            <OutputClaims />
            <UseTechnicalProfileForSessionManagement ReferenceId="SM-
Saml-issuer" />
          </TechnicalProfile>
          <TechnicalProfile Id="SM-Saml-issuer">
            <DisplayName>Session Management Provider</DisplayName>
            <Protocol Name="Proprietary"
Handler="Web.TPEngine.SSO.SamlSSOSessionProvider, Web.TPEngine,
Version=1.0.0.0, Culture=neutral, PublicKeyToken=null" />
          </TechnicalProfile>
        </TechnicalProfiles>
      </ClaimsProvider>
      <ClaimsProvider>
        <DisplayName>Azure Active Directory</DisplayName>
        <TechnicalProfiles>
          <TechnicalProfile Id="AAD-Common">
            <DisplayName>Azure Active Directory</DisplayName>
            <Protocol Name="Proprietary"
Handler="Web.TPEngine.Providers.AzureActiveDirectoryProvider,
Web.TPEngine, Version=1.0.0.0, Culture=neutral, PublicKeyToken=null"
/>
            <CryptographicKeys>
              <Key Id="issuer_secret"
StorageReferenceId="B2C_1A_TokenSigningKeyContainer" />
            </CryptographicKeys>
            <!-- We need this here to suppress the SelfAsserted provider
from invoking SSO on validation profiles. -->
            <IncludeInSso>false</IncludeInSso>
            <UseTechnicalProfileForSessionManagement ReferenceId="SM-
Noop" />
          </TechnicalProfile>
          <!-- Technical profiles for local accounts -->
          <TechnicalProfile Id="AAD-UserWriteUsingLogonEmail">
            <Metadata>
              <Item Key="Operation">Write</Item>
              <Item
Key="RaiseErrorIfClaimsPrincipalAlreadyExists">true</Item>
            </Metadata>
            <IncludeInSso>false</IncludeInSso>
            <InputClaims>
              <InputClaim ClaimTypeReferenceId="email"
PartnerClaimType="signInNames.emailAddress" Required="true" />
            </InputClaims>
            <PersistedClaims>
              <!-- Required claims -->
              <PersistedClaim ClaimTypeReferenceId="email"
PartnerClaimType="signInNames.emailAddress" />
              <PersistedClaim ClaimTypeReferenceId="newPassword"
PartnerClaimType="password" />
              <PersistedClaim ClaimTypeReferenceId="displayName"
DefaultValue="unknown" />
              <PersistedClaim ClaimTypeReferenceId="passwordPolicies"
DefaultValue="DisablePasswordExpiration" />
              <!-- Optional claims. -->
              <PersistedClaim ClaimTypeReferenceId="givenName" />
```

similar to this:

SignUpOrSigninSAMI.xml (MFA)


```
            <PersistedClaim ClaimTypeReferenceId="surname" />
            <PersistedClaim ClaimTypeReferenceId="userPrincipalName"
/>
            <PersistedClaim ClaimTypeReferenceId="mail" />
            <PersistedClaim
ClaimTypeReferenceId="extension_stellar_privilege" />
            <PersistedClaim
ClaimTypeReferenceId="extension_stellar_scope" />
            <PersistedClaim
ClaimTypeReferenceId="extension_stellar_tenant" />
            <PersistedClaim
ClaimTypeReferenceId="extension_stellar_tenant_group" />
          </PersistedClaims>
          <OutputClaims>
            <OutputClaim ClaimTypeReferenceId="objectId" />
            <OutputClaim ClaimTypeReferenceId="newUser"
PartnerClaimType="newClaimsPrincipalCreated" />
            <OutputClaim ClaimTypeReferenceId="authenticationSource"
DefaultValue="localAccountAuthentication" />
            <OutputClaim ClaimTypeReferenceId="userPrincipalName" />
            <OutputClaim
ClaimTypeReferenceId="signInNames.emailAddress" />
          </OutputClaims>
          <IncludeTechnicalProfile ReferenceId="AAD-Common" />
          <UseTechnicalProfileForSessionManagement ReferenceId="SM-
AAD" />
        </TechnicalProfile>
        <TechnicalProfile Id="AAD-UserReadUsingEmailAddress">
          <Metadata>
            <Item Key="Operation">Read</Item>
            <Item
Key="RaiseErrorIfClaimsPrincipalDoesNotExist">true</Item>
          </Metadata>
          <IncludeInSso>false</IncludeInSso>
          <InputClaims>
            <InputClaim ClaimTypeReferenceId="email"
PartnerClaimType="signInNames.emailAddress" Required="true" />
          </InputClaims>
          <OutputClaims>
            <!-- Required claims -->
            <OutputClaim ClaimTypeReferenceId="objectId" />
            <OutputClaim ClaimTypeReferenceId="authenticationSource"
DefaultValue="localAccountAuthentication" />
            <!-- Optional claims -->
            <OutputClaim ClaimTypeReferenceId="userPrincipalName" />
            <OutputClaim ClaimTypeReferenceId="displayName" />
            <OutputClaim ClaimTypeReferenceId="accountEnabled" />
            <OutputClaim ClaimTypeReferenceId="otherMails" />
            <OutputClaim
ClaimTypeReferenceId="signInNames.emailAddress" />
          </OutputClaims>
          <OutputClaimsTransformations>
            <OutputClaimsTransformation
ReferenceId="AssertAccountEnabledIsTrue" />
          </OutputClaimsTransformations>
          <IncludeTechnicalProfile ReferenceId="AAD-Common" />
        </TechnicalProfile>
        <TechnicalProfile Id="AAD-UserWritePasswordUsingObjectId">
          <Metadata>
            <Item Key="Operation">Write</Item>
            <Item
Key="RaiseErrorIfClaimsPrincipalDoesNotExist">true</Item>
          </Metadata>
          <IncludeInSso>false</IncludeInSso>
          <InputClaims>
            <InputClaim ClaimTypeReferenceId="objectId"
Required="true" />
          </InputClaims>
          <PersistedClaims>
            <PersistedClaim ClaimTypeReferenceId="objectId" />
            <PersistedClaim ClaimTypeReferenceId="newPassword"
PartnerClaimType="password" />
          </PersistedClaims>
          <IncludeTechnicalProfile ReferenceId="AAD-Common" />
        </TechnicalProfile>
        <!-- Technical profiles for updating user record using
objectId -->
        <TechnicalProfile Id="AAD-UserWriteProfileUsingObjectId">
          <Metadata>
            <Item Key="Operation">Write</Item>
            <Item
Key="RaiseErrorIfClaimsPrincipalAlreadyExists">false</Item>
            <Item
Key="RaiseErrorIfClaimsPrincipalDoesNotExist">true</Item>
          </Metadata>
          <IncludeInSso>false</IncludeInSso>
          <InputClaims>
```

Upload Custom Policies


Steps

! If you stop and return to any of the procedures in this configuration process, ensure that you switch to the correct directory before you continue so that you are working on the correct Azure AD B2C Tenant container.

1. Access **All services** from the top-left corner of the Azure portal, and then search for and select **Azure AD B2C**.



2. From the **Overview** page, select **Identity Experience Framework**.
3. Click the button for **Custom Policies**.
4. Select **Upload Custom Policy**



5. Upload each of the policies you modified above. **You must upload these in the order shown below.** The template files are numbered to help you ensure correct ordering.
   a. TrustFrameworkBase.xml
   b. TrustFrameworkLocalization.xml
   c. TrustFrameworkExtensions.xml
   d. SignUpOrSignIn.xml
   e. ProfileEdit.xml
   f. PasswordReset.xml
   g. SignUpOrSignInSAML.xml
6. After the policy files are uploaded, Azure AD B2C uses the configuration information to generate the metadata URL that Stellar Cyber will use; it contains information such as the sign in methods and certificates. The Azure AD B2C metadata is available at the following URL, where <tenant-name> is the name of your Azure AD B2C tenant and <policy-name> is the name (ID) of the policy.

https://<Azure AD B2C tenant-name>.b2clogin.com/<Azure AD B2C tenant-name>.onmicrosoft.com/<policy-name>/samlp/metadata

Example:

https://stellarpmb2c.b2clogin.com/stellarpmb2c.onmicrosoft.com/B2C_1A_signup_samlrequest/samlp/metadata

7. Make note of this Metadata URL in your worksheet for later use configuring in Stellar Cyber.

Proceed to the next step.

```
    ClaimTypeReferenceId="extension_stellar_privilege" />
              <InputClaim ClaimTypeReferenceId="extension_stellar_scope"
/>
              <InputClaim
ClaimTypeReferenceId="extension_stellar_tenant" />
              <InputClaim
ClaimTypeReferenceId="extension_stellar_tenant_group" />
            </InputClaims>
            <OutputClaims>
              <!-- Required claims -->
              <OutputClaim ClaimTypeReferenceId="executed-SelfAsserted-
Input" DefaultValue="true" />
              <!-- Optional claims. These claims are collected from the
user and can be modified. Any claim added here should be updated in
the
                   ValidationTechnicalProfile referenced below so it can
be written to directory after being updated by the user, i.e. AAD-
UserWriteProfileUsingObjectId. -->
              <OutputClaim ClaimTypeReferenceId="givenName" />
              <OutputClaim ClaimTypeReferenceId="surname" />
              <OutputClaim ClaimTypeReferenceId="userPrincipalName" />
              <OutputClaim ClaimTypeReferenceId="mail" />
              <OutputClaim
ClaimTypeReferenceId="extension_stellar_privilege" />
              <OutputClaim
ClaimTypeReferenceId="extension_stellar_scope" />
              <OutputClaim
ClaimTypeReferenceId="extension_stellar_tenant" />
              <OutputClaim
ClaimTypeReferenceId="extension_stellar_tenant_group" />
            </OutputClaims>
            <ValidationTechnicalProfiles>
              <ValidationTechnicalProfile ReferenceId="AAD-
UserWriteProfileUsingObjectId" />
            </ValidationTechnicalProfiles>
          </TechnicalProfile>
        </TechnicalProfiles>
      </ClaimsProvider>
      <ClaimsProvider>
        <DisplayName>Local Account</DisplayName>
        <TechnicalProfiles>
          <TechnicalProfile Id="LocalAccountSignUpWithLogonEmail">
            <DisplayName>Email signup</DisplayName>
            <Protocol Name="Proprietary"
Handler="Web.TPEngine.Providers.SelfAssertedAttributeProvider,
Web.TPEngine, Version=1.0.0.0, Culture=neutral, PublicKeyToken=null"
/>
            <Metadata>
              <Item Key="IpAddressClaimReferenceId">IpAddress</Item>
              <Item
Key="ContentDefinitionReferenceId">api.localaccountsignup</Item>
            </Metadata>
            <CryptographicKeys>
              <Key Id="issuer_secret"
StorageReferenceId="B2C_1A_TokenSigningKeyContainer" />
            </CryptographicKeys>
            <InputClaims>
              <InputClaim ClaimTypeReferenceId="email" />
            </InputClaims>
            <OutputClaims>
              <OutputClaim ClaimTypeReferenceId="objectId" />
              <OutputClaim ClaimTypeReferenceId="email"
PartnerClaimType="Verified.Email" Required="true" />
              <OutputClaim ClaimTypeReferenceId="newPassword"
Required="true" />
              <OutputClaim ClaimTypeReferenceId="reenterPassword"
Required="true" />
              <OutputClaim ClaimTypeReferenceId="executed-SelfAsserted-
Input" DefaultValue="true" />
              <OutputClaim ClaimTypeReferenceId="authenticationSource"
/>
              <OutputClaim ClaimTypeReferenceId="newUser" />
              <!-- Optional claims, to be collected from the user -->
              <OutputClaim ClaimTypeReferenceId="displayName" />
              <OutputClaim ClaimTypeReferenceId="givenName" />
              <OutputClaim ClaimTypeReferenceId="surName" />
            </OutputClaims>
            <ValidationTechnicalProfiles>
              <ValidationTechnicalProfile ReferenceId="AAD-
UserWriteUsingLogonEmail" />
            </ValidationTechnicalProfiles>
          <UseTechnicalProfileForSessionManagement ReferenceId="SM-AAD" />
        </TechnicalProfile>
      </ClaimsProvider>
    </ClaimsProviders>
</TrustFrameworkPolicy>
```

```
<TrustFrameworkPolicy xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" This validation technical profile to
xmlns="http://schemas.microsoft.com/online/cpim/schemas/2013/06"
PolicySchemaVersion="0.3.0.0" TenantId="stellarb2c.onmicrosoft.com"
PolicyId="B2C_1A_SignInWithLogonEmail">
  <BasePolicy>
    <TenantId>stellarb2c.onmicrosoft.com</TenantId>
    <PolicyId>B2C_1A_TrustFrameworkExtensions</PolicyId>
  </BasePolicy>
  <RelyingParty>
    <DefaultUserJourney ReferenceId="SignIn" />
    <UserJourneyBehaviors>
      <ScriptExecution>Allow</ScriptExecution>
    </UserJourneyBehaviors>
    <TechnicalProfile Id="PolicyProfile">
      <DisplayName>PolicyProfile</DisplayName>
      <Protocol Name="OpenIdConnect" />
      <OutputClaims>
        <OutputClaim ClaimTypeReferenceId="displayName" />
        <OutputClaim ClaimTypeReferenceId="givenName" />
        <OutputClaim ClaimTypeReferenceId="surname" />
        <OutputClaim ClaimTypeReferenceId="email" />
        <OutputClaim ClaimTypeReferenceId="objectId" />
        <OutputClaim ClaimTypeReferenceId="identityProvider" />
        <OutputClaim ClaimTypeReferenceId="tenantId" />
        <OutputClaim ClaimTypeReferenceId="extension_stellar_privilege" />
        <OutputClaim ClaimTypeReferenceId="extension_stellar_scope" />
        <OutputClaim ClaimTypeReferenceId="extension_stellar_tenant" />
        <OutputClaim ClaimTypeReferenceId="extension_stellar_tenant_group" />
      </OutputClaims>
      <SubjectNamingInfo ClaimType="sub" />
    </TechnicalProfile>
  </RelyingParty>
</TrustFrameworkPolicy>
```

```
<BasePolicy>
  <TenantId>Metadata2c.onmicrosoft.com</TenantId>
  <PolicyId>B2C_1A_TrustFrameworkBase</PolicyId>
</BasePolicy>
<BuildingBlocks>
  <ContentDefinitions>
    <ContentDefinition Id="api.localaccountsignin">
      <LocalizedResourcesReferences MergeBehavior="Prepend">
        <LocalizedResourcesReference Language="en"
LocalizedResourcesReferenceId="api.signuporsignin.en" />
      </LocalizedResourcesReferences>
    </ContentDefinition>
    <ContentDefinition Id="api.localaccountsignup">
      <LocalizedResourcesReferences MergeBehavior="Prepend">
        <LocalizedResourcesReference Language="en"
LocalizedResourcesReferenceId="api.selfasserted.en" />
      </LocalizedResourcesReferences>
    </ContentDefinition>
    <ContentDefinition Id="api.localaccountpasswordreset">
      <LocalizedResourcesReferences MergeBehavior="Prepend">
        <LocalizedResourcesReference Language="en"
LocalizedResourcesReferenceId="api.selfasserted.profileupdate.en" />
      </LocalizedResourcesReferences>
    </ContentDefinition>
    <ContentDefinition Id="api.idpselections">
      <LocalizedResourcesReferences MergeBehavior="Prepend">
        <LocalizedResourcesReference Language="en"
LocalizedResourcesReferenceId="api.idpselections.en" />
      </LocalizedResourcesReferences>
    </ContentDefinition>
  </ContentDefinitions>
  <ClaimsSchema>
    <ClaimType Id="signInName">
      <DisplayName>Email Address</DisplayName>
      <DataType>string</DataType>
      <UserHelpText>Email Address</UserHelpText>
      <Restriction>
        <Pattern RegularExpression="^[a-zA-Z0-9.!#$%&amp;'^_`{}~-]+@[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+)*$" />
      </Restriction>
    </ClaimType>
    <ClaimType Id="password">
      <DisplayName>Password</DisplayName>
      <DataType>string</DataType>
      <UserHelpText>Password</UserHelpText>
      <Restriction>
        <Pattern RegularExpression="^((?=.*[a-z])(?=.*[A-Z])(?=.*\d)|(?=.*[a-z])(?=.*[A-Z])(?=.*[^A-Za-z0-9])|(?=.*[a-z])(?=.*\d)(?=.*[^A-Za-z0-9])|(?=.*[A-Z])(?=.*\d)(?=.*[^A-Za-z0-9])).{8,64}$" />
      </Restriction>
    </ClaimType>
    <ClaimType Id="newPassword">
      <DisplayName>New Password</DisplayName>
      <DataType>string</DataType>
      <UserHelpText>New Password</UserHelpText>
      <Restriction>
        <Pattern RegularExpression="^((?=.*[a-z])(?=.*[A-Z])(?=.*\d)|(?=.*[a-z])(?=.*[A-Z])(?=.*[^A-Za-z0-9])|(?=.*[a-z])(?=.*\d)(?=.*[^A-Za-z0-9])|(?=.*[A-Z])(?=.*\d)(?=.*[^A-Za-z0-9])).{8,64}$" />
      </Restriction>
    </ClaimType>
    <ClaimType Id="reenterPassword">
      <DisplayName>Confirm new password</DisplayName>
      <DataType>string</DataType>
      <UserHelpText>Confirm new password</UserHelpText>
      <Restriction>
        <Pattern RegularExpression="^((?=.*[a-z])(?=.*[A-Z])(?=.*\d)|(?=.*[a-z])(?=.*[A-Z])(?=.*[^A-Za-z0-9])|(?=.*[a-z])(?=.*\d)(?=.*[^A-Za-z0-9])|(?=.*[A-Z])(?=.*\d)(?=.*[^A-Za-z0-9])).{8,64}$" />
      </Restriction>
    </ClaimType>
    <ClaimType Id="objectId">
      <DisplayName>User's Object ID</DisplayName>
      <DataType>string</DataType>
      <UserHelpText>Your user's Object ID</UserHelpText>
    </ClaimType>
    <ClaimType Id="authenticationSource">
      <DisplayName>Authentication Source</DisplayName>
      <DataType>string</DataType>
      <AdminHelpText>Authentication source</AdminHelpText>
    </ClaimType>
    <ClaimType Id="extension_stellar_privilege">
      <DisplayName>extension_stellar_privilege</DisplayName>
      <DataType>string</DataType>
      <AdminHelpText>extension_stellar_privilege</AdminHelpText>
    </ClaimType>
    <ClaimType Id="extension_stellar_scope">
      <DisplayName>extension_stellar_scope</DisplayName>
      <DataType>string</DataType>
      <AdminHelpText>extension_stellar_scope</AdminHelpText>
    </ClaimType>
    <ClaimType Id="extension_stellar_tenant">
      <DisplayName>extension_stellar_tenant</DisplayName>
      <DataType>string</DataType>
      <AdminHelpText>extension_stellar_tenant</AdminHelpText>
    </ClaimType>
    <ClaimType Id="extension_tenant_group">
      <DisplayName>extension_tenant_group</DisplayName>
      <DataType>string</DataType>
      <AdminHelpText>extension_tenant_group</AdminHelpText>
    </ClaimType>
    <ClaimType Id="extension_stellar_roles">
      <DisplayName>extension_stellar_roles</DisplayName>
      <DataType>string</DataType>
      <AdminHelpText>extension_stellar_roles</AdminHelpText>
    </ClaimType>
    <ClaimType Id="extension_stellar_groups">
      <DisplayName>extension_stellar_groups</DisplayName>
      <DataType>string</DataType>
      <AdminHelpText>extension_stellar_groups</AdminHelpText>
    </ClaimType>
    <ClaimType Id="extension_stellar_resources">
      <DisplayName>extension_stellar_resources</DisplayName>
      <DataType>string</DataType>
      <AdminHelpText>extension_stellar_resources</AdminHelpText>
    </ClaimType>
    <ClaimType Id="extension_stellar_actions">
      <DisplayName>extension_stellar_actions</DisplayName>
      <DataType>string</DataType>
      <AdminHelpText>extension_stellar_actions</AdminHelpText>
    </ClaimType>
    <ClaimType Id="extension_stellar_roles_resolved">
      <DisplayName>extension_stellar_roles_resolved</DisplayName>
      <DataType>string</DataType>
      <AdminHelpText>extension_stellar_roles_resolved</AdminHelpText>
    </ClaimType>
    <ClaimType Id="extension_stellar_groups_resolved">
      <DisplayName>extension_stellar_groups_resolved</DisplayName>
      <DataType>string</DataType>
      <AdminHelpText>extension_stellar_groups_resolved</AdminHelpText>
    </ClaimType>
    <ClaimType Id="extension_stellar_resources_resolved">
      <DisplayName>extension_stellar_resources_resolved</DisplayName>
      <DataType>string</DataType>
      <AdminHelpText>extension_stellar_resources_resolved</AdminHelpText>
    </ClaimType>
    <ClaimType Id="extension_stellar_actions_resolved">
      <DisplayName>extension_stellar_actions_resolved</DisplayName>
      <DataType>string</DataType>
      <AdminHelpText>extension_stellar_actions_resolved</AdminHelpText>
    </ClaimType>
    <ClaimType Id="extension_stellar_privilege_resolved">
      <DisplayName>extension_stellar_privilege_resolved</DisplayName>
      <DataType>string</DataType>
      <AdminHelpText>extension_stellar_privilege_resolved</AdminHelpText>
    </ClaimType>
    <ClaimType Id="extension_stellar_scope_resolved">
      <DisplayName>extension_stellar_scope_resolved</DisplayName>
      <DataType>string</DataType>
      <AdminHelpText>extension_stellar_scope_resolved</AdminHelpText>
    </ClaimType>
    <ClaimType Id="extension_stellar_tenant_resolved">
      <DisplayName>extension_stellar_tenant_resolved</DisplayName>
      <DataType>string</DataType>
      <AdminHelpText>extension_stellar_tenant_resolved</AdminHelpText>
    </ClaimType>
    <ClaimType Id="extension_tenant_group_resolved">
      <DisplayName>extension_tenant_group_resolved</DisplayName>
      <DataType>string</DataType>
      <AdminHelpText>extension_tenant_group_resolved
```

```
            <ValidationTechnicalProfile ReferenceId="AAD-
  UserWriteUsingAlternativeSecurityId" />
            <ValidationTechnicalProfile ReferenceId="AAD-
  UserReadUsingAlternativeSecurityId" />
          </TechnicalProfiles>
        </ClaimsProvider>
        <ClaimsProvider>
          <DisplayName>Session Management Provider</DisplayName>
          <TechnicalProfile Id="SM-Noop">
            <DisplayName>No Session Management Provider</DisplayName>
            <Protocol Name="Proprietary"
  Handler="Web.TPEngine.SSO.NoopSSOSessionProvider, Web.TPEngine,
  Version=1.0.0.0, Culture=neutral, PublicKeyToken=null" />
          </TechnicalProfile>
        </ClaimsProvider>
        <ClaimsProvider>
          <DisplayName>Token Issuer</DisplayName>
          <TechnicalProfile Id="JwtIssuer">
            <DisplayName>JWT Issuer</DisplayName>
            <Protocol Name="None" />
            <OutputTokenFormat>JWT</OutputTokenFormat>
            <Metadata>
              <Item Key="client_id">{service:te}</Item>
              <Item Key="issuer_refresh_token_user_identity_claim_type">objectId</Item>
              <Item Key="SendTokenResponseBodyWithJsonNumbers">true</Item>
              <Item Key="token_lifetime_secs">3600</Item>
              <Item Key="token_issuer_name">https://{tenant-name}.b2clogin.com/{tenant-guid}/v2.0/</Item>
              <Item Key="token_audience">{service:te}</Item>
              <Item Key="IdTokenAudience">{service:te}</Item>
            </Metadata>
            <CryptographicKeys>
              <Key Id="issuer_secret" StorageReferenceId="B2C_1A_TokenSigningKeyContainer" />
              <Key Id="issuer_refresh_token_key" StorageReferenceId="B2C_1A_TokenEncryptionKeyContainer" />
            </CryptographicKeys>
            <InputClaims />
            <PersistedClaims />
            <OutputClaims />
            <UseTokenLifetimeTemplate>false</UseTokenLifetimeTemplate>
          </TechnicalProfile>
        </ClaimsProvider>
        <ClaimsProvider>
          <DisplayName>Local Account</DisplayName>
          <TechnicalProfile Id="LocalAccountSignUpWithLogonEmail">
            <DisplayName>Email signup</DisplayName>
            <Protocol Name="Proprietary"
  Handler="Web.TPEngine.SSO.SamlSSOSessionProvider, Web.TPEngine,
  Version=1.0.0.0, Culture=neutral, PublicKeyToken=null" />
            <Metadata>
              <Item Key="ContentDefinitionReferenceId">api.localaccountsignup.en</Item>
              <Item Key="language.lang">en</Item>
              <Item Key="language.lang_ui_hint">en</Item>
              <Item Key="language.lang_error_message">Invalid language.</Item>
              <Item Key="language.lang_unsupported_message">Unsupported language.</Item>
              <Item Key="language.lang_mismatch_message">Language mismatch.</Item>
              <Item Key="language.lang_format_message">Invalid language format.</Item>
              <Item Key="language.lang_required_message">Language is required.</Item>
              <Item Key="language.lang_multiple_message">Multiple languages specified.</Item>
              <Item Key="language.lang_malformed_message">Malformed language.</Item>
              <Item Key="language.lang_default_message">Invalid language.</Item>
              <Item Key="client_id">{service:te}</Item>
              <Item Key="IpAddressClaimReferenceId">IpAddress</Item>
              <Item Key="IdTokenAudience">{service:te}</Item>
              <Item Key="ApplicationObjectId">{service:te}</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_scope</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_privilege</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_role</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_group</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_entitlement</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_resource</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_action</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_condition</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_context</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_jit_chain_path</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_delegation_chain</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_delegation_depth</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_entitlement_blob</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_blob_version</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_policy_version</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_partition_key</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_jit_chain_hash</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_jit_chain_size</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_delegation_flag</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_session_id</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_tenant_id</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_user_id</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_client_id</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_auth_time</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_mfa_verified</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_risk_score</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_device_id</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_ip_address</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_geo_location</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_user_agent</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_request_id</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_trace_id</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_span_id</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_parent_span_id</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_baggage</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_sampled</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_trace_flags</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_trace_state</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_span_kind</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_span_status</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_span_status_message</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_span_events</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_span_links</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_span_attributes</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_span_resource</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_span_scope</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_span_scope_version</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_span_scope_attributes</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_span_scope_dropped_attributes_count</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_span_scope_dropped_events_count</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_span_scope_dropped_links_count</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_span_scope_dropped_status_count</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_span_scope_dropped_resource_count</Item>
              <Item Key="ClaimsSchemaKey">extension_stellar_span_scope_dropped_scope_count
```

```
Please check your entries and try again.</LocalizedString>
  Key="issuer">objectId</Item>
StringId="error_pwdTooLong">The password entry fields do not match.
Please enter the same password in both fields and try again.</LocalizedString>
                <LocalizedString ElementType="UxElement"
StringId="error_requiredFieldMissing">A required field is missing. Please fill
out all required fields and try again.</LocalizedString>
                <LocalizedString ElementType="UxElement"
StringId="AdminConsent">What is this?</LocalizedString>
                <LocalizedString ElementType="UxElement"
StringId="DisplayControl_ClaimsExchange_AADCommon">Please provide the following details.
</LocalizedString>
  StorageReferenceId="B2C_1A_SignInWithLogonEmail" />
StringId="preludeDuringSend">Please wait...</LocalizedString>
  StorageReferenceId="B2C_1A_SignInWithLogonEmail" />
StringId="requiredField">This information is required.</LocalizedString>
                <LocalizedString ElementType="UxElement" ReferenceId="SM-jwt-
issuer" />
StringId="button_cancel">Cancel</LocalizedString>
                <LocalizedString ElementType="UxElement"
StringId="TechnicalProfile_Change">Change e-mail</LocalizedString>
      </ClaimsProviderString>
    </ClaimsProviders>
    <UserJourneys>
      <UserJourney Id="SignUpOrSignIn">
        <OrchestrationSteps>
          <OrchestrationStep Order="1" Type="ClaimsExchange">
            ContentDefinitionReferenceId="api.signuporsignin">
          <ClaimsExchanges>
            <ClaimsExchange Id="LocalAccountSigninEmailExchange"
TechnicalProfileReferenceId="SelfAsserted-LocalAccountSignin-Email" />
          </ClaimsExchanges>
        </OrchestrationStep>
        <OrchestrationStep Order="2" Type="ClaimsExchange">
          <ClaimsExchanges>
            <ClaimsExchange Id="AADUserReadWithObjectId"
TechnicalProfileReferenceId="AAD-UserReadUsingObjectId" />
          </ClaimsExchanges>
        </OrchestrationStep>
        <OrchestrationStep Order="3" Type="ClaimsExchange">
          <ClaimsExchanges>
            <ClaimsExchange Id="AADUserReadUsingAlternativeSecurityId"
TechnicalProfileReferenceId="AAD-UserReadUsingAlternativeSecurityId" />
          </ClaimsExchanges>
        </OrchestrationStep>
        <OrchestrationStep Order="4" Type="ClaimsExchange">
          <ClaimsExchanges>
            <ClaimsExchange Id="AADUserReadUsingEmailAddress"
TechnicalProfileReferenceId="AAD-UserReadUsingEmailAddress" />
          </ClaimsExchanges>
        </OrchestrationStep>
        <OrchestrationStep Order="5" Type="SendClaims"
CpimIssuerTechnicalProfileReferenceId="JwtIssuer" />
      </UserJourney>
      <UserJourney Id="PasswordReset">
        <OrchestrationSteps>
          <OrchestrationStep Order="1" Type="ClaimsExchange">
            <ClaimsExchanges>
              <ClaimsExchange Id="LocalAccountSigninEmailExchange"
TechnicalProfileReferenceId="SelfAsserted-LocalAccountSignin-Email" />
            </ClaimsExchanges>
          </OrchestrationStep>
          <OrchestrationStep Order="2" Type="ClaimsExchange">
            <ClaimsExchanges>
              <ClaimsExchange Id="AADUserReadWithObjectId"
TechnicalProfileReferenceId="AAD-UserReadUsingObjectId" />
            </ClaimsExchanges>
          </OrchestrationStep>
          <OrchestrationStep Order="3" Type="ClaimsExchange">
            <ClaimsExchanges>
              <ClaimsExchange Id="AADUserReadUsingAlternativeSecurityId"
TechnicalProfileReferenceId="AAD-UserReadUsingAlternativeSecurityId" />
            </ClaimsExchanges>
          </OrchestrationStep>
          <OrchestrationStep Order="4" Type="ClaimsExchange">
            <ClaimsExchanges>
              <ClaimsExchange Id="AADUserReadUsingEmailAddress"
TechnicalProfileReferenceId="AAD-UserReadUsingEmailAddress" />
            </ClaimsExchanges>
          </OrchestrationStep>
          <OrchestrationStep Order="5" Type="ClaimsExchange">
            <ClaimsExchanges>
              <ClaimsExchange Id="LocalAccountSigninEmailExchange"
TechnicalProfileReferenceId="ReadSelfAsserted-LocalAccountSignin-Email" />
            </ClaimsExchanges>
          </OrchestrationStep>
          <OrchestrationStep Order="6" Type="ClaimsExchange">
            <ClaimsExchanges>
              <ClaimsExchange Id="AADUserReadWithObjectId"
TechnicalProfileReferenceId="AAD-UserReadUsingObjectId" />
            </ClaimsExchanges>
          </OrchestrationStep>
          <OrchestrationStep Order="7" Type="ClaimsExchange">
            <ClaimsExchanges>
              <ClaimsExchange Id="UpdatePasswordExchange"
TechnicalProfileReferenceId="AAD-UserWritePasswordUsingObjectId" />
            </ClaimsExchanges>
          </OrchestrationStep>
          <OrchestrationStep Order="8" Type="SendClaims"
CpimIssuerTechnicalProfileReferenceId="JwtIssuer" />
        </OrchestrationSteps>
      </UserJourney>
      <UserJourney Id="ProfileEdit">
        <OrchestrationSteps>
          <OrchestrationStep Order="1" Type="ClaimsExchange">
            <ClaimsExchanges>
              <ClaimsExchange Id="AADUserReadWithObjectId"
TechnicalProfileReferenceId="AAD-UserReadUsingObjectId" />
            </ClaimsExchanges>
          </OrchestrationStep>
          <OrchestrationStep Order="2" Type="ClaimsExchange">
            <ClaimsExchanges>
              <ClaimsExchange Id="ProfileEditExchange"
TechnicalProfileReferenceId="SelfAsserted-ProfileEdit" />
            </ClaimsExchanges>
          </OrchestrationStep>
          <OrchestrationStep Order="3" Type="ClaimsExchange">
            <ClaimsExchanges>
              <ClaimsExchange Id="AADUserWriteProfileUsingObjectId"
TechnicalProfileReferenceId="AAD-UserWriteProfileUsingObjectId" />
            </ClaimsExchanges>
          </OrchestrationStep>
          <OrchestrationStep Order="4" Type="SendClaims"
CpimIssuerTechnicalProfileReferenceId="JwtIssuer" />
        </OrchestrationSteps>
      </UserJourney>
    </UserJourneys>
    <ClaimsExchanges>
      <ClaimsExchange Id="LocalAccountSigninEmailExchange"
TechnicalProfileReferenceId="SelfAsserted-LocalAccountSignin-Email" />
      <ClaimsExchange Id="AADUserReadWithObjectId"
TechnicalProfileReferenceId="AAD-UserReadUsingObjectId" />
      <ClaimsExchange Id="AADUserReadUsingAlternativeSecurityId"
TechnicalProfileReferenceId="AAD-UserReadUsingAlternativeSecurityId" />
      <ClaimsExchange Id="AADUserReadUsingEmailAddress"
TechnicalProfileReferenceId="AAD-UserReadUsingEmailAddress" />
      <ClaimsExchange Id="UpdatePasswordExchange"
TechnicalProfileReferenceId="AAD-UserWritePasswordUsingObjectId" />
      <ClaimsExchange Id="ProfileEditExchange"
TechnicalProfileReferenceId="SelfAsserted-ProfileEdit" />
      <ClaimsExchange Id="AADUserWriteProfileUsingObjectId"
TechnicalProfileReferenceId="AAD-UserWriteProfileUsingObjectId" />
    </ClaimsExchanges>
  </TrustFrameworkPolicy>
```

```
<!--<Localized xmlns="http://schemas.microsoft.com/2003/10/Serialization/" xmlns:i="http://www.w3.org/2001/XMLSchema-instance">
  <TrustFrameworkPolicy xmlns="http://schemas.microsoft.com/online/cpim/schemas/2013/06" PolicySchemaVersion="0.3.0.0" TenantId="yourtenant.onmicrosoft.com" PolicyId="B2C_1A_TrustFrameworkLocalization" PublicPolicyUri="http://yourtenant.onmicrosoft.com/B2C_1A_TrustFrameworkExtensions" />
  <ClaimsSchema>
    <ClaimType Id="email">
      <DisplayName>Email Address</DisplayName>
      <DataType>string</DataType>
      <UserInputType>TextBox</UserInputType>
      <Restriction>
        <Pattern RegularExpression="^[a-zA-Z0-9.!#$%&amp;'^_`{}~-]+@[a-zA-Z0-9-]+(?:\.[a-zA-Z0-9-]+)*$" HelpText="Enter a valid email address." />
      </Restriction>
    </ClaimType>
    <ClaimType Id="newPassword">
      <DisplayName>New password</DisplayName>
      <DataType>string</DataType>
      <UserInputType>Password</UserInputType>
      <Restriction>
        <StringLength MinLength="8" MaxLength="16" />
        <RegularExpression Pattern="((?=.*\d)(?=.*[a-z])(?=.*[A-Z])|(?=.*\d)(?=.*[a-z])(?=.*[!#$%&amp;*?@])|(?=.*\d)(?=.*[A-Z])(?=.*[!#$%&amp;*?@])|(?=.*[a-z])(?=.*[A-Z])(?=.*[!#$%&amp;*?@])).{8,16}" />
      </Restriction>
    </ClaimType>
    <ClaimType Id="reenterPassword">
      <DisplayName>Confirm new password</DisplayName>
      <DataType>string</DataType>
      <UserInputType>Password</UserInputType>
    </ClaimType>
    <ClaimType Id="emailVerificationCode">
      <DisplayName>Verification code</DisplayName>
      <DataType>string</DataType>
      <UserInputType>TextBox</UserInputType>
    </ClaimType>
    <ClaimType Id="otpCode">
      <DisplayName>Verification code</DisplayName>
      <DataType>string</DataType>
      <UserInputType>TextBox</UserInputType>
    </ClaimType>
    <ClaimType Id="QrCodeContent">
      <DisplayName>QR code text</DisplayName>
      <DataType>string</DataType>
      <UserInputType>TextBox</UserInputType>
    </ClaimType>
    <ClaimType Id="QrCodeVerificationCode">
      <DisplayName>Verification code</DisplayName>
      <DataType>string</DataType>
      <UserInputType>TextBox</UserInputType>
    </ClaimType>
    <ClaimType Id="QrCodeScanInstruction">
      <DisplayName>Once you've downloaded the Authenticator app, you can use one of the methods below to continue with enrollment.</DisplayName>
      <DataType>string</DataType>
      <UserInputType>Paragraph</UserInputType>
    </ClaimType>
    <ClaimType Id="QrCodeVerifyInstruction">
      <DisplayName>Enter the verification code from your authenticator app.</DisplayName>
      <DataType>string</DataType>
      <UserInputType>Paragraph</UserInputType>
    </ClaimType>
    <ClaimType Id="email_verification_code_expired">
      <DisplayName>That code is expired. Please request a new code.</DisplayName>
      <DataType>string</DataType>
      <UserInputType>Paragraph</UserInputType>
    </ClaimType>
    <ClaimType Id="email_verification_too_many_retry">
      <DisplayName>You've made too many incorrect attempts. Please try again later.</DisplayName>
      <DataType>string</DataType>
      <UserInputType>Paragraph</UserInputType>
    </ClaimType>
    <ClaimType Id="email_verification_fail_retry">
      <DisplayName>That code is incorrect. Please try again.</DisplayName>
      <DataType>string</DataType>
      <UserInputType>Paragraph</UserInputType>
    </ClaimType>
    <ClaimType Id="email_verification_fail_server">
      <DisplayName>We are having trouble verifying your email address. Please enter a valid email address and try again.</DisplayName>
      <DataType>string</DataType>
      <UserInputType>Paragraph</UserInputType>
    </ClaimType>
    <ClaimType Id="email_verification_too_many_request">
      <DisplayName>If you have been sent the verification code for this email address, please wait a while, then try again.</DisplayName>
      <DataType>string</DataType>
      <UserInputType>Paragraph</UserInputType>
    </ClaimType>
    <ClaimType Id="email_verification_code_sent">
      <DisplayName>Verification code has been sent to your inbox. Please copy it to the input box below.</DisplayName>
      <DataType>string</DataType>
      <UserInputType>Paragraph</UserInputType>
    </ClaimType>
    <ClaimType Id="email_verification_success_msg">
      <DisplayName>E-mail address verified. You can now continue.</DisplayName>
      <DataType>string</DataType>
      <UserInputType>Paragraph</UserInputType>
    </ClaimType>
    <ClaimType Id="ServicePatternRestriction">
      <DisplayName>There are too many requests at this moment. Please wait for some time and try again.</DisplayName>
      <DataType>string</DataType>
      <UserInputType>Paragraph</UserInputType>
    </ClaimType>
    <ClaimType Id="UserMessageIfClaimsTransformationBooleanValueIsNotEqual">
      <DisplayName>Your account has been locked. Contact your support person to unlock it, then try again.</DisplayName>
      <DataType>string</DataType>
      <UserInputType>Paragraph</UserInputType>
    </ClaimType>
    <ClaimType Id="numberOfAvailableDevices">
      <DisplayName>Number of available devices:</DisplayName>
      <DataType>string</DataType>
      <UserInputType>Paragraph</UserInputType>
    </ClaimType>
    <ClaimType Id="requiredField">
      <DisplayName>This information is required.</DisplayName>
      <DataType>string</DataType>
      <UserInputType>Paragraph</UserInputType>
    </ClaimType>
    <ClaimType Id="ver_but_edit">
      <DisplayName>Change e-mail</DisplayName>
      <DataType>string</DataType>
      <UserInputType>Paragraph</UserInputType>
    </ClaimType>
    <ClaimType Id="ver_but_send">
      <DisplayName>Send new code</DisplayName>
      <DataType>string</DataType>
      <UserInputType>Paragraph</UserInputType>
    </ClaimType>
    <ClaimType Id="ver_but_verify">
      <DisplayName>Verify code</DisplayName>
      <DataType>string</DataType>
      <UserInputType>Paragraph</UserInputType>
    </ClaimType>
    <ClaimType Id="ver_input">
      <DisplayName>Verification code</DisplayName>
      <DataType>string</DataType>
      <UserInputType>TextBox</UserInputType>
    </ClaimType>
    <ClaimType Id="ver_info_msg">
      <DisplayName>Verification is necessary. Please click Send button.</DisplayName>
      <DataType>string</DataType>
      <UserInputType>Paragraph</UserInputType>
    </ClaimType>
    <ClaimType Id="UserHelpText">
      <DisplayName>Enter the 6-digit verification code generated by the Authenticator app in the box</DisplayName>
      <DataType>string</DataType>
      <UserInputType>TextBox</UserInputType>
    </ClaimType>
    <ClaimType Id="ResetUserInstruction">
      <DisplayName>There are too many requests at this moment. Please wait for some time and try again.</DisplayName>
      <DataType>string</DataType>
      <UserInputType>Paragraph</UserInputType>
    </ClaimType>
    <ClaimType Id="UserMessageIfClaimNotVerified">
      <DisplayName>Claim not verified: {0}</DisplayName>
      <DataType>string</DataType>
      <UserInputType>Paragraph</UserInputType>
    </ClaimType>
    <ClaimType Id="UserMessageIfUserAlreadyExists">
      <DisplayName>A user with the specified ID already exists. Please choose a different one.</DisplayName>
      <DataType>string</DataType>
      <UserInputType>Paragraph</UserInputType>
    </ClaimType>
    <ClaimType Id="UserMessageIfIncorrectPattern">
      <DisplayName>Incorrect pattern for: {0}</DisplayName>
      <DataType>string</DataType>
      <UserInputType>Paragraph</UserInputType>
    </ClaimType>
    <ClaimType Id="UserMessageIfInvalidInput">
      <DisplayName>{0} has invalid input.</DisplayName>
      <DataType>string</DataType>
      <UserInputType>Paragraph</UserInputType>
    </ClaimType>
    <ClaimType Id="UserMessageIfMissingInput">
      <DisplayName>Username: {0} Missing required element: {0}</DisplayName>
      <DataType>string</DataType>
      <UserInputType>Paragraph</UserInputType>
    </ClaimType>
    <ClaimType Id="UserMessageIfMissingRequiredElement">
      <DisplayName>
```

```
<LocalizedStrings>
  <LocalizedString ElementType="ErrorMessage"
StringId="UserMessageIfClaimsPrincipalAlreadyExists">Looks like you already have a local account. Please sign in with your local account instead.</LocalizedString>
  <LocalizedString ElementType="ErrorMessage"
StringId="UserMessageIfInvalidCode">The verification code you have entered is not valid.</LocalizedString>
  <LocalizedString ElementType="ErrorMessage"
StringId="UserMessageIfMaxRetryAttempted">You've supplied an incorrect verification code too many times.</LocalizedString>
  <LocalizedString ElementType="ErrorMessage"
StringId="UserMessageIfPasswordRecentlyUsed">Looks like you used an old password.</LocalizedString>
  <LocalizedString ElementType="ErrorMessage"
StringId="UserMessageIfUserAccountDisabled">Your account has been locked. Contact your support person to unlock it, then try again.</LocalizedString>
  <LocalizedString ElementType="ErrorMessage"
StringId="UserMessageIfUserAccountLocked">Your account is temporarily locked to prevent unauthorized use. Try again later.</LocalizedString>
  <LocalizedString ElementType="ErrorMessage"
StringId="AADRequestsThrottled">There are too many requests at this moment. Please wait for some time and try again.</LocalizedString>
</LocalizedStrings>
<LocalizedStrings Culture="en-us">
  <LocalizedString ElementType="ClaimType" StringId="displayName">Display Name</LocalizedString>
  <LocalizedString ElementType="ClaimType" StringId="displayName_Help">Your display name.</LocalizedString>
  <LocalizedString ElementType="ClaimType" StringId="surname">Surname</LocalizedString>
  <LocalizedString ElementType="ClaimType" StringId="surname_Help">Your surname (also known as family name or last name).</LocalizedString>
  <LocalizedString ElementType="ClaimType" StringId="givenName">Given Name</LocalizedString>
  <LocalizedString ElementType="ClaimType" StringId="givenName_Help">Your given name (also known as first name).</LocalizedString>
  <LocalizedString ElementType="UxElement" StringId="intro">Sign in</LocalizedString>
  <LocalizedString ElementType="ClaimsProvider"
StringId="LocalAccountSigninEmailExchange">Local Account Signin</LocalizedString>
  <LocalizedString ElementType="ClaimsProvider"
StringId="Facebook-TOPExchange">Facebook</LocalizedString>
  <LocalizedString ElementType="UxElement"
StringId="button_Continue">Continue</LocalizedString>
  <LocalizedString ElementType="ErrorMessage"
StringId="UserMessageIfInvalidPassword">Your password is incorrect.</LocalizedString>
  <LocalizedString ElementType="ErrorMessage"
StringId="UserMessageIfPasswordExpired">Your password has expired.</LocalizedString>
  <LocalizedString ElementType="ErrorMessage"
StringId="UserMessageIfClaimsPrincipalDoesNotExist">We can't seem to find your account.</LocalizedString>
  <LocalizedString ElementType="ErrorMessage"
StringId="UserMessageIfClaimsPrincipalSuspended">Your account has been locked. Contact your support person to unlock it, then try again.</LocalizedString>
  <LocalizedString ElementType="ErrorMessage"
StringId="UserMessageIfSessionTimeout">Your account is temporarily locked to prevent unauthorized use. Try again later.</LocalizedString>
  <LocalizedString ElementType="ErrorMessage"
StringId="AADRequestsThrottled">There are too many requests at this moment. Please wait for some time and try again.</LocalizedString>
  <LocalizedString ElementType="UxElement" StringId="intro">Sign in</LocalizedString>
  <LocalizedString ElementType="ClaimsProvider"
StringId="LocalAccountSigninEmailExchange">Local Account Signin</LocalizedString>
  <LocalizedString ElementType="ClaimsProvider"
StringId="Facebook-TOPExchange">Facebook</LocalizedString>
  <LocalizedString ElementType="UxElement"
StringId="button_Continue">Continue</LocalizedString>
  <LocalizedString ElementType="ErrorMessage"
StringId="UserMessageIfInvalidPassword">Your password is incorrect.</LocalizedString>
  <LocalizedString ElementType="ErrorMessage"
StringId="UserMessageIfPasswordExpired">Your password has expired.</LocalizedString>
  <LocalizedString ElementType="ErrorMessage"
StringId="UserMessageIfClaimsPrincipalDoesNotExist">We can't seem to find your account.</LocalizedString>
  <LocalizedString ElementType="ErrorMessage"
StringId="UserMessageIfClaimsPrincipalSuspended">Your account has been locked. Contact your support person to unlock it, then try again.</LocalizedString>
  <LocalizedString ElementType="ErrorMessage"
StringId="UserMessageIfSessionTimeout">Your account is temporarily locked to prevent unauthorized use. Try again later.</LocalizedString>
  <LocalizedString ElementType="ErrorMessage"
StringId="AADRequestsThrottled">There are too many requests at this moment. Please wait for some time and try again.</LocalizedString>
</LocalizedStrings>
<LocalizedStrings Culture="en-us">
  <LocalizedString ElementType="ClaimType" StringId="displayName">Display Name</LocalizedString>
  <LocalizedString ElementType="ClaimType" StringId="displayName_Help">Your display name.</LocalizedString>
  <LocalizedString ElementType="ClaimType" StringId="surname">Surname</LocalizedString>
  <LocalizedString ElementType="ClaimType" StringId="surname_Help">Your surname (also known as family name or last name).</LocalizedString>
  <LocalizedString ElementType="ClaimType" StringId="givenName">Given Name</LocalizedString>
  <LocalizedString ElementType="ClaimType" StringId="givenName_Help">Your given name (also known as first name).</LocalizedString>
  <LocalizedString ElementType="UxElement"
StringId="button_Continue">Continue</LocalizedString>
  <LocalizedString ElementType="UxElement" StringId="uriLabel">Label</LocalizedString>
</LocalizedStrings>
</ContentDefinition>
</TrustFrameworkPolicy>
```

```
          <InputClaim ClaimTypeReferenceId="uriLabel"
TransformationClaimType="path" />
          <InputClaim ClaimTypeReferenceId="secretKey"
TransformationClaimType="query.secret" />
        </InputClaims>
        <InputParameters>
          <InputParameter Id="scheme" DataType="string" Value="otpauth" />
          <InputParameter Id="host" DataType="string" Value="totp" />
          <InputParameter Id="query.issuer" DataType="string" Value="
{AuthenticatorIssuer}" />
        </InputParameters>
        <OutputClaims>
          <OutputClaim ClaimTypeReferenceId="qrCodeContent"
TransformationClaimType="outputClaim" />
        </OutputClaims>
      </ClaimsTransformation>
      <!-- Copy the signInName to the totpIdentifier -->
      <ClaimsTransformation Id="SignInNameToTotpIdentifier"
TransformationMethod="CopyClaim">
        <InputClaims>
          <InputClaim ClaimTypeReferenceId="signInName"
TransformationClaimType="inputClaim" />
        </InputClaims>
        <OutputClaims>
          <OutputClaim ClaimTypeReferenceId="totpIdentifier"
TransformationClaimType="outputClaim" />
        </OutputClaims>
      </ClaimsTransformation>
      <!-- Copy the email to the totpIdentifier -->
      <ClaimsTransformation Id="EmailToTotpIdentifier"
TransformationMethod="CopyClaim">
        <InputClaims>
          <InputClaim ClaimTypeReferenceId="email"
TransformationClaimType="inputClaim" />
        </InputClaims>
        <OutputClaims>
          <OutputClaim ClaimTypeReferenceId="totpIdentifier"
TransformationClaimType="outputClaim" />
        </OutputClaims>
      </ClaimsTransformation>
      <!-- Copy the UserId to the totpIdentifier -->
      <ClaimsTransformation Id="UserIdToLogonIdentifier"
TransformationMethod="CopyClaim">
        <InputClaims>
          <InputClaim ClaimTypeReferenceId="UserId"
TransformationClaimType="inputClaim" />
        </InputClaims>
        <OutputClaims>
          <OutputClaim ClaimTypeReferenceId="totpIdentifier"
TransformationClaimType="outputClaim" />
        </OutputClaims>
      </ClaimsTransformation>
      <!--Claim if Phone SignIn is used-->
      <!--<ClaimsTransformation Id="PhoneNumberIdToLogonIdentifier"
TransformationMethod="CopyClaim">
      <InputClaims>
        <InputClaim ClaimTypeReferenceId="phoneNumber"
TransformationClaimType="inputClaim" />
      </InputClaims>
      <OutputClaims>
        <OutputClaim ClaimTypeReferenceId="totpIdentifier"
TransformationClaimType="outputClaim" />
      </OutputClaims>
    </ClaimsTransformation>-->
      <!-- end of TOTP Claims Transforms-->
    </ClaimsTransformations>
    <ContentDefinitions>
      <ContentDefinition Id="api.selfasserted.totp">
        <LoadUri>~/tenant/templates/AzureBlue/selfAsserted.cshtml</LoadUri>
        <RecoveryUri>~/common/default_page_error.html</RecoveryUri>
        <DataUri>urn:com:microsoft:aad:b2c:elements:contract:selfasserted:2.1.
9</DataUri>
        <Metadata>
          <Item Key="DisplayName">Collect information from user page</Item>
        </Metadata>
        <LocalizedResourcesReferences>
          <LocalizedResourcesReference Language="en"
LocalizedResourcesReferenceId="api.selfasserted.totp.en" />
        </LocalizedResourcesReferences>
      </ContentDefinition>
    </ContentDefinitions>
    <Localization>
      <!-- TOTP localized strings (English) -->
      <LocalizedResources Id="api.selfasserted.totp.en">
        <LocalizedStrings>
          <LocalizedString ElementType="DisplayControl"
ElementId="authenticatorAppIconControl" StringId="title_text">Download the
```

```
Microsoft Authenticator using the download links for iOS and Android or use
any other authenticator app of your choice.</LocalizedString>
          <LocalizedString ElementType="DisplayControl"
ElementId="authenticatorAppIconControl" StringId="instruction_text">Once
you've downloaded the authenticator app, you can use any of the methods below
to continue with enrollment.</LocalizedString>
          <LocalizedString ElementType="ClaimType"
ElementId="QrCodeScanInstruction" StringId="DisplayName">Once you've
downloaded the Authenticator app, you can use any of the methods below to
continue with enrollment.</LocalizedString>
          <LocalizedString ElementType="DisplayControl"
ElementId="totpQrCodeControl" StringId="title_text">Scan the QR
code</LocalizedString>
          <LocalizedString ElementType="DisplayControl"
ElementId="totpQrCodeControl" StringId="info_msg">You can download the
Microsoft Authenticator app or use any other authenticator app of your choice.
</LocalizedString>
          <LocalizedString ElementType="DisplayControl"
ElementId="totpQrCodeControl" StringId="link_text">Can't scan? Try
this</LocalizedString>
          <LocalizedString ElementType="DisplayControl"
ElementId="authenticatorInfoControl" StringId="title_text">Enter the account
details manually</LocalizedString>
          <LocalizedString ElementType="DisplayControl"
ElementId="authenticatorInfoControl" StringId="account_name">Account Name:
</LocalizedString>
          <LocalizedString ElementType="DisplayControl"
ElementId="authenticatorInfoControl"
StringId="display_prefix">Secret</LocalizedString>
          <LocalizedString ElementType="DisplayControl"
ElementId="authenticatorInfoControl" StringId="collapse_text">Still having
trouble?</LocalizedString>
          <!-- Verification -->
          <LocalizedString ElementType="ClaimType"
ElementId="QrCodeVerifyInstruction" StringId="DisplayName">Enter the
verification code from your authenticator app.</LocalizedString>
          <LocalizedString ElementType="ClaimType" ElementId="otpCode"
StringId="DisplayName">Enter your code.</LocalizedString>
          <!-- <LocalizedString ElementType="UxElement"
StringId="button_continue">Verify</LocalizedString> -->
        </LocalizedStrings>
      </LocalizedResources>
    </Localization>
    <DisplayControls>
      <!-- Render the authenticator apps icon. -->
      <DisplayControl Id="authenticatorAppIconControl"
UserInterfaceControlType="AuthenticatorAppIconControl" />
      <!-- Render the QR code. It takes the URI (qrCodeContent) input claim
and renders it as a QR code-->
      <DisplayControl Id="totpQrCodeControl"
UserInterfaceControlType="QrCodeControl">
        <InputClaims>
          <InputClaim ClaimTypeReferenceId="qrCodeContent" />
        </InputClaims>
        <DisplayClaims>
          <DisplayClaim ClaimTypeReferenceId="qrCodeContent"
ControlClaimType="QrCodeContent" />
        </DisplayClaims>
      </DisplayControl>
      <!-- Render the TOTP information. It takes the totpIdentifier and the
secretKey input claims and renders as a plan text-->
      <DisplayControl Id="authenticatorInfoControl"
UserInterfaceControlType="AuthenticatorInfoControl">
        <InputClaims>
          <InputClaim ClaimTypeReferenceId="totpIdentifier" />
          <InputClaim ClaimTypeReferenceId="secretKey" />
        </InputClaims>
        <DisplayClaims>
          <DisplayClaim ClaimTypeReferenceId="totpIdentifier" />
          <DisplayClaim ClaimTypeReferenceId="secretKey" />
        </DisplayClaims>
      </DisplayControl>
    </DisplayControls>
    <!--End of TOTP contols-->
  </BuildingBlocks>
  <ClaimsProviders>
    <!--Start TOTP-->
    <ClaimsProvider>
      <DisplayName>TOTP</DisplayName>
      <TechnicalProfiles>
        <!-- Begin the TOTP verification process.
             This technical profile is called right before the AzureMfa-
VerifyOTP technical profile-->
        <TechnicalProfile Id="AzureMfa-BeginVerifyOTP">
          <DisplayName>Create Device</DisplayName>
          <Protocol Name="Proprietary"
Handler="Web.TPEngine.Providers.AzureMfaProtocolProvider, Web.TPEngine,
```

```
Version=1.0.0.0, Culture=neutral, PublicKeyToken=null" />
          <Metadata>
            <Item Key="Operation">BeginVerifyOTP</Item>
          </Metadata>
          <InputClaims>
            <InputClaim ClaimTypeReferenceId="secretKey" />
            <InputClaim ClaimTypeReferenceId="objectId" />
            <InputClaim ClaimTypeReferenceId="userPrincipalName" />
          </InputClaims>
        </TechnicalProfile>
        <!-- Verify the TOTP verification process.
             This technical profile is called immediately after the AzureMfa-
BeginVerifyOTP technical profile-->
        <TechnicalProfile Id="AzureMfa-VerifyOTP">
          <DisplayName>Verify OTP</DisplayName>
          <Protocol Name="Proprietary"
Handler="Web.TPEngine.Providers.AzureMfaProtocolProvider, Web.TPEngine,
Version=1.0.0.0, Culture=neutral, PublicKeyToken=null" />
          <Metadata>
            <Item Key="Operation">VerifyOTP</Item>
          </Metadata>
          <InputClaims>
            <InputClaim ClaimTypeReferenceId="otpCode" />
          </InputClaims>
        </TechnicalProfile>
        <!-- Check the number of devices available for the user.
             If the number of available devices is zero it indicates the user
hasn't enrolled yet -->
        <TechnicalProfile Id="AzureMfa-GetAvailableDevices">
          <DisplayName>Get Available Devices</DisplayName>
          <Protocol Name="Proprietary"
Handler="Web.TPEngine.Providers.AzureMfaProtocolProvider, Web.TPEngine,
Version=1.0.0.0, Culture=neutral, PublicKeyToken=null" />
          <Metadata>
            <Item Key="Operation">GetAvailableDevices</Item>
          </Metadata>
          <InputClaims>
            <InputClaim ClaimTypeReferenceId="userPrincipalName" />
          </InputClaims>
          <OutputClaims>
            <OutputClaim ClaimTypeReferenceId="numberOfAvailableDevices" />
          </OutputClaims>
        </TechnicalProfile>
        <!-- TOTP session manager-->
        <TechnicalProfile Id="SM-MFA-TOTP">
          <DisplayName>Session Mananagement Provider</DisplayName>
          <Protocol Name="Proprietary"
Handler="Web.TPEngine.SSO.DefaultSSOSessionProvider, Web.TPEngine,
Version=1.0.0.0, Culture=neutral, PublicKeyToken=null" />
          <PersistedClaims>
            <PersistedClaim ClaimTypeReferenceId="totpIdentifier" />
            <PersistedClaim ClaimTypeReferenceId="issuer" />
          </PersistedClaims>
        </TechnicalProfile>
        <!-- Self-asserted technical profile that asks the user to enroll to
the TOTP MFA. The technical profile:
              1) Creates the TOTP secret
              2) Sets the issuer name and the URI
              3) Renders the QR code and the authentication URI
             -->
        <TechnicalProfile Id="EnableOTPAuthentication">
          <DisplayName>Sign up with Authenticator app</DisplayName>
          <Protocol Name="Proprietary"
Handler="Web.TPEngine.Providers.SelfAssertedAttributeProvider, Web.TPEngine,
Version=1.0.0.0, Culture=neutral, PublicKeyToken=null" />
          <Metadata>
            <Item
Key="ContentDefinitionReferenceId">api.selfasserted.totp</Item>
            <Item Key="language.button_continue">Continue</Item>
          </Metadata>
          <CryptographicKeys>
            <!--Key Id="issuer_secret"
StorageReferenceId="B2C_1A_TokenSigningKeyContainer" /-->
            <Key Id="MetadataSigning" StorageReferenceId="B2C_1A_SamlIdpCert"
/>
            <Key Id="SamlMessageSigning"
StorageReferenceId="B2C_1A_SamlIdpCert" />
            <Key Id="SamlAssertionSigning"
StorageReferenceId="B2C_1A_SamlIdpCert" />
          </CryptographicKeys>
          <InputClaimsTransformations>
            <InputClaimsTransformation ReferenceId="CreateSecret" />
            <InputClaimsTransformation ReferenceId="CreateIssuer" />
            <InputClaimsTransformation ReferenceId="CreateUriLabel" />
            <InputClaimsTransformation ReferenceId="CreateUriString" />
          </InputClaimsTransformations>
          <InputClaims>
```

```
            <InputClaim ClaimTypeReferenceId="qrCodeContent" />
            <InputClaim ClaimTypeReferenceId="secretKey" />
          </InputClaims>
          <DisplayClaims>
            <DisplayClaim
DisplayControlReferenceId="authenticatorAppIconControl" />
            <DisplayClaim ClaimTypeReferenceId="QrCodeScanInstruction" />
            <DisplayClaim DisplayControlReferenceId="totpQrCodeControl" />
            <DisplayClaim DisplayControlReferenceId="authenticatorInfoControl"
/>
          </DisplayClaims>
          <OutputClaims>
            <OutputClaim ClaimTypeReferenceId="objectId" />
            <OutputClaim ClaimTypeReferenceId="secretKey" />
          </OutputClaims>
          <UseTechnicalProfileForSessionManagement ReferenceId="SM-MFA-TOTP"
/>
        </TechnicalProfile>
        <!-- Self-asserted technical profile that verifies the TOTP-->
        <TechnicalProfile Id="OTPVerification">
          <DisplayName>Sign in with Authenticator app</DisplayName>
          <Protocol Name="Proprietary"
Handler="Web.TPEngine.Providers.SelfAssertedAttributeProvider, Web.TPEngine,
Version=1.0.0.0, Culture=neutral, PublicKeyToken=null" />
          <Metadata>
            <Item
Key="ContentDefinitionReferenceId">api.selfasserted.totp</Item>
            <Item Key="language.button_continue">Verify</Item>
          </Metadata>
          <CryptographicKeys>
            <!--Key Id="issuer_secret"
StorageReferenceId="B2C_1A_TokenSigningKeyContainer" /-->
            <Key Id="MetadataSigning" StorageReferenceId="B2C_1A_SamlIdpCert"
/>
            <Key Id="SamlMessageSigning"
StorageReferenceId="B2C_1A_SamlIdpCert" />
            <Key Id="SamlAssertionSigning"
StorageReferenceId="B2C_1A_SamlIdpCert" />
          </CryptographicKeys>
          <InputClaims></InputClaims>
          <DisplayClaims>
            <DisplayClaim ClaimTypeReferenceId="QrCodeVerifyInstruction" />
            <DisplayClaim ClaimTypeReferenceId="otpCode" Required="true" />
          </DisplayClaims>
          <OutputClaims>
            <OutputClaim ClaimTypeReferenceId="objectId" />
            <OutputClaim ClaimTypeReferenceId="otpCode" Required="true" />
          </OutputClaims>
          <ValidationTechnicalProfiles>
            <ValidationTechnicalProfile ReferenceId="AzureMfa-BeginVerifyOTP"
/>
            <ValidationTechnicalProfile ReferenceId="AzureMfa-VerifyOTP" />
          </ValidationTechnicalProfiles>
          <UseTechnicalProfileForSessionManagement ReferenceId="SM-MFA-TOTP"
/>
        </TechnicalProfile>
        <!-- Set the number of devices to 0 (default value) -->
        <TechnicalProfile Id="SetTotpDefaultValue">
          <DisplayName>Set Totp Default Values</DisplayName>
          <Protocol Name="Proprietary"
Handler="Web.TPEngine.Providers.ClaimsTransformationProtocolProvider,
Web.TPEngine, Version=1.0.0.0, Culture=neutral, PublicKeyToken=null" />
          <OutputClaims>
            <OutputClaim ClaimTypeReferenceId="numberOfAvailableDevices"
DefaultValue="0" />
          </OutputClaims>
        </TechnicalProfile>
        <!-- Copy the UserId to the totpIdentifier -->
        <TechnicalProfile Id="CreateTotpIdentifier-UserId">
          <DisplayName>Set Totp Default Values</DisplayName>
          <Protocol Name="Proprietary"
Handler="Web.TPEngine.Providers.ClaimsTransformationProtocolProvider,
Web.TPEngine, Version=1.0.0.0, Culture=neutral, PublicKeyToken=null" />
          <OutputClaims>
            <OutputClaim ClaimTypeReferenceId="totpIdentifier" />
          </OutputClaims>
          <OutputClaimsTransformations>
            <OutputClaimsTransformation ReferenceId="UserIdToLogonIdentifier"
/>
          </OutputClaimsTransformations>
        </TechnicalProfile>
        <!-- Copy the SignInName to the totpIdentifier -->
        <TechnicalProfile Id="CreateTotpIdentifier-SignInName">
          <DisplayName>Set Totp Default Values</DisplayName>
          <Protocol Name="Proprietary"
Handler="Web.TPEngine.Providers.ClaimsTransformationProtocolProvider,
Web.TPEngine, Version=1.0.0.0, Culture=neutral, PublicKeyToken=null" />
```

```
          <OutputClaims>
            <OutputClaim ClaimTypeReferenceId="totpIdentifier" />
          </OutputClaims>
          <OutputClaimsTransformations>
            <OutputClaimsTransformation
ReferenceId="SignInNameToTotpIdentifier" />
          </OutputClaimsTransformations>
        </TechnicalProfile>
        <!-- Copy the Email to the totpIdentifier -->
        <TechnicalProfile Id="CreateTotpIdentifier-Email">
          <DisplayName>Set Totp Default Values</DisplayName>
          <Protocol Name="Proprietary"
Handler="Web.TPEngine.Providers.ClaimsTransformationProtocolProvider,
Web.TPEngine, Version=1.0.0.0, Culture=neutral, PublicKeyToken=null" />
          <OutputClaims>
            <OutputClaim ClaimTypeReferenceId="totpIdentifier" />
          </OutputClaims>
          <OutputClaimsTransformations>
            <OutputClaimsTransformation ReferenceId="EmailToTotpIdentifier" />
          </OutputClaimsTransformations>
        </TechnicalProfile>
        <TechnicalProfile Id="GetEmailFromReadOnlyEmail">
          <DisplayName>Get Email From ReadOnlyEmail</DisplayName>
          <Protocol Name="Proprietary"
Handler="Web.TPEngine.Providers.ClaimsTransformationProtocolProvider,
Web.TPEngine, Version=1.0.0.0, Culture=neutral, PublicKeyToken=null" />
          <OutputClaims>
            <OutputClaim ClaimTypeReferenceId="email" />
          </OutputClaims>
          <OutputClaimsTransformations>
            <OutputClaimsTransformation
ReferenceId="GetEmailFromReadOnlyEmail" />
          </OutputClaimsTransformations>
        </TechnicalProfile>
        <TechnicalProfile Id="GetEmailAddress">
          <DisplayName>Get Email Address</DisplayName>
          <Protocol Name="Proprietary"
Handler="Web.TPEngine.Providers.ClaimsTransformationProtocolProvider,
Web.TPEngine, Version=1.0.0.0, Culture=neutral, PublicKeyToken=null" />
          <OutputClaims>
            <OutputClaim ClaimTypeReferenceId="ReadOnlyEmail" />
          </OutputClaims>
          <OutputClaimsTransformations>
            <OutputClaimsTransformation ReferenceId="GetEmailFromEmails" />
          </OutputClaimsTransformations>
        </TechnicalProfile>
        <!--end of TOTP-->
      </TechnicalProfiles>
    </ClaimsProvider>
    <ClaimsProvider>
      <DisplayName>Azure Active Directory</DisplayName>
      <TechnicalProfiles>
        <TechnicalProfile Id="AAD-UserReadUsingObjectId">
          <OutputClaims>
            <!-- The userPrincipalName is required for the
AzureMfaProtocolProvider technical profiles-->
            <OutputClaim ClaimTypeReferenceId="userPrincipalName" />
          </OutputClaims>
        </TechnicalProfile>
      </TechnicalProfiles>
    </ClaimsProvider>
    <ClaimsProvider>
      <DisplayName>Local Account</DisplayName>
      <TechnicalProfiles>
        <TechnicalProfile Id="LocalAccountSignUpWithLogonEmail">
          <OutputClaims>
            <!-- The userPrincipalName is required for the
AzureMfaProtocolProvider technical profiles-->
            <OutputClaim ClaimTypeReferenceId="userPrincipalName" />
          </OutputClaims>
        </TechnicalProfile>
        <TechnicalProfile Id="SelfAsserted-LocalAccountSignin-Email">
          <OutputClaims>
            <!-- The userPrincipalName is required for the
AzureMfaProtocolProvider technical profiles-->
            <OutputClaim ClaimTypeReferenceId="userPrincipalName" />
          </OutputClaims>
        </TechnicalProfile>
      </TechnicalProfiles>
    </ClaimsProvider>
    <ClaimsProvider>
      <DisplayName>Local Account SignIn</DisplayName>
      <TechnicalProfiles>
        <TechnicalProfile Id="login-NonInteractive">
          <Metadata>
            <Item Key="client_id">0c54849b-121f-496e-b1c3-406976bec48b</Item>
            <Item Key="IdTokenAudience">01590824-a092-4271-99a3-
```

```
f3e37b9f22cc</Item>
          </Metadata>
          <InputClaims>
            <InputClaim ClaimTypeReferenceId="client_id"
DefaultValue="0c5484[illegible]21f-496e-b1c3-406976bec48b" />
            <InputClaim ClaimTypeReferenceId="resource_id"
PartnerClaimType="resource" DefaultValue="01590824-a092-4271-99a3-
f3e37b9f22cc" />
          </InputClaims>
        </TechnicalProfile>
      </TechnicalProfiles>
    </ClaimsProvider>
    <ClaimsProvider>
      <DisplayName>Azure Active Directory</DisplayName>
      <TechnicalProfiles>
        <TechnicalProfile Id="AAD-Common">
          <Metadata>
            <!--Insert b2c-extensions-app application ID here, for example:
11111111-1111-1111-1111-111111111111-->
            <Item Key="ClientId">0c0abe38-79ab-45d3-99fe-9378eec7b16f</Item>
            <!--Insert b2c-extensions-app application ObjectId here, for
example: 22222222-2222-2222-2222-222222222222-->
            <Item Key="ApplicationObjectId">3c34826e-3bd5-47a2-b44d-
08c09034cef2</Item>
          </Metadata>
        </TechnicalProfile>
      </TechnicalProfiles>
    </ClaimsProvider>
  </ClaimsProviders>
  <UserJourneys>
    <UserJourney Id="PasswordResetWithTOTP">
      <OrchestrationSteps>
        <OrchestrationStep Order="1" Type="ClaimsExchange">
          <ClaimsExchanges>
            <ClaimsExchange Id="PasswordResetUsingEmailAddressExchange"
TechnicalProfileReferenceId="LocalAccountDiscoveryUsingEmailAddress" />
          </ClaimsExchanges>
        </OrchestrationStep>
        <!-- Call the TOTP enrollment ub journey. If user already enrolled the
sub journey will not ask the user to enroll -->
        <OrchestrationStep Order="2" Type="InvokeSubJourney">
          <JourneyList>
            <Candidate SubJourneyReferenceId="TotpFactor-Input" />
          </JourneyList>
        </OrchestrationStep>
        <!-- Call the TOTP validation sub journey-->
        <OrchestrationStep Order="3" Type="InvokeSubJourney">
          <JourneyList>
            <Candidate SubJourneyReferenceId="TotpFactor-Verify" />
          </JourneyList>
        </OrchestrationStep>
        <OrchestrationStep Order="4" Type="ClaimsExchange">
          <ClaimsExchanges>
            <ClaimsExchange Id="NewCredentials"
TechnicalProfileReferenceId="LocalAccountWritePasswordUsingObjectId" />
          </ClaimsExchanges>
        </OrchestrationStep>
        <OrchestrationStep Order="5" Type="SendClaims"
CpimIssuerTechnicalProfileReferenceId="JwtIssuer" />
        <!--OrchestrationStep Order="5" Type="SendClaims"
CpimIssuerTechnicalProfileReferenceId="Saml2AssertionIssuer" /-->
      </OrchestrationSteps>
      <ClientDefinition ReferenceId="DefaultWeb" />
    </UserJourney>
    <UserJourney Id="SignUpOrSignInTOTP">
      <OrchestrationSteps>
        <OrchestrationStep Order="1" Type="CombinedSignInAndSignUp"
ContentDefinitionReferenceId="api.signuporsignin">
          <ClaimsProviderSelections>
            <ClaimsProviderSelection
ValidationClaimsExchangeId="LocalAccountSigninEmailExchange" />
          </ClaimsProviderSelections>
          <ClaimsExchanges>
            <ClaimsExchange Id="LocalAccountSigninEmailExchange"
TechnicalProfileReferenceId="SelfAsserted-LocalAccountSignin-Email" />
          </ClaimsExchanges>
        </OrchestrationStep>
        <OrchestrationStep Order="2" Type="ClaimsExchange">
          <Preconditions>
            <Precondition Type="ClaimsExist" ExecuteActionsIf="true">
              <Value>objectId</Value>
              <Action>SkipThisOrchestrationStep</Action>
            </Precondition>
          </Preconditions>
          <ClaimsExchanges>
            <ClaimsExchange Id="SignUpWithLogonEmailExchange"
TechnicalProfileReferenceId="LocalAccountSignUpWithLogonEmail" />
```

```
          </ClaimsExchanges>
        </OrchestrationStep>
        <OrchestrationStep Order="3" Type="ClaimsExchange">
          <ClaimsExchanges>
            <ClaimsExchange Id="AADUserReadWithObjectId"
TechnicalProfileReferenceId="AAD-UserReadUsingObjectId" />
          </ClaimsExchanges>
        </OrchestrationStep>
        <!-- Call the TOTP enrollment ub journey. If user already enrolled the
sub journey will not ask the user to enroll -->
        <OrchestrationStep Order="4" Type="InvokeSubJourney">
          <JourneyList>
            <Candidate SubJourneyReferenceId="TotpFactor-Input" />
          </JourneyList>
        </OrchestrationStep>
        <!-- Call the TOTP validation sub journey-->
        <OrchestrationStep Order="5" Type="InvokeSubJourney">
          <JourneyList>
            <Candidate SubJourneyReferenceId="TotpFactor-Verify" />
          </JourneyList>
        </OrchestrationStep>
        <OrchestrationStep Order="6" Type="SendClaims"
CpimIssuerTechnicalProfileReferenceId="JwtIssuer" />
      </OrchestrationSteps>
    </UserJourney>
  </UserJourneys>
  <SubJourneys>
    <!--TOTP subjourneys-->
    <!-- Set the required claims numberOfAvailableDevices and totpIdentifier--
>
    <SubJourney Id="SetTotpInitialValue" Type="Call">
      <OrchestrationSteps>
        <!-- If number of available device claim not exists, set the value to
0-->
        <OrchestrationStep Order="1" Type="ClaimsExchange">
          <Preconditions>
            <Precondition Type="ClaimsExist" ExecuteActionsIf="true">
              <Value>numberOfAvailableDevices</Value>
              <Action>SkipThisOrchestrationStep</Action>
            </Precondition>
          </Preconditions>
          <ClaimsExchanges>
            <ClaimsExchange Id="SetTotpDefaultValue"
TechnicalProfileReferenceId="SetTotpDefaultValue" />
          </ClaimsExchanges>
        </OrchestrationStep>
        <!-- The following orchestration steps try to get the user identifier
for different
             type of authentication, such as local and social account.-->
        <!-- Try to get the identifier from UserId-->
        <OrchestrationStep Order="2" Type="ClaimsExchange">
          <Preconditions>
            <Precondition Type="ClaimsExist" ExecuteActionsIf="true">
              <Value>totpIdentifier</Value>
              <Action>SkipThisOrchestrationStep</Action>
            </Precondition>
            <Precondition Type="ClaimsExist" ExecuteActionsIf="false">
              <Value>UserId</Value>
              <Action>SkipThisOrchestrationStep</Action>
            </Precondition>
          </Preconditions>
          <ClaimsExchanges>
            <ClaimsExchange Id="SetTotpIdentifierAsUserId"
TechnicalProfileReferenceId="CreateTotpIdentifier-UserId" />
          </ClaimsExchanges>
        </OrchestrationStep>
        <!-- Get the identifier from email-->
        <OrchestrationStep Order="3" Type="ClaimsExchange">
          <Preconditions>
            <Precondition Type="ClaimsExist" ExecuteActionsIf="true">
              <Value>totpIdentifier</Value>
              <Action>SkipThisOrchestrationStep</Action>
            </Precondition>
            <Precondition Type="ClaimsExist" ExecuteActionsIf="false">
              <Value>email</Value>
              <Action>SkipThisOrchestrationStep</Action>
            </Precondition>
          </Preconditions>
          <ClaimsExchanges>
            <ClaimsExchange Id="SetTotpIdentifierAsEmail"
TechnicalProfileReferenceId="CreateTotpIdentifier-Email" />
          </ClaimsExchanges>
        </OrchestrationStep>
        <!-- Get the identifier from the user's emails -->
        <OrchestrationStep Order="4" Type="InvokeSubJourney">
          <Preconditions>
            <Precondition Type="ClaimsExist" ExecuteActionsIf="true">
```

```
                <Value>totpIdentifier</Value>
                <Action>SkipThisOrchestrationStep</Action>
              </Precondition>
              <Precondition Type="ClaimsExist" ExecuteActionsIf="false">
                <Value>emails</Value>
                <Action>SkipThisOrchestrationStep</Action>
              </Precondition>
            </Preconditions>
            <JourneyList>
              <Candidate
  SubJourneyReferenceId="ExtractEmailFromEmailsForTotpIdentifier" />
            </JourneyList>
        </OrchestrationStep>
```

```
<TrustFrameworkPolicy xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns="http://schemas.microsoft.com/online/cpim/schemas/2013/06"
PolicySchemaVersion="0.3.0.0" TenantId="stellarpmb2c.onmicrosoft.com"
PolicyId="B2C_1A_TrustFrameworkExtensions"
PublicPolicyUri="http://stellarpmb2c.onmicrosoft.com/B2C_1A_signup_signin"
TenantObjectId="3e0d1a19-20fe-4655-9498-3e5050b6dda1">
  <BasePolicy>
    <TenantId>stellarpmb2c.onmicrosoft.com</TenantId>
    <PolicyId>B2C_1A_TrustFrameworkExtensions</PolicyId>
  </BasePolicy>
  <RelyingParty>
    <DefaultUserJourney ReferenceId="SignUpOrSignIn" />
    <TechnicalProfile Id="PolicyProfile">
      <DisplayName>PolicyProfile</DisplayName>
      <Protocol Name="OpenIdConnect" />
      <OutputClaims>
        <OutputClaim ClaimTypeReferenceId="displayName" />
        <OutputClaim ClaimTypeReferenceId="givenName" />
        <OutputClaim ClaimTypeReferenceId="surname" />
        <OutputClaim ClaimTypeReferenceId="email" />
        <OutputClaim ClaimTypeReferenceId="objectId" PartnerClaimType="sub" />
        <OutputClaim ClaimTypeReferenceId="tenantId" AlwaysUseDefaultValue="true"
DefaultValue="{Policy:TenantObjectId}" />
        <OutputClaim ClaimTypeReferenceId="identityProvider" />
        <OutputClaim ClaimTypeReferenceId="totpIdentifier" />
      </OutputClaims>
      <SubjectNamingInfo ClaimType="sub" />
    </TechnicalProfile>
  </RelyingParty>
</TrustFrameworkPolicy>
```

```
<TrustFrameworkPolicy xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns="http://schemas.microsoft.com/online/cpim/schemas/2013/06"
PolicySchemaVersion="0.3.0.0" TenantId="stellarpmb2c.onmicrosoft.com"
PolicyId="B2C_1A_ProfileEdit"
PublicPolicyUri="http://stellarpmb2c.onmicrosoft.com/B2C_1A_ProfileEdit"
TenantObjectId="3e0d1a19-20fe-4655-9498-3e5050b6dda1">
  <BasePolicy>
    <TenantId>stellarpmb2c.onmicrosoft.com</TenantId>
    <PolicyId>B2C_1A_TrustFrameworkExtensions</PolicyId>
  </BasePolicy>
  <RelyingParty>
    <DefaultUserJourney ReferenceId="ProfileEdit" />
    <TechnicalProfile Id="PolicyProfile">
      <DisplayName>PolicyProfile</DisplayName>
      <Protocol Name="OpenIdConnect" />
      <OutputClaims>
        <OutputClaim ClaimTypeReferenceId="displayName" />
        <OutputClaim ClaimTypeReferenceId="givenName" />
        <OutputClaim ClaimTypeReferenceId="surname" />
        <OutputClaim ClaimTypeReferenceId="email" />
        <OutputClaim ClaimTypeReferenceId="objectId" PartnerClaimType="sub" />
        <OutputClaim ClaimTypeReferenceId="tenantId" AlwaysUseDefaultValue="true"
DefaultValue="{Policy:TenantObjectId}" />
        <OutputClaim ClaimTypeReferenceId="identityProvider" />
        <OutputClaim ClaimTypeReferenceId="totpIdentifier" />
      </OutputClaims>
      <SubjectNamingInfo ClaimType="sub" />
    </TechnicalProfile>
  </RelyingParty>
</TrustFrameworkPolicy>
```

```
<TrustFrameworkPolicy xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns="http://schemas.microsoft.com/online/cpim/schemas/2013/06"
PolicySchemaVersion="0.3.0.0" TenantId="stellarpmb2c.onmicrosoft.com"
PolicyId="B2C_1A_PasswordReset"
PublicPolicyUri="http://stellarpmb2c.onmicrosoft.com/B2C_1A_PasswordReset"
TenantObjectId="3e0d1a19-20fe-4655-9498-3e5050b6dda1">
  <BasePolicy>
    <TenantId>stellarpmb2c.onmicrosoft.com</TenantId>
    <PolicyId>B2C_1A_TrustFrameworkExtensions</PolicyId>
  </BasePolicy>
  <RelyingParty>
    <DefaultUserJourney ReferenceId="PasswordReset" />
    <TechnicalProfile Id="PolicyProfile">
      <DisplayName>PolicyProfile</DisplayName>
      <Protocol Name="OpenIdConnect" />
      <OutputClaims>
        <OutputClaim ClaimTypeReferenceId="displayName" />
        <OutputClaim ClaimTypeReferenceId="givenName" />
        <OutputClaim ClaimTypeReferenceId="surname" />
        <OutputClaim ClaimTypeReferenceId="email" />
        <OutputClaim ClaimTypeReferenceId="objectId" PartnerClaimType="sub" />
        <OutputClaim ClaimTypeReferenceId="tenantId" AlwaysUseDefaultValue="true"
DefaultValue="{Policy:TenantObjectId}" />
        <OutputClaim ClaimTypeReferenceId="identityProvider" />
        <OutputClaim ClaimTypeReferenceId="totpIdentifier" />
      </OutputClaims>
      <SubjectNamingInfo ClaimType="sub" />
    </TechnicalProfile>
  </RelyingParty>
</TrustFrameworkPolicy>
```

```
<TrustFrameworkPolicy xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns="http://schemas.microsoft.com/online/cpim/schemas/2013/06"
PolicySchemaVersion="0.3.0.0" TenantId="stellarpmb2c.onmicrosoft.com"
PolicyId="B2C_1A_signup_signin_saml"
PublicPolicyUri="http://stellarpmb2c.onmicrosoft.com/B2C_1A_signup_signin_saml"
TenantObjectId="3e0d1a19-20fe-4655-9498-3e5050b6dda1">
  <BasePolicy>
    <TenantId>stellarpmb2c.onmicrosoft.com</TenantId>
    <PolicyId>B2C_1A_TrustFrameworkExtensions</PolicyId>
  </BasePolicy>
```

```
    </BasePolicy>
    <UserJourneys>
      <UserJourney Id="SignUpOrSignIn">
        <OrchestrationSteps>
          <OrchestrationStep Order="1" Type="InvokeSubJourney">
            <JourneyList>
              <JourneyReference ReferenceId="SetTotpClaimsInitialValue" />
            </JourneyList>
          </OrchestrationStep>
          <OrchestrationStep Order="2" Type="SendClaims" CpimIssuerTechnicalProfileReferenceId="Saml2AssertionIssuer" />
        </OrchestrationSteps>
      </UserJourney>
    </UserJourneys>
    <RelyingParty>
      <DefaultUserJourney ReferenceId="SignUpOrSignIn" />
      <TechnicalProfile Id="PolicyProfile">
        <DisplayName>PolicyProfile</DisplayName>
        <Protocol Name="SAML2" />
        <Metadata>
          <Item Key="PartnerEntity">https://testdp.stellarcyber.ai/sso/saml/metadata</Item>
        </Metadata>
        <OutputClaims>
          <OutputClaim ClaimTypeReferenceId="objectId" />
          <OutputClaim ClaimTypeReferenceId="tenantId" />
          <OutputClaim ClaimTypeReferenceId="displayName" />
          <OutputClaim ClaimTypeReferenceId="givenName" />
          <OutputClaim ClaimTypeReferenceId="surname" />
          <OutputClaim ClaimTypeReferenceId="email" />
          <OutputClaim ClaimTypeReferenceId="identityProvider" />
          <OutputClaim ClaimTypeReferenceId="authenticationSource" />
          <OutputClaim ClaimTypeReferenceId="newUser" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_privilege" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_scope" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_tenant_group" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_role" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_tenant" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_id" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_name" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_email" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_principal_name" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_enabled" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_mfa_enrolled" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_enrolled" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_verified" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_iv" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_id" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_version" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_name" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_uri" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id_version_id" />
          <OutputClaim ClaimTypeReferenceId="extension_stellar_user_totp_secret_encrypted_key_vault_version_id
```

```
          <Preconditions>
            <Precondition Type="ClaimEquals" ExecuteActionsIf="false">
              <Value>numberOfAvailableDevices</Value>
              <Value>0</Value>
              <Action>SkipThisOrchestrationStep</Action>
            </Precondition>
          </Preconditions>
          <ClaimsExchanges>
            <ClaimsExchange Id="AuthenticatorForSignIn"
TechnicalProfileReferenceId="OTPVerification" />
          </ClaimsExchanges>
        </OrchestrationStep>
      </OrchestrationSteps>
    </SubJourney>
  </SubJourneys>
  <!--UserJourneys>

    </UserJourneys-->
</TrustFrameworkPolicy>
```