Stellar Cyber 6.6.0s is now live! Discover all the updates in the release notes!

Connector Types & Functions

Stellar Cyber supports parsing of log data forwarded to sensors, however you can also use API connections to pull data from SaaS and cloud-based applications. API connectors are also used to push changes such as blocking on a firewall or disabling users. API connectors are developed per request and are released with new versions of Stellar Cyber.

For guidance creating or managing the connectors, refer to: **Working with the Connectors Table**.

All Connectors

Following are the available connectors in Stellar Cyber. Click a connector name to learn how to add and configure that type of connector. Additional details are available on the connectors indicated to support Third Party Native Alert Integration.

Connector		Collect	Respond	Alert Integration	Indices	Runs On	Interval*	External Actions	HTTP Proxy supported
Asset Management									
Jamf Pro	6.2.0	✔			Syslog Assets	DP	Configurable		✔
Liongard	6.6.0	✔			Syslog Assets	DP	Configurable		✔
Cloud Security									
Cisco Secure Access	6.2.0	✔			Syslog	DP	Configurable		✔

Connector		Collect	Respond	Alert Integration	Indices	Runs On	Interval*	External Actions	HTTP Proxy supported
Prisma Cloud		✔		✔ 6.4.0	Linux Syslog	DP	Configurable		✔
Recorded Future	6.0.0	✔		✔ 6.1.0	Syslog	DP	Configurable		✔
Symantec Cloud Workload Protection		✔			Syslog	DP	Configurable		✔
Tenable Cloud Security	6.1.0	✔			Syslog	DP	Configurable		✔
Trend Micro Cloud App Security	5.5.0	✔		✔ 6.4.0	Syslog	DP	5 minutes		✔
Wiz	6.3.0	✔		✔ 6.4.0	Syslog Scans	DP	Configurable		✔
Data Loss Prevention									
iiManage Threat Manager	6.3.0	✔			Syslog	DP	Configurable		✔
Database									
Microsoft SQL Server		✔			Syslog Assets	Sensor	Configurable		
MySQL		✔			Syslog	DP or Sensor	Configurable		
DNS Security									
Cisco Umbrella		✔			Syslog	DP	Configurable		
HYAS Protect		✔		✔	Syslog Assets	DP	Configurable		✔
Email									

Connector		Collect	Respond	Alert Integration	Indices	Runs On	Interval*	External Actions	HTTP Proxy supported
Abnormal Security Email Security		✓		✓	Syslog	DP	Configurable		✓
Barracuda Email Security			✓		Syslog	DP	N/A	• Remediate Email	✓
Check Point Harmony Email	6.4.0	✓	✓ 6.5.0		Syslog	DP	Configurable		✓
Hoxhunt	6.1.0	✓		✓ 6.3.0	Syslog	DP	Configurable		✓
Ironscales	6.6.0	✓			Syslog	DP	Configurable		✓
Mailprotector	6.0.0	✓			Syslog	DP	Configurable		✓
Microsoft Graph Message Trace	6.5.0	✓			Windows	DP	Configurable		✓
Mimecast API 1.0		✓		✓	Syslog	DP	5 minutes		✓
Mimecast API 2.0	5.5.0	✓		✓ 6.0.0	Syslog	DP	15 minutes		✓
People Risk Explorer	6.4.0	✓			Syslog	DP	Every day		✓
Perception Point X-Ray	6.2.0	✓			Syslog	DP	Configurable		✓
Proofpoint on Demand		✓		✓ 6.4.0	Syslog	DP	Every hour	See Webhook	
Proofpoint Targeted Attack Protection		✓		✓	Syslog Assets	DP	Configurable		✓
Symantec Email Security.cloud		✓			Syslog	DP	Configurable		✓

Connector		Collect	Respond	Alert Integration	Indices	Runs On	Interval*	External Actions	HTTP Proxy supported
Trend Micro Email Security		✓			Syslog	DP	Configurable		✓
VadeSecure	6.1.0	✓			Syslog	DP	Configurable		✓
Endpoint Security									
Acronis Cyber Protect Cloud		✓	✓ 6.2.0	✓	Syslog Assets	DP	Configurable	See Webhook	✓
Akamai		✓			Syslog Assets	DP	Configurable		✓
Armis		✓		✓ 6.0.0	Syslog Assets	DP	Configurable		✓
Bitdefender			✓	✓	Syslog	DP	N/A	• Contain Host	✓
BlackBerry Cylance			✓	✓	Syslog	DP	N/A	• Contain Host • See Webhook	✓
Broadcom Symantec Endpoint Security (SES)		✓		✓ 6.1.0	Syslog Assets	DP	Configurable		✓
Cisco AMP		✓			Syslog Assets Linux	DP	Configurable		✓
Coro	6.1.0	✓			Syslog	DP	Configurable		✓
CrowdStrike (Hosts/Events)		✓	✓	✓ 6.4.0	Syslog Assets Scans	DP	Configurable	• Contain Host • Hide Host	✓
CrowdStrike FDR	6.0.0	✓			Syslog	DP	Configurable		✓

Connector		Collect	Respond	Alert Integration	Indices	Runs On	Interval*	External Actions	HTTP Proxy supported
CyberArk EPM	6.0.0	✓		✓ 6.2.0	Syslog	DP	Configurable		✓
Cybereason		✓	✓	✓	Syslog Assets Sensor Monitoring	DP	Configurable	• Contain Host	✓
Cynet		✓	✓	✓	Syslog Assets	DP	Configurable	• Contain Host • Shutdown Host	
Deep Instinct		✓	✓	✓	Syslog Assets	DP	Configurable	• Contain Host	✓
Forescout			✓		Syslog	DP or Sensor	N/A	• Update Device	✓
FortiEDR		✓	✓ 6.5.0		Syslog	DP	Configurable		✓
Group-IB	6.1.0	✓	✓ 6.5.0		Syslog Assets	DP	Configurable		✓
Halcyon	6.3.0	✓		✓ 6.4.0	Syslog	DP	Configurable		✓
HIBUN		✓			Syslog	DP	Configurable		✓
Huntress		✓		✓	Syslog Assets	DP	Configurable		✓
Jamf Protect		✓			Syslog Assets	DP	Configurable		✓
LimaCharlie		✓		✓	Syslog Assets	DP	Configurable		✓

Connector		Collect	Respond	Alert Integration	Indices	Runs On	Interval*	External Actions	HTTP Proxy supported
Microsoft Defender for Endpoint		✓	✓	✓	Syslog Assets Scans 6.1.0	DP	Configurable	• Contain Host	✓
Microsoft Graph Intune	6.1.0	✓			Syslog	DP	Configurable		✓
Palo Alto Networks CORTEX XDR		✓	✓ 6.1.0	✓ 6.1.0	Syslog Assets	DP	N/A		✓
SentinelOne		✓	✓	✓	Syslog Assets Linux	DP	Configurable	• Initiate Scan • Kill Threat • Quarantine Threat • Remediate Threat • Contain Host (Isolate Endpoint)	✓ for collect and respond
SOCRadar	6.0.0	✓		✓ 6.3.0	Syslog	DP	Configurable		✓
SonicWall Capture Client		✓	✓		Syslog Scans Assets Linux	DP	Configurable	• Initiate Scan • Disconnect Host • Restart Machine • Shut Down	✓ for collect and respond
SonicWall Endpoint Security	6.3.0	✓		✓	Syslog	DP	Configurable		✓

Connector		Collect	Respond	Alert Integration	Indices	Runs On	Interval*	External Actions	HTTP Proxy supported
					Assets				
Sophos Central		✓	✓	✓	Syslog Assets	DP	Configurable	• Contain Host (Isolate Endpoint)	✓
ThreatDown OneView (formerly Malwarebytes OneView)	6.1.0	✓			Syslog Assets	DP	Configurable		✓
Threatlocker	6.2.0	✓			Syslog	DP	Configurable		✓
Trellix (FireEye) Endpoint Security HX		✓		✓	Syslog Assets Alert	DP	Configurable		✓
Trellix MVISION Endpoint Security		✓		✓	Syslog Assets	DP	Configurable		✓
Trend Micro Apex Central		✓			Syslog Assets	DP	Configurable		
Trend Micro Cloud One Workload Security		✓			Syslog Assets	DP	Configurable		✓
Trend Micro Vision One		✓	✓ 6.5.0	✓	Syslog	DP	Configurable	See Webhook	✓
VMware Carbon Black Cloud		✓	✓	✓	Syslog Assets	DP	Configurable		✓
VMware Workspace ONE		✓			Syslog	DP	Configurable		✓
Webroot		✓			Syslog Assets	DP	Configurable		✓
WithSecure Elements		✓	✓	✓ 6.3.0	Syslog Assets	DP	Configurable	See Webhook	✓

Connector		Collect	Respond	Alert Integration	Indices	Runs On	Interval*	External Actions	HTTP Proxy supported
Extended Detection & Response									
Microsoft Graph Security API	6.0.0	✓		✓ 6.1.0	Windows Events	DP	Configurable		✓
Stellar Cyber	6.4.0	✓			Syslog	DP	Configurable		✓
Firewall									
AWS			✓		N/A	DP	N/A	• Block IP Address	✓
Azure NSG (Network Security Group)	6.1.0		✓		N/A	DP	N/A	• Block IP Address	✓
Barracuda Firewall			✓		N/A	DP or Sensor	N/A	• Block IP Address	✓
Check Point			✓		N/A	DP or Sensor	N/A	• Block IP Address	✓
Check Point Smart-1 Cloud	6.6.0		✓		N/A	DP or Sensor	N/A	• Block IP Address	✓
Cisco FMC			✓		N/A	DP or Sensor 6.1.0	N/A	• Block IP Address	
Cisco Meraki Firewall			✓		N/A	DP	N/A	• Block IP Address	✓
F5 BIG-IP ASM			✓		N/A	DP or Sensor	N/A	• Block IP Address	✓
F5 BIG-IP Firewall			✓		N/A	DP or Sensor	N/A	• Block IP Address	✓
F5 Silverline			✓		N/A	DP	N/A	• Block IP Address	✓

Connector		Collect	Respond	Alert Integration	Indices	Runs On	Interval*	External Actions	HTTP Proxy supported
Firewalla Managed Security Portal	6.5.0	✔			Syslog Assets	DP	Configurable		✔
Fortigate			✔		N/A	DP or Sensor	N/A	• Block IP Address ✔	
FortiManager			✔		N/A	DP or Sensor	N/A	• Block IP Address ✔	
Hillstone			✔		N/A	DP or Sensor	N/A	• Block IP Address ✔	
Palo Alto Networks			✔		N/A	DP or Sensor	N/A	• Block IP Address ✔	
Palo Alto Networks Panorama			✔		N/A	DP or Sensor	N/A	• Block IP Address ✔	
SonicWall Firewall			✔		N/A	DP or Sensor	N/A	• Block IP Address ✔	
Sophos XG Firewall			✔		N/A	DP or Sensor	N/A	• Block IP Address ✔	
Stormshield Network Security (SNS) Firewall	5.5.0		✔		N/A	DP	N/A	• Block IP Address ✔	
Versa Networks Firewall	5.5.0		✔		N/A	DP	N/A	• Block IP Address ✔	
Honeypot									
Thinkst Canary		✔			Syslog Assets	DP	Configurable		✔
IdP									

Connector	Collect	Respond	Alert Integration	Indices	Runs On	Interval*	External Actions	HTTP Proxy supported
Active Directory	✓	✓		Windows Assets	DP (respond) or Sensor (collect)	Configurable	• Disable User	
Duo Security	✓		✓ 6.3.0	Syslog	DP	Configurable		
JumpCloud	✓			Syslog	DP	Configurable		✓
OKTA	✓			Syslog	DP	Configurable		✓
OneLogin	✓			Syslog Traffic	DP	Configurable		✓
Internet of Things Security								
Verkada 6.1.0	✓			Syslog Assets	DP	Configurable		✓
IT Management								
Automox 6.0.0	✓			Syslog Assets	DP	8 hours		✓
Manage Engine Endpoint Central 6.5.0	✓			Syslog	DP	Configurable		✓
NDR								
ExtraHop Reveal(x) 360	✓	✓ 6.5.0		Syslog Assets	DP	Configurable		✓
Juniper Mist	✓			Syslog	DP	Configurable		✓
Network Management								

Connector		Collect	Respond	Alert Integration	Indices	Runs On	Interval*	External Actions	HTTP Proxy supported
Aruba Central	6.1.0	✔			Syslog	DP	Configurable		✔
PaaS									
AWS CloudTrail		✔			AWS Traffic	DP	5 minutes		✔
AWS CloudWatch		✔			Syslog	DP	Configurable		✔
AWS GuardDuty		✔		✔	Syslog	DP	Configurable		✔
Azure Event Hub		✔		✔	Syslog Traffic Windows Events	DP			✔
Generic S3		✔		✔*For Fortinet Lacework only 6.0.0	Syslog AWS Events	DP	5 minutes		✔
Google Cloud Audit Logging		✔			Syslog	DP	Configurable		
Oracle Cloud Infrastructure Streaming		✔		✔	Syslog	DP	N/A		
Password Management									
1Password		✔			Syslog	DP	Configurable		
LastPass		✔			Syslog	DP	Configurable		✔

Connector		Collect	Respond	Alert Integration	Indices	Runs On	Interval*	External Actions	HTTP Proxy supported
Penetration Testing									
NodeZero	6.0.0	✔			Syslog Scans Assets	DP	Configurable		✔
Privileged Access Management									
BeyondTrust	6.1.0	✔			Syslog	DP	Configurable		✔
Remote Host									
SSH Host			✔		N/A	N/A	N/A	• Run a script	✔
SaaS									
Box		✔			Syslog	DP	Configurable		✔
Google Cloud Security Command Center		✔			Syslog	DP	Configurable		✔
Google Workspace		✔		✔	Linux Cloudtrail	DP	Configurable		
Microsoft Defender for Cloud Apps		✔		✔	Windows	DP	Configurable		✔
Microsoft Entra ID (formerly Azure Active Directory)	6.2.0	✔	✔	✔	Windows	DP	Configurable	• Disable User • Confirm Compromised • Dismiss Risk • Remove User from Group	✔

Connector		Collect	Respond	Alert Integration	Indices	Runs On	Interval*	External Actions	HTTP Proxy supported
								• Revoke Existing Sign-In Sessions • Add User to Group	
Office 365		✓		✓	Windows	DP	Configurable		✓
Office 365 Reporting Web Service	6.0.0	✓			Windows	DP	Configurable		✓
Salesforce		✓			Syslog	DP	Configurable		✓
SASE									
Cato Networks		✓		✓ 6.2.0	Traffic 6.1.0	DP	Configurable		✓
NetFoundry		✓			Syslog	DP	Configurable		✓
Versa Networks Concerto		✓			Syslog	DP	Configurable		✓
Security Switch									
HanDreamnet Security Switch			✓		Syslog	DP or Sensor	5 minutes	• Block IP Address	✓
Threat Intel Vendor									
Cyble	6.2.0	✓		✓ 6.3.0	Syslog	DP	Configurable		✓

Connector		Collect	Respond	Alert Integration	Indices	Runs On	Interval*	External Actions	HTTP Proxy supported
NordStellar	6.5.0	✔			Syslog	DP	Configurable		✔
Vulnerability Scanner									
AWS Inspector		✔			Syslog	DP	Configurable		✔
CODA Footprint	6.1.0	✔			Syslog Scans Assets	DP	8 hours		✔
ConnectSecure V4	6.3.0	✔			Syslog Assets Scans	DP	Configurable		✔
CyberCNS		✔			Scans	DP	Configurable		✔
CYRISMA		✔			Scans Assets	DP	Configurable (hours)		✔
Fortra Frontline		✔			Scans	DP	Configurable		✔
Nessus Scanner		✔			Scans Assets	Sensor	Configurable		
Nodeware	6.2.0	✔			Scans 6.4.0	DP	Configurable		✔
Qualys		✔			Syslog Scans Assets	DP	Configurable		✔
Qualys FIM	6.0.0	✔			Syslog Assets	DP	Configurable		✔
Rapid7		✔			Scans Assets	Sensor	Configurable		

Connector		Collect	Respond	Alert Integration	Indices	Runs On	Interval*	External Actions	HTTP Proxy supported
Tenable.io		✔			Scans Assets	DP	Configurable		✔
Tenable.sc		✔			Scans Assets	Sensor	Configurable		
Vicarius	6.4.0	✔			Assets Scans Syslog	DP	Configurable		✔
Web Security							Configurable		
Amazon Security Lake		✔			Syslog	DP	N/A		✔
Barracuda WAF	5.5.0	✔			Syslog	DP	Configurable		✔
Broadcom (Blue Coat / Symantec) WSS		✔			Syslog	DP	5 minutes		✔
Cloudflare		✔			Syslog	DP	Configurable		✔
Imperva Incapsula		✔			Syslog Assets	DP	Configurable		✔
Indusface		✔			Syslog	DP	Configurable		✔
Memcyco	6.3.0	✔			Syslog Assets	DP	Configurable		✔
Netskope		✔	✔ 6.5.0	✔	Syslog	DP	Configurable	See Webhook	✔
Sucuri Security	5.5.0	✔			Syslog	DP	N/A		✔
Webhook							Configurable		
Custom (Universal Webhook Responder)			✔		N/A	DP or Sensor	N/A	• Custom Webhook	✔

Connector	Collect	Respond	Alert Integration	Indices	Runs On	Interval*	External Actions	HTTP Proxy supported
							actions	
Acronis (Respond)	6.2.0	✔		N/A	DP	N/A	• Acronis Workload Isolate • Acronis Workload Restart • Acronis Workload Shutdown	✔
Cylance (Respond)	5.5.0	✔		N/A	DP	N/A	• Cylance Add to GlobalQuarantine • Cylance Add to GlobalSafe • Cylance Delete from GlobalQuarantine • Cylance Delete from GlobalSafe	✔
ESET Responders		✔	✔	N/A	DP	N/A	• ESET End computer isolation from network • ESET Isolate com	✔

Connector	Collect	Respond	Alert Integration	Indices	Runs On	Interval*	External Actions	HTTP Proxy supported
							puter from network • ESET On-Demand Scan • ESET Run command	
Netskope	6.5.0	✔		N/A	DP	N/A	• Netskope Add Destination To Block List • Netskope Quarantine User From Private Application • Netskope Quarantine User From Web Application • Netskope Release Quarantine For User From Private Application • Netskope Release	✔

Connector		Collect	Respond 	Alert Integration	Indices	Runs On	Interval*	External Actions	HTTP Proxy supported
								Quarantine For User From Web Application • Netskope Remove Destination From Block List	
Proofpoint on Demand	6.4.0		✔		N/A	DP	N/A	• Proofpoint on Demand Add to Org Block List • Proofpoint on Demand Add to Org Safe List • Proofpoint on Demand Delete From Org Block List • Proofpoint on Demand Delete From Org Safe List	✔
Trend Micro Vision One	6.5.0		✔		N/A	DP	N/A	• Trend Vision One	✔

Connector	Collect	Respond	Alert Integration	Indices	Runs On	Interval*	External Actions	HTTP Proxy supported
							Add To Block List • Trend Vision One Isolate Endpoint • Trend Vision One Quarantine Email Message • Trend Vision One Remove From Block List • Trend Vision One Restore Endpoint Connection	
WatchGuard Firebox	6.1.0	✔		N/A	DP	N/A	• WatchGuard Firebox Add Allowed Sites • WatchGuard Firebox Add Blocked Sites	✔

Connector	Collect	Respond	Alert Integration	Indices	Runs On	Interval*	External Actions	HTTP Proxy supported
WithSecure Elements (Respond)		✔		N/A	DP	N/A	• WithSecure Elements Isolate From Network • WithSecure Elements Kill Process (Beta) • WithSecure Elements Kill Thread (Beta) • WithSecure Elements Release From Network Isolation	✔

** Interval is applicable only to connectors configured to Collect.*

Connectors by Response Actions

The information below summarizes possible connector response actions and requirements. These actions can be performed from Event Details or by configuring Automated Threat Hunting.

The following table indicates which connector respond actions are applicable for each external action, along with the requirements to enable that action. Specifically, certain connectors must be configured and the indicated fields in the Interflow must contain **non-null, valid data.**

External Action	Connector and Data Requirement* for Action Availability		Applicable Connectors
Block IP / Block on Firewall	At least one firewall or security switch connector is configured and required fields are populated	`dstip` or `srcip`	AWS, Azure NSG, 6.1.0 Barracuda Firewall, Check Point, Check Point Smart-1 Cloud 6.6.0 , Cisco FMC, Cisco Meraki, F5 BIG-IP ASM, F5 BIG-IP Firewall, F5 Silverline, Fortigate, FortiManager 6.2.0 , HanDreamnet Security Switch, Hillstone, Palo Alto Networks

			Firewall, Palo Alto Networks Panorama, SonicWall Firewall, Sophos XG Firewall, Stormshield Network Security (SNS) Fire wall 5.5.0 , Versa Networks Firewall 5.5.0
Disable User	Active Directory or Microsoft Entra ID (formerly Azure AD) connector required field	`userPrincipalName`	Active Directory, Microsoft Entra ID (formerly Azure Active Directory)

Confirm Compromised	Microsoft Entra ID (formerly Azure AD) connector required field
	msg_class of Content Type / **User ID on Which to Perform Action**
	`azure_ad_audit` — `initiatedBy.user.id`
	`azure_ad_signin` — `userId`
	`azure_ad_risk_detection` — `userId`
	`azure_ad_risky_user` — `azure_ad.id`
	`user_profile` — `user_profile.id`
			Microsoft Entra ID (formerly Azure Active Directory)

Dismis	Microsoft Entra ID (formerly Azure AD) connector required field **msg_class of Content Type** / **User ID on Which to Perform Action** `azure_ad_audit` — `initiatedBy.user.id`		Microsoft Entra ID (formerly Azure

sRisk	**msg_class of Content Type**
	`azure_ad_signin`
	`azure_ad_risk_detection`
	`azure_ad_risky_user`
	`user_profile`
		User ID on Which to Perform Action
		`userId`
		`userId`
		`azure_ad.id`
		`user_profile.id`
			Active Directory)

RemoveUserfromGroup	Active Directory or Microsoft Entra ID (formerly Azure AD) connector required field	`user_id` and `group_id`	Microsoft Entra ID (formerly Azure Active Directory) 6.2.0
RevokeExistingSign-InSessions	Active Directory or Microsoft Entra ID (formerly Azure AD) connector required field	`userPrincipalName`	Microsoft Entra ID (formerly Azure Active Directory) 6.2.0

Add User to Group	Active Directory or Microsoft Entra ID (formerly Azure AD) connector required field	`user_id` and `group_id`	Microsoft Entra ID (formerly Azure Active Directory) 6.4.0
Run a Script Contain Host (Isolate Endpoint)	Always available		SSH Host

	One of the following connectors is configured. The required data varies based on connector to be used for response.
	• Bitdefender required fields
	• CrowdStrike required fields
	• Cybereason required fields
	• Cylance required fields
	• Cynet required fields
	• Deep Instinct: required fields
	• Microsoft Defender for Endpoint required fields
	• SentinelOne required fields
	• Sophos Central required fields
	• VMware Carbon Black Cloud required fields
		One of `bitdefender.computer_id` or `bitdefender.endpointId`
		`dstip` or `srcip` or `hostip`
		`cybereason.pylumId`
		`device` and `device.deviceID` or `cylance` and one of `cylance.device_id` or `srcmac` or `dstmac` or (`host` and `host.mac`)
		are any value other than an IP Address in at least one of these: `hostip_host`, `srcip_host`, `computer_name` or `host.name`
		`deep_instinct_asset` and `deep_instinct.id` or `deep_instinct_suspiciousevent` and `deep_instinct.device_id` or `deep_instinct_maliciousevent` and `deep_instinct.device_id`
		`microsoft_defender.id` and `microsoft_defender.machineId`
		`sentinelone` and `sentinelone.agentRealtimeInfo` and `sentinelone.agentId`
		`sophos.hostip_assetid`
		device_id
			Bitdefender, CrowdStrike, Cybereason, Deep Instinct, BlackBerry Cylance, Cynet, Microsoft Defender for Endpoint, SentinelOne, Sophos Central, VMware Carbon Black

Isolate End	Palo Alto Networks CORTEX XDR required fields	`endpoint_id`	Palo Alto Networks CORTEX XDR

pointHideHost	 CrowdStrike required fields `dstip` or `srcip` or `hostip`	CrowdStrike
UpdateDevice	Forescout required fields `srcip, dstip, srcmac, dstmac`	Forescout
InitiateScan	• SentinelOne required fields `sentinelone.agentRealtimeInfo` and `sentinelone.agentId` • SonicWall Capture Client required fields `device.deviceId` and `device.InstallToken`	SentinelOne, SonicWall Capture Client
KillThreat	SentinelOne required fields `msg_origin.source` is `'SentinelOne_endpoint'` or `msg_origin.source` is `SentinelOne` and the following fields are present and valid: `sentinelone.threatInfo`, `sentinelone.threatInfo.threatId`	SentinelOne
QuarantineThreat	SentinelOne required fields `msg_origin.source` is `'SentinelOne_endpoint'` or `msg_origin.source` is `SentinelOne` and the following fields are present and valid: `sentinelone.threatInfo`, `sentinelone.threatInfo.threatId`	SentinelOne

Remediate Threat	SentinelOne required fields `msg_origin.source` is `SentinelOne_endpoint` or `msg_origin.source` is `SentinelOne` and the following fields are present and valid: `sentinelone.threatInfo`, `sentinelone.threatInfo.detectionType`, `sentinelone.threatInfo.threatId` and `sentinelone.threatInfo.detectionType` is `dynamic` The endpoint must also be either a Mac OS or Windows host. if it is not, then a Quarantine is performed instead	SentinelOne
Disconnect Host	SonicWall Capture Client required fields `device.deviceId` and `device.InstallToken`	SonicWall Capture Client
Restart Machine	SonicWall Capture Client required fields `device.deviceId` and `device.InstallToken`	SonicWall Capture Client
Shut Down (Shutd	SonicWall Capture Client required fields `device.deviceId` and `device.InstallToken` Cynet required fields are any value other than an IP Address in at least one of these: `hostip_host`, `srcip_host`, `computer_name` or `host.name`.	SonicWall Capture Client, Cynet

own Host)		
Remediate Email	Barracuda Email Security Service required fields `barracuda.account_id` and `barracuda.subject` and `barracuda.env_from` and `barracuda.hdr_from`	Barracuda Email Security
Webhook	N/A	Universal Webhook Responder, ESET Responders 5.2.0 5.3.0, WithSecure Elements (Respond) 5.4.0, BlackBerry Cylance (Respond) 5.5.0, WatchGuard Firebox Responder 6.1.0, Acronis Cyber Protect Cloud (Respond)

6.2.0

, Proofpoint on Demand (Respond)

6.4.0

, Netskope (Respond),

6.5.0

, Trend Micro Vision One (Respond)

6.5.0

© 2026 Stellar Cyber . All rights reserved.