Stellar Cyber 6.6.0s is now live! Discover all the updates in the release notes!

Create & Schedule Reports

Learn more at Stellar Cyber Academy.

The following link takes you to a course on the Stellar Cyber Academy technical training portal where you can learn more about this topic by watching the suggested lesson.

J03 Investigations and Workflows (05h:48m)

Workflow Tools in the Stellar Cyber UI (35m:00s)

Explore workflow tools within the Stellar Cyber UI, including case management, knowledge sharing, task assignment, and alert triage. Discover ways to enhance collaboration, automate notifications, and integrate the UI tools into efficient SOC workflows.

P09 Creating Dashboards and Reports in Stellar Cyber (30m:00s)

PART 1: Mastering Dashboards and Reports in Stellar Cyber (06m:00s)

Learn how dashboards in the Stellar Cyber Platform provide real-time insights by aggregating data from multiple sources. Understand how visual elements like heat maps support threat detection, while reports deliver structured insights for compliance and operational summaries.

PART 2: Using Dashboards and Reports for Threat Detection and Remediation (07m:30s)

Discover how dashboards centralize security data for faster incident triage and threat response. Explore prebuilt dashboards for compliance and vulnerabilities, and see how exporting reports communicates findings to stakeholders.

PART 3: DEMO: Creating and Scheduling Custom Reports and Dashboards in Stellar Cyber (12m:45s)

Watch a demonstration of creating custom reports and dashboards. See how to edit queries using the Query Builder, create data visualizations, and export reports as CSV or PDF files.

The first time you access a link on the portal during a session, you must log in to access content.

A major part of the Stellar Cyber Platform is the ability to generate reports that you can view in the UI and schedule for recurring generation and delivery to specified recipients. Stellar Cyber lets you schedule reports based on PDF reports and exported dashboards. Use the instructions in this article to understand how to view, clone, schedule, delete, send, and download reports.

- **PDF Reports**
  - **Accessibility to PDF Reports**
  - **Generate a PDF Report**
  - **Create a Scheduled PDF Report**
  - **Generate and View a Scheduled PDF Report**
  - **Generate and Edit a Scheduled PDF Report**
  - **Delete a Scheduled PDF Report**
  - **Generate and Send a Scheduled Report**
  - **View Report History**
  - **Download a Scheduled PDF Report**
- **Exported Dashboards**
  - **Generate and View an Exported Dashboard**
  - **Clone and Edit an Exported Dashboard**
  - **Schedule a Report Based on an Exported Dashboard**
  - **View Report History**
  - **Download an Exported Dashboard**
  - **Notes on Predefined Exported Dashboards**
- **Cover Themes**
  - **Create and Apply Cover Themes**

PDF Reports

On the **Reports (Beta)** tab at **Reporting | Reports**, there are two predefined, or "pre-canned", PDF reports: Case Report and Executive Summary.

The Case Report contains a table of contents followed by three sections:

- Executive Summary – This shows the case volume for the current period and three previous periods, making any trend in case load over this time immediately apparent. It also displays the number of created cases vs. the number of resolved cases, which lets you see how your team is handling its case load.


- Case Funnel – This shows how much data Stellar Cyber ingested and how many individual alerts it discovered and correlated into cases, how many cases it filtered, and then, from 5.3.0, how many cases it determined to be true positives.

  More information about the Case Funnel

  The Case Funnel includes data beyond what appears on the **Cases** page and is generated from report-specific queries of stored data, some of which isn't surfaced elsewhere in the UI. For example, when alert filters are applied, the total number of alerts created before filtering (Alerts Created) does not appear in the UI because they've already been filtered out.

  The funnel shows how activity narrows from ingested data to validated case outcomes across the selected report period. Each stage represents a different level of reduction:

  - **Ingestion Volume** – The total volume of data ingested during the report period.
  - **Alerts Created** – The number of alerts generated from that ingested data during the same period.
  - **Cases Created** – The number of cases created by correlating related alerts during the report period before case filtering is applied.
  - **Filtered Cases** – The number of created cases that remain after case filtering is applied.
  - **True Positives** – The number of cases in the report period that you or someone on your team determined to represent real security findings rather than benign or non-actionable activity.

  Some values in the Case Funnel do not have a direct one-to-one display elsewhere in the UI. In particular, the **Cases** page shows current case lists, queues, and case statistics, but it does not expose the full Case Funnel or all of its intermediate counts as standalone widgets.

  This section helps you understand how Stellar Cyber turned ingested telemetry into alerts, correlated alerts into cases, reduced low-value case volume through filtering, and surfaced meaningful security findings. You can use it to estimate investigation workload, identify where noise is reduced, and focus attention on the cases that matter most.

- Top 10 Cases by Severity – This shows the most critical issues the team faced in the current period reported.

The Executive Summary contains a table of contents followed by sections for Deployment Summary, Cases, Alerts, Assets, and Visibility. Each section has one or more subsections that


provide a high-level summary of the incidents Stellar Cyber discovered, assets it detected, and amount of data it received.

A few notes about the Executive Summary content:

- In **Deployment Summary**: **Visibility**
    - The reported number of deployed sensors might not always match the actual number because the Executive Summary includes only sensors that are actively running on the network during the time that the report covers, not the total number of sensors that are in the Stellar Cyber database.
    - **Device Sensors Deployed** – For SaaS deployments, this count includes Modular Sensors only. For on-premises deployments, it includes Modular Sensors, Security Sensors, and Network Sensors. (Note: Security Sensors and Network Sensors are types of Device Sensors available for deployment on-premises until the 5.1.1 release.)
- In **Visibility** (second chart) – The data volume for Sensors includes data from all available sensors: Linux, Windows, and Modular. In addition, for on-premises installations deployed before 5.1.1, the data volume also includes data from Security Sensors and Network Sensors.

When you generate either of these reports, Stellar Cyber produces a PDF. It's formatted in landscape orientation for viewing on monitors. If printed, the reports are designed for A4 paper sizes (21.0 x 29.7 cm, or 8.27 x 11.69 in).

The logo that appears on the report is the same as the Organization Logo set in **System | ORGANIZATION MANAGEMENT | Settings**.



Accessibility to PDF Reports

To view PDF reports in the **Reports (BETA)** tab and scheduled PDF reports in the **Manage** table, your user profile must have **Add a Report** enabled. By default, **Add a Report** is enabled in these predefined profiles: Super Admin, Platform Admin, and Security Admin. However, it's disabled in the predefined User profile. If you're logged in to the Stellar Cyber UI with the User profile, you cannot access any actions for reports, even **Preview**.

Because it's not possible to edit the User profile, create a new profile based on it, enable **Add a Report** in this profile, and apply the new profile to user accounts that you want to be able to view reports.


1. Select **System | ORGANIZATION MANAGEMENT | Role-Based Access Control | User | Create New Profile from this Template**, give the new profile a name, select a behavior for setting privileges to new features, and **Save** it.

2. Scroll to the **Respond** section, enable **Add a Report**, and then scroll to the bottom and **Save Changes**.
3. Select **System | ORGANIZATION MANAGEMENT | Users**, select the **Edit** icon for a user account, change the User Privilege from **User** to your newly created user profile, and then **Submit** the change.

   The user with this profile can now view PDF reports.


Generate a PDF Report

To generate a Case Report or Executive Summary, select its name. Stellar Cyber immediately generates a new PDF report for data gathered the previous day.



Create a Scheduled PDF Report

To clone the selected report, change time zones, schedule it to cover a specified period of time, and either run it immediately or at a recurring interval, select **Schedule** and configure the settings displayed.



Report Details

Content

- **Report Name**: Enter a unique name for the scheduled report.
- **Tenant**: Depending on the scope of your user account (Root, Partner, Tenant), you can select **All Tenants**, one or more tenant groups, or one or more individual tenant names. If you select **All Tenants**, you can enable **Per-Tenant Report** to generate individual reports for each tenant or disable it to generate one consolidated report for all tenants. If you choose one or more tenant groups or multiple individual tenants, the **Per-Tenant Report** becomes enabled automatically and cannot be disabled. This means that Stellar Cyber generates discrete reports for each tenant rather than one large, consolidated report for all of them.

  If you choose a Tenant Group with a custom logo assigned in the Tenant Groups page, that logo replaces the Stellar Cyber logo in both Case and Executive Summary reports. The same is true for reports generated for individual tenants within a Tenant Group with a custom logo assigned.

- **Report Timezone**: Choose a time zone to define the local time where the activity occurred that you want to include in the report.

Scheduling

- **Type**: Select either **Run now** to generate a report immediately after completing the configuration and selecting **Submit** or **Schedule for future** to generate a recurring report based on your configuration.
- **Time Range**: Choose **Previous day**, **Previous week**, or **Previous month**. Stellar Cyber includes data from the first minute to the last minute of the time period specified relative to the time the report is run.

  If you select **Run now**, you can also choose **Custom** and set a specific time range for the report by selecting start and end dates and times in the built-in calendar. The calendar allows up to three months of historical data and includes a time selector for setting hours and minutes. These settings define an absolute time range that Stellar Cyber stores with the report instance. A report generated later from this stored instance uses the same absolute timestamps to reproduce identical data. 6.3.0
- **Frequency** (available when **Schedule for future** is selected): Choose how often you want to generate the report: **daily**, **weekly**, or **monthly**.
- **Select Day**: If you chose **weekly**, chose one of the seven days in a week.
- **Select Date**: If you chose **monthly**, choose **First Day**, **Middle of Month**, **Last Day**, **Nth Day of the Month**, or **Nth Weekday of the Month**.

  Notes about the two "Nth Day" options:

  - **Nth Day of Month**: Specify a calendar day (for example, the 30th). If a month has fewer days than the value entered (for example, February), the report runs on the last day of that month.
  - **Nth Weekday of the Month**: Specify a weekday and an ordinal value (for example, the third Thursday). If a month does not include the chosen ordinal (for example, the fifth Friday), Stellar Cyber generates the report on the closest available occurrence (the fourth Friday in this example).
- **Run at**: Choose the time of day to run the report. The list contains times at 15-minute intervals throughout the day.
- **Timezone**: Choose a time zone for the **Run at** setting to determine when reports are scheduled to run. Note the difference between **Report Timezone**, which determines the data that goes in a report, and **Timezone**, which determines when the report is generated. For example, if you're at an office in California and want to generate reports for a network in Japan, you'd set the **Report Timezone** for Japan to include activity when it occurred in its local time zone, and you'd set **Timezone** for California to generate the report when you want it in your local time zone.

Output

- **Language**: 6.0.0 Choose the language in which you want the report written. By default, Stellar Cyber uses the language setting in your user profile.

6.1.0 The Cover Theme setting is available as part of an Early Access Program (EAP) and might not appear in your version of the Stellar Cyber Platform. Contact your account manager to inquire about taking part in the Early Access Program to use cover themes.

- **Cover Theme**: Choose a saved theme from the drop-down list to apply a custom cover page to the report. For more information, see the Cover Themes section below.

Share

- **Recipients**: Choose one or more previously defined recipients to receive the report. (Define recipients at **System | Recipients**.)
    - **Reports for All Tenants**: When you are logged in as a root user and select **All Tenants**, you have the option to enable **Per-Tenant Report**. If you enable it, select recipients to whom Stellar Cyber will send tenant-specific reports. If you don't enable this option, select the root-level recipients designated as **All Tenants** to whom Stellar Cyber will send a consolidated report about all tenants.
    - **Reports for multiple tenant groups or multiple tenants**: When you are logged in as a root user and select multiple tenant groups or multiple tenants, or if you're logged in as a partner and select multiple tenants in your tenant group, select recipients for tenant-specific reports.

      Stellar Cyber associates every partner with a single tenant group and every tenant user with a single tenant. Stellar Cyber only sends reports with data for a specific tenant to recipients associated with its tenant group or with the tenant itself. For example if there are three tenants and you select all available recipients, Stellar Cyber generates three reports, one for each tenant, and sends them only to recipients associated with the tenant for which a report has data. In other words, if you select recipients for various tenants, they don't get all the generated reports; each recipient gets just the report for his or her own tenant. If you configure a report for a tenant but don't choose a recipient associated with it, Stellar Cyber notifies you by displaying an error message so you can revise the configuration.
    - **Reports for a single tenant**: When you are logged in as a root user and select a single tenant, select report recipients that are associated with the selected tenant.

      When you are logged in as a partner and select a single tenant, select the recipients associated with that tenant to whom you want Stellar Cyber to send reports.

      When you are logged in as a tenant user, select the recipients associated with your tenant to whom you want Stellar Cyber to send reports.

Generate and View a Scheduled PDF Report

To generate and view a scheduled report, select the **View scheduled report** icon in Actions column in the Manage table. Because Stellar Cyber doesn't store previously generated reports,

when you select this icon, it generates a new report and displays that. To see its settings after viewing the newly generated report, select **Schedule**.

Generate and Edit a Scheduled PDF Report

To edit a scheduled report, select the **Edit scheduled report** icon in the Actions column in the Manage table. Stellar Cyber generates a new report and displays it and its schedule settings. You can edit any of the settings of reports that you or someone with the same administrative scope (root, partner, or tenant) as you. A user with a higher scope can edit most settings in a report created by a user with a lower scope except the tenants that the report is about. Therefore, a root-level user cannot change the tenants of a report created by a partner or tenant, and a partner cannot change the tenant in a report created by a tenant.

Delete a Scheduled PDF Report

To delete a scheduled report, select the **Delete report** icon in the Actions column in the Manage table. This icon doesn't appear for scheduled reports created by users with a lower administrative scope than yours. As a result, a root-level user cannot delete a report created by a partner or tenant, and a partner cannot delete a report created by a tenant.

Generate and Send a Scheduled Report

To send a scheduled report to specified recipients outside of its usually scheduled runtime, select the **Send** report icon in the Actions column in the Manage table. Stellar Cyber prompts you to confirm running the report outside its scheduled runtime. Confirm your decision to run the report and send it to the recipients.

View Report History 6.3.0

To view the history of previously generated reports, select the **Show Report History** icon in the **Actions** column on either the **Reports (BETA)** tab or the **Exported Dashboards** tab. The **Report History** panel appears, showing a list of all past report instances for the selected report, including those generated manually and those created by schedule.

Each record in the list includes information such as the **Execution Time**, **Tenant**, **Report Time Range**, **Status**, **Trigger Type** (Scheduled or Manual), **Duration**, and any error message recorded during generation. Use this information to verify when a report ran, confirm its completion status, or diagnose a failed generation.

From the **Report History** panel, you can select **Send Report Now** to generate and resend a specific instance of the report using the same configuration and time range as when it originally ran. It regenerates the selected report using the same absolute start and end times stored when the original report was created, ensuring the output matches the data from that earlier run.



Reports generated before upgrading to version 6.3.0s might not reproduce identical data when sent again because earlier versions did not store absolute time ranges. Reports generated after upgrading always use the stored timestamps to produce consistent results.


You can export the list in the **Report History** panel in CSV format if you want to retain a record of report executions for auditing or troubleshooting.

Download a Scheduled PDF Report

To generate and download a scheduled report, select the **View schedule report** or **Edit scheduled report** icon in the Actions column in the Manage table. When Stellar Cyber displays the generated report, select the **Download** icon in the upper right corner of the page and save it to your local system.

Exported Dashboards

On the **Dashboards | CREATION | Dashboards** page, you can view, clone, and modify existing dashboards and create new ones. All the dashboards from that page also appear on the **Exported Dashboards** tab at **Reporting | Reports**. Exported dashboards can be used as the basis for a type of report called “exported dashboards” to differentiate them from PDF-formatted reports (*Case Report* and *Executive Summary*).



The **Exported Dashboards** tab shows dashboards organized into various categories: **General, PCI Compliance, CIS Compliance, HIPAA Compliance, License Usage**, and **Custom**. In contrast to predefined dashboards, dashboards that you create or clone are stored in the **Custom** tab. Stellar Cyber generates **license usage reports** based on the information from **System | ORGANIZATION MANAGEMENT | Licensing** tabs of the same name. You don't create these in **Dashboards | CREATION | Dashboards** but can use the same tools to clone, edit, and schedule them.

Generate and View an Exported Dashboard

On the **Exported Dashboards** tab at **Reporting | Reports**, select the name of an exported dashboard. Stellar Cyber immediately generates data to populate the tables, charts, and widgets in the selected dashboard and displays it.

When you view it, Stellar Cyber provides options to **Schedule**, **Clone Report**, and **Download**. If it's a custom exported dashboard, you also have the option to edit it at **Dashboards | CREATION | Dashboards**.

Clone and Edit an Exported Dashboard

When you clone an exported dashboard, you can use it as the basis for a custom dashboard.

To clone an exported dashboard on **Reporting | Reports | Exported Dashboards**, select the dashboard and select **Clone Report**. Complete the Clone Report settings: enter a name, choose a tenant, enter a description, and enable or disable **Clone all charts**.

The charts used in predefined asset reports such as **CIS Control 1 - Inventory of Hardware Assets Summary** and **CIS Control 1 - Inventory of Hardware Assets Details** rely on a definition that is present with their associated dashboard. For that reason, the option to clone all charts when you clone a dashboard has been disabled for these reports.

Stellar Cyber saves the dashboard at **Dashboards| CUSTOM** and displays the new dashboard with settings to **Edit**, **Clone**, **Export**, and **Delete** it.




There are also options to edit the time settings (Time Type, Time Interval, and Auto Refresh) in the upper right of the page and set data filters in the upper left of the page.

The data in a dashboard is subject to the filters and queries defined on the page. The exception to this are the Operational Dashboard and Analyst View, which are intentionally unaffected by the Status (event_status) filter.

The scope of a query determines which tenants can use it. Whether it's possible to create a query for **All Tenants** depends on the scope of the object being queried, such as charts, correlations, and Automated Threat-Hunting (ATH) rules. In short, the scope of a queried object cannot be more restrictive than the scope of the query itself. For example, if you create an ATH rule for **All Tenants**, then the query for this ATH rule can either be **All Tenants** or just a single tenant, such as "Tenant A" for example. However, if you create an ATH rule for Tenant A, then the query cannot be for **All Tenants** because the other tenants won't have this ATH rule and won't be able to query it. In this case, the query can only be for Tenant A.

When select **Edit**, you have options to change the layout of the content in the dashboard, add and delete widgets, and use the Chart Builder to modify widgets.



When done with your edits, **Save** them.

If you want to make more edits to a dashboard later, select the dashboard at **Dashboards| CUSTOM**.

Schedule a Report Based on an Exported Dashboard

Select a dashboard name, select **Schedule**, and configure the settings displayed in the **Report Details** panel.

Report Details

Content

- **Report Name**: Enter a unique name for the scheduled report.
- **Tenant**: Depending on the scope of your user account (Root, Partner, Tenant), you can select **All Tenants** or an individual tenant name. If you select **All Tenants**, Stellar

Cyber generates one consolidated report for all tenants. If you choose an individual tenant, Stellar Cyber generates for just that tenant.

- **Apply Query**: To refine the data included in the report, apply a saved query. If you don't have a saved query, you can create a new query and then apply it.
- **Report Timezone**: Choose a time zone to define the local time where the activity occurred that you want to include in the report.

Scheduling

- **Type**: Select either **Run now** to generate a report immediately after completing the configuration and selecting **Submit** or **Schedule for future** to generate a recurring report based on your configuration.

   Stellar Cyber does not save reports whose type is **Run now**.

- **Time Range**: Choose **last 15 minutes**, **last 30 minutes**, **last 1 hour**, **last 5 hours**, **last 12 hours**, **last 24 hours**, **this past week**, **this past month**, **Previous day**, **Previous week**, or **Previous month**. Stellar Cyber includes data from the first minute to the last minute of the time period specified relative to the time the report is run.

  If you selected **Run now**, you can also choose **Custom** and use the calendar to select exact start and end dates and times. The calendar permits choosing up to three months of historical data. These absolute timestamps are stored with the report and used if the report is sent or generated again later to ensure the same dataset is reproduced. 6.3.0

- **Frequency** (when **Schedule for future** is selected): Choose how often you want to generate the report: **daily**, **weekly**, or **monthly**.
- **Select Day**: If you chose **weekly**, chose one of the seven days in a week.
- **Select Date**: If you chose **monthly**, choose **First Day**, **Middle of Month**, **Last Day**, **Nth Day of Month**, or **Nth Weekday of the Month**.

  Notes about the two "Nth Day" options:

  - **Nth Day of Month**: Specify a calendar day (for example, the 30th). If a month has fewer days than the value entered (for example, February), the report runs on the last day of that month.
  - **Nth Weekday of the Month**: Specify a weekday and an ordinal value (for example, the third Thursday). If a month does not include the chosen ordinal (for example, the fifth Friday), Stellar Cyber generates the report on the closest available occurrence (the fourth Friday in this example).

- **Run at** (when **Schedule for future** is selected): Choose the time of day to run the report. The list contains times at 15-minute intervals throughout the day.
- **Timezone** (when **Schedule for future** is selected): Choose a time zone for the **Run at** setting to determine when reports are scheduled to run. Note the difference between **Report Timezone**, which determines the data that goes in a report, and

Timezone, which determines when the report is generated. For example, if you're at an office in California and want to generate reports for a network in Japan, you'd set the **Report Timezone** for Japan to include activity when it occurred in its local time zone, and you'd set **Timezone** for California to generate the report when you want it in your local time zone.

Output

- **Asset Tag**: Filters the records included in the report based on the asset tags assigned to assets in your network. Assets are servers, routers, and host systems in the private network monitored by Stellar Cyber, and asset tags are values assigned to these assets to help categorize or identify them. The following options are available:
    - **--**: Ignores asset tags when determining which records to include in the report. Records for assets with and without asset tags are both included.
    - **Any**: Includes only records for assets that have an asset tag, regardless of the tag type. Records for assets without an asset tag are not included.
    - **None**: Includes only records for assets that do not have an asset tag. Records for assets with an asset tag are not included.
    - **<asset tag name>**: Includes only records for assets associated with the asset tag you choose from a list of previously defined tags. You can choose only one asset tag per report.
- **Language**: 6.0.0 Choose the language in which you want the report written. By default, Stellar Cyber uses the language setting in your user profile.
- **PDF Table Size**: Set the maximum number of rows you want tables in the report to include. The available options are **25**, **50**, **100**, **500**, and **1000**. When no value is chosen, Stellar Cyber applies **Default (from chart config)**, which uses the row count of each table in the chart configuration defined in Dashboard Builder. If the chart configuration does not specify a row count, the table defaults to 25 rows. Instead of using **Default (from chart config)**, you can choose one of the values in the drop-down list. This setting applies uniformly to all table widgets that appear in the report, including system tables such as Audit Logs and Asset tables. Clearing a previously chosen value returns to the default behavior.

  Some email systems truncate or refuse to send messages with excessive records included. If you find that emailed reports are not being sent, try reducing the **Table Size** below 1000 records.

- **Export as CSV**: To include a CSV file with the scheduled report, turn on the **Export as CSV** toggle. (It's disabled by default for new scheduled reports.)

  The drop-down list of CSV record maximums only appears to participants in the Early Access Program.

  When you enable this toggle, a drop-down list appears with the following options: **100**, **500**, **1000**, **5000**, **10000**, and **All Records**. The default selection is **1000**. When

you select a specific number, the CSV file contains up to that many rows per table. When you select **All Records**, the CSV file contains up to the system-configured maximum number of rows (20000 by default). If the export exceeds this limit, a notification indicates how many records were exported (for example, "Only the first 20,000 records will be exported"). If you need a different limit, contact your Stellar Cyber representative.



As with the **PDF Table Size** setting, large CSV exports can cause emailed reports to exceed limits imposed by some email systems. If reports are not being delivered, reduce the maximum number of exported records in CSV files.

- **PDF Type**: Choose **Default**, **Print Optimized (Deprecated)**, **Preserve Layout (Deprecated)**, or **Enhanced Print Optimized (Deprecated)**.



The **Default PDF** type and deprecation of the other three types only appear to participants in the Early Access Program.

From 6.6.0, dashboard reports use a PDF type called **Default**, which renders the dashboard as it appears in the Dashboard Builder. The previous PDF type options—**Print Optimized**, **Preserve Layout**, and **Enhanced Print Optimized**—are marked as “Deprecated”. Existing scheduled reports that use these deprecated types continue to use them unless you change them.

When you choose **Print Optimized (Deprecated)**, Stellar Cyber generates a PDF with report data neatly presented on 8.5 x 11" pages to look good when printed.

When you choose **Preserve Layout (Deprecated)**, Stellar Cyber generates a PDF that presents the data in the same layout used in the UI without regard to a standard paper size for printing.

Zoom Level

When you choose **Preserve Layout (Deprecated)** as the **PDF Type**, an additional **Zoom Level** setting appears. Use this to adjust the resolution width of the dashboard export to improve the readability and layout of the content. Each zoom level sets a virtual screen width for the rendering engine, which affects how much content fits horizontally on each page of the exported PDF:

- **Level 1** (3840 px) – Maximum width. Use when dashboards contain wide tables, numerous columns, or dense visualizations that otherwise appear truncated or compressed at lower resolutions. Suitable for viewing on large screens or for reports shared digitally.
- **Level 2** (2560 px) – High width. A balance between detail and layout. Ideal for dashboards with moderate content density where maximum width is not necessary but clarity is still important.
- **Level 3** (1920 px) – Medium width. Suitable for standard dashboards that fit well in common HD screen resolutions. Use this level when layout and readability are acceptable at moderate widths.


- **Level 4** (1440 px) – Default and narrowest width. Use when content is minimal or when the exported report will be viewed on smaller screens. This level may result in truncation or overlapping if dashboards are highly detailed.

Selecting an appropriate zoom level helps avoid layout issues such as overlapping chart labels, truncated table cells, or misaligned visual elements in the exported PDF. If the content appears cut off or compressed in the output, try increasing the zoom level to a wider setting.

When you choose **Enhanced Print Optimized (Deprecated)**, Stellar Cyber generates a print-ready PDF with improved chart clarity and cleaner table formatting, splitting wide tables across pages to ensure the display of all columns.

Cover Theme: When you select **Default** or **Enhanced Print Optimized (Deprecated)** as the **PDF Type**, an additional **Cover Theme** setting appears. Choose a saved theme from the drop-down list to apply a custom cover page to the report. For more information, see the Cover Themes section below.

Chart Colors: When you select **Default** as the **PDF Type**, choose a color palette for the charts in the PDF. The drop-down list displays color preview badges next to each palette name so that you can identify the palette before choosing it.



The **Default PDF** type and deprecation of the other three types only appear to participants in the Early Access Program.

Share

- **Recipients**: Choose one or more previously defined recipients to receive the report. (Define recipients at **System | Recipients**.)

Previewing a Scheduled Report

The report preview only appears to participants in the Early Access Program.

When you open a scheduled dashboard report, Stellar Cyber loads a preview of the dashboard automatically. A loading spinner appears while Stellar Cyber fetches the report data. Once loading is complete, the preview renders the full dashboard with all widgets.

If you edit and save the report settings, the preview updates to reflect the changes.

PDF Rendering Notes

The following rendering behaviors apply to PDF output generated from dashboards:

- **Line charts** – When a line chart has many data points with long axis labels, Stellar Cyber rotates the X-axis labels 45 degrees to prevent overlap. Charts with fewer data points or shorter labels display horizontal labels.
- **Heatmaps** – Heatmap widgets render correctly in PDF output regardless of how many color thresholds are configured.

Backwards Compatibility

Existing scheduled reports created in previous releases continue to function without changes. Legacy PDF types (Print Optimized, Preserve Layout, and Enhanced Print Optimized) remain available, and previously configured table size settings are preserved.

View Report History 6.3.0

You can also view report history for reports based on exported dashboards. Select the **Show Report History** icon in the **Actions** column on the **Exported Dashboards** tab. The list of historical entries and available actions are the same as for PDF reports. For details, see **View Report History** in the *PDF Reports* section above.

Download an Exported Dashboard

To download an exported dashboard on **Reporting | Reports | Exported Dashboards**, select the name of the dashboard and then select the **Download** icon in the upper right of the page.

Stellar Cyber opens a PDF version of the exported dashboard in a new browser tab.

You might need to enable your browser to allow pop-ups and multiple-file downloads from the Stellar Cyber UI.

To download the PDF, select the **Download** icon in the upper right of the page and save it to your management system. When done, close the browser tab and return to the Stellar Cyber UI.

Notes on Predefined Exported Dashboards

In general, the contents of predefined exported dashboards are self-explanatory. This section provides some additional notes to help you understand what you're seeing:

- The byte counts in **Ingestion Dashboard** (in the **General** category) represent the amount of data sent by connectors and sensors to the Stellar Cyber Platform. After data arrives at the Stellar Cyber Platform from these sources, it undergoes additional enrichment and compression before it's stored on disk. Because of this, the byte counts shown in the Ingestion Dashboard don't match those in System | ORGANIZATION MANAGEMENT | Licensing | Volume Usage or the exported dashboards in the **License Usage** category, which represent the actual data stored on disk, post-enrichment and compression. To summarize:
    - **Ingestion Dashboard** – Reports byte counts based on data sent by connectors and sensors to the Stellar Cyber Platform prior to enrichment and compression.

    - **License Usage** exported dashboards – Report byte counts based on actual data stored on disk. These are the counts used for licensing purposes.
- Some exported dashboards, including **Alerts** (in the **General** category), include sections breaking out alerts into **Critical**, **Major**, **Minor**, and **Notice** severities. Each of these severities corresponds to a different bucket of Alert Scores, as follows:

Alert Severity in Stellar Cyber	Best Practices for Monitoring and Investigation	Alert Score
Critical	Alerts of high severity and fidelity that must be investigated immediately	Alert Score ≥ 75
Major	Alerts that are likely to be true positives or that could have significant security consequences and should be given priority to investigate	Alert Score ≥ 50 and < 75
Minor	Alerts of lesser severity and/or fidelity that should be investigated if time permits; or otherwise be investigated together with correlated alerts in cases	Alert Sc

Alert Severity in Stellar Cyber	Best Practices for Monitoring and Investigation	Alert Score
Notice	Alerts of weak abnormal signals that are likely false positives or of less security concern, and may be investigated together with related alerts and events, such as alerts in the same cases and relevant events identified in threat hunting	or e ≥ 25 and < 50 Alert Score < 25

- Similarly, exported dashboards might break out alerts according to their fidelity (**High Fidelity** or **Other Fidelity**). These fidelity levels correspond to fidelity scores as follows:

Fidelity Level in Stellar Cyber	Fidelity Score
High Fidelity	Fidelity Score ≥ 75
Other Fidelity	Fidelity Score < 75

Cover Themes 6.1.0

Cover themes, for customizing report covers, are available as part of an Early Access Program (EAP) and might not appear in your version of the Stellar Cyber Platform. Contact your account manager to inquire about taking part in the Early Access Program and enabling cover themes.

Cover themes let you customize the cover page of PDF reports (*Case Report* and *Executive Summary*) and reports generated from exported dashboards. With cover themes, you can define the background image and color palette, include optional footer text, and choose whether the company logo is displayed on the cover of your reports. Using cover themes ensures consistent branding, provides space for confidentiality notices or contact information, and produces professional, visually engaging reports. Multi-tenant environments can maintain separate themes per tenant, making reports adaptable for both internal use and client-facing communication.

Create and Apply Cover Themes

To use cover themes, you must first create them in the Report Settings panel and then apply them when scheduling reports. The following steps describe how to create a theme with your desired images, colors, and footer text, and how to apply that theme to a report so it appears on the PDF cover page.

1. Navigate to **Reporting | Reports** and select the **Report Settings** icon in the upper right corner on either the **Reports (BETA)** tab or **Exported dashboards** tab.

   The settings panel appears, showing the **Themes** tab with all existing cover themes. From here you can create, edit, or delete themes. Each entry shows the configured background, colors, and footer settings, with icons to edit or delete them.

   > Although one of the options is labeled **+ Create/Update Theme**, it's only used for creating themes. To edit an existing theme, use the **Edit theme** icon in the **Actions** column.

2. Select **+ Create Cover Theme** (or **+ Create/Update Theme**) to open the theme editor and configure a new theme.

   General Settings

   - **Name**: Enter a unique name for the theme. This name appears in the **Cover Theme** drop-down list when scheduling reports.
   - **Background Image**: Upload a JPG or PNG file (maximum size 5 MB) for the cover background.
   - **Show Logo**: Enable this option to display the system logo defined in **System | ORGANIZATION MANAGEMENT | Settings**.

   Color Settings

   - Define hexadecimal values for the primary and secondary font colors, icon color, footer title color, and border color. The border color is also used for elements inside the report.

   Footer Settings

   - **Show Footer Text**: Enable the footer text option to include additional information at the bottom of the cover page, such as confidentiality notices or contact details. You can add up to two lines of text:

- **Footer First Line**: Primary footer text line.
- **Footer Second Line**: Optional secondary footer text line.

3. When finished, select **Save**.

   The theme now appears in the Themes list and is available to apply when scheduling reports.

4. Select one of the reports on either the **Reports (BETA)** tab or **Exported dashboards** tab.

   This immediately generates a report.

5. Select **Schedule** above the displayed report.

   The **Report Details** panel opens.

6. In the Output section, choose a saved theme from the **Cover Theme** drop-down list.

   The chosen theme defines the appearance of the PDF cover page.

   For reports based on exported dashboards, ensure the PDF Type is set as **Enhanced Print Optimized**. The Cover Theme option does not appear for other PDF types.

© 2026 Stellar Cyber . All rights reserved.