Stellar Cyber 6.6.0s is now live! Discover all the updates in the release notes!

Key Fields for Alert Types

There are Key Fields for the following:

- Third Party Native Alert Types
- ML and Rule-Based Alert Types

For information on Key Fields in the user interface, see Key Fields in User Interface.

Key Fields for Third Party Native Alert Types

Stellar Cyber supports third party native alert integration. The Key Fields for third party native alert types are as follows:

Third Party Display Name	Key Field Name	Display Name	Description
Abnormal Security (abnormal_security)	email.message_id	Message ID	Unique identifier of the email
	srcip	Source IP	Source IP address
	email.recipient.addresses	Recipient Address(es)	All recipients of the email, including those in the 'To', 'CC' (carbon copy), and 'BCC' (blind carbon copy) fields.
	email.to.addresses	To Address(es)	Primary intended recipients of the email. These are the email addresses explicitly listed in the 'To' field of the email.
	email.from.address	From Address	Email address that appears in the 'From' field of the email. It is the address that the recipient sees as the sender of the email.
	email.subject	Email Subject	Subject line of the email
	abnormal_security.sentTime	Sent Time	Time the email was sent
	abnormal_security.receivedTime	Received Time	Time the email was received
	abnormal_security.attackStrategy	Attack Strategy	Strategy used in the attack
	abnormal_security.attackType	Attack Type	Type of attack

Third Party Display Name	Key Field Name	Display Name	Description
	abnormal_sec ttackVector	Attack Vector	Vector used in the attack
	abnormal_security.remediationStatus	Remediation Status	Status of the remediation
	abnormal_security.autoRemediated	Auto-Remediated	Whether the email was auto-remediated or not
	abnormal_security.summaryInsights	Summary Insights	Summary insights about the email
	abnormal_security.urlCount	URL Count	Number of URLs in the email
	abnormal_security.attachmentCount	Attachment Count	Number of attachments in the email
	abnormal_security.abxPortalUrl	ABX Portal URL	URL to the ABX portal for more details
	url_list	URL List	List of URLs in the email
Acronis (Antimalware protection) (acronis_cyber_protect)	event.threat.name	Alert Type	Alert type
	acronis_cyber_protect.details.threatName	Acronis Threat Name	Acronis threat name
	event.category	Alert Category	Alert category
	host.name	Host Name	Host name
	event.severity_str	Acronis Severity Level	Acronis severity level
	file.name	File Name	File name
	file.path	File Path	File path
	file.hash.sha1	File SHA1	File SHA1
	file.hash.md5	File MD5	File MD5
	file.hash.sha256	File SHA256	File SHA256
Acronis (EDR) (acronis_cyber_protect)	event.threat.name	Alert Type	Alert type
	event.category	Alert Category	Alert category
	host.name	Host Name	Host name
	event.severity_str	Acronis Severity Level	Acronis severity level
	acronis_cyber_protect.details.redirectLink	Acronis Alert Redirect Link	Acronis alert redirect link
	acronis_cyber_protect.details.verdict	Acronis Alert Verdict	Acronis alert verdict
Acronis (Email security) (acronis_cyber_protect)	event.threat.name	Alert Type	Alert type
	event.category	Alert Category	Alert category
	event.severity_str	Acronis Severity Level	Acronis severity level
	email.from.address	Email From Address	Email from address
	email.subject	Email Subject	Email Subject
Acronis (URL filtering) (acronis_cyber_protect)	event.threat.name	Alert Type	Alert type
	acronis_cyber_protect.details.threatName	Acronis Threat Name	Acronis threat name
	event.category	Alert Category	Alert category

Third Party Display Name	Key Field Name	Display Name	Description
	host.name	Host Name	Host name
	event.severity_str	Acronis Severity Level	Acronis severity level
	url	URL	URL
	process.pid	Process ID	Process ID
	process.executable	Process Path	Process path
Armis (armis) 6.0.0	armis.alertId	Alert ID	Alert ID assigned by Armis
	armis.severity	Armis Severity	Original severity from Armis
	armis.title	Alert Title	Title of the alert
	armis.policyTitle	Policy Title	Title of the policy that triggered the alert
	armis.affectedDevicesCount	Affected Devices Count	Number of devices affected by the alert
	armis.deviceIds	Affected Device IDs	IDs of the affected devices
	host_list	Affected Devices	List of affected devices
	ip	Host IP	Host IP address
	mac	Host MAC	Host MAC address
	armis.status	Armis Alert Status	Current status of the alert from Armis
Avanan (Delivered) (avanan_delivered)	email.from.address	From Address	Who the email is from
	email.to.addresses	To Address(es)	Primary intended recipient of the email
	email.sender.address	Sender Address	Who actually sent the email on behalf of the primary sender
	email.recipient.addresses	Recipient Address(es)	Who received the email (including CC and BCC)
	email.subject	Email Subject	Email subject
	url_list	URL List	URL(s) in the email
	domain_list	Email Links Domain(s)	Email links domain(s)
	file_list	File List	File name of the malicious file
	name	File Name	File name
	hash.md5	Host Hash	File hash
	threat_indicator.labels	File Hash Reputation Label(s)	File hash reputation label(s)
	threat_indicator.sources	File Hash Reputation Source(s)	File hash reputation source(s)
Avanan (Quarantined) (avanan_quarantined)	email.from.address	From Address	Who the email is from
	email.to.addresses	To Address(es)	Primary intended recipient of the email
	email.sender.address	Sender Address	Who actually sent the email on behalf of the primary sender
	email.recipient.addresses	Recipient Address(es)	Who received the email (including CC and BCC)
	email.subject	Email Subject	Email subject

Third Party Display Name	Key Field Name	Display Name	Description
	url_list	URL List	URL(s) in the email
	domain_list	Email Links Domain(s)	Email links domain(s)
	file_list	File List	File name of the malicious file
	name	File Name	File name
	hash.md5	Host Hash	File hash
	threat_indicator.labels	File Hash Reputation Label(s)	File hash reputation label(s)
	threat_indicator.sources	File Hash Reputation Source(s)	File hash reputation source(s)
AWS GuardDuty (aws_guardduty)	aws_guardduty.Title	Alert Title	AWS GuardDuty alert title
	host_list	Host IP Address(es)	Private IP addresses of the network interfaces of the resource instance
	user.name	User Name	User name associated with the access key details of the resource
	event.threat.name	Threat Name	Threat name
	event.severity	AWS GuardDuty Severity Score	AWS GuardDuty severity score
	cloud.resource.type	Cloud Resource Type	Cloud resource type
	cloud.resource.id	Cloud Resource ID	Cloud resource ID
	cloud.resource.name	Cloud Resource Name	Cloud resource name
Bitdefender IP (bitdefender_ip)	host.name	Host Name	Host name
	host.ip	Host IP Address	Host IP address
	srcip	Source IP	Source IP address
Bitdefender Threat (bitdefender_threat)	event.type	Event Type	Event type
	host.name	Host Name	Host name
	host.ip	Host IP Address	Host IP address
	event.threat.name	Threat Type	Threat type
Bitdefender URL (bitdefender_url)	event.type	Event Type	Event type
	host.name	Host Name	Host name
	host.ip	Host IP Address	Host IP address
	url	URL	URL
Blackberry CylancePROTECT (cylance_protect)	host.name	Host Name	Computer name
	host.ip	Host IP Address	Host IP address
	file_name	File Name	File name
	file_path	File Path	File path
	process_name	Process Name	Process name
Broadcom SES (broadcom_ses) 6.1.0	event.severity	Broadcom SES Severity	Original severity from Broadcom SES
	broadcom.incident_uid	Broadcom SES Incident ID	Unique identifier for the Broadcom SES incident

Third Party Display Name	Key Field Name	Display Name	Description
	broadcom.eve	Event List	User activities and process executions detected in this incident
	device_name	Device Name	Device name
	device_ip	Device IP	Device IP address
	user.name	User Name	User name
	process.pid	Process ID	Process ID
	process.file.path	Process Path	Process path
	process.file.name	Process Name	Process name
	process.file.sha1	File SHA1 Hash	SHA1 hash of the malicious file
	process.file.md5	File MD5 Hash	MD5 hash of the malicious file
	process.file.sha2	File SHA256 Hash	SHA256 hash of the malicious file
	parent.pid	Parent Process ID	Parent process ID
	parent.file.path	Parent Process Path	Parent process path
	parent.file.sha1	Parent File SHA1 Hash	SHA1 hash of the parent file
	parent.file.sha2	Parent File SHA256 Hash	SHA256 hash of the parent file
	parent.file.md5	Parent File MD5 Hash	MD5 hash of the parent file
	file.name	File Name	File name
	process_list	Process Threat Intelligence	Threat intelligence information for processes
	threat_indicator.labels	Threat Labels	Threat intelligence labels for this process hash
	threat_indicator.sources	Threat Sources	Threat intelligence sources that identified this process hash
	parent.threat_indicator.labels	Parent Threat Labels	Threat intelligence labels for the parent process hash
	parent.threat_indicator.sources	Parent Threat Sources	Threat intelligence sources that identified the parent process hash
Cato Networks (cato_networks) 6.2.0	cato_networks.event_sub_type	Event Subtype	Event subtype
	user_agent.original	User Agent	User agent
	cato_networks.threat_verdict	Threat Verdict	Threat verdict
	file.name	File Name	File name
	file.file_hash	File Hash	File hash (IOC enrichment / VirusTotal look-ups)
	file.size	File Size	File size
	file.threat_indicator.labels	File Hash Reputation Labels	File hash reputation labels
	file.threat_indicator.sources	File Hash Reputation Sources	File hash reputation sources
	cato_networks.domain_name	Domain Name	Domain name
	url	URL	URL

Third Party Display Name	Key Field Name	Display Name	Description
	host.ip	Host IP	Host IP address
	srcport	Source Port	Source port
	user.name	User Name	User name
	cato_networks.rule_id	Rule ID	Rule ID
Check Point Harmony Email (checkpoint_harmony) 6.5.0	checkpoint_harmony.eventId	Event ID	Unique event identifier
	checkpoint_harmony.type	Alert Type	Alert category (phishing, spam, graymail, shadow_it, anomaly)
	checkpoint_harmony.severity	Check Point Harmony Severity	Check Point Harmony severity level
	checkpoint_harmony.confidenceIndicator	Confidence Indicator	Threat confidence level (malicious, graymail, detected)
	email.sender.address	Email Sender Address	Normalized sender's email address
	email.recipient.addresses	Email Recipient Addresses	Normalized recipient email addresses
	checkpoint_harmony.saas	SaaS Service	Source SaaS service
	checkpoint_harmony.entityLink	Entity Link	Portal link for threat details
CrowdStrike (crowdstrike_v2) 6.4.0	crowdstrike.metadata.eventType	Event Type	Event type
	crowdstrike.event.Name	Threat Name	Threat name
	crowdstrike.event.DomainNames	Domain Names	Domain names
	crowdstrike.event.SeverityName	Crowdstrike Severity	CrowdStrike severity
	crowdstrike.event.Severity	Crowdstrike Severity Score	CrowdStrike severity score
	host.name	Computer Name	Computer name
	hostip	Host IP Address	Host IP address
	host.ip	Host IP	Local IP address
	user.name	User Name	User name
	file.name	File Name	File name
	file.path	File Path	File path
	file.hash.md5	MD5	MD5 hash
	file.hash.sha256	SHA256	SHA256 hash
	file.threat_indicator.labels	File Hash Reputation Labels	File hash reputation labels
	file.threat_indicator.sources	File Hash Reputation Sources	File hash reputation sources
	process.command_line	Command Line	Command line
	process.parent.name	Parent Process Name	Parent process name
	process.parent.pid	Parent Process ID	Parent process ID
	process.parent.command_line	Parent Command Line	Parent command line
	crowdstrike.event.CompositeId	Composite ID	Composite ID
	crowdstrike.event.FalconHostLink	Falcon Link	Falcon host link
CyberArk EPM	cyberark_epm.eventType	Event Type	CyberArk event type

Third Party Display Name	Key Field Name	Display Name	Description
(cyberark_epm) 6.2.0	cyberark_epm.policyName	Policy Name	Policy that triggered the event
	cyberark_epm.displayName	Display Name	CyberArk EPM event display name
	cyberark_epm.fileName	File Name	Name of the file that triggered the event
	cyberark_epm.filePath	File Path	File path of the file that triggered the event
	file.hash.sha1	File SHA1 Hash	File SHA1 hash
	file.threat_indicator.labels	File Hash Reputation Label(s)	File hash reputation label(s)
	file.threat_indicator.sources	File Hash Reputation Source(s)	File hash reputation source(s)
	cyberark_epm.userName	User Name	User who triggered the event
	cyberark_epm.threatProtectionAction	CyberArk EPM Action	Action that was performed by CyberArk EPM when the event occurred: Block or Detect
	cyberark_epm.processCommandLine	Process Command Line	Process creation command line
	cyberark_epm.sourceProcessCommandLine	Parent Process Command Line	Initiating process creation command line from which the event was triggered
	cyberark_epm.sourceProcessUsername	Parent Process Username	Username of the initiating process from which the event was triggered
	cyberark_epm.evidences	Evidences	Evidence related to a threat protection event
	accessedObject.name	Accessed Object Name	Accessed object name
	comment	Comment	Comment
	cyberark_epm.exposedUsers	Exposed Users	Users who were exposed in the threat protection event
	username	User Name	User name
	domain	Domain	Domain
	accountName	Account Name	Account name
Cybereason (cybereason)	user_list	User Names	User names
	file.name	File Name	File name
	process.name	Process Name	Process name
	host_list	Host IP Address(es)	Host IP address(es)
Cyble (cyble) 6.3.0	event.threat.name	Alert Type	Alert type
	event.severity_str	Cyble Alert Severity Level	Cyble alert severity level
	cyble.status	Cyble Alert Status	Cyble alert status
	cyble.host	Alert Related Host	Alert related host
	cyble.port	Alert Related Port	Alert related port
	cyble.ip	Alert Related IP(s)	Alert related IP address(es)

Third Party Display Name	Key Field Name	Display Name	Description
	cyble.username	User Name	User name
	cyble.url	Alert Related URL	Alert related URL
	cyble.breach_source	Breach Source	Breach source
	cyble.breach_date	Breach Date	Breach date
	cyble.compromised_date	Compromised Date	Compromised date
	cyble.expiry_date	Expiry Date	Expiry date
	cyble.repository_name	Repository Name	Repository name
	cyble.filename	File Name	File name
	cyble.llm_explanation	Cyble LLM Explanation	Cyble Large Language Model (LLM) explanation
	cyble.true_positive	Cyble Alert True Positive Flag	Cyble alert true positive flag
Cynet (cynet)	host.ip	Host IP Address	Host IP address
	event.threat.name	Threat Name	Event threat name
	file.name	File Name	File name
Darktrace (darktrace) 6.5.0	event.threat.name	Alert Name	Alert name
	event.severity	Severity Level	CEF numeric severity (1-10)
	cef.device_event_class_id	Event ID	Event ID
	host.ip	Host IP Address	Host IP address
	host.name	Host Name	Host name
	url	Alert URL	Darktrace alert URL
	user.name	User Name	User name
	user.id	User ID	User ID/SID
Deep Instinct (deepinstinct)	deep_instinct.msp_name	MSP	MSP name
	deep_instinct.MSPName	Deep Instinct MSP Name	Deep Instinct MSP name
	event.id	Event ID	Event ID
	deep_instinct.type	Type	Deep Instinct event type
	host.name	Host Name	Host name
	host.ip	Host IP Address	Host IP address
	file.path	File Path	File path
	file.file_hash	File Hash	File hash
	file.threat_indicator.labels	File Hash Reputation Label(s)	File hash reputation label(s)
	file.threat_indicator.sources	File Hash Reputation Source(s)	File hash reputation source(s)
	deep_instinct.action	Event Action	Deep Instinct event action
	deep_instinct.threat_type	Deep Instinct Threat Type	Deep Instinct threat type
	event.severity_str	Deep Instinct Severity	Original Deep Instinct severity
Duo Trust Monitor (duosecurity_trust_monitor) 6.3.0	duosecurity.type	Duo Event Type	Duo event type
	user.name	User Name	User name
	srcip	Source IP	Access device IP address

Third Party Display Name	Key Field Name	Display Name	Description
	duosecurity.surfaced_auth.access_device.location.city	Access Device Location City	Access device location city
	duosecurity.surfaced_auth.access_device.location.state	Access Device Location State	Access device location state
	duosecurity.surfaced_auth.access_device.location.country	Access Device Location Country	Access device location country
	duosecurity.surfaced_auth.access_device.os	Access Device OS	Access device OS
	duosecurity.surfaced_auth.access_device.os_version	Access Device OS Version	Access device OS version
	duosecurity.surfaced_auth.factor	Authentication Factor	Authentication factor
	duosecurity.surfaced_auth.result	Authentication Result	Authentication result
	duosecurity.surfaced_auth.reason	Authentication Reason	Authentication reason
	duosecurity.surfaced_auth.auth_device.ip	Auth Device IP	Authentication device IP address
	duosecurity.surfaced_auth.application.name	Application Name	Application name
	duosecurity.surfaced_auth.application.key	App Integration Key	Application integration key
	duosecurity.sekey	Event ID	Duo Security event ID
	duosecurity.triage_event_uri	Triage Event URI	Duo triage event URI
	duosecurity.priority_event	Priority Event	Priority event
	duosecurity.priority_reasons	Priority Reasons	Priority reasons
	type	Priority Reason Type	Priority reason type
	label	Priority Reason Label	Priority reason label
	duosecurity.explanations	Explanations	Explanations
	type	Explanations Type	Explanations type
	summary	Explanations Summary	Explanations summary
	duosecurity.from_common_netblock	From Common Netblock	Boolean describing if this event was created from a common IP netblock
	duosecurity.low_risk_ip	Low Risk IP	Boolean describing if this event was created from an IP address identified as a low risk IP address
	duosecurity.from_new_user	From New User	Boolean describing if this event was created for a new user
	duosecurity.triaged_as_interesting	Triaged as Interesting	Triaged as interesting
	duosecurity.state	Event State	Event state
	duosecurity.bypass_status_enabled	Bypass Status Enabled	Bypass status enabled timestamp
	duosecurity.enabled_by	Enabled By	Enabled by

Third Party Display Name	Key Field Name	Display Name	Description
	duosecurity.en_for	Enabled For	Enabled for
ESET Cloud Office Security (eset_cloud_office_security) 5.5.0	eset.Tenant	ESET Tenant	ESET Cloud Office Security tenant name
	eset.OperationId	ESET Operation ID	ESET Cloud Office Security operation ID
	eset.ScanResult	ESET Threat Type	ESET Cloud Office Security threat type
	eset.Action	ESET Event Action	ESET Cloud Office Security event action
	file.name	File Name	File name
	file.hash.sha1	File SHA1 Hash	SHA1 hash of the malicious file
	srcip	Source IP	Email sender source IP address
	email.from.address	Sender Address	Sender address
	email.to.addresses	Recipient Address(es)	Recipient address(es)
	email.subject	Email Subject	Email subject
ESET Protect (Filtered Websites Event) (eset_protect_filtered_websites_event)	srcip	Source IP	Source IP address
	dstip	Destination IP	Destination IP address
	eset.rule_id	ESET Protect Rule ID	ESET Protect rule ID
	eset.event_type	ESET Protect Event Type	ESET Protect event type
	event.severity_str	ESET Protect Event Severity	ESET Protect event severity
	event.threat.name	ESET Protect Threat Name	ESET Protect threat name
	process.executable	Process Path	Process path
	user.name	User Name	User name
	host.name	Host Name	Host name
	file.hash.sha1	File SHA1 Hash	File SHA1 hash
	file.threat_indicator.labels	File Hash Reputation Label(s)	File hash reputation label(s)
	file.threat_indicator.sources	File Hash Reputation Source(s)	File hash reputation source(s)
ESET Protect (Firewall Aggregated Event) (eset_protect_firewall_aggregated_event)	srcip	Source IP	Source IP address
	dstip	Destination IP	Destination IP address
	eset.event_type	ESET Protect Event Type	ESET Protect event type
	event.severity_str	ESET Protect Event Severity	ESET Protect event severity
	event.threat.name	ESET Protect Threat Name	ESET Protect threat name
	process.executable	Process Path	Process path
	user.name	User Name	User name
ESET Protect (ESET Inspect Alert) (eset_protect_inspect_alert)	host.ip	Host IP	Host IP address
	host.name	Host Name	Host name
	eset.event_type	ESET Protect Event Type	ESET Protect event type
	eset.rulename	ESET Protect Rule Name	ESET Protect rule name
	process.executable	Process Path	Process path
	user.name	User Name	User name

Third Party Display Name	Key Field Name	Display Name	Description
ESET Protect (Threat Event) (eset_protect_threat_event)	event.severity	ESET Protect Event Severity	ESET Protect event severity
	eset.eiconsolelink	ESET Protect Console Link	ESET Protect console link
	eset.source_uuid	ESET Protect Source UUID	ESET Protect source UUID
	file.hash.sha1	File SHA1 Hash	File SHA1 hash
	file.threat_indicator.labels	File Hash Reputation Label(s)	File Hash reputation label(s)
	file.threat_indicator.sources	File Hash Reputation Source(s)	File Hash reputation source(s)
	host.ip	Host IP	Host IP address
	host.name	Host Name	Host name
	eset.event_type	ESET Protect Event Type	ESET Protect event type
	process.executable	Process Path	Process path
	user.name	User Name	User name
	event.severity_str	ESET Protect Event Severity	ESET Protect event severity
	eset.source_uuid	ESET Protect Source UUID	ESET Protect source UUID
	file.hash.sha1	File SHA1 Hash	File SHA1 hash
	file.threat_indicator.labels	File Hash Reputation Label(s)	File Hash reputation label(s)
	file.threat_indicator.sources	File Hash Reputation Source(s)	File Hash reputation source(s)
ExtraHop Reveal(x) 360 (extrahop_reveal_x_360) 6.5.0	extrahop.id	Detection ID	ExtraHop detection ID
	extrahop.title	Detection Title	Detection title
	extrahop.type	Detection Type	Detection type
	extrahop.risk_score	Risk Score	Risk score (0-99)
	extrahop.categories	Categories	Detection categories
	extrahop.description	Description	Detection description
	srcip	Source IP	Source IP address (offender/initiator)
	srcip_host	Source Host	Source hostname (offender/initiator)
	dstip	Destination IP	Destination IP address (victim/target)
	dstip_host	Destination Host	Destination hostname (victim/target)
	extrahop.participants	Participants	Participants (offenders and victims)
	role	Role	Participant role
	endpoint	Endpoint	Endpoint type
	hostname	Hostname	Hostname
	object_value	IP/Value	IP address or value
	external	External	External entity
	extrahop.appliance_id	Appliance ID	ExtraHop appliance ID
	extrahop.status	Status	Detection status
	extrahop.resolution	Resolution	Detection resolution

Third Party Display Name	Key Field Name	Display Name	Description
	extrahop.recommended	Recommended	Recommended for investigation
	extrahop.url	ExtraHop Link	ExtraHop detection link
Fortinet EDR (fortinet_edr) 6.5.0	fortinet_edr.rules	Rules	Rules
	process.name	Process Name	Process name
	process.executable	Process Path	Process path
	user.name	Logged User	Logged user
Fortinet Lacework (laceworkt) 6.0.0	fortinet_lacework.START_TIME	Start Time	Time and date when the hourly aggregation time period starts
	fortinet_lacework.END_TIME	End Time	Time and date when the hourly aggregation time period ends
	event.threat.name	Alert Type	Type of the alert
	fortinet_lacework.EVENT_ID	Event ID	Unique identifier generated for this event by Lacework FortiCNAPP
	fortinet_lacework.EVENT_MODEL	Event Model	Data model used for generating the alert
	fortinet_lacework.EVENT_ACTOR	Event Actor	Event actor that categorizes the type of an alert such as application, process, files, etc
	fortinet_lacework.ENTITY_MAP.User	User(s)	User(s)
	KEY.username	User Name	User's name
	PROPS.hostname	Host Name	User's host name
	fortinet_lacework.ENTITY_MAP.CT_User	CloudTrail User(s)	CloudTrail user(s)
	KEY.username	User Name	User's name
	PROPS.account	User Account	User's account
	fortinet_lacework.ENTITY_MAP.SourceIpAddress	Source IP Address(es)	Source IP address(es)
	KEY.ip_addr	IP Address	IP address
	fortinet_lacework.ENTITY_MAP.FileExePath	File Path(s)	File path(s)
	KEY.exe_path	File Path	File path
	KEY.mid	Machine ID	Lacework FortiCNAPP-generated machine identifier where the file was found
	fortinet_lacework.ENTITY_MAP.Process	Process(es)	Process(es)
	PROPS.hostname	Host Name	Host name
	PROPS.cmdline	Command Line	Command line
	PROPS.pid	PID	Unique identifier of the process

Third Party Display Name	Key Field Name	Display Name	Description
	fortinet_lacew[illegible]NTITY_MAP.Machine	Machine(s)	Machine(s)
	PROPS.hostname	Host Name	Host name
	PROPS.internal_ip_addr	IP Address	IP address
Google Workspace Alert (google_workspace_alert)	source	Alert Source	Alert source
	type	Alert Type	Alert type
	rule.name	Rule Name	Alert rule name
	host.ip	Login IP Address	IP address associated with the warning event
	data.email	Data Email	Email of the user to which this event belongs
	securityInvestigationToolLink	Investigation Tool Link	Google Workspace security investigation tool link
	user.id	User ID	User ID
	user.name	User Name	User name
	email.from.address	Email From Address	Email from address
	email.recipient.addresses	Email Recipient Addresses	Email recipient addresses
Group IB (group_ib) 6.5.0	group_ib.event_type_title	Threat Category	Threat category
	group_ib.severity	Severity Level	Severity level (1-5)
	group_ib.message	Alert Message	Alert message
	group_ib.integration_system	Detection Source	Detection source system
	group_ib.matchers	Detection Rule IDs	Detection rule IDs
	group_ib.target.ip_addresses	Target IP	Target IP addresses
	group_ib.target.mac_addresses	Target MAC	Target MAC addresses
	group_ib.target.asset_ids	Target Asset IDs	Target asset IDs
	group_ib.host	Host	Primary host
	group_ib.action	Action	Detection action taken
	group_ib.status	Status	Alert status
	group_ib.resolved	Resolved	Resolution state
	group_ib.false_positive	False Positive	False positive indication
	group_ib.attribution.cve	CVE	CVE identification
	group_ib.attribution.malware	Malware Attribution	Attributed malware
	group_ib.related_info.ips	Related IPs	Related IP addresses
	group_ib.ioc.event.domains	IOC Domains	IOC domains
Halcyon (halcyon) 6.4.0	event.threat.name	Threat Name	Threat name
	halcyon.alertType	Vendor Alert Type	Vendor alert type
	halcyon.action	Action	Response action taken
	halcyon.summary.artifact.filePath	Artifact Path	Artifact path
	file.hash.sha256	File SHA256 Hash	File SHA256 hash

Third Party Display Name	Key Field Name	Display Name	Description
	file.threat_indicator.labels	File Hash Reputation Label(s)	File hash reputation label(s)
	file.threat_indicator.sources	File Hash Reputation Source(s)	File hash reputation source(s)
	process.pid	Process ID	Process ID
	process.command_line	Command Line	Process command line
	process.executable	Process Executable	Process executable
	process.parent.pid	Parent Process ID	Parent process ID
	process.hash.sha256	Process SHA256 Hash	Process SHA256 hash
	process.threat_indicator.labels	Process Hash Reputation Label(s)	Process hash reputation label(s)
	process.threat_indicator.sources	Process Hash Reputation Source(s)	Process hash reputation source(s)
	process_list	Process List	Process list
	executable	Executable	Process executable
	command_line	Command Line	Process command line
	pid	PID	Process ID
	parent.pid	Parent PID	Parent process ID
	hash.sha256	SHA256	Process SHA256 hash
	threat_indicator.labels	Reputation Label(s)	Process hash reputation label(s)
	threat_indicator.sources	Reputation Source(s)	Process hash reputation source(s)
HoxHunt (hoxhunt) 6.3.0	hoxhunt.severity	Alert Severity	Alert severity
	hoxhunt.classification	Automated Threat Classification	Automated threat classification
	hoxhunt.prediction.mlopsIocEmailMaliciousnessProbability	HoxHunt Maliciousness Prediction	Maliciousness prediction score according to HoxHunt IoC model
	email.subject	Email Subject	Email subject
	email.from.address	From Address	From address
	email.to.addresses	To Address(es)	To address(es)
	hoxhunt.email.date	Email Sent Time	Email sent time
	file_list	Email Attachments List	Email attachments list
	name	File Name	File name
	hash.sha256	File Hash	File hash
	threat_indicator.labels	File Hash Reputation Label(s)	File hash reputation label(s)
	threat_indicator.sources	File Hash Reputation Source(s)	File hash reputation source(s)
	url_list	URL List	URL(s) in the email
Huntress Incident (huntress_incident)	huntress.organization_name	Organization Name	Huntress organization name
	huntress.security_products	Originating Security Products	Originating security products
	huntress.incident_report_url	Incident Report URL	Huntress incident report URL
	huntress.user_url	User URL	Huntress user URL
	huntress.host_url	Host URL	Huntress host URL

Third Party Display Name	Key Field Name	Display Name	Description
	host.name	Host Name	Host name
	host.ip	Host IP	Host IP address
	user_name	User Name	User name
	event.threat_list	Threat List	Huntress event threat list
	name	Threat Name	Huntress event threat name
	severity_str	Threat Severity	Huntress event threat severity
HYAS Protect (Block) (hyas_protect_block)	srcip	Client IP	Client IP address
	dns.question.name	Domain	Domain
	hyas_protect.registrar	Domain Registrar	Domain registrar
	domain_creation	Domain Creation Date	Domain creation date
	hyas_protect.verdictStatus	HYAS Protect Verdict Status	HYAS Protect verdict status: • Allow: allow • Block: block • Highly Suspicious: bad • Watch Engine: suspicious
	hyas_protect.reason.type	HYAS Protect Reason Type	HYAS Protect reason type
	hyas_protect.reason.lists	HYAS Protect Reason Lists	HYAS Protect reason lists
	id	ID	Reason ID
	name	Name	Reason name
	datatype	Datatype	Reason data type
	dns.resolved_ip	Resolved IP(s)	Resolved IP address(es)
	dns.answers	DNS Answer(s)	DNS answer(s)
	name	Domain name	Domain name to which this resource record pertains. If a chain of CNAME is being resolved, each answer's name should be the one that corresponds with the answer's data.
	type	Data Type	Type of data contained in this resource record
	data	Data	Data in this resource record
HYAS Protect (Watch Engine) (hyas_protect_suspicious)	srcip	Client IP	Client IP address
	dns.question.name	Domain	Domain
	hyas_protect.registrar	Domain Registrar	Domain registrar
	domain_creation	Domain Creation Date	Domain creation date
	hyas_protect.verdictStatus	HYAS Protect Verdict Status	HYAS Protect verdict status: • Allow: allow • Block: block • Highly Suspicious: bad • Watch Engine: suspicious

Third Party Display Name	Key Field Name	Display Name	Description
	hyas_protect.reason.type	HYAS Protect Reason Type	HYAS Protect reason type
	hyas_protect.reason.lists	HYAS Protect Reason Lists	HYAS Protect reason lists
	id	ID	Reason ID
	name	Name	Reason name
	datatype	Datatype	Reason data type
	dns.resolved_ip	Resolved IP(s)	Resolved IP address(es)
	dns.answers	DNS Answer(s)	DNS answer(s)
	name	Domain name	Domain name to which this resource record pertains. If a chain of CNAME is being resolved, each answer's name should be the one that corresponds with the answer's data.
	type	Data Type	Type of data contained in this resource record
	data	Data	Data in this resource record
HYAS Protect (Highly Suspicious) (hyas_protect_suspicious)	srcip	Client IP	Client IP address
	dns.question.name	Domain	Domain
	hyas_protect.registrar	Domain Registrar	Domain registrar
	domain_creation	Domain Creation Date	Domain creation date
	hyas_protect.verdictStatus	HYAS Verdict Status	HYAS Protect verdict status: • Allow: allow • Block: block • Highly Suspicious: bad • Watch Engine: suspicious
	hyas_protect.reason.type	HYAS Reason Type	HYAS Protect reason type
	hyas_protect.reason.lists	HYAS Protect Reason Lists	HYAS Protect reason lists
	id	ID	Reason ID
	name	Name	Reason name
	datatype	Datatype	Reason data type
	dns.resolved_ip	Resolved IP(s)	Resolved IP address(es)
	dns.answers	DNS Answer(s)	DNS answer(s)
	name	Domain name	Domain name to which this resource record pertains. If a chain of CNAME is being resolved, each answer's name should be the one that corresponds with the answer's data.
	type	Data Type	Type of data contained in this resource record

Third Party Display Name	Key Field Name	Display Name	Description
	data	Data	Data in this resource record
LimaCharlie (limacharlie_alert)	srcip_host	Source Host	Name of the workstation
	srcip	Source IP	IP address of the source
	srcport	Source IP Port	Port of the source IP
	host.name	Host Name	Host name
	host.ip	Host IP	Host IP address
	limacharlie.detect.event.ACTION	Action	Event action
	limacharlie.detect.event.REGISTRY_KEY	Registry Key	Registry key
	limacharlie.detect.event.REGISTRY_VALUE	Registry Value	Registry value
	process.name	Process File Path	File path of the process
	process.hash.sha256	Process File Hash	File hash of the process
	process.threat_indicator.labels	Process File Hash Reputation Label(s)	Process file hash reputation label(s)
	process.threat_indicator.sources	Process File Hash Reputation Source(s)	Process file hash reputation source(s)
	event.severity_str	LimaCharlie Severity	Original severity of the LimaCharlie alert
	limacharlie.detect.event.EVENT.EventData.TargetUserSid	SID	SID of the target user
	file.path	File Path	Path of the file
	file.hash.sha256	File Hash	SHA256 hash of the file
	file.threat_indicator.labels	File Hash Reputation Label(s)	File hash reputation label(s)
	file.threat_indicator.sources	File Hash Reputation Source(s)	File hash reputation source(s)
	process.command_line	Process Command Line	Command line of the process
	process.pid	Process ID	Process ID
	user.name	User Name	User name
	limacharlie.detect.event.EVENT.System.EventID	Event ID	Event ID
	limacharlie.detect.event.EVENT.EventData.LogonType	Logon Type	Logon type
	limacharlie.detect.event.EVENT.EventData.ProcessName	Process Name	Process name
	limacharlie.detect.event.PARENT.FILE_PATH	Parent Process File Path	File path of the parent process
	limacharlie.detect.event.PARENT.HASH	Parent Process File Hash	File hash of the parent process
	process.parent.threat_indicator.labels	Parent Process File Hash Reputation Label(s)	Reputation label(s) of the parent process file hash
	process.parent.threat_indicator.sources	Parent Process File Hash Reputation Source(s)	Reputation source(s) of the parent process file hash

Third Party Display Name	Key Field Name	Display Name	Description
	process.parent.command_line	Parent Process Command Line	Command line of the parent process
	process.parent.pid	Parent Process ID	Parent process ID
	limacharlie.detect.event.PARENT.USER_NAME	Parent User Name	User name of the parent process
	limacharlie.link	LimaCharlie Alert Link	LimaCharlie alert link
	limacharlie.source_rule	Source Rule	Source rule that LimaCharlie used to generate the alert
	limacharlie.detect_mtd.references	Rule References	References of the rule
Microsoft App Governance (Graph Security API) (microsoft_app_governance_graph_security_api) 6.6.0	event.severity_str	Severity	Alert severity
	event.threat.name	Threat Name	Threat name
	microsoft_graph_security_api.category	Category	Alert category (MITRE Tactic)
	microsoft_graph_security_api.investigationState	Investigation State	Investigation state
	microsoft_graph_security_api.determination	Determination	Determination
	microsoft_graph_security_api.alertWebUrl	Alert URL	Alert web URL
	microsoft_graph_security_api.incidentWebUrl	Incident URL	Incident web URL
	microsoft_graph_security_api.evidence	Evidence	Evidence
	@odata.type	Type	Evidence type
	verdict	Verdict	Verdict
	displayName	App Name	App display name
	appId	App ID	Application ID
	publisher	Publisher	Publisher
	userAccount.userPrincipalName	User	User principal name
	roles	Roles	Roles
	microsoft_graph_security_api.additionalData.appConsentScopes	Consent Scopes	OAuth consent scopes
	microsoft_graph_security_api.additionalData.replyUrl	Reply URL	Reply URL
	user.name	User Name	User name
Microsoft Data Loss Prevention (Graph Security API) (microsoft_data_loss_prevention_graph_security_api)	event.severity_str	Severity	Alert severity
	event.threat.name	Threat Name	Threat name
	microsoft_graph_security_api.category	Category	Alert category (MITRE Tactic)

Third Party Display Name	Key Field Name	Display Name	Description
6.6.0	microsoft_graph_security_api.additionalData.AlertPolicyTitle	DLP Policy	DLP policy name
	microsoft_graph_security_api.additionalData.DlpAlertType	DLP Alert Type	DLP alert type
	microsoft_graph_security_api.alertWebUrl	Alert URL	Alert web URL
	microsoft_graph_security_api.incidentWebUrl	Incident URL	Incident web URL
	microsoft_graph_security_api.evidence	Evidence	Evidence
	@odata.type	Type	Evidence type
	verdict	Verdict	Verdict
	userAccount.userPrincipalName	User	User principal name
	userAccount.displayName	Display Name	User display name
	fileDetails.fileName	File Name	File name
	fileDetails.filePath	File Path	File path
	displayName	Application	Cloud application name
	user.name	User Name	User name
	file.name	File Name	File name
	file.path	File Path	File path
	cloud.resource.name	Cloud Application	Cloud application name
Microsoft Defender ATP (ms_defender_atp)	host.name	Host Name	Host name
	host.ip	Host IP Address	Host IP address
	user.name	User Name	User name
	user.domain	User Domain	User domain
	threat	Threat Name	Threat name
	file_list	File List	File list
	process_list	Process List	Process list
	event.severity_str	Severity	Alert severity
	event.threat.name	Threat Name	Threat name
	microsoft_graph_security_api.category	Category	Alert category
	microsoft_graph_security_api.detectorId	Detector ID	Detector ID
	microsoft_graph_security_api.detectionSource	Detection Source	Detection source
	microsoft_graph_security_api.threatDisplayName	Threat Display Name" },	Threat display name
	microsoft_graph_security_api.threatFamilyName	Threat Family	Threat family name

Third Party Display Name	Key Field Name	Display Name	Description
	microsoft_graph_security_api.alertWebUrl	Alert URL	Alert web URL
	microsoft_graph_security_api.incidentWebUrl	Incident URL	Incident web URL
	microsoft_graph_security_api.evidence	Evidence	Evidence
	@odata.type	Type	Evidence type
	verdict	Verdict	Verdict
	deviceDnsName	Device Name	Device DNS name
	hostName	Host Name	Host name
	osPlatform	OS Platform	OS platform
	lastIpAddress	IP Address	Last IP address
	fileDetails.fileName	File Name	File name
	fileDetails.filePath	File Path	File path
	fileDetails.sha256	SHA256	SHA256 hash
	fileDetails.md5	MD5	MD5 hash
	fileDetails.sha1	SHA1	SHA1 hash
	userAccount.userPrincipalName	User Name	User principal name
	userAccount.azureAdUserId	User ID	Microsoft Entra ID user ID
	url	URL	URL
	ipAddress	IP Address	IP address
	processCommandLine	Command Line	Process command line
	processId	Process ID	Process ID
	parentProcessId	Parent PID	Parent process ID
Microsoft Entra ID Protection (Graph Security API) (azure_ad_identity_protection_graph_security_api) 6.6.0	event.severity_str	Severity	Alert severity
	event.threat.name	Threat Name	Threat name
	microsoft_graph_security_api.category	Category	Alert category (MITRE Tactic)
	microsoft_graph_security_api.additionalData.riskEventType	Risk Type	Risk event type
	microsoft_graph_security_api.additionalData.riskLevel	Risk Level	Risk level
	microsoft_graph_security_api.additionalData.riskState	Risk State	Risk state
	microsoft_graph_security_api.alertWebUrl	Alert URL	Alert web URL
	microsoft_graph_security_api.incidentWebUrl	Incident URL	Incident web URL
	microsoft_graph_security_api.evidence	Evidence	Evidence
	@odata.type	Type	Evidence type

Third Party Display Name	Key Field Name	Display Name	Description
	verdict	Verdict	Verdict
	userAccount.userPrincipalName	User	User principal name
	userAccount.accountName	Account	Account Name
	ipAddress	IP Address	IP address
	location.city	City	City
	location.countryOrRegion	Country	Country
	user.name	User Name	User name
	srcip	Source IP	Source IP address
Microsoft Entra RiskDetection (formerly Azure Active Directory) (azure_ad_risk_detection)	userDisplayName	User Name	User name
	ipAddress	Host IP Address	Host IP address
	riskEventType	Microsoft Entra Risk Event Type	Microsoft Entra risk event type
	riskLevel	Microsoft Entra Risk Level	Microsoft Entra risk level
Microsoft Defender for Cloud (microsoft_defender_cloud)	microsoft_defender_cloud.AlertUri	Microsoft Defender for Cloud Alert URI	Microsoft Defender for Cloud alert URI
	event.severity_str	Microsoft Defender for Cloud Severity	Original severity from Microsoft Defender for Cloud
	event.threat.name	Threat Name	Threat name
	microsoft_defender_cloud.AlertDisplayName	Microsoft Defender for Cloud Alert Name	Microsoft Defender for Cloud alert name
	cloud.resource.name	Cloud Resource Name	Cloud resource name
	cloud.resource.type	Cloud Resource Type	Cloud resource type
	cloud.resource.id	Cloud Resource ID	Cloud resource ID
	srcip_list	Source IP List	Source IP list
	srcip	Source IP	Source IP address
	user.name	User Name	User name
	host.name	Host Name	Host name
	host.ip	Host IP Address	Host IP address
	file.name	File Name	File name
	file.path	File Path	File path
	file.hash.md5	File MD5 Hash	File MD5 hash
	file.hash.sha1	File SHA1 Hash	File SHA1 hash
	file.hash.sha256	File SHA256 Hash	File SHA256 hash
	process.executable	Process Executable	Process executable
	process.id	Process ID	Process ID
	process.command_line	Process Command Line	Process command line
	process.parent.name	Parent Process Name	Parent process name
	process.parent.executable	Parent Process Executable	Parent process executable
	process.parent.id	Parent Process ID	Parent process ID
	process.parent.command_line	Parent Process Command Line	Parent process command line

Third Party Display Name	Key Field Name	Display Name	Description
	microsoft_defender_cloud.ExtendedProperties	Extended Properties	Extended properties
	azure_security_center.ExtendedProperties	Extended Properties	Extended properties
	microsoft_defender_cloud.RemediationSteps	Remediation Steps	Remediation steps
	azure_security_center.RemediationSteps	Remediation Steps	Remediation steps
	microsoft_graph_security_api.category	Category	Alert category
	microsoft_graph_security_api.detectorId	Detector ID	Detector ID
	microsoft_graph_security_api.detectionSource	Detection Source	Detection source
	microsoft_graph_security_api.threatDisplayName	Threat Display Name	Threat display name
	microsoft_graph_security_api.threatFamilyName	Threat Family	Threat family name
	microsoft_graph_security_api.alertWebUrl	Alert URL	Alert web URL
	microsoft_graph_security_api.incidentWebUrl	Incident URL	Incident web URL
	microsoft_graph_security_api.evidence	Evidence	Evidence
	@odata.type	Type	Evidence type
	verdict	Verdict	Verdict
	azureResourceId	Resource ID	Azure resource ID
	resourceName	Resource Name	Resource name
	resourceType	Resource Type	Resource type
	ipAddress	IP Address	IP address
	location.countryName	Country	Country name
	location.city	City	City
Microsoft Defender for Cloud (Graph Security API) (microsoft_defender_for_cloud_graph_security_api) 6.2.0	event.severity_str	Severity	Alert severity
	event.threat.name	Threat Name	Threat name
	microsoft_graph_security_api.category	Category	Alert category
	microsoft_graph_security_api.detectorId	Detector ID	Detector ID
	microsoft_graph_security_api.detectionSource	Detection Source	Detection source
	microsoft_graph_security_api.threatDisplayName	Threat Display Name	Threat display name

Third Party Display Name	Key Field Name	Display Name	Description
	microsoft_graph_security_api.threatFamilyName	Threat Family	Threat family name
	microsoft_graph_security_api.alertWebUrl	Alert URL	Alert web URL
	microsoft_graph_security_api.incidentWebUrl	Incident URL	Incident web URL
	microsoft_graph_security_api.evidence	Evidence	Evidence
	@odata.type	Type	Evidence type
	verdict	Verdict	Verdict
	azureResourceId	Resource ID	Azure resource ID
	resourceName	Resource Name	Resource name
	resourceType	Resource Type	Resource type
	ipAddress	IP Address	IP address
	location.countryName	Country	Country name
	location.city	City	City
	microsoft_defender_cloud.AlertUri	Microsoft Defender for Cloud Alert URI	Microsoft Defender for Cloud alert URI
	microsoft_defender_cloud.AlertDisplayName	Microsoft Defender for Cloud Alert Name	Microsoft Defender for Cloud alert name
	cloud.resource.name	Cloud Resource Name	Cloud resource name
	cloud.resource.type	Cloud Resource Type	Cloud resource type
	cloud.resource.id	Cloud Resource ID	Cloud resource ID
	srcip_list	Source IP List	Source IP address list
	srcip	Source IP	Source IP address
	user.name	User Name	User name
	host.name	Host Name	Host name
	host.ip	Host IP Address	Host IP address
	file.name	File Name	File name
	file.path	File Path	File path
	file.hash.md5	File MD5 Hash	File MD5 hash
	file.hash.sha1	File SHA1 Hash	File SHA1 hash
	file.hash.sha256	File SHA256 Hash	File SHA256 hash
	process.executable	Process Executable	Process executable
	process.id	Process ID	Process ID
	process.command_line	Process Command Line	Process command line
	process.parent.name	Parent Process Name	Parent process name
	process.parent.executable	Parent Process Executable	Parent process executable
	process.parent.id	Parent Process ID	Parent process ID
	process.parent.command_line	Parent Process Command Line	Parent process command line

Third Party Display Name	Key Field Name	Display Name	Description
	microsoft_defender_cloud.ExtendedProperties	Extended Properties	Extended properties
	azure_security_center.ExtendedProperties	Extended Properties	Extended properties
	microsoft_defender_cloud.RemediationSteps	Remediation Steps	Remediation steps
	azure_security_center.RemediationSteps	Remediation Steps	Remediation steps
Microsoft Defender for Cloud Apps (ms_defender_for_cloud_apps)	microsoft_defender_for_cloud_apps.URL	Microsoft Defender for Cloud Apps URL	Microsoft Defender for Cloud Apps URL
	event.threat.name	Threat Name	Threat name
	event.threat_list	Risk category	Threat list
	name	Risk category	Microsoft Defender for Cloud Apps risk category
	event.severity_str	Microsoft Defender for Cloud Apps Severity	Original severity value from Microsoft Defender for Cloud Apps
	microsoft_defender_for_cloud_apps.isPreview	Preview	Alerts that have been recently released as GA
	user.id	User ID	User ID of entity that was involved in this alert
	user.name	Username	Username of entity that was involved in this alert
	srcip	Source IP Address	Source IP address of attack that was involved in this alert
	srcip_host	Source Host	Name of the source workstation involved in this alert
	dstip_host	Destination Host	Name of the destination workstation involved in this alert
	observables	Entities	List of observables related to the alert
	name	Entity Name	Entity name
	type	Entity Yype	Entity type
	id	Entity ID	Entity ID
	microsoft_graph_security_api.category	Category	Alert category
	microsoft_graph_security_api.detectorId	Detector ID	Detector ID
	microsoft_graph_security_api.alertPolicyId	Policy ID	Alert policy ID
	microsoft_graph_security_api.alertWebUrl	Alert URL	Alert web URL

Third Party Display Name	Key Field Name	Display Name	Description
	microsoft_graph_security_api.incidentWebUrl	Incident URL	Incident web URL
	microsoft_graph_security_api.evidence	Evidence	Evidence
	@odata.type	Type	Evidence type
	displayName	Display Name	Display name
	instanceName	Instance Name	Instance name
	saasAppId	App ID	SaaS app ID
	verdict	Verdict	Verdict
	userAccount.userPrincipalName	User Name	User principal name
	userAccount.azureAdUserId	User ID	Microsoft Entra ID user ID
	ipAddress	IP Address	IP address
	remediationStatus	Remediation Status	Remediation status
	remediationStatusDetails	Remediation Details	Remediation details
	detailedRoles	Detailed Roles	Detailed roles
Microsoft Defender for Cloud Apps (Graph Security API) (microsoft_defender_for_cloud_apps_graph_security_api) 6.2.0	event.severity_str	Severity	Alert severity
	event.threat.name	Threat Name	Threat name
	microsoft_graph_security_api.category	Category	Alert category
	microsoft_graph_security_api.detectorId	Detector ID	Detector ID
	microsoft_graph_security_api.alertPolicyId	Policy ID	Alert policy ID
	microsoft_graph_security_api.alertWebUrl	Alert URL	Alert web URL
	microsoft_graph_security_api.incidentWebUrl	Incident URL	Incident web URL
	microsoft_graph_security_api.evidence	Evidence	Evidence
	@odata.type	Type	Evidence type
	displayName	Display Name	Display name
	instanceName	Instance Name	Instance name
	saasAppId	App ID	SaaS app ID
	verdict	Verdict	Verdict
	userAccount.userPrincipalName	User Name	User principal name
	userAccount.azureAdUserId	User ID	Microsoft Entra ID user ID
	ipAddress	IP Address	IP address
	remediationStatus	Remediation Status	Remediation status
	remediationStatusDetails	Remediation Details	Remediation details

Third Party Display Name	Key Field Name	Display Name	Description
	detailedR	Detailed Roles	Detailed roles
	microsoft_defender_for_cloud_apps.URL	Microsoft Defender for Cloud Apps URL	Microsoft Defender for Cloud Apps URL
	event.threat_list	Risk Category	Threat List
	name	Risk Category	Microsoft Defender for Cloud Apps Risk category
	microsoft_defender_for_cloud_apps.isPreview	Preview	Alerts that have been recently released as GA
	user.id	User ID	User ID of entity that was involved in this alert
	user.name	Username	Username of entity that was involved in this alert
	srcip	Source IP Address	Source IP address of attack that was involved in this alert
	srcip_host	Source Host	Name of the source workstation involved in this alert
	dstip_host	Destination Host	Name of the destination workstation involved in this alert
	observables	Entities	List of observables related to the alert
	name	Entity Name	Entity name
	type	Entity Type	Entity type
	id	Entity ID	Entity ID
Microsoft Defender for Endpoint (Graph Security API) (microsoft_defender_for_endpoint_graph_security_api) 6.2.0	event.severity_str	Severity	Alert severity
	event.threat.name	Threat Name	Threat name
	microsoft_graph_security_api.category	Category	Alert category
	microsoft_graph_security_api.detectorId	Detector ID	Detector ID
	microsoft_graph_security_api.detectionSource	Detection Source	Detection source
	microsoft_graph_security_api.threatDisplayName	Threat Display Name	Threat display name
	microsoft_graph_security_api.threatFamilyName	Threat Family	Threat family name
	microsoft_graph_security_api.alertWebUrl	Alert URL	Alert web URL
	microsoft_graph_security_api.incidentWebUrl	Incident URL	Incident web URL
	microsoft_graph_security_api.evidence	Evidence	Evidence
	@odata.type	Type	Evidence type

Third Party Display Name	Key Field Name	Display Name	Description
	verdict	Verdict	Verdict
	deviceDnsName	Device Name	Device DNS name
	hostName	Host Name	Host name
	osPlatform	OS Platform	OS platform
	lastIpAddress	IP Address	Last IP address
	fileDetails.fileName	File Name	File name
	fileDetails.filePath	File Path	File path
	fileDetails.sha256	SHA256	SHA256 hash
	fileDetails.md5	MD5	MD5 hash
	fileDetails.sha1	SHA1	SHA1 hash
	userAccount.userPrincipalName	User Name	User principal name
	userAccount.azureAdUserId	User ID	Microsoft Entra ID user ID
	url	URL	URL
	ipAddress	IP Address	IP address
	processCommandLine	Command Line	Process command line
	processId	Process ID	Process ID
	parentProcessId	Parent PID	Parent process ID
	host.name	Host Name	Host name
	host.ip	Host IP Address	Host IP address
	user.name	User Name	User name
	user.domain	User Domain	User domain
	threat	Threat Name	Threat name
	file_list	File List	File list
	process_list	Process List	Process list
Microsoft Defender for Identity (Graph Security API) (microsoft_defender_for_identity_graph_security_api) 6.6.0	event.severity_str	Severity	Alert severity
	event.threat.name	Threat Name	Threat name
	microsoft_graph_security_api.category	Category	Alert category (MITRE Tactic)
	microsoft_graph_security_api.detectorId	Detector ID	Detector ID
	microsoft_graph_security_api.detectionSource	Detection Source	Detection source
	microsoft_graph_security_api.recommendedActions	Recommended Actions	Recommended actions
	microsoft_graph_security_api.alertWebUrl	Alert URL	Alert web URL
	microsoft_graph_security_api.incidentWebUrl	Incident URL	Incident web URL
	microsoft_graph_security_api.evidence	Evidence	Evidence

Third Party Display Name	Key Field Name	Display Name	Description
	@odata.type	Type	Evidence type
	verdict	Verdict	Verdict
	userAccount.userPrincipalName	User	User principal name
	userAccount.accountName	Account	Account name
	userAccount.domainName	Domain	Domain name
	ipAddress	IP Address	IP address
	hostName	Host Name	Host name
	roles	Roles	Roles
	user.name	User Name	User name
	user.domain	User Domain	User domain
	srcip	Source IP	Source IP address
	host.name	Host Name	Host name
	host.ip	Host IP	Host IP address
Microsoft Defender for Office 365 (Graph Security API) (microsoft_defender_for_office365_graph_security_api) 6.6.0	event.severity_str	Severity	Alert severity
	event.threat.name	Threat Name	Threat name
	microsoft_graph_security_api.category	Category	Alert category (MITRE Tactic)
	microsoft_graph_security_api.investigationState	Investigation State	Investigation state
	microsoft_graph_security_api.determination	Determination	Determination
	microsoft_graph_security_api.alertWebUrl	Alert URL	Alert web URL
	microsoft_graph_security_api.incidentWebUrl	Incident URL	Incident web URL
	microsoft_graph_security_api.evidence	Evidence	Evidence
	@odata.type	Type	Evidence type
	verdict	Verdict	Verdict
	primaryAddress	Email	Primary email address
	subject	Subject	Email subject
	senderIp	Sender IP	Sender IP address
	recipientEmailAddress	Recipient	Recipient email address
	deliveryAction	Delivery Action	Delivery action
	deliveryLocation	Delivery Location	Delivery location
	userAccount.userPrincipalName	User	User principal name
	ipAddress	IP Address	IP address
	clusterBy	Cluster By	Mail cluster criteria
	emailCount	Email Count	Email count in cluster

Third Party Display Name	Key Field Name	Display Name	Description
Microsoft Defender XDR (microsoft_defender_xdr) 6.1.0	user.name	User Name	User name
	email.sender.address	Sender Email	Sender email address
	email.recipient.addresses	Recipient Emails	Recipient email addresses
	email.subject	Email Subject	Email subject
	srcip	Source IP	Source IP address
	event.severity_str	Severity	Alert severity
	event.threat.name	Threat Name	Threat name
	microsoft_graph_security_api.evidence	Evidence	Evidence
	type	Type	Evidence type
	userAccount.userPrincipalName	User Name	User's name
	userAccount.azureAdUserId	User ID	User's ID
	fileDetails.fileName	File Name	File name
	fileDetails.filePath	File Path	File path
	fileDetails.sha256	SHA256	SHA256 hash
	fileDetails.md5	MD5	MD5 hash
	fileDetails.sha1	SHA1	SHA1 hash
	hostName	Host Name	Host name
	ipInterfaces	IP Interfaces	IP interfaces of the device during the time of the alert
	ipAddress	IP Address	IP address
Microsoft 365 (microsoft_365)	event.threat.name	Threat Name	Threat name
	event.severity_str	Microsoft 365 Severity Level	Microsoft 365 severity level
	event.category	Category	Microsoft 365 alert category
	Source	Source	Microsoft 365 alert source
	AlertType	Alert Type	Microsoft 365 alert type
	event_summary.alert_entity_list	Alert Entity List	Microsoft 365 Alert entity list
	username	User Name	User name
Microsoft Sentinel (ms_sentinel_incident)	microsoft_sentinel.Title	Incident Title	Microsoft Sentinel incident title
	microsoft_sentinel.ModifiedBy	Modified By	Microsoft Sentinel modified by
	microsoft_sentinel.AdditionalData.alertsCount	Alerts Count	Microsoft Sentinel additional data alerts count
	microsoft_sentinel.IncidentUrl	Incident Link	Microsoft Sentinel incident link
	microsoft_sentinel.SourceSystem	Source System	Microsoft Sentinel source system
	microsoft_sentinel.AlertIds	Alert IDs	Microsoft Sentinel alert IDs
Microsoft Threat Intelligence (Graph Security API)	event.severity_str	Severity	Alert severity
	event.threat.name	Threat Name	Threat name

Third Party Display Name	Key Field Name	Display Name	Description
(microsoft_threat_intelligence_graph_security_api) 6.6.0	microsoft_graph_security_api.category	Category	Alert category (MITRE Tactic)
	microsoft_graph_security_api.threatDisplayName	Threat	Threat display name
	microsoft_graph_security_api.threatFamilyName	Threat Family	Threat family
	microsoft_graph_security_api.additionalData.threatActorName	Threat Actor	Threat actor name
	microsoft_graph_security_api.alertWebUrl	Alert URL	Alert web URL
	microsoft_graph_security_api.incidentWebUrl	Incident URL	Incident web URL
	microsoft_graph_security_api.evidence	Evidence	Evidence
	@odata.type	Type	Evidence type
	verdict	Verdict	Verdict
	ipAddress	IP Address	IP address
	url	URL	URL
	deviceDnsName	Device	Device DNS name
	roles	Roles	Roles
	tags	Tags	Tags
	srcip	Source IP	Source IP address
	url.full	URL	URL
	host.name	Host Name	Host name
Mimecast Attachment Protect (mimecast_attachment_protect) Mimecast API 1.0	srcip	Source IP Address	Source IP address of the original message that contained the malicious file
	file.name	File Name	File name of the malicious file
	mimecast.fileExt	File Extension	File extension of the malicious file
	mimecast.Size	File Size	Size (in bytes) of the malicious file
	mimecast.sizeAttachment	File Size	Size (in bytes) of the malicious file
	file.hash.md5	File MD5 Hash	MD5 hash of the malicious file
	file.hash.sha1	File SHA1 Hash	SHA1 hash of the malicious file
	file.hash.sha256	File SHA256 Hash	SHA256 hash of the malicious file
	mimecast.fileMime	File MIME Type	Detected MIME type of the malicious file
	email.sender.address	Sender Address	Sender address
	email.recipient.addresses	Recipient Address(es)	Recipient address(es)

Third Party Display Name	Key Field Name	Display Name	Description
	email.subject	Email Subject	Email subject
	mimecast.senderDomain	Sender Domain	Sender domain
	mimecast.Route	The Route of the Message	Route of the message
	mimecast.route	The Route of the Message	Route of the message
Mimecast AV (mimecast_av) Mimecast API 1.0	srcip	Source IP Address	Source IP address of the original message
	file.name	File Name	File name
	mimecast.fileExt	File Extension	File extension
	mimecast.fileExtension	File Extension	File extension
	mimecast.Size	Email Size	Total size of the email
	mimecast.emailSize	Email Size	Total size of the email
	file.hash.md5	File MD5 Hash	File MD5 hash
	file.hash.sha1	File SHA1 Hash	File SHA1 hash
	file.hash.sha256	File SHA256 Hash	File SHA256 hash
	mimecast.fileMime	File MIME Type	File MIME type
	email.sender.address	Sender Address	Sender address
	mimecast.senderDomain	Sender Domain	Sender domain
	email.recipient.addresses	Recipient Address(es)	Recipient address(es)
	email.subject	Email Subject	Email subject
	mimecast.Route	The Route of the Message	Route of the message
	mimecast.route	The Route of the Message	Route of the message
	mimecast.Virus	Virus Signature	Virus signature
	mimecast.virusFound	Virus Signature	Virus signature
Mimecast Impersonation Protect (mimecast_email_impersonation_protect) Mimecast API 1.0 (mimecast2_email_impersonation_protect)	mimecast.aCode	Mimecast aCode	Unique ID used to track the email through the different log types from Mimecast
	mimecast.processingId	Mimecast Processing ID	Processing ID used to track the email through Mimecast
	srcip	Source IP Address	Source IP address of the original message
Mimecast API 2.0 6.0.0	email.sender.address	Sender Address	Sender address
	email.recipient.addresses	Recipient Address(es)	Recipient address(es)
	email.subject	Email Subject	Email subject
	event.threat.name	Alert Definition	Alert definition
	mimecast.Hits	Number of Items Flagged	Number of items flagged for the message
	mimecast.itemsDetected	Number of Items Detected	Number of items detected for the message
	mimecast.Route	The Route of the Message	Route of the message
	mimecast.route	The Route of the Message	Route of the message

Third Party Display Name	Key Field Name	Display Name	Description
Mimecast Internal Email Protect (mimecast_internal_email_protect) Mimecast API 1.0 (mimecast2_internal_email_protect) Mimecast API 2.0 6.0.0	mimecast.aCode	Mimecast aCode	Unique ID used to track the email through the different log types from Mimecast
	mimecast.processingId	Mimecast Processing ID	Processing ID used to track the email through Mimecast
	srcip	Source IP Address	Source IP address of the sending mail server
	url	Clicked URL	URL that the user clicked
	event.threat.name	URL Category	URL category
	email.sender.address	Sender Address	Sender address
	email.recipient.addresses	Recipient Address(es)	Recipient address(es)
	email.subject	Email Subject	Email subject
	mimecast.Route	The Route of the Message	Route of the message
	mimecast.route	The Route of the Message	Route of the message
Mimecast Malicious Receipt Log (mimecast_receipt_with_virus) Mimecast API 1.0 (mimecast2_receipt_with_virus) Mimecast API 2.0 6.0.0	mimecast.aCode	Mimecast aCode	Unique ID used to track the email through the different log types from Mimecast
	mimecast.processingId	Mimecast Processing ID	Processing ID used to track the email through Mimecast
	srcip	Source IP Address	Source IP address of the sending mail server
	email.sender.address	Sender Address	Sender address
	email.recipient.addresses	Recipient Address(es)	Recipient address(es)
	email.subject	Email Subject	Email subject
	mimecast.Error	Errors Occurred	Information about any errors that occurred during receipt
	mimecast.receiptErrors	Errors Occurred	Information about any errors that occurred during receipt
	mimecast.Dir	Email Direction	Direction of the email based on the sending and receiving domains
	mimecast.direction	Email Direction	Direction of the email based on the sending and receiving domains
	event.threat.name	Virus Signature	Virus signature
	mimecast.Act	Action	Action taken at the receipt stage
	mimecast.action	Action	Action taken at the receipt stage
	mimecast.RejInfo	Rejection Information	Rejection information if the email was rejected at the receipt stage

Third Party Display Name	Key Field Name	Display Name	Description
	mimecast.rejectionInfo	Rejection Information	Rejection information if the email was rejected at the receipt stage
	mimecast.RejType	Rejection Type	Rejection type if the email was rejected at the receipt stage
	mimecast.rejectionType	Rejection Type	Rejection type if the email was rejected at the receipt stage
	mimecast.TlsVer	TLS Version	TLS version used if the email was received using TLS
	mimecast.tlsVersion	TLS Version	TLS version used if the email was received using TLS
	mimecast.Cphr	TLS Cipher	TLS cipher used if the email was received using TLS
	mimecast.tlsCipher	TLS Cipher	TLS cipher used if the email was received using TLS
Mimecast URL Protect (mimecast_url_protect) Mimecast API 1.0	srcip	Source IP Address	Source IP address of the sending mail server
	url	Clicked URL	URL
	event.threat.name	URL Category	URL category
	event.reason	Reason	Reason
	email.sender.address	Sender Address	Sender address
	email.recipient.addresses	Recipient Address(es)	Recipient address(es)
	email.subject	Email Subject	Email subject
	mimecast.action	Mimecast Action	Mimecast action
	mimecast.senderDomain	Sender Domain	Sender domain
	mimecast.route	The Route of the Message	Route of the message
Netskope Alert (Breach) (netskope_protect_breach)	netskopewsg.type	Netskope Alert Type	Netskope alert type
	netskopewsg.breach_id	Netskope Breach ID	Netskope breach ID
	netskopewsg.alert_name	Alert Name	Alert name
	srcip	Source IP	Source IP address
	dstip	Destination IP	Destination IP address
	host.ip	Host IP (User's IP)	Host IP address (user's IP address)
	user.name	User Name	User name associated with Netskope account
	netskopewsg.matched_username	Matched User Name	Email address associated with the breached access method
	url	URL	URL
	event.severity_str	Netskope Alert Severity	Netskope alert severity
	netskopewsg.breach_score	Netskope Breach Score	Netskope breach score
	file.hash.sha256	File SHA256 Hash	SHA256 hash of the file
	file.hash.md5	File MD5 Hash	MD5 hash of the file

Third Party Display Name	Key Field Name	Display Name	Description
	file.threat_indicator.labels	File Hash Reputation Label(s)	File hash reputation label(s)
	file.threat_indicator.sources	File Hash Reputation Source(s)	File hash reputation source(s)
Netskope Alert (Connection) (netskope_protect_connection)	netskopewsg.type	Netskope Alert Type	Netskope alert type
	netskopewsg.connection_id	Netskope Connection ID	Netskope connection ID
	srcip	Source IP	Source IP address
	dstip	Destination IP	Destination IP address
	host.ip	Host IP (User's IP)	Host IP address (user's IP address)
	user.name	User Name	User name
	url	URL	URL
	event.severity_str	Netskope Alert Severity	Netskope alert severity
	file.hash.sha256	File SHA256 Hash	SHA256 hash of the file
	file.hash.md5	File MD5 Hash	MD5 hash of the file
	file.threat_indicator.labels	File Hash Reputation Label(s)	File hash reputation label(s)
	file.threat_indicator.sources	File Hash Reputation Source(s)	File hash reputation source(s)
Netskope Alert (netskope_protect_general) 5.5.0	netskopewsg.type	Netskope Alert Type	Netskope alert type
	netskopewsg.breach_id	Netskope Breach ID	Netskope breach ID
	netskopewsg.alert_name	Alert Name	Alert name
	srcip	Source IP	Source IP address
	dstip	Destination IP	Destination IP address
	host.ip	Host IP (User's IP)	Host IP address (user's IP address)
	host.name	Host Name	Host name
	user.name	User Name	User name associated with Netskope account
	netskopewsg.matched_username	Matched User Name	Email address associated with the breached access method
	netskopewsg.activity	Activity	Activity
	netskopewsg.action	Action	Action
	netskopewsg.policy	Policy Name	Policy name
	netskopewsg.app	Application	Application
	url	Application URL	Application URL
	event.severity_str	Netskope Alert Severity	Netskope alert severity
	netskopewsg.breach_score	Netskope Breach Score	Netskope breach score
	file.hash.sha256	File SHA256 Hash	SHA256 hash of the file
	file.hash.md5	File MD5 Hash	MD5 hash of the file
	file.threat_indicator.labels	File Hash Reputation Label(s)	File hash reputation label(s)
	file.threat_indicator.sources	File Hash Reputation Source(s)	File hash reputation source(s)

Third Party Display Name	Key Field Name	Display Name	Description
Netskope Alert (Malsite) (netskope_protect_malsite)	netskopewsg.t	Netskope Alert Type	Netskope alert type
	event.threat.name	Malsite Category	Malsite category
	netskopewsg.malsite_id	Malsite ID	Malsite ID
	srcip	Source IP	Source IP address
	dstip	Destination IP	Destination IP address
	host.ip	Host IP (User's IP)	Host IP address (user's IP address)
	user.name	User Name	User name
	url	Malsite URL	Malsite URL
	event.severity_str	Netskope Alert Severity	Netskope alert severity
	file.hash.sha256	File SHA256 Hash	SHA256 hash of the file
	file.hash.md5	File MD5 Hash	MD5 hash of the file
	file.threat_indicator.labels	File Hash Reputation Label(s)	File hash reputation label(s)
	file.threat_indicator.sources	File Hash Reputation Source(s)	File hash reputation source(s)
Oracle Cloud Infrastructure (OCI) CloudGuard (oci_cloudguard)	event.type	Problem Type	Problem type
	event.threat.name	Threat Name	Threat name
	event.severity_str	OCI Severity Level	OCI CloudGuard severity level
	cloud.resource.type	Cloud Resource Type	Cloud resource type
	cloud.resource.id	Cloud Resource ID	Cloud resource ID
	cloud.resource.name	Cloud Resource Name	Cloud resource name
	oracle.data.additionalDetails.problemRecommendation	Problem Recommendation	Problem recommendation from OCI
Palo Alto Networks Cortex XDR(PAN NGFW) (palo_alto_cortex_xdr_ngfw) 6.1.0	palo_alto_networks.name	Alert Name	Alert name
	palo_alto_networks.source	Source	Alert source
	palo_alto_networks.category	Category	Alert category
	event.severity_str	Palo Alto Networks Cortex XDR Alert Severity	Palo Alto Networks Cortex XDR alert severity
	host.name	Host Name	Host name
	host.ip	Host IP	Host IP address
	palo_alto_networks.alert_id	Alert ID	Alert ID
	palo_alto_networks.action_pretty	Action	Action taken
	palo_alto_networks.agent_version	Agent Version	Agent version
	palo_alto_networks.resolution_status	Status	Resolution status
	palo_alto_networks.events	Network Events	Network events
	event_type	Event Type	Event type
	fw_rule	Rule Name	Firewall rule name
	fw_rule_id	Rule ID	Firewall rule ID
	action_local_ip	Local IP	Local IP address
	action_local_port	Local Port	Local port

Third Party Display Name	Key Field Name	Display Name	Description
	action_re_ip	Remote IP	Remote IP address
	action_remote_port	Remote Port	Remote port
	action_country	Remote Country	Remote country
	dst_action_country	Dest Country	Destination country
	fw_device_name	Device Name	Firewall device
	fw_serial_number	Serial Number	Firewall serial
	fw_interface_from	From Interface	From interface
	fw_interface_to	To Interface	To interface
	fw_app_id	App ID	Application ID
	fw_app_category	App Category	App category
	fw_app_subcategory	App Subcategory	App subcategory
	fw_app_technology	App Technology	App technology
Palo Alto Networks Cortex XDR(XDR Agent) (palo_alto_cortex_xdr_agent) 6.1.0	palo_alto_networks.name	Alert Name	Alert name
	palo_alto_networks.source	Source	Alert source
	palo_alto_networks.category	Category	Alert category
	event.severity_str	Palo Alto Networks Cortex XDR Alert Severity	Palo Alto Networks Cortex XDR alert severity
	host.name	Host Name	Host name
	host.ip	Host IP	Host IP address
	palo_alto_networks.alert_id	Alert ID	Alert ID
	palo_alto_networks.action_pretty	Action	Action taken
	palo_alto_networks.agent_version	Agent Version	Agent version
	palo_alto_networks.resolution_status	Status	Resolution status
	palo_alto_networks.events	Events	Related events
	event_type	Event Type	Event type
	user_name	User Name	User name
	action_process_image_name	Action Process	Action process
	actor_process_image_name	Actor Process	Actor process
	action_process_image_sha256	Process SHA256	Process SHA256
	actor_process_image_sha256	Actor SHA256	Actor process SHA256
	action_process_image_command_line	Command Line	Process command line
	actor_process_command_line	Actor Command Line	Actor command line
	actor_process_image_path	Actor Process Path	Actor process path
	actor_process_image_md5	Actor MD5 Hash	Actor process MD5

Third Party Display Name	Key Field Name	Display Name	Description
	actor_process_signature_vendor	Actor Signature Vendor	Actor process signature vendor
	actor_process_signature_status	Actor Signature Status	Actor process signature status
	actor_process_os_pid	Actor Process PID	Actor process PID
	actor_thread_thread_id	Actor Thread ID	Actor thread ID
	causality_actor_process_image_name	Causality Actor Process Name	Causality actor process name
	causality_actor_process_image_path	Causality Actor Process Path	Causality actor process path
	causality_actor_process_command_line	Causality Actor Command Line	Causality actor process command line
	causality_actor_process_image_sha256	Causality Actor SHA256	Causality actor process SHA256
	causality_actor_process_signature_vendor	Causality Actor Signature Vendor	Causality actor process signature vendor
	causality_actor_process_signature_status	Causality Actor Signature Status	Causality actor process signature status
	causality_actor_process_execution_time	Causality Actor Execution Time	Causality actor process execution time
	action_process_image_path	Action Process Path	Action process path
	action_process_signature_vendor	Action Process Signature Vendor	Action process signature vendor
	action_process_signature_status	Action Process Signature Status	Action process signature status
	action_file_name	Action File Name	Action file name
	action_file_path	Action File Path	Action file path
	action_file_sha256	Action File SHA256	Action file SHA256
	action_file_md5	Action File MD5	Action file MD5
Palo Alto Networks Cortex XDR(XDR Analytics BIOC) (palo_alto_cortex_xdr_analytics_bioc) 6.1.0	palo_alto_networks.name	Alert Name	Alert name
	palo_alto_networks.category	Category	Alert category
	palo_alto_networks.alert_type	Alert Type	Alert type
	event.severity_str	Palo Alto Networks Cortex XDR Alert Severity	Palo Alto Networks Cortex XDR alert severity
	host.name	Host Name	Host name
	host.ip	Host IP	Host IP address
	palo_alto_networks.alert_id	Alert ID	Alert ID

Third Party Display Name	Key Field Name	Display Name	Description
	palo_alto_networks.matching_service_rule_id	Rule ID	Matching rule ID
	palo_alto_networks.matching_status	Match Status	Matching status
	palo_alto_networks.action_pretty	Action	Action taken
	palo_alto_networks.source	Source	Alert source
	palo_alto_networks.agent_version	Agent Version	Agent version
	palo_alto_networks.agent_os_type	OS Type	Operating System type
	palo_alto_networks.agent_os_sub_type	OS Version	OS version
	palo_alto_networks.resolution_status	Status	Resolution status
	palo_alto_networks.mitre_tactic_id_and_name	MITRE Tactics	MITRE tactics
	palo_alto_networks.mitre_technique_id_and_name	MITRE Techniques	MITRE techniques
	palo_alto_networks.events	Events	Related events
	event_type	Event Type	Event type
	user_name	User Name	User name
	action_process_image_name	Action Process	Action process
	action_process_image_command_line	Command Line	Process command line
	actor_process_image_path	Actor Process Path	Actor process path
	action_process_image_sha256	Process SHA256	Process SHA256
	action_process_signature_vendor	Action Process Signature Vendor	Action process signature vendor
	action_process_signature_status	Action Process Signature Status	Action process signature status
	action_process_causality_id	Action Process Causality ID	Action process causality ID
	actor_process_image_name	Actor Process	Actor process

Third Party Display Name	Key Field Name	Display Name	Description
	actor_process_command_line	Actor Command Line	Actor command line
	actor_process_image_path	Actor Process Path	Actor process path
	actor_process_image_sha256	Actor SHA256	Actor process SHA256
	actor_process_image_md5	Actor MD5 Hash	Actor process MD5
	actor_process_signature_vendor	Actor Signature Vendor	Actor process signature vendor
	actor_process_signature_status	Actor Signature Status	Actor process signature status
	actor_process_os_pid	Actor Process PID	Actor process PID
	actor_process_instance_id	Actor Process Instance ID	Actor process instance ID
	actor_process_causality_id	Actor Process Causality ID	Actor process causality ID
	causality_actor_process_image_name	Causality Actor Process Name	Causality actor process name
	causality_actor_process_image_path	Causality Actor Process Path	Causality actor process path
	causality_actor_process_command_line	Causality Actor Command Line	Causality actor process command line
	causality_actor_process_image_sha256	Causality Actor SHA256	Causality actor process SHA256
	causality_actor_process_image_md5	Causality Actor MD5	Causality actor process MD5
	causality_actor_process_signature_vendor	Causality Actor Signature Vendor	Causality actor process signature vendor
	causality_actor_process_signature_status	Causality Actor Signature Status	Causality actor process signature status
	causality_actor_process_execution_time	Causality Actor Execution Time	Causality actor process execution time
	causality_actor_causality_id	Causality Actor Causality ID	Causality actor causality ID
	os_actor_process_image_name	OS Actor Process Name	OS actor process name
	os_actor_process_image_path	OS Actor Process Path	OS actor process path
	os_actor_process_command_line	OS Actor Command Line	OS actor process command line

Third Party Display Name	Key Field Name	Display Name	Description
	os_actor_process_image_sha256	OS Actor SHA256	OS actor process SHA256
	os_actor_process_signature_vendor	OS Actor Signature Vendor	OS actor process signature vendor
	os_actor_process_signature_status	OS Actor Signature Status	OS actor process signature status
	os_actor_process_os_pid	OS Actor Process PID	OS actor process PID
	os_actor_process_instance_id	OS Actor Process Instance ID	OS actor process instance ID
	os_actor_process_causality_id	OS Actor Process Causality ID	OS actor process causality ID
	os_actor_thread_thread_id	OS Actor Thread ID	OS actor thread ID
	event_timestamp	Event Timestamp	Event timestamp
	association_strength	Association Strength	Association strength
	event_sub_type	Event Sub Type	Event sub type
	agent_install_type	Agent Install Type	Agent install type
	agent_host_boot_time	Agent Host Boot Time	Agent host boot time
	contains_featured_host	Contains Featured Host	Contains featured host
	contains_featured_ip	Contains Featured IP	Contains featured IP address
	contains_featured_user	Contains Featured User	Contains featured user
	action_country	Action Country	Action country
Palo Alto Networks Cortex XDR(XDR BIOC) (palo_alto_cortex_xdr_bioc) 6.1.0	palo_alto_networks.name	Alert Name	Alert name
	palo_alto_networks.category	Category	Alert category
	palo_alto_networks.bioc_category_enum_key	BIOC Category	BIOC category
	palo_alto_networks.alert_type	Alert Type	Alert type
	event.severity_str	Palo Alto Networks Cortex XDR Alert Severity	Palo Alto Networks Cortex XDR alert severity
	host.name	Host Name	Host name
	host.ip	Host IP	Host IP address
	palo_alto_networks.alert_id	Alert ID	Alert ID
	palo_alto_networks.case_id	Case ID	Case ID
	palo_alto_networks.matching_service_rule_id	Rule ID	Matching rule ID

Third Party Display Name	Key Field Name	Display Name	Description
	palo_alto_networks.matching_status	Match Status	Matching status
	palo_alto_networks.action_pretty	Action	Action taken
	palo_alto_networks.source	Source	Alert source
	palo_alto_networks.agent_version	Agent Version	Agent version
	palo_alto_networks.agent_os_type	OS Type	Operating System type
	palo_alto_networks.agent_os_sub_type	OS Version	OS version
	palo_alto_networks.resolution_status	Status	Resolution status
	palo_alto_networks.bioc_indicator	BIOC Indicator	BIOC indicator details
	palo_alto_networks.mitre_tactic_id_and_name	MITRE Tactics	MITRE tactics
	palo_alto_networks.mitre_technique_id_and_name	MITRE Techniques	MITRE techniques
	palo_alto_networks.events	Events	Related events
	event_type	Event Type	Event type
	user_name	User Name	User name
	action_process_image_name	Action Process	Action process
	action_process_image_command_line	Command Line	Process command line
	action_process_image_path	Action Process Path	Action process path
	action_process_image_sha256	Process SHA256	Process SHA256
	action_process_signature_vendor	Action Process Signature Vendor	Action process signature vendor
	action_process_signature_status	Action Process Signature Status	Action process signature status
	action_process_causality_id	Action Process Causality ID	Action process causality ID
	action_process_instance_id	Action Process Instance ID	Action process instance ID
	actor_process_image_name	Actor Process	Actor process
	actor_process_command_line	Actor Command Line	Actor command line
	actor_process_image_path	Actor Process Path	Actor process path
	actor_process_image_sha256	Actor SHA256	Actor process SHA256
	actor_process_image_md5	Actor MD5 Hash	Actor process MD5
	actor_process_signature_vendor	Actor Signature Vendor	Actor process signature vendor

Third Party Display Name	Key Field Name	Display Name	Description
	actor_process_signature_status	Actor Signature Status	Actor process signature status
	actor_process_os_pid	Actor Process PID	Actor process PID
	actor_process_instance_id	Actor Process Instance ID	Actor process instance ID
	actor_process_causality_id	Actor Process Causality ID	Actor process causality ID
	actor_thread_thread_id	Actor Thread ID	Actor thread ID
	causality_actor_process_image_name	Causality Actor Process Name	Causality actor process name
	causality_actor_process_image_path	Causality Actor Process Path	Causality actor process path
	causality_actor_process_command_line	Causality Actor Command Line	Causality actor process command line
	causality_actor_process_image_sha256	Causality Actor SHA256	Causality actor process SHA256
	causality_actor_process_image_md5	Causality Actor MD5	Causality actor process MD5
	causality_actor_process_signature_vendor	Causality Actor Signature Vendor	Causality actor process signature vendor
	causality_actor_process_signature_status	Causality Actor Signature Status	Causality actor process signature status
	causality_actor_process_execution_time	Causality Actor Execution Time	Causality actor process execution time
	causality_actor_causality_id	Causality Actor Causality ID	Causality actor causality ID
	os_actor_process_image_name	OS Actor Process Name	OS actor process name
	os_actor_process_image_path	OS Actor Process Path	OS actor process path
	os_actor_process_command_line	OS Actor Command Line	OS actor process command line
	os_actor_process_image_sha256	OS Actor SHA256	OS actor process SHA256
	os_actor_process_signature_vendor	OS Actor Signature Vendor	OS actor process signature vendor
	os_actor_process_signature_status	OS Actor Signature Status	OS actor process signature status
	os_actor_process_os_pid	OS Actor Process PID	OS actor process PID
	os_actor_process_instance_id	OS Actor Process Instance ID	OS actor process instance ID
	os_actor_process_causality_id	OS Actor Process Causality ID	OS actor process causality ID
	os_actor_thread_thread_id	OS Actor Thread ID	OS actor thread ID
	event_timestamp	Event Timestamp	Event timestamp
	association_strength	Association Strength	Association strength

Third Party Display Name	Key Field Name	Display Name	Description
	dst_asso_n_strength	Dst Association Strength	Destination association strength
	event_sub_type	Event Sub Type	Event sub type
	agent_install_type	Agent Install Type	Agent install type
	agent_host_boot_time	Agent Host Boot Time	Agent host boot time
	contains_featured_host	Contains Featured Host	Contains featured host
	contains_featured_ip	Contains Featured IP	Contains featured IP address
	contains_featured_user	Contains Featured User	Contains featured user
	action_country	Action Country	Action country
Palo Alto Networks Cortex XDR(XDR IOC) (palo_alto_cortex_xdr_ioc_alerts) 6.1.0	palo_alto_networks.name	Alert Name	Alert name
	palo_alto_networks.category	IOC Category	IOC category
	palo_alto_networks.bioc_category_enum_key	IOC Type	IOC type
	event.severity_str	Palo Alto Networks Cortex XDR Alert Severity	Palo Alto Networks Cortex XDR alert severity
	host.name	Host Name	Host name
	host.ip	Host IP	Host IP address
	palo_alto_networks.alert_id	Alert ID	Alert ID
	palo_alto_networks.matching_service_rule_id	Rule ID	Matching rule ID
	palo_alto_networks.matching_status	Match Status	Matching status
	palo_alto_networks.action_pretty	Action	Action taken
	palo_alto_networks.source	Source	Alert source
	palo_alto_networks.agent_version	Agent Version	Agent version
	palo_alto_networks.agent_os_type	OS Type	Operating System type
	palo_alto_networks.agent_os_sub_type	OS Version	OS version
	palo_alto_networks.resolution_status	Status	Resolution status
	palo_alto_networks.events	Events	Related events
	event_type	Event Type	Event type
	user_name	User Name	User name
	action_process_image_name	Action Process	Action process
	actor_process_image_name	Actor Process	Actor process
	action_process_image_sha256	Process SHA256	Process SHA256
	actor_process_image_sha256	Actor SHA256	Actor process SHA256
	action_process_image_command_line	Command Line	Process command line

Third Party Display Name	Key Field Name	Display Name	Description
	actor_process_command_line	Actor Command Line	Actor command line
	actor_process_image_path	Actor Process Path	Actor process path
	actor_process_image_md5	Actor MD5 Hash	Actor process MD5
	actor_process_signature_vendor	Actor Signature Vendor	Actor process signature vendor
	actor_process_signature_status	Actor Signature Status	Actor process signature status
	actor_process_os_pid	Actor Process PID	Actor process PID
	actor_thread_thread_id	Actor Thread ID	Actor thread ID
	causality_actor_process_image_name	Causality Actor Process Name	Causality actor process name
	causality_actor_process_image_path	Causality Actor Process Path	Causality actor process path
	causality_actor_process_command_line	Causality Actor Command Line	Causality actor process command line
	causality_actor_process_image_sha256	Causality Actor SHA256	Causality actor process SHA256
	causality_actor_process_signature_vendor	Causality Actor Signature Vendor	Causality actor process signature vendor
	causality_actor_process_signature_status	Causality Actor Signature Status	Causality actor process signature status
	causality_actor_process_execution_time	Causality Actor Execution Time	Causality actor process execution time
	action_process_image_path	Action Process Path	Action process path
	action_process_signature_vendor	Action Process Signature Vendor	Action process signature vendor
	action_process_signature_status	Action Process Signature Status	Action process signature status
	action_file_name	Action File Name	Action file name
	action_file_path	Action File Path	Action file path
	action_file_sha256	Action File SHA256	Action file SHA256
	action_file_md5	Action File MD5	Action file MD5
Palo Alto Networks Prisma Cloud (palo_alto_networks_prisma_cloud) 6.4.0	palo_alto_networks_prisma_cloud.type	Alert Type	Type of Prisma Cloud alert or audit event (for example, admission_audit, container_runtime_audit, container_scan)
	palo_alto_networks_prisma_cloud.log_type	Log Type	Category of the log entry (for example, compliance, vulnerability, filesystem, network)
	palo_alto_networks_prisma_cloud.attack_type	Attack Type	Specific attack pattern detected (for example, explicitly denied

Third Party Display Name	Key Field Name	Display Name	Description
			file, explicitly denied IP)
	palo_alto_networks_prisma_cloud.rule	Rule Name	Prisma Cloud policy or detection rule that was triggered
	palo_alto_networks_prisma_cloud.severity	Severity	Severity level of the alert (critical, high, medium, low, info)
	palo_alto_networks_prisma_cloud.namespace	Namespace	Kubernetes namespace where the event occurred
	palo_alto_networks_prisma_cloud.cluster	Cluster	Kubernetes cluster name
	palo_alto_networks_prisma_cloud.image_name	Image Name	Container image name
	file.path	File Path	File path involved in the alert (for filesystem-related events)
	user.name	User Name	Username associated with the alert
	host.name	Host Name	Host name where the event occurred
Proofpoint TAP (proofpoint_tap)	srcip	Source IP Address	Source IP address
	url	Malicious URL	Malicious URL that was clicked
	email.subject	Email Subject	Email subject
	email.sender.address	Sender Address	Who actually sent the email on behalf of the primary sender
	email.from.address	From Address	Who the email is from
	email.recipient.addresses	Recipient Address(es)	Who received the email (including CC and BCC)
	email.to.addresses	To Address(es)	Primary intended recipient of the email
	email.x_mailer	X-Mailer	X-Mailer content
	event.threat_list	Proofpoint Event Threat List	Threat category: Threat artifact
	name	Threat Name	Proofpoint threat name
	category	Threat Category	Proofpoint threat category
	attachment	Threat Attachment	Proofpoint threat attachment
	severity	Proofpoint Threat Severity	Proofpoint threat severity
	url	Proofpoint Threat URL	Proofpoint threat URL
Recorded Future Alert (recorded_future_normal_alert) 6.1.0	recorded_future.rule.name	Rule Name	Rule name
	recorded_future.owner_organisation_details.organisations	Organizations as defined by Recorded Future	Organizations as defined by Recorded Future
	organisation_name	Organization Name	Organization name
	recorded_future.log.triggered	Alert Time	Alert time
	recorded_future.url.portal	Recorded Future Alert URL	Recorded Future alert URL
	recorded_future.rule.url.portal	Recorded Future Alert Rule URL	Recorded Future alert rule URL

Third Party Display Name	Key Field Name	Display Name	Description
Recorded Future Playbook Alert (recorded_future_playbook_alert) 6.1.0	recorded_future.playbook_alert_id	Playbook Alert ID	Playbook alert ID
	recorded_future.priority	Alert Priority	Alert priority
	recorded_future.panel_status.case_rule_label	Playbook Alert Rule Name	Playbook alert rule name
	recorded_future.title	Alert Title	Alert title
	recorded_future.panel_status.entity_name	Entity Name	Entity name
	recorded_future.panel_status.entity_id	Entity ID	Entity ID
	recorded_future.owner_organisation_details.organisations	Organizations as defined by Recorded Future	Organizations as defined by Recorded Future
	organisation_name	Organization Name	Organization name
	recorded_future.panel_status.targets	Alert Targets	Alert targets
	recorded_future.panel_status.targets_obj	Alert Targets	Alert targets
	name	Alert Target	Alert target
	recorded_future.actions_taken	Actions Taken	Actions taken
	recorded_future.panel_status.subject	Affected Subject	Affected subject
	recorded_future.panel_status.authorization_url	Authorization URL	Authorization URL
	recorded_future.panel_evidence_summary.malware_family.name	Malware Family	Malware family
	recorded_future.panel_evidence_summary.compromised_host.malware_file	Malware File	Malware file
	recorded_future.panel_evidence_summary.compromised_host.exfiltration_date	Exfiltration Date	Exfiltration date
	recorded_future.panel_evidence_summary.compromised_host.os_username	Compromised Host OS Username	Compromised host OS username
	recorded_future.panel_evidence_summary.compromised_host.computer_name	Compromised Host Computer Name	Compromised host computer name
	recorded_future.panel_evidence_summary.infrastructure.ip	Infrastructure IP Address	Infrastructure IP address
	recorded_future.panel_evidence_summary.repository.name	Repository Name	Repository name
	recorded_future.panel_evidence_summary.repository.owner.name	Repository Owner	Repository owner

Third Party Display Name	Key Field Name	Display Name	Description
	recorded_futu el_status.entit y_criticality	Critical Level for Entity	Critical level for entity
	recorded_future.panel_status.lifec ycle_stage	Lifecycle Stage	Lifecycle stage
	recorded_future.panel_overview.e vent_type	Alert Event Type	Alert event type
	recorded_future.panel_overview.l ocation	Alert Location	Alert location
	recorded_future.panel_overview.f acility_name	Facility Name	Facility name
SentinelOne (sentinelone)	host.name	Host Name	Computer name
	host.ip	Host IP Address	Host IP address
	file.name	File Name	File name
	file.path	File Path	File path
	process.parent.name	Parent Process Name	Originator process name
SentinelOne Singularity Identity (sentinelone_identity) 6.3.0	event.threat.name	Threat Name	Threat name
	event.severity_str	Alert Severity Level	Alert severity level
	sentinelone.confidenceLevel	Confidence Level	Confidence level
	sentinelone.classification	Alert Classification	Alert classification
	host.name	Host Name	Host name
	host.ip	Host IP Address	Host IP address
	sentinelone.asset.id	Asset ID	Asset ID
	sentinelone.asset.osType	Asset OS Type	Asset OS type
	sentinelone.detectionTime.scope .accountName	Account Name	Account name
	sentinelone.detectionTime.scope .groupName	Group Name	Group name
	sentinelone.detectionTime.scope .siteName	Site Name	Site name
	sentinelone.analytics.category	Analytics Category	Analytics category
	sentinelone.analytics.uid	Analytics UID	Analytics UID
	sentinelone.detectionSource.pro duct	Detection Source Product	Detection source product
	sentinelone.status	Alert Status	Alert status
	sentinelone.attackSurfaces	Attack Surfaces	Attack surfaces
SOCRadar (socradar) 6.3.0	socradar.consolidated_alarm_id	Alert ID	Alert ID (consolidated)
	socradar.alarm_risk_level	Risk Level	Risk level
	socradar.alarm_type_details.alar m_main_type	Alert Main Type	Alert main type
	socradar.alarm_type_details.alar m_sub_type	Alert Sub Type	Alert sub type

Third Party Display Name	Key Field Name	Display Name	Description
	socradar.alarm_details.alarm_generic_title	Generic Title	Generic title
	socradar.alarm_notification_texts.alarm_title	Alert Title	Alert title
	socradar.alarm_notification_texts.alarm_text	Narrative Summary	Narrative summary
	socradar.alarm_notification_texts.alarm_mitigation_plan	Suggested Mitigation	Suggested mitigation
	socradar.alarm_detection_and_analysis	Detection & Analysis Notes	Detection & analysis notes
	socradar.alarm_response	Response Playbook	Response playbook
	socradar.alarm_post_incident_analysis	Post-Incident Analysis	Post-incident analysis
	socradar.alarm_assets	Primary Assets	Primary assets in scope
	socradar.alarm_related_assets	Related Assets	Related asset values
	key	Asset Type	Related asset type
	value	Asset Values	Related asset values
	socradar.alarm_related_entities	Related Entities	Related entity values
	key	Entity Type	Related entity type
	value	Entity Values	Related entity values
	socradar.is_false_positive	False Positive	Marked false positive
	socradar.tags	Tags	Tags / keywords
	socradar.notes	Analyst Notes	Analyst notes
	socradar.source_file	Source File	Source file
	socradar.alarms	Alarms Details	Alarms details
	alarmId	Alarm ID	Alarm ID
	date	Alarm Time	Alarm time
	status	Alarm Status	Alarm status
	approvedBy	Approved By	Approved by
	tags	Alarm Tags	Alarm tags
	content.company	Affected Company	Affected company
	content.published	Published Time	Published time
	content.ransomware_group	Threat Group	Threat group
	content.country	Country/Region	Country/region
	content.content	Headline	Headline/blurb
	content.content_link.url	Content Link	Content link
	content.Asset	Asset	Asset
	content.Port	Port	Port
	content.Protocol	Protocol	Protocol
	content.Vendor	Vendor	Vendor
	content.Product	Product	Product

Third Party Display Name	Key Field Name	Display Name	Description
	content.Version	Version	Version
	content.CPE	CPE	CPE (fingerprint)
	content.scan_result.Asset	Vulnerable Asset	Vulnerable asset
	content.scan_result.Ports	Vulnerable Ports	Vulnerable port(s)
	content.scan_result.CVE	CVE	CVE (primary)
	content.scan_result.CVSS Score	CVSS Score	CVSS score
	content.scan_result.CVSS Vector	CVSS Vector	CVSS vector
	content.scan_result.CWE Details	CWE Details	CWE details
	content.scan_result.Affected Software	Affected Software	Affected software
	content.phishing_domain	Phishing Domain	Phishing domain
	content.phishing_domain_url	Phishing Domain Link	Phishing domain link
	content.phishing_keyword	Phishing Keyword	Phishing keyword
	content.ip_address	IP Address	IP address
	content.ip_addresses	IP Addresses	IP addresses
	content.email	Email	Email
	content.password	Password	Password
	content.full_name	Account Display Name	Account display name
	content.username	Username	Username/handle
	content.profile_url	Profile URL	Profile URL
	content.source	Source	Source
	content.source_link	Source Link	Source link
SonicWall Endpoint Security (sonicwall_theron) 6.3.0	sonicwall_theron.threat_name	Threat Name	Threat name
	event.severity	Event Severity Level	Event severity level
	sonicwall_theron.reason	Threat Trigger Reason	Threat trigger reason
	host.ip	Host IP Address	Host IP address
	host.name	Host Name	Host name
	user.name	User Name	User name
	file.path	File Path	File path
	file.hash.sha256	File SHA256 Hash	File SHA256 hash
	file.threat_indicator.labels	File Hash Reputation Labels	File hash reputation labels
	file.threat_indicator.sources	File Hash Reputation Sources	File hash reputation sources
	process.pid	Process ID	Process ID
	process.command_line	Process Command Line	Process command line
	process.parent.pid	Parent Process ID	Parent process ID
	process.executable	Process Executable	Process executable
	process.hash.md5	Process MD5 Hash	Process MD5 hash

Third Party Display Name	Key Field Name	Display Name	Description
	process.hash.[redacted]	Process SHA1 Hash	Process SHA1 hash
	process.hash.sha256	Process SHA256 Hash	Process SHA256 hash
	process.threat_indicator.labels	Process Hash Reputation Labels	Process hash reputation labels
	process.threat_indicator.sources	Process Hash Reputation Sources	Process hash reputation sources
	sonicwall_theron.ep_id	Endpoint ID	Endpoint ID
	sonicwall_theron.event_id	Event ID	Event ID
	sonicwall_theron.alert_id	Alert ID	Alert ID
	sonicwall_theron.agent_version	Detection Agent Version	Detection agent version
	sonicwall_theron.scope	Vendor Event Scope	Vendor event scope
	sonicwall_theron.process_killed	Process Killed	Process killed
	sonicwall_theron.os_version	Operating System Version	Operating system version
	sonicwall_theron.file_quarantined	File Quarantined	File quarantined
	process_list	Process List Details	Process list details
	pid	Process ID	Process ID
	parent.pid	Parent Process ID	Parent process ID
	name	Process Name	Process name
	command_line	Command Line	Command line
	hash.md5	Process MD5 Hash	Process MD5 hash
	hash.sha1	Process SHA1 Hash	Process SHA1 hash
	hash.sha256	Process SHA256 Hash	Process SHA256 hash
	threat_indicator.labels	Process Hash Reputation Labels	Process hash reputation labels
	threat_indicator.sources	Process Hash Reputation Sources	Process hash reputation sources
Sophos Alert (sophos_alerts)	host.ip	Host IP	Host IP address
	user.name	User Name	User name
	event.severity_str	Sophos Severity	Original severity level from Sophos
	sophos.type	Sophos Event Type	Sophos event type
	sophos.data.endpoint_platform	Endpoint Platform	Endpoint platform
	file.path	File Path	File path
	file.hash.sha256	File SHA256	File SHA256
Sophos Event (sophos_events)	host.ip	Host IP	Host IP address
	user.name	User Name	User name
	sophos.user_id	User ID	User ID
	event.severity_str	Sophos Severity	Original severity level from Sophos
	sophos.type	Sophos Event Type	Sophos event type
	sophos.endpoint_type	Endpoint Platform	Endpoint platform

Third Party Display Name	Key Field Name	Display Name	Description
	file.path	File Path	File path
	file.hash.sha256	File SHA256	File SHA256
Trellix (FireEye HX) Endpoint Security (AMSI) (fireeye_amsi)	fireeye.source	Alert Type	FireEye alert source type
	event.threat.name	Threat Name	FireEye alert name
	event.severity_str	Severity	Severity level
	host.ip	Host IP Address	Host IP address
	host.name	Host Name	Host name
	file_list	File List	File list
	process_list	Process List	Process list
	pid	PID	Process ID
	command_line	Command Line	Command line
	event.url	Event URL	FireEye event URL
Trellix (FireEye HX) Endpoint Security (IOC) (fireeye_ioc)	fireeye.source	Alert Type	FireEye alert source type
	host.ip	Host IP Address	Host IP address
	host.name	Host Name	Host name
	user.name	User Name	User name
	event.name	Event Name	Event name
	file.name	File Name	File name
	process.name	Process Name	Process name
	process.executable	Process Executable	Process executable
	event.url	Event URL	FireEye event URL
Trellix (FireEye HX) Endpoint Security (MAL) (fireeye_mal)	fireeye.source	Alert Type	FireEye alert source type
	event.threat.name	Threat Name	FireEye alert name
	fireeye.infection_type	Infection Type	FireEye Infection Type
	event.severity_str	FireEye Severity Level	FireEye severity level
	host.ip	Host IP Address	Host IP address
	host.name	Host IP Address	Host name
	file.path	File Path	File path
	file.hash.md5	File MD5 Hash	File MD5 hash
	file.hash.sha1	File SHA1 Hash	File SHA1 hash
	file.hash.sha256	File SHA256 Hash	File SHA256 hash
	process.executable	Event Actor Process Path	FireEye event actor process path
	process.pid	Event Actor Process Pid	FireEye event actor process Pid
	event.url	Event URL	FireEye event URL
Trellix (FireEye HX) Endpoint Security (PROCGUARD) (fireeye_procguard)	fireeye.source	Alert Type	FireEye alert source type
	event.threat.name	Threat Name	FireEye alert name
	host.ip	Host IP Address	Host IP address
	host.name	Host Name	Host name
	file_list	File List	File list

Third Party Display Name	Key Field Name	Display Name	Description
	process_list	Process List	Process list: Pid (process command line)
	event.url	Event URL	FireEye event URL
Trellix MVISION (trellix_mvision) 5.5.0	process.command_line	Command Line	Full command line that was executed by the process
	process.pid	Process ID	Unique identifier of the process
	process.executable	Executable	Executable file associated with the process
	host.name	Host Name	Name of the host where the event occurred
	user.name	User Name	Name of the user associated with the event
	event.severity_str	Trellix MVISION Severity	Original severity from Trellix MVISION
	event.threat.name	Threat Name	Name of the detected threat or activity
Trend Micro Cloud App Security (trendmicro_cloud_app_security) 6.4.0	event.threat.name	Alert Type	Alert type
	event.severity_str	Trend Micro Alert Severity Level	Trend Micro alert severity level
	trendmicro_cloud_app_security.service	Cloud Service	Cloud service
	trendmicro_cloud_app_security.message.affected_user	Affected User	Affected user
	trendmicro_cloud_app_security.message.file_name	File Name	File name
	trendmicro_cloud_app_security.message.location	File Location	File location
	trendmicro_cloud_app_security.message.risk_level	Risk Level	Risk level
	trendmicro_cloud_app_security.message.triggered_policy_name	Triggered Policy Name	Triggered policy name
	trendmicro_cloud_app_security.message.triggered_security_filter	Triggered Security Filter	Triggered security filter
	file.hash.sha256	File SHA256 Hash	SHA256 hash of the file
	file.hash.sha1	File SHA1	File SHA1
	trendmicro_cloud_app_security.message.security_risk_name	Security Risk Name	Security risk name
	trendmicro_cloud_app_security.message.threat_type	Threat Type	Threat type
	file.threat_indicator.labels	File Hash Reputation Label(s)	File hash reputation label(s)
	file.threat_indicator.sources	File Hash Reputation Source(s)	File hash reputation source(s)

Third Party Display Name	Key Field Name	Display Name	Description
	trendmicro_cloud_app_security.message.virus_name	Virus/Malware Name	Virus/Malware name
	trendmicro_cloud_app_security.message.detected_by	Detection Method	Detection method
	trendmicro_cloud_app_security.message.action	Action Taken	Action taken
	trendmicro_cloud_app_security.message.mail_message_sender	Email Sender	Email sender
	trendmicro_cloud_app_security.message.mail_message_recipient	Email Recipients	Email recipients
	trendmicro_cloud_app_security.message.mail_message_subject	Email Subject	Email subject
	trendmicro_cloud_app_security.url	Suspicious URL	Suspicious URL
	trendmicro_cloud_app_security.ip	IP Address	IP address
	trendmicro_cloud_app_security.domain	Domain Name	Domain name
	trendmicro_cloud_app_security.message.attachment_name	Attachment Name	Attachment name
	trendmicro_cloud_app_security.message.file_size	File Size	File size
	trendmicro_cloud_app_security.log_item_id	Unique Alert ID	Unique alert ID
	trendmicro_cloud_app_security.message.detection_time	Detection Timestamp	Detection timestamp
Trend Micro Vision One (trendmicro_visionone)	event.threat.name	Threat Name	Threat name
	event.severity_str	Trend Micro Vision One Severity	Original Trend Micro Vision One severity level
	trendmicro_visionone.workbenchLink	Trend Micro Vision One Workbench Link	Trend Micro Vision One workbench link
	host_list	Host(s)	Related host(s)
	name	Host Name	Host name
	ips	Host IP(s)	Host IP addresses
	process_list	Process(es)	Related process(es)
	file_list	File(s)	Related file(s)
	name	File Name	File name
	path	File Path	File path
	hash.md5	File MD5 Hash	File MD5 hash
	hash.sha1	File SHA1 Hash	File SHA1 hash
	hash.sha256	File SHA256 Hash	File SHA256 hash

Third Party Display Name	Key Field Name	Display Name	Description
	trendmicro_vis...e.alertProvider	Alert Provider	Trend Micro Vision One alert provider
	user_list	User(s)	Related user(s)
Varonis DatAdvantage (varonis_datadvantage)	event.type	Event Type	Event type
	event.threat.name	Threat Name	Threat name
	event.severity	CEF Severity Level	Original CEF severity level
	user.name	User Name	User name
	file.name	File Name	File name
	file.path	File Path	File path
VMware Carbon Black Cloud (carbonblack)	host.name	Host Name	Computer name
	host.external_ip	Host External IP	Host external IP address
	host.ip	Host Internal IP Address	Host internal IP address
	process.name	Process Name	Process name
	event.description	Event Reason	Event reason
Windows Defender Antivirus (windows_defender_antivirus)	event.ms_incident_id	Incident ID	Windows Defender incident ID
	threat	Threat Name	Threat name
	host.name	Host Name	Computer name
	hostip	Host IP Address	Host IP address
	file.path	File Path	File path
	process.name	Process Name	Process name
WithSecure Elements (withsecure) 6.3.0	event.severity_str	WithSecure Severity Level	WithSecure severity level
	event.threat.name	Detection Name	Detection name
	process.name	Process File Name	Process file name
	process.hash.sha1	Process SHA1 Hash	Process SHA1 hash
	process.command_line	Process Command Line	Process command line
	user.name	User Name	User name
	withsecure_elements.detectionClass	Detection Class	Detection class
	withsecure_elements.deviceId	Device ID	Device ID
	withsecure_elements.exePath	Process Executable Path	Process executable path
	process.threat_indicator.labels	Process File Hash Reputation Label(s)	Process file hash reputation label(s)
	process.threat_indicator.sources	Process File Hash Reputation Source(s)	Process file hash reputation source(s)
	withsecure_elements.description	WithSecure Detection Description	WithSecure detection description
Wiz Cloud Security (wiz_issues) 6.4.0	wiz.id	Issue ID	Wiz issue ID
	wiz.type	Issue Type	Wiz issue type
	wiz.status	Status	Wiz issue status
	wiz.severity	Severity	Wiz issue severity


Third Party Display Name	Key Field Name	Display Name	Description
	wiz.sourceRul	Rule ID	Wiz source rule ID
	wiz.sourceRule.name	Rule Name	Wiz source rule name
	wiz.sourceRule.description	Rule Description	Wiz source rule description
	wiz.sourceRule.resolutionRecommendation	Resolution Recommendation	Resolution recommendation
	wiz.entity.id	Entity ID	Entity ID
	wiz.entity.name	Entity Name	Entity name
	wiz.entity.type	Entity Type	Entity type
	wiz.entitySnapshot.cloudPlatform	Cloud Platform	Cloud platform
	wiz.entitySnapshot.region	Region	Cloud region
	wiz.entitySnapshot.subscriptionName	Subscription Name	Subscription name
	wiz.entitySnapshot.subscriptionId	Subscription ID	Subscription ID
	wiz.createdAt	Created At	Created at
	wiz.updatedAt	Updated At	Updated at

Key Fields for ML and Rule-Based Alert Types


The Key Fields for Machine Learning (ML) alert types and rule-based alert types are documented individually. See the Key Fields and Relevant Data Points for any alert type by their display name in Machine Learning Alert Type Details or by their XDR event name in Alert Types by XDR Event Name.

Key Fields in User Interface

To view the Key Fields in the user interface, click the **Key Fields** tab.




If the alert description is long, click the **More** button to display the full alert description. After the alert description is expanded, the button toggles to **Less**.




Some Key Fields, such as File Path, have an icon. Click the icon to copy the field value to the clipboard.



If the value of a Key Field is long, only three lines of text are displayed. Click the **More** button to expand the value. After the value is expanded, the button toggles to **Less**.



If there are multiple values in a Key Field such as for a list, the sub-fields will appear below the Key Field in a smaller and lighter font.



© 2026 Stellar Cyber . All rights reserved.