
Stellar Cyber 6.6.0s is now live! Discover all the updates in the release notes!

Managing Firewall Actions

The **Automation | Action History | Firewall Actions** tab displays the firewall actions taken manually from the Event Display or automatically by Automated Threat Hunting. The rules pushed from Stellar Cyber can tell the firewall to block network traffic that is suspected (or proved) to be a security breach. The rules can be temporary or permanent. This page displays the firewall actions taken by Stellar Cyber and allows you to add and revert actions.

Firewall Actions Table

The **Firewall Actions** table displays up to 1000 firewall actions by default.



The **Status** can be one of the following:

- **Waiting** – The action is queued. This normally takes less than a minute.
- **In Progress** – The action is being communicated to the firewall.
- **Succeeded** – The action was successfully implemented on the firewall.
- **Failed** – The action failed.
- **Expiring** – The action is being removed from the firewall.
- **Expired** – The action is no longer active.

You can view status details in the **Status Message**.


On the **Firewall Actions** table you can take these actions:

- **Create** to add a new firewall action.
- **Revert** to revert the action.

Stellar Cyber does not automatically delete rules when they expire. Sort the table by execution time to see which rules are in effect and which can be reverted.

See the Tables page for more information on working with tables.

Adding a Firewall Action



To add a firewall action:

1. Select the **Create** button.

   The **ADD FIREWALL ACTION** screen appears.

2. Choose a **Firewall Name** from the drop-down list.

   The list contains all firewalls configured in your Stellar Cyber Platform. If you don't see a firewall you need, add the firewall to Stellar Cyber.

3. Choose an **Action**.

   - **Add** – Adds the rule to the firewall
   - **Remove** – Removes the rule from the firewall

4. Enter the **IP Address** affected by the rule.
5. Choose the **Direction**.
6. Set the **Duration**.

   You can choose any number of **Minutes**, **Hours**, **Days**, or **Forever**.

7. Select **Submit**.


   The action goes into effect immediately and appears in the **Firewall Actions** table.

You can also add firewall actions from the Event Display.

Reverting a Firewall Action

To disable a firewall action, select the **Revert** button.

A new row for the rule is added to the table, with the action of **Removed**. The progress of the rule update to the firewall is reported in the **Status** column. Use the **Refresh** button to monitor progress. A **Status Message** of **Successfully unblocked IP <address>** is reported when the rule update is completed.



You cannot revert (or edit) a failed action. If the action failed, you must recreate the action.



© 2026 Stellar Cyber . All rights reserved.