Stellar Cyber 6.6.0s is now live! Discover all the updates in the release notes!

Rules Contributing to Parent/Child-based Suspicious Process Creation Alert

The following rules are used to identify suspicious activity with parent/child relationships associated with process creation. Any one or more of these will trigger the Parent-Child Suspicious Process Creation Alert. Details for each rule can be viewed by clicking the **More Details** link in the description.

Windows Events Required: 1, 4688

The Windows Detect Profile (Low Volume) covers these required Windows events.

Title	Description

MSHTA Spawning Windows Shell	It is suspicious for the mshta process to launch a Windows command line executable.
	More details
	Rule ID
	`parent_child_1`
	Query
	`{'selection': {'ParentImage|endswith': '\\mshta.exe'}, 'selection2': [{'Image|endswith': ['\\cmd.exe', '\\powershell.exe', '\\wscript.exe', '\\cscript.exe', '\\sh.exe', '\\bash.exe', '\\reg.exe', '\\regsvr32.exe']}, {'Image|contains': ['\\BITSADMIN']}], 'condition': 'selection and selection2'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,03cc0c25-389f-4bf8-b48d-11878079f1ca
	Author: Michael Haag
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0005, T1218.005

Title	Description
	References N/A **Severity** 74 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2019/01/16 **Risk Level**: high **False Positives** • Printer software / driver installations • HP software

New Lolbin Process by Office Applications	A Microsoft Office application that launches a new LOLBin process is very suspicious.
	
	More details
	
	Rule ID
	`parent_child_2`
	
	Query
	`{'selection1': {'Image|endswith': ['\\regsvr32.exe', '\\rundll32.exe', '\\msiexec.exe', '\\mshta.exe', '\\verclsid.exe']}, 'selection2': {'ParentImage|endswith': ['\\winword.exe', '\\excel.exe', '\\powerpnt.exe']}, 'condition': 'selection1 and selection2'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,23daeb52-e6eb-493c-8607-c4f0246cb7d8
	
	Author: Vadim Khrykov (ThreatIntel), Cyb3rEng (Rule), Michael Haag, Christopher Peacock @securepeacock (Update), SCYTHE @scythe_io (Update)
	
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0002, T1204.002, T1047, TA0005, T1218.010
	
	References
	• https://thedfirreport.com/2021/03/29/sodinokibi-aka-revil-ransomware/
	• https://github.com/vadim-hunter/Detection-Ideas-Rules/blob/main/Threat%20Intelligence/The%20DFIR%20Report/20210329_Sodinokibi_(aka_REvil)_Ransomware.yaml
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	
	Additional Information

Title	Description			
	Maturity	Creation Date	Risk Level	False Positives
	experimental	2021/08/23	high	• Unknown

Droppers Exploiting CVE-2017-11882	This is indicative an attempt to exploit vulnerabilities described in CVE-2017-11882, in which exploits often start EQNEDT32.EXE and other sub-processes such as mshta.exe.
	
	More details
	
	Rule ID
	`parent_child_3`
	
	Query
	`{'selection': {'ParentImage|endswith': '\\EQNEDT32.EXE'}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,678eb5f4-8597-4be6-8be7-905e4234b53a
	
	Author: Florian Roth (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0001, T1566.001, XTA0001, XT1002, TA0002, T1203, T1204.002
	
	References
	• https://www.hybrid-analysis.com/sample/2a4ae284c76f868fc51d3bb65da8caa6efacb707f265b25c30f34250b76b7507?environmentId=100
	
	Severity
	95
	
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2017/11/23
	Risk Level: critical
	False Positives: • unknown

Exploit for CVE-2017-8759	As described in CVE-2017-8759, launch of csc.exe from Winword may be an exploit attempt.
	
	More details
	
	Rule ID
	`parent_child_4`
	
	Query
	`{'selection': {'ParentImage|endswith': '\\WINWORD.EXE', 'Image|endswith': '\\csc.exe'}, 'condition': 'selection'}`
	
	Log Source

Title	Description
	S Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,fdd84c68-a1f6-47c9-9477-920584f94905 Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0001, T1566.001, XTA0001, XT1002, TA0002, T1203, T1204.002 **References** • https://www.hybrid-analysis.com/sample/0b4ef455e385b750d9f90749f1467eaf00e46e8d6c2885c260e1b78211a51684?environmentId=100 **Severity** 95 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2017/09/15 Risk Level: critical False Positives: • Unknown

Suspicious Shells Spawn by WinRM	A WinRM host process that launches a shell is suspicious.
	More details
	Rule ID
	`parent_child_5`
	Query
	`{'selection': {'ParentImage': '*\\wsmprovhost.exe', 'Image': ['*\\cmd.exe', '*\\sh.exe', '*\\bash.exe', '*\\powershell.exe', '*\\schtasks.exe', '*\\certutil.exe', '*\\whoami.exe', '*\\bitsadmin.exe']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,5cc2cda8-f261-4d88-a2de-e9e193c86716
	Author: Andreas Hunkeler (@Karneades), Markus Neis
	Tactics, Techniques, and Procedures
	TA0001, T1190, XTA0001, XT1002
	References
	N/A
	Severity
	74

Title	Description
	Suppression Logic Based On • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2021/05/20 **Risk Level**: high **False Positives** • Legitimate WinRM usage

Suspicious Shells Spawned by Java	A Java host process that launches certain child processes, particularly a shell process, is suspicious and may indicate exploitation such as log4j.
	
	More details
	
	Rule ID
	`parent_child_6`
	
	Query
	`{'selection': {'ParentImage|endswith': '\\java.exe', 'Image|endswith': ['\\sh.exe', '\\bash.exe', '\\powershell.exe', '\\schtasks.exe', '\\certutil.exe', '\\whoami.exe', '\\bitsadmin.exe', '\\wscript.exe', '\\cscript.exe', '\\scrcons.exe', '\\regsvr32.exe', '\\hh.exe', '\\wmic.exe', '\\mshta.exe', '\\rundll32.exe', '\\forfiles.exe', '\\scriptrunner.exe', '\\mftrace.exe', '\\AppVLP.exe', '\\curl.exe']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,0d34ed8b-1c12-4ff2-828c-16fc860b766d
	
	Author: Andreas Hunkeler (@Karneades), Florian Roth
	
	Tactics, Techniques, and Procedures
	XTA0001, XT1002
	
	References
	N/A
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	
	Additional Information
	Maturity: experimental
	Creation Date: 2021/12/17
	Risk Level: high
	False Positives
	• Legitimate calls to system binaries
	• Company specific internal usage

WMI Backdoor Exchange Transport Agent	This indicates that a WMI event filter has been used to create a backdoor in an Exchange Transport Agent. More details

Title	Description

	R D
	`parent_child_7`
	Query
	`{'selection': {'ParentImage|endswith': '\\EdgeTransport.exe'}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,797011dc-44f4-4e6f-9f10-a8ceefbe566b
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0003, T1546.003
	References
	• https://twitter.com/cglyer/status/1182389676876980224
	• https://twitter.com/cglyer/status/1182391019633029120
	Severity
	95
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2019/10/11
	Risk Level: critical
	False Positives: • Unknown

Exploit for CVE-2017-0261	Launch of FLTLDR.exe from Winword is uncommon and indicative of exploits described in CVE-2017-0261 and CVE-2017-0262.
	More details
	Rule ID
	`parent_child_8`
	Query
	`{'selection': {'ParentImage|endswith': '\\WINWORD.EXE', 'Image|contains': '\\FLTLDR.exe'}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,864403a1-36c9-40a2-a982-4c9a45f7d833
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures

Title	Description
	T[illegible].001, T1566.001, XTA0001, XT1002, TA0002, T1203, T1204.002 **References** • https://www.fireeye.com/blog/threat-research/2017/05/eps-processing-zero-days.html **Severity** 49 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2018/02/22 Risk Level: medium False Positives: • Several false positives identified, check for suspicious file names or locations (e.g. Temp folders)

Exploited CVE-2020-10189 Zoho ManageEngine	This is indicative of CVE-2020-10189 which describes exploitation of Zoho ManageEngine Desktop Central - Java Deserialization.
	
	More details
	
	Rule ID
	`parent_child_9`
	
	Query
	`{'selection': {'ParentImage|endswith': 'DesktopCentral_Server\\jre\\bin\\java.exe', 'Image|endswith': ['\\cmd.exe', '\\powershell.exe', '\\bitsadmin.exe']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,846b866e-2a57-46ee-8e16-85fa92759be7
	
	Author: Florian Roth (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0001, T1190, XTA0001, XT1002, TA0002, T1059
	
	References
	• https://www.fireeye.com/blog/threat-research/2020/03/apt41-initiates-global-intrusion-campaign-using-multiple-exploits.html
	
	Severity
	95
	
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	
	Additional Information

Title	Description			
	Maturity	Creation Date	Risk Level	False Positives
	test	2020/03/25	critical	• Unknown

Microsoft Office Product Spawning Windows Shell	It is suspicious for a Microsoft Office application to launch a Windows command and scripting interpreter executable.
	
	More details
	
	Rule ID
	`parent_child_10`
	
	Query
	`{'selection': {'ParentImage|endswith': ['\\WINWORD.EXE', '\\EXCEL.EXE', '\\POWERPNT.exe', '\\MSPUB.exe', '\\VISIO.exe', '\\MSACCESS.EXE', '\\EQNEDT32.EXE'], 'Image|endswith': ['\\cmd.exe', '\\powershell.exe', '\\wscript.exe', '\\cscript.exe', '\\sh.exe', '\\bash.exe', '\\scrcons.exe', '\\schtasks.exe', '\\regsvr32.exe', '\\hh.exe', '\\wmic.exe', '\\mshta.exe', '\\rundll32.exe', '\\msiexec.exe', '\\forfiles.exe', '\\scriptrunner.exe', '\\mftrace.exe', '\\AppVLP.exe', '\\svchost.exe', '\\msbuild.exe']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,438025f9-5856-4663-83f7-52f878a70a50
	
	Author: Florian Roth (Nextron Systems), Markus Neis, FPT.EagleEye Team, Vadim Khrykov, Cyb3rEng, Michael Haag, Christopher Peacock @securepeacock, @scythe_io
	
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0002, T1204.002
	
	References
	• https://www.hybrid-analysis.com/sample/465aabe132ccb949e75b8ab9c5bda36d80cf2fd503d52b8bad54e295f28bbc21?environmentId=100
	• https://mgreen27.github.io/posts/2018/04/02/DownloadCradle.html
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2018/04/06
	Risk Level: high
	False Positives: • unknown

Suspicious Parent of Csc.exe	It is considered suspicious when certain parent processes (such as wscript or mshta) have launched cwc.exe. More details

Title	Description

	R D
	`parent_child_11`
	Query
	`{'selection': {'Image|endswith': '\\csc.exe', 'ParentImage|endswith': ['\\wscript.exe', '\\cscript.exe', '\\mshta.exe']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,b730a276-6b63-41b8-bcf8-55930c8fc6ee
	Author: Florian Roth (Nextron Systems), Nasreddine Bencherchali (Nextron Systems), X__Junior (Nextron Systems)
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0002, T1059, TA0005, T1218.005, T1027.004
	References
	• https://twitter.com/SBousseaden/status/1094924091256176641
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2019/02/11
	Risk Level: high
	False Positives
	• Unknown

MSHTA Spawned by SVCHOST	This is indicative of LethalHTA (a lateral movement technique).
	More details
	Rule ID
	`parent_child_12`
	Query
	`{'selection': {'ParentImage|endswith': '\\svchost.exe', 'Image|endswith': '\\mshta.exe'}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,ed5d72a6-f8f4-479d-ba79-02f6a80d7471
	Author: Markus Neis
	Tactics, Techniques, and Procedures

Title	Description
	X[illegible]01, XT1002, TA0005, T1218.005 **References** • https://codewhitesec.blogspot.com/2018/07/lethalhta.html **Severity** 74 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2018/06/07 **Risk Level**: high **False Positives**: • Unknown

Suspicious HWP Sub Processes	Certain sub-processes of the Hangul Word Processor (Hanword) application may indicate an exploitation attempt.
	
	More details
	
	Rule ID
	`parent_child_13`
	
	Query
	`{'selection': {'ParentImage|endswith': '\\Hwp.exe', 'Image|endswith': '\\gbb.exe'}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,023394c4-29d5-46ab-92b8-6a534c6f447b
	
	Author: Florian Roth (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0001, T1566.001, XTA0001, XT1002, TA0002, T1203, T1059.003
	
	References
	• https://www.securitynewspaper.com/2016/11/23/technical-teardown-exploit-malware-hwp-files/
	• https://twitter.com/cyberwar_15/status/1187287262054076416
	• https://blog.alyac.co.kr/1901
	• https://en.wikipedia.org/wiki/Hangul_(word_processor)
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	
	Additional Information

Title	Description			
	Maturity	Creation Date	Risk Level	False Positives
	test	2019/10/24	high	• Unknown

Time Travel Debugging Utility Usage	Use of the Time Travel Debugging Utility (tttracer.exe) is suspicious since adversaries can use it to run malicious processes and dump processes, such as lsass.exe.
	
	More details
	
	Rule ID
	`parent_child_14`
	
	Query
	`{'selection': {'ParentImage|endswith': '\\tttracer.exe'}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,0b4ae027-2a2d-4b93-8c7e-962caaba5b2a
	
	Author: Ensar Şamil, @sblmsrsn, @oscd_initiative
	
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0005, T1218, TA0006, T1003.001
	
	References
	• https://lolbas-project.github.io/lolbas/Binaries/Tttracer/
	• https://twitter.com/mattifestation/status/1196390321783025666
	• https://twitter.com/oulusoyum/status/1191329746069655553
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	
	Additional Information
	Maturity: experimental
	Creation Date: 2020/10/06
	Risk Level: high
	False Positives: • Legitimate usage by software developers/testers

CMSTP Execution Process Creation	This is an indicator of an attempt to use Microsoft Connection Manager Profile to bypass UAC.
	
	More details
	
	Rule ID
	`parent_child_15`
	
	Query
	`{'selection': {'ParentImage|endswith': '\\cmstp.exe'}, 'condition': 'selection'}`

Title	Description
	Log Source Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,7d4cdc5a-0076-40ca-aac8-f7e714570e47 Author: Nik Seetharaman **Tactics, Techniques, and Procedures** XTA0001, XT1002, TA0005, T1218.003 **References** • https://web.archive.org/web/20190720093911/http://www.endurant.io/cmstp/detecting-cmstp-enabled-code-execution-and-uac-bypass-with-sysmon/ **Severity** 74 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** **Maturity**: stable **Creation Date**: 2018/07/16 **Risk Level**: high **False Positives** • Legitimate CMSTP use (unlikely in modern enterprise environments)

Winnti Malware HK University Campaign	This is a characteristic of Winnti malware as reported in a Dec/Jan 2020 campaign against Hong Kong universities.
	More details
	Rule ID
	`parent_child_16`
	Query
	`{'selection2': {'ParentImage|startswith': 'C:\\ProgramData\\DRM', 'Image|endswith': '\\wmplayer.exe'}, 'selection3': {'ParentImage|endswith': '\\Test.exe', 'Image|endswith': '\\wmplayer.exe'}, 'selection4': {'Image': 'C:\\ProgramData\\DRM\\CLR\\CLR.exe'}, 'selection5': {'ParentImage|startswith': 'C:\\ProgramData\\DRM\\Windows', 'Image|endswith': '\\SearchFilterHost.exe'}, 'condition': '1 of selection*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,3121461b-5aa0-4a41-b910-66d25524edbb
	Author: Florian Roth (Nextron Systems), Markus Neis
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0003, T1574.002

Title	Description
	References • https://www.welivesecurity.com/2020/01/31/winnti-group-targeting-universities-hong-kong/ **Severity** 95 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2020/02/01 Risk Level: critical False Positives: • Unlikely

Shells Spawned by Web Servers	A web server process that runs a shell process indicates a possible placement of a web shell for malicious use.
	More details
	Rule ID
	`parent_child_17`
	Query
	`{'selection': {'ParentImage|endswith': ['\\w3wp.exe', '\\httpd.exe', '\\nginx.exe', '\\php-cgi.exe', '\\tomcat.exe', '\\UMWorkerProcess.exe', '\\ws_TomcatService.exe'], 'Image|endswith': ['\\cmd.exe', '\\sh.exe', '\\bash.exe', '\\powershell.exe', '\\bitsadmin.exe']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,8202070f-edeb-4d31-a010-a26c72ac5600
	Author: Thomas Patzke, Florian Roth (Nextron Systems), Zach Stanford @svch0st, Tim Shelton, Nasreddine Bencherchali (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0001, T1190, XTA0001, XT1002, TA0003, T1505.003
	References
	N/A
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	Additional Information

Title	Description
	ty / **Creation Date**: test / 2019/01/16 **Risk Level**: high **False Positives**: • Particular web applications may spawn a shell process legitimately

Sdclt Child Processes	The sdclt process creating a child process indicates a possible attempt to bypass UAC.
	
	More details
	
	Rule ID
	`parent_child_18`
	
	Query
	`{'selection': {'ParentImage|endswith': '\\sdclt.exe'}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,da2738f2-fadb-4394-afa7-0a0674885afa
	
	Author: Roberto Rodriguez (Cyb3rWard0g), OTR (Open Threat Research)
	
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0005, T1548.002
	
	References
	• https://github.com/OTRF/detection-hackathon-apt29/issues/6
	
	Severity
	49
	
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2020/05/02
	Risk Level: medium
	False Positives:
	• unknown

LOLBins Process Creation with WmiPrvse	A LOLBin process created by wmiprvse is suspicious.
	
	More details
	
	Rule ID
	`parent_child_19`
	
	Query
	`{'selection1': {'Image|endswith': ['\\regsvr32.exe', '\\rundll32.exe', '\\msiexec.exe', '\\mshta.exe', '\\verclsid.exe']}, 'selection2': {'ParentImage|endswith': '\\wbem\\WmiPrvSE.exe'}, 'condition': 'selection1 and selection2'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:

Title	Description
	 Monitoring process creation **Rule Source** SigmaHQ,8a582fe2-0882-4b89-a82a-da6b2dc32937 Author: Vadim Khrykov (ThreatIntel), Cyb3rEng, Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** XTA0001, XT1002, TA0002, T1204.002, T1047, TA0005, T1218.010 **References** • https://thedfirreport.com/2021/03/29/sodinokibi-aka-revil-ransomware/ • https://github.com/vadim-hunter/Detection-Ideas-Rules/blob/main/Threat%20Intelligence/The%20DFIR%20Report/20210329_Sodinokibi_(aka_REvil)_Ransomware.yaml **Severity** 74 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2021/08/23 **Risk Level**: high **False Positives**: • Unknown

MMC Spawning Windows Shell	It is suspicious for MMC to launch a Windows command-line executable.
	More details
	Rule ID
	`parent_child_20`
	Query
	`{'selection': {'ParentImage|endswith': '\\mmc.exe'}, 'selection2': [{'Image|endswith': ['\\cmd.exe', '\\powershell.exe', '\\wscript.exe', '\\cscript.exe', '\\sh.exe', '\\bash.exe', '\\reg.exe', '\\regsvr32.exe']}, {'Image|contains': ['\\BITSADMIN']}], 'condition': 'selection and selection2'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,05a2ab7e-ce11-4b63-86db-ab32e763e11d
	Author: Karneades, Swisscom CSIRT
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0008, T1021.003
	References
	• https://enigma0x3.net/2017/01/05/lateral-movement-using-the-mmc20-application-com-object/

Title	Description
	Severity 74 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2019/08/05 **Risk Level**: high **False Positives**: N/A

Suspicious Shells Spawn by Java Utility Keytool	It is suspicious for the Java utility keytool process to launch a shell and indicates potential exploitations, such as adselfservice.
	More details
	Rule ID
	`parent_child_21`
	Query
	`{'selection': {'ParentImage|endswith': '\\keytool.exe', 'Image|endswith': ['\\cmd.exe', '\\sh.exe', '\\bash.exe', '\\powershell.exe', '\\schtasks.exe', '\\certutil.exe', '\\whoami.exe', '\\bitsadmin.exe', '\\wscript.exe', '\\cscript.exe', '\\scrcons.exe', '\\regsvr32.exe', '\\hh.exe', '\\wmic.exe', '\\mshta.exe', '\\rundll32.exe', '\\forfiles.exe', '\\scriptrunner.exe', '\\mftrace.exe', '\\AppVLP.exe']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,90fb5e62-ca1f-4e22-b42e-cc521874c938
	Author: Andreas Hunkeler (@Karneades)
	Tactics, Techniques, and Procedures
	XTA0001, XT1002
	References
	• https://redcanary.com/blog/intelligence-insights-december-2021
	• https://www.synacktiv.com/en/publications/how-to-exploit-cve-2021-40539-on-manageengine-adselfservice-plus.html
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	Additional Information
	Maturity: experimental
	Creation Date: 2021/12/22
	Risk Level: high
	False Positives
	• unknown

Title	Description

UAC Bypass via Windows Event Viewer	A UAC bypass attempt to run code with elevated permissions may be indicated when eventvwr.exe launches mmc.exe or WerFault.exe.
	
	More details
	
	Rule ID
	
	`parent_child_22`
	
	Query
	
	`{'methprocess': {'ParentImage|endswith': '\\eventvwr.exe'}, 'filterprocess': {'Image': ['?:\\Windows\\SysWOW64\\mmc.exe', '?:\\Windows\\System32\\mmc.exe', '?:\\Windows\\SysWOW64\\WerFault.exe', '?:\\Windows\\System32\\WerFault.exe']}, 'condition': 'methprocess and not filterprocess'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	
	SigmaHQ,be344333-921d-4c4d-8bb8-e584cf584780
	
	Author: Florian Roth (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	
	XTA0001, XT1002, TA0005, T1548.002
	
	References
	• https://enigma0x3.net/2016/08/15/fileless-uac-bypass-using-eventvwr-exe-and-registry-hijacking/
	• https://www.hybrid-analysis.com/sample/e122bc8bf291f15cab182a5d2d27b8db1e7019e4e96bb5cdbd1dfe7446f3f51f?environmentId=100
	
	Severity
	
	95
	
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	
	Additional Information
	
	Maturity: experimental
	Creation Date: 2017/03/19
	Risk Level: critical
	False Positives:
	• unknown

Malicious PE Execution by Microsoft Visual Studio Debugger	The MS VS Just-In-Time Debugger (vsjitdebugger.exe), which is a signed/verified binary, can be exploited to launch malicious code.
	
	More details
	
	Rule ID
	
	`parent_child_23`
	
	Query
	
	`{'selection': {'ParentImage|endswith': '\\vsjitdebugger.exe'}, 'reduction1': {'Image|endswith': '\\vsimmersiveactivatehelper*.exe'}, 'reduction2': {'Image|endswith': '\\deven`

Title	Description
	 `v e'}, 'condition': 'selection and not (reduction1 or reduction2)'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,15c7904e-6ad1-4a45-9b46-5fb25df37fd2 Author: Agro (@agro_sev), Ensar Şamil (@sblmsrsn), oscd.community **Tactics, Techniques, and Procedures** XTA0001, XT1002, TA0005, T1218 **References** • https://twitter.com/pabraeken/status/990758590020452353 • https://github.com/LOLBAS-Project/LOLBAS/blob/master/yml/OtherMSBinaries/Vsjitdebugger.yml • https://docs.microsoft.com/en-us/visualstudio/debugger/debug-using-the-just-in-time-debugger?view=vs-2019 **Severity** 49 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2020/10/14 **Risk Level**: medium **False Positives**: • the process spawned by vsjitdebugger.exe is uncommon.

CVE-2021-26857 Exchange Exploitation	The CVE-2021-26857 vulnerability is indicated when abnormal subprocesses are launched from Microsoft Exchange Server's Unified Messaging service.
	
	More details
	
	Rule ID
	
	`parent_child_24`
	
	Query
	
	`{'selection': {'ParentImage|endswith': '\\UMWorkerProcess.exe'}, 'filter': {'Image|endswith': ['\\wermgr.exe', '\\WerFault.exe']}, 'condition': 'selection and not filter'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation
	
	Rule Source
	
	SigmaHQ,cd479ccc-d8f0-4c66-ba7d-e06286f3f887
	
	Author: Bhabesh Raj
	
	Tactics, Techniques, and Procedures

Title	Description
	 XT1001, XT1002, TA0002, T1203

References

- https://www.microsoft.com/security/blog/2021/03/02/hafnium-targeting-exchange-servers/

Severity

95

Suppression Logic Based On

- computer_name
- parent_proc_name
- process_name
- stellar.rule_id

Additional Information

Maturity	Creation Date	Risk Level	False Positives
stable	2021/03/03	critical	• Unknown

Title	Description

MS Office Product Spawning Exe in User Dir	It is suspicious for a Microsoft Office application to launch an executable in the Users directory.
	
	More details
	
	Rule ID
	
	`parent_child_25`
	
	Query
	
	`{'selection': {'ParentImage|endswith': ['\\WINWORD.EXE', '\\EXCEL.EXE', '\\POWERPNT.exe', '\\MSPUB.exe', '\\VISIO.exe'], 'Image|startswith': 'C:\\users\\', 'Image|endswith': '.exe'}, 'filter': {'Image|endswith': '\\Teams.exe'}, 'condition': 'selection and not filter'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation
	
	Rule Source
	
	SigmaHQ,aa3a6f94-890e-4e22-b634-ffdfd54792cc
	
	Author: Jason Lynch
	
	Tactics, Techniques, and Procedures
	
	XTA0001, XT1002, TA0002, T1204.002
	
	References
	
	• https://blog.morphisec.com/fin7-not-finished-morphisec-spots-new-campaign
	
	Severity
	
	74
	
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	
	Additional Information
	
	Maturity: experimental
	Creation Date: 2019/04/02
	Risk Level: high
	False Positives:
	• unknown

Execution via stordiag.exe	The stordiag.exe process launch processes such as systeminfo.exe from a non-standard path is suspicious.
	
	More details
	
	Rule ID
	
	`parent_child_26`
	
	Query
	
	`{'selection': {'ParentImage|endswith': '\\stordiag.exe', 'Image|endswith': ['\\schtasks.exe', '\\systeminfo.exe', '\\fltmc.exe']}, 'filter': {'ParentImage|startswith': ['c:\\windows\\system32\\', 'c:\\windows\\syswow64\\']}, 'condition': 'selection and not filter'}`
	
	Log Source

Title	Description
	Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,961e0abb-1b1e-4c84-a453-aafe56ad0d34 Author: Austin Songer (@austinsonger) **Tactics, Techniques, and Procedures** XTA0001, XT1002, TA0005, T1218 **References** • https://strontic.github.io/xcyclopedia/library/stordiag.exe-1F08FC87C373673944F6A7E8B18CD845.html • https://twitter.com/eral4m/status/1451112385041911809 **Severity** 74 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2021/10/21 **Risk Level**: high **False Positives** • Legitimate usage of stordiag.exe.

Always Install Elevated MSI Spawned Cmd And Powershell	Detects Windows Installer service (msiexec.exe) spawning "cmd" or "powershell".
	More details
	Rule ID
	`parent_child_27`
	Query
	`{'selection_img': {'Image|endswith': ['\\cmd.exe', '\\powershell.exe', '\\pwsh.exe']}, 'selection_parent': {'ParentImage|contains|all': ['\\Windows\\Installer\\', 'msi'], 'ParentImage|endswith': ['tmp']}, 'filter': {'CommandLine|contains': '\\program files\\aella\\bins'}, 'condition': 'all of selection_* and not filter'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,1e53dd56-8d83-4eb4-a43e-b790a05510aa
	Author: Teymur Kheirkhabarov (idea), Mangatas Tondang (rule), oscd.community
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0005, T1548.002
	References
	• https://image.slidesharecdn.com/kheirkhabarovoffzonefinal-181117201458/95/hunting-for-privilege-escalation-in-windows-environment-50-638.jpg

Title	Description
	Severity 49 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2020/10/13 **Risk Level**: medium **False Positives** • Penetration test

Wsreset UAC Bypass	The Wsreset.exe tool can be used to reset the Windows Store to bypass UAC.
	
	More details
	
	Rule ID
	`parent_child_28`
	
	Query
	`{'selection': {'ParentImage|endswith': ['\\WSreset.exe']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,bdc8918e-a1d5-49d1-9db7-ea0fd91aa2ae
	
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0005, T1548.002
	
	References
	• https://lolbas-project.github.io/lolbas/Binaries/Wsreset/
	• https://www.activecyber.us/activelabs/windows-uac-bypass
	• https://twitter.com/ReaQta/status/1222548288731217921
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2020/01/30
	Risk Level: high
	False Positives
	• Unknown sub processes of Wsreset.exe

DNS RCE CVE-2020-1350	This indicates possible exploitation of a DNS RCE bug, as described in CVE-2020-1350. More details **Rule ID** `parent_child_29` **Query**

Title	Description
	 `{'selection': {'ParentImage|endswith': '\\System32\\dns.exe'}, 'filter': {'Image|endswith': ['\\System32\\werfault.exe', '\\System32\\conhost.exe', '\\System32\\dnscmd.exe', '\\System32\\dns.exe']}, 'condition': 'selection and not filter'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,b5281f31-f9cc-4d0d-95d0-45b91c45b487 Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0001, T1190, XTA0001, XT1002, TA0002, T1569.002 **References** • https://research.checkpoint.com/2020/resolving-your-way-into-domain-admin-exploiting-a-17-year-old-bug-in-windows-dns-servers/ **Severity** 95 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2020/07/15 **Risk Level**: critical **False Positives** • Unknown but benign sub processes of the Windows DNS service dns.exe

ScreenConnect Backstage Mode Anomaly	This indicates the use of Backstage mode of the ScreenConnect client, which is suspicious.
	More details
	Rule ID
	`parent_child_30`
	Query
	`{'selection': {'ParentImage|endswith': '\\ScreenConnect.ClientService.exe', 'Image|endswith': ['\\cmd.exe', '\\powershell.exe', '\\pwsh.exe']}, 'selection_cli': {'CommandLine|contains': '\\TEMP\\ScreenConnect\\'}, 'condition': 'selection and selection_cli'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures

Title	Description
	X[illegible]01, XT1002, TA0011, T1219 **References** • https://www.mandiant.com/resources/telegram-malware-iranian-espionage • https://docs.connectwise.com/ConnectWise_Control_Documentation/Get_started/Host_client/View_menu/Backstage_mode **Severity** 50 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** Maturity: experimental Creation Date: 2022/02/25 Risk Level: medium False Positives: • Case in which administrators are allowed to use ScreenConnect's Backstage mode

Suspicious LSASS Process Clone	This is a suspicious LSASS process clone, which could be a sign of process dumping activity.
	
	More details
	
	Rule ID
	`parent_child_31`
	
	Query
	`{'selection': {'Image|endswith': '\\Windows\\System32\\lsass.exe', 'ParentImage|endswith': '\\Windows\\System32\\lsass.exe'}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,c8da0dfd-4ed0-4b68-962d-13c9c884384e
	
	Author: Florian Roth (Nextron Systems), Samir Bousseaden
	
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0006, T1003.001
	
	References
	• https://www.matteomalvica.com/blog/2019/12/02/win-defender-atp-cred-bypass/
	• https://twitter.com/Hexacorn/status/1420053502554951689
	• https://twitter.com/SBousseaden/status/1464566846594691073?s=20
	
	Severity
	80
	
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id

Title	Description
	Additional Information **Maturity**: experimental **Creation Date**: 2021/11/27 **Risk Level**: critical **False Positives**: • Unknown

Visual Basic Command Line Compiler Usage	Use of vbc.exe with child process cvtres.exe (Windows Resource to Object Converter) should not be seen in an enterprise environment.
	
	More details
	
	Rule ID
	`parent_child_32`
	
	Query
	`{'selection': {'ParentImage|endswith': '\\vbc.exe', 'Image|endswith': '\\cvtres.exe'}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,7b10f171-7f04-47c7-9fa2-5be43c76e535
	
	Author: Ensar Şamil, @sblmsrsn, @oscd_initiative
	
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0005, T1027.004
	
	References
	• https://lolbas-project.github.io/lolbas/Binaries/Vbc/
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2020/10/07
	Risk Level: high
	False Positives:
	• Utilization of this tool should not be seen in enterprise environment

Suspicious Service Run-time Directory	The services or svchost process running in a non-standard directory is suspicious.
	
	More details
	
	Rule ID
	`parent_child_33`
	
	Query
	`{'selection': {'Image|contains': ['\\Users\\Public\\', '\\$Recycle.bin', '\\Users\\All Users\\', '\\Users\\Default\\', '\\Users\\Contacts\\', '\\Users\\Searches\\', 'C:\\Perflogs\\', '\\config\\systemprofile\\', '\\Windows\\Fonts\\', '\\Windows\\IME\\', '\\Windows\\addins\\'], 'ParentImage`

Title	Description
	 `swith': ['\\services.exe', '\\svchost.exe']}, 'conditi on': 'selection'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,883faa95-175a-4e22-8181-e5761aeb373c Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** XTA0001, XT1002, TA0005, T1202 **References** • https://blog.truesec.com/2021/03/07/exchange-zero-day-proxylogon-and-hafnium/ **Severity** 74 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2021/03/09 **Risk Level**: high **False Positives**: • Unknown

Mshta Spawning Windows Shell	The mshta.exe process launching a command shell process is suspicious.
	More details
	Rule ID
	`parent_child_34`
	Query
	`{'selection': {'ParentImage|endswith': '\\mshta.exe', 'Ima ge|endswith': ['\\powershell.exe', '\\cmd.exe', '\\WScript .exe']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,772bb24c-8df2-4be0-9157-ae4dfa794037
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0002, T1059, TA0005, T1218
	References
	• https://app.any.run/tasks/f0fac90f-84ac-4faa-b5b2-f4353c388969/#
	• https://app.any.run/tasks/9c0f37bc-867a-4314-b685-e101566766d7/
	Severity

Title	Description
	7 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2021/06/28 **Risk Level**: high **False Positives**: • Unknown

Bypass UAC via Fodhelper.exe	This could indicate the use of Fodhelper.exe to bypass User Account Control. Adversaries may use this technique to run privileged processes.
	
	More details
	
	Rule ID
	`parent_child_35`
	
	Query
	`{'selection': {'ParentImage|endswith': '\\fodhelper.exe'}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,7f741dcf-fc22-4759-87b4-9ae8376676a2
	
	Author: E.M. Anhaus (originally from Atomic Blue Detections, Tony Lambert), oscd.community
	
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0005, T1548.002
	
	References
	• https://egllib.readthedocs.io/en/latest/analytics/e491ce22-792f-11e9-8f5c-d46d6d62a49e.html
	• https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1548.002/T1548.002.md
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2019/10/24
	Risk Level: high
	False Positives:
	• Legitimate use of fodhelper.exe utility by legitimate user

Suspicious Serv-U Process Pattern	Certain child processes launched by Serve-U.exe indicate possible exploitation. More details

Title	Description

	Rule ID
	`parent_child_36`
	Query
	`{'selection': {'ParentImage|endswith': '\\Serv-U.exe', 'Image|endswith': ['\\cmd.exe', '\\powershell.exe', '\\wscript.exe', '\\cscript.exe', '\\sh.exe', '\\bash.exe', '\\schtasks.exe', '\\regsvr32.exe', '\\wmic.exe', '\\mshta.exe', '\\rundll32.exe', '\\msiexec.exe', '\\forfiles.exe', '\\scriptrunner.exe']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,58f4ea09-0fc2-4520-ba18-b85c540b0eaf
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0006, T1555
	References
	• https://www.microsoft.com/security/blog/2021/07/13/microsoft-discovers-threat-actor-targeting-solarwinds-serv-u-software-with-0-day-exploit/
	Severity
	95
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	Additional Information
	Maturity: experimental
	Creation Date: 2021/07/14
	Risk Level: critical
	False Positives
	• Legitimate uses in which users or programs use the SSH service of Serv-U for remote command execution

HTML Help Shell Spawn	It is a suspicious a child process of the Microsoft HTML Help system.
	More details
	Rule ID
	`parent_child_37`
	Query
	`{'selection': {'ParentImage': 'C:\\Windows\\hh.exe', 'Image|endswith': ['\\cmd.exe', '\\powershell.exe', '\\wscript.exe', '\\cscript.exe', '\\regsvr32.exe', '\\wmic.exe', '\\rundll32.exe']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation

Title	Description
	Rule Source SigmaHQ,52cad028-0ff0-4854-8f67-d25dfcbc78b4 Author: Maxim Pavlunin, Nasreddine Bencherchali (Nextron Systems) **Tactics, Techniques, and Procedures** XTA0001, XT1002, TA0002, T1059, T1047, TA0005, T1218 **References** • https://www.trustwave.com/en-us/resources/blogs/spiderlabs-blog/chm-badness-delivers-a-banking-trojan/ **Severity** 74 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** Maturity: test; Creation Date: 2020/04/01; Risk Level: high; False Positives: • unknown

Regedit as Trusted Installer	Running the regedit process as a TrustedInstaller is suspicious.
	More details
	Rule ID
	`parent_child_38`
	Query
	`{'selection': {'Image|endswith': '\\regedit.exe', 'ParentImage|endswith': ['\\TrustedInstaller.exe', '\\ProcessHacker.exe']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,883835a7-df45-43e4-bf1d-4268768afda4
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0005, T1548
	References
	• https://twitter.com/1kwpeter/status/1397816101455765504
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	Additional Information

Title	Description			
	Maturity	Creation Date	Risk Level	False Positives
	experimental	2021/05/27	high	• Unlikely

Script Event Consumer Spawning Process	The scrcons.exe process launching PowerShell or other uncommon processes is suspicious.
	
	More details
	
	Rule ID
	`parent_child_39`
	
	Query
	`{'selection': {'ParentImage|endswith': ['\\scrcons.exe'], 'Image|endswith': ['\\svchost.exe', '\\dllhost.exe', '\\powershell.exe', '\\pwsh.exe', '\\wscript.exe', '\\cscript.exe', '\\schtasks.exe', '\\regsvr32.exe', '\\mshta.exe', '\\rundll32.exe', '\\msiexec.exe', '\\msbuild.exe']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,f6d1dd2f-b8ce-40ca-bc23-062efb686b34
	
	Author: Sittikorn S
	
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0002, T1047
	
	References
	• https://redcanary.com/blog/child-processes/
	• https://docs.paloaltonetworks.com/cortex/cortex-xdr/cortex-xdr-analytics-alert-reference/cortex-xdr-analytics-alert-reference/scrcons-exe-rare-child-process.html
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2021/06/21
	Risk Level: high
	False Positives: • Unknown

WMI Persistence - Script Event Consumer	A persistent scrcons.exe child process indicates a WMI backdoor may have been created. More details **Rule ID** `parent_child_40` **Query**

Title	Description
	 `{'selection': {'Image': 'C:\\WINDOWS\\system32\\wbem\\scrcons.exe', 'ParentImage': 'C:\\Windows\\System32\\svchost.exe'}, 'condition': 'selection'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,ec1d5e28-8f3b-4188-a6f8-6e8df81dc28e Author: Thomas Patzke **Tactics, Techniques, and Procedures** XTA0001, XT1002, TA0003, T1546.003 **References** • https://www.eideon.com/2018-03-02-THL03-WMIBackdoors/ **Severity** 50 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** **Maturity** / **Creation Date** / **Risk Level** / **False Positives** test / 2018/03/07 / medium / • Legitimate event consumers • Dell computers on some versions register an event consumer that is known to cause false positives when brightness is changed by the corresponding keyboard button

Suspicious Svchost Process	Launch of svchost.exe from certain parent processes is suspicious.
	More details
	Rule ID
	`parent_child_41`
	Query
	`{'selection': {'Image|endswith': '\\svchost.exe'}, 'filter': {'ParentImage|endswith': ['\\services.exe', '\\MsMpEng.exe', '\\Mrt.exe', '\\rpcnet.exe', '\\svchost.exe', '\\ngen.exe', '\\TiWorker.exe']}, 'filter_null1': {'ParentImage': None}, 'filter_null2': {'ParentImage': ''}, 'filter_emptysysmon': {'ParentImage': '-'}, 'condition': 'selection and not 1 of filter*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,01d2e2a1-5f09-44f7-9fc1-24faa7479b6d

Title	Description
	Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** XTA0001, XT1002, TA0005, T1036.005 **References** N/A **Severity** 74 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2017/08/15 **Risk Level**: high **False Positives**: • Unknown

Exploit for CVE-2015-1641	Launch of MicroScMgmt.exe from Winword is uncommon and indicative of exploits described in CVE-2015-1641.
	More details
	Rule ID
	`parent_child_42`
	Query
	`{'selection': {'ParentImage|endswith': '\\WINWORD.EXE', 'Image|endswith': '\\MicroScMgmt.exe'}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,7993792c-5ce2-4475-a3db-a3a5539827ef
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0005, T1036.005
	References
	• https://www.virustotal.com/en/file/5567408950b744c4e846ba8ae726883cb15268a539f3bb21758a466e47021ae8/analysis/
	• https://www.hybrid-analysis.com/sample/5567408950b744c4e846ba8ae726883cb15268a539f3bb21758a466e47021ae8?environmentId=100
	Severity
	95
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id

Title	Description
	Additional Information **Maturity**: stable **Creation Date**: 2018/02/22 **Risk Level**: critical **False Positives**: Unknown

TA505 Dropper Load Pattern	Loading of the mshta process by the wmiprvse process is indicative of TA505 malicious documents.
	
	More details
	
	Rule ID
	`parent_child_43`
	
	Query
	`{'selection': {'Image|endswith': '\\mshta.exe', 'ParentImage|endswith': '\\wmiprvse.exe'}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,18cf6cf0-39b0-4c22-9593-e244bdc9a2d4
	
	Author: Florian Roth (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0002, T1106
	
	References
	• https://twitter.com/ForensicITGuy/status/1334734244120309760
	
	Severity
	95
	
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2020/12/08
	Risk Level: critical
	False Positives: unknown

Execution via WorkFolders.exe	It is suspicious for WorkFolders.exe to run an arbitrary control.exe.
	
	More details
	
	Rule ID
	`parent_child_44`
	
	Query
	`{'selection': {'Image|endswith': '\\control.exe', 'ParentImage|endswith': '\\WorkFolders.exe'}, 'filter': {'Image': 'C:\\Windows\\System32\\control.exe'}, 'condition': 'selection and not filter'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:

Title	Description
	Monitoring process creation • Requirements: Sysmon ProcessCreation logging must be activated **Rule Source** SigmaHQ,0bbc6369-43e3-453d-9944-cae58821c173 Author: Maxime Thiebaut (@0xThiebaut) **Tactics, Techniques, and Procedures** XTA0001, XT1002, TA0005, T1218 **References** • https://twitter.com/elliotkillick/status/1449812843772227588 **Severity** 74 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** Maturity: experimental Creation Date: 2021/10/21 Risk Level: high False Positives: • Legitimate usage of the uncommon Windows Work Folders feature.

Microsoft Outlook Product Spawning Windows Shell	It is suspicious for Microsoft Outlook to start a Windows command and scripting interpreter executable.
	More details
	Rule ID
	`parent_child_45`
	Query
	`{'selection': {'ParentImage|endswith': '\\OUTLOOK.EXE', 'Image|endswith': ['\\cmd.exe', '\\powershell.exe', '\\wscript.exe', '\\cscript.exe', '\\sh.exe', '\\bash.exe', '\\scrcons.exe', '\\schtasks.exe', '\\regsvr32.exe', '\\hh.exe', '\\wmic.exe', '\\mshta.exe', '\\msiexec.exe', '\\forfiles.exe', '\\scriptrunner.exe', '\\mftrace.exe', '\\AppVLP.exe', '\\svchost.exe', '\\msbuild.exe']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,208748f7-881d-47ac-a29c-07ea84bf691d
	Author: Michael Haag, Florian Roth (Nextron Systems), Markus Neis, Elastic, FPT.EagleEye Team
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0002, T1204.002

Title	Description

References

- https://www.hybrid-analysis.com/sample/465aabe132ccb949e75b8ab9c5bda36d80cf2fd503d52b8bad54e295f28bbc21?environmentId=100
- https://mgreen27.github.io/posts/2018/04/02/DownloadCradle.html

Severity

74

Suppression Logic Based On

- computer_name
- parent_proc_name
- process_name
- stellar.rule_id

Additional Information

Maturity	Creation Date	Risk Level	False Positives
test	2022/02/28	high	• unknown

Title	Description

Bypass UAC via WSReset.exe	This could indicate the use of WSReset.exe to bypass User Account Control. Adversaries may use this technique to run privileged processes.
	
	More details
	
	Rule ID
	`parent_child_46`
	
	Query
	`{'selection': {'ParentImage|endswith': '\\wsreset.exe'}, 'filter': {'Image|endswith': '\\conhost.exe'}, 'condition': 'selection and not filter'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,d797268e-28a9-49a7-b9a8-2f5039011c5c
	
	Author: E.M. Anhaus (originally from Atomic Blue Detections, Tony Lambert), oscd.community, Florian Roth
	
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0005, T1548.002
	
	References
	• https://eqllib.readthedocs.io/en/latest/analytics/532b5ed4-7930-11e9-8f5c-d46d6d62a49e.html
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2019/10/24
	Risk Level: high
	False Positives:
	• Unknown

Emissary Panda Malware SLLauncher	This indicates running of DLL side-loading malware which is used by the threat group Emissary Panda, also known as APT27.
	
	More details
	
	Rule ID
	`parent_child_48`
	
	Query
	`{'selection': {'ParentImage|endswith': '\\sllauncher.exe', 'Image|endswith': '\\svchost.exe'}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation

Title	Description
	Rule Source SigmaHQ,9aa01d62-7667-4d3b-acb8-8cb5103e2014 Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** XTA0001, XT1002, TA0003, T1574.002 **References** • https://app.any.run/tasks/579e7587-f09d-4aae-8b07-472833262965 • https://twitter.com/cyb3rops/status/1168863899531132929 **Severity** 95 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2018/09/03 Risk Level: critical False Positives: • Unknown

Suspicious JAVA Child Process	This may indicate an attempt to run a malicious JAR file or an attempt to exploit a JAVA-specific vulnerability.
	More details
	Rule ID
	`parent_child_49`
	Query
	`{'selection1': {'ParentImage|endswith': '/java'}, 'selection2': {'Image|endswith': ['/sh', '/bash', '/dash', '/ksh', '/tcsh', '/zsh', '/curl', '/wget']}, 'condition': 'selection1 and selection2'}`
	Log Source
	Stellar Cyber linux configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0002, T1059
	References
	N/A
	Severity
	49
	Suppression Logic Based On
	• hostip
	• parent_proc_name
	• process_name
	• stellar.rule_id

Title	Description
	Additional Information **Maturity** production **Creation Date** 2021/01/19 **Risk Level** medium **False Positives** N/A

Suspicious SolarWinds Child Process	A SolarWinds process that launches a child process may indicate an attempt to run malicious programs.
	
	More details
	
	Rule ID
	`parent_child_50`
	
	Query
	`{'selection1': {'ParentImage|endswith': ['\\SolarWinds.BusinessLayerHost.exe', '\\SolarWinds.BusinessLayerHostx64.exe']}, 'selection2': {'Image|endswith': ['\\APMServiceControl.exe', '\\ExportToPDFCmd.Exe', '\\SolarWinds.Credentials.Orion.WebApi.exe', '\\SolarWinds.Orion.Topology.Calculator.exe', '\\Database-Maint.exe', '\\SolarWinds.Orion.ApiPoller.Service.exe', '\\WerFault.exe', '\\WerMgr.exe']}, 'condition': 'selection1 and (not selection2)'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	TA0001, T1195, XTA0001, XT1002, TA0002, T1106
	
	References
	N/A
	
	Severity
	49
	
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	
	Additional Information
	Maturity production
	Creation Date 2020/12/14
	Risk Level medium
	False Positives
	• Trusted SolarWinds child processes, verify process details such as network connections and file writes.

Execution via MSSQL xp_cmdshell Stored Procedure	Use of MSSQL to run a stored procedure with xp_cmdshell, disabled by default, indicates a user may be attempting to elevate their privileges. More details **Rule ID** `parent_child_51` **Query**

Title	Description
	 `{'selection1': {'Image|endswith': '\\cmd.exe'}, 'selection2': {'ParentImage|endswith': '\\sqlservr.exe'}, 'condition': 'selection1 and selection2'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** XTA0001, XT1002, TA0002, T1059 **References** N/A **Severity** 74 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** **Maturity**: production **Creation Date**: 2020/08/14 **Risk Level**: high **False Positives**: N/A

Process Activity via Compiled HTML File	Compiled HTML files (.chm), commonly distributed as help systems, have the capability of concealing malicious code and delivering to a victim system. It is suspicious when the runtime program for .chm files (hh.exe) launches other certain processes (such as a command shell).
	
	More details
	
	Rule ID
	
	`parent_child_52`
	
	Query
	
	`{'selection1': {'ParentImage|endswith': '\\hh.exe'}, 'selection2': {'Image|endswith': ['\\mshta.exe', '\\cmd.exe', '\\powershell.exe', '\\pwsh.exe', '\\powershell_ise.exe', '\\cscript.exe', '\\wscript.exe']}, 'condition': 'selection1 and selection2'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation
	
	Rule Source
	
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	
	XTA0001, XT1002, TA0002, T1204, TA0005, T1218
	
	References
	N/A

Title	Description
	Severity 49 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** **Maturity**: production **Creation Date**: 2020/02/18 **Risk Level**: medium **False Positives** • The HTML Help executable program (hh.exe) runs whenever a user clicks a compiled help (.chm) file or menu item that opens the help file inside the Help Viewer. This is not always malicious, but adversaries may abuse this technology to conceal malicious code.

Signed Proxy Execution via MS WorkFolders	Use of Windows Work Folders to run a control.exe file in the current working directory is indicative of potential malicious activity.
	
	More details
	
	Rule ID
	`parent_child_53`
	
	Query
	`{'selection1': {'Image|endswith': '\\control.exe'}, 'selection2': {'ParentImage|endswith': '\\WorkFolders.exe'}, 'selection3': {'Image': ['?:\\Windows\\System32\\control.exe', '?:\\Windows\\SysWOW64\\control.exe']}, 'condition': 'selection1 and selection2 and (not selection3)'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0005, T1218
	
	References
	N/A
	
	Severity
	49
	
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	
	Additional Information
	Maturity: production
	Creation Date: 2022/03/02
	Risk Level: medium
	False Positives: N/A

Title	Description

Microsoft Exchange Server UM Spawning Suspicious Processes	The CVE-2021-26857 vulnerability may be indicated when Exchange Server UM processes launch unexpected child processes.
	
	More details
	
	Rule ID
	`parent_child_54`
	
	Query
	`{'selection1': {'ParentImage|endswith': ['\\UMService.exe', '\\UMWorkerProcess.exe']}, 'selection2': {'Image|endswith': ['\\werfault.exe', '\\wermgr.exe']}, 'condition': 'selection1 and (not selection2)'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	TA0001, T1190, XTA0001, XT1002
	
	References
	N/A
	
	Severity
	49
	
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	
	Additional Information
	Maturity: production
	Creation Date: 2021/03/04
	Risk Level: medium
	False Positives:
	• Legitimate processes may be spawned from the Microsoft Exchange Server Unified Messaging (UM) service. If known processes are causing false positives, they can be exempted from the rule.

Unusual Parent-Child Relationship	A Windows program run from an unexpected parent process could indicate masquerading or other strange activity on a system.
	
	More details
	
	Rule ID
	`parent_child_55`
	
	Query
	`{'selection1': {'Image|endswith': '\\autochk.exe'}, 'selection2': {'ParentImage|endswith': '\\smss.exe'}, 'selection3': {'Image|endswith': ['\\fontdrvhost.exe', '\\dwm.exe']}, 'selection4': {'ParentImage|endswith': ['\\wininit.exe', '\\winlogon.exe']}, 'selection5': {'Image|endswith': ['\\consent.exe', '\\RuntimeBroker.exe', '\\TiWorker.exe']}, '`

Title

Description

s[illegible]ction6': {'ParentImage|endswith': '\\svchost.exe'}, 's
election7': {'Image|endswith': '\\SearchIndexer.exe'}, 'se
lection8': {'ParentImage|endswith': '\\services.exe'}, 'se
lection9': {'Image|endswith': '\\SearchProtocolHost.exe'},
 'selection10': {'ParentImage|endswith': ['\\SearchIndexer
.exe', '\\dllhost.exe']}, 'selection11': {'Image|endswith'
: '\\dllhost.exe'}, 'selection12': {'ParentImage|endswith'
: ['\\services.exe', '\\svchost.exe']}, 'selection13': {'I
mage|endswith': '\\smss.exe'}, 'selection14': {'ParentImag
e|endswith': ['System', '\\smss.exe']}, 'selection15': {'I
mage|endswith': '\\csrss.exe'}, 'selection16': {'ParentIma
ge|endswith': ['\\smss.exe', '\\svchost.exe']}, 'selection
17': {'Image|endswith': '\\wininit.exe'}, 'selection18': {
'Image|endswith': '\\winlogon.exe'}, 'selection19': {'Imag
e|endswith': ['\\lsass.exe', '\\LsaIso.exe']}, 'selection2
0': {'ParentImage|endswith': '\\wininit.exe'}, 'selection2
1': {'Image|endswith': '\\LogonUI.exe'}, 'selection22': {'
Image|endswith': '\\services.exe'}, 'selection23': {'Image
|endswith': '\\svchost.exe'}, 'selection24': {'ParentImage
|endswith': ['\\MsMpEng.exe', '\\services.exe']}, 'selecti
on25': {'Image|endswith': '\\spoolsv.exe'}, 'selection26':
 {'Image|endswith': '\\taskhost.exe'}, 'selection27': {'Im
age|endswith': '\\taskhostw.exe'}, 'selection28': {'Image|
endswith': '\\userinit.exe'}, 'selection29': {'ParentImage
|endswith': ['\\dwm.exe', '\\winlogon.exe']}, 'selection30
': {'Image|endswith': ['\\wmiprvse.exe', '\\wsmprovhost.ex
e', '\\winrshost.exe']}, 'selection31': {'ParentImage|ends
with': ['\\SearchProtocolHost.exe', '\\csrss.exe']}, 'sele
ction32': {'Image|endswith': ['\\werfault.exe', '\\wermgr.
exe', '\\WerFaultSecure.exe']}, 'selection33': {'ParentIma
ge|endswith': '\\autochk.exe'}, 'selection34': {'Image|end
swith': ['\\chkdsk.exe', '\\doskey.exe', '\\WerFault.exe']
}, 'selection35': {'Image|endswith': ['\\autochk.exe', '\\
smss.exe', '\\csrss.exe', '\\wininit.exe', '\\winlogon.exe
', '\\setupcl.exe', '\\WerFault.exe']}, 'selection36': {'P
arentImage|endswith': '\\wermgr.exe'}, 'selection37': {'Im
age|endswith': ['\\WerFaultSecure.exe', '\\wermgr.exe', '\
\WerFault.exe']}, 'selection38': {'ParentImage|endswith':
'\\conhost.exe'}, 'selection39': {'Image|endswith': ['\\ms
corsvw.exe', '\\wermgr.exe', '\\WerFault.exe', '\\WerFault
Secure.exe']}, 'condition': '((selection1 and (not selecti
on2)) or (selection3 and (not selection4)) or (selection5
and (not selection6)) or (selection7 and (not selection8))
 or (selection9 and (not selection10)) or (selection11 and
 (not selection12)) or (selection13 and (not selection14))
 or (selection15 and (not selection16)) or (selection17 an
d (not selection2)) or (selection18 and (not selection2))
or (selection19 and (not selection20)) or (selection21 and
 (not selection4)) or (selection22 and (not selection20))
or (selection23 and (not selection24)) or (selection25 and
 (not selection8)) or (selection26 and (not selection12))
or (selection27 and (not selection12)) or (selection28 and
 (not selection29)) or (selection30 and (not selection6))
or (selection31 and (not selection32)) or (selection33 and
 (not selection34)) or (selection2 and (not selection35))
or (selection36 and (not selection37)) or (selection38 and
 (not selection39)))'}

Log Source

Title	Description
	S Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** XTA0001, XT1002, TA0005, T1055 **References** N/A **Severity** 49 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** **Maturity**: production **Creation Date**: 2020/02/18 **Risk Level**: medium **False Positives**: N/A

Suspicious Process from Conhost	A suspicious Conhost child process may indicate code injection activity.
	More details
	Rule ID
	`parent_child_56`
	Query
	`{'selection1': {'ParentImage|endswith': '\\conhost.exe'}, 'selection2': {'Image': ['?:\\Windows\\splwow64.exe', '?:\\Windows\\System32\\WerFault.exe', '?:\\Windows\\System32\\conhost.exe']}, 'condition': 'selection1 and (not selection2)'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0005, T1055
	References
	N/A
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id

Title	Description
	Additional Information **Maturity**: production **Creation Date**: 2020/08/31 **Risk Level**: high **False Positives**: N/A

Suspicious Zoom Child Process	Launch of Zoom from a command shell may indicate an attempt to run Zoom undetected.
	
	More details
	
	Rule ID
	`parent_child_57`
	
	Query
	`{'selection1': {'ParentImage|endswith': '\\Zoom.exe'}, 'selection2': {'Image|endswith': ['\\cmd.exe', '\\powershell.exe', '\\pwsh.exe', '\\powershell_ise.exe']}, 'condition': 'selection1 and selection2'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0005, T1036, T1055
	
	References
	N/A
	
	Severity
	49
	
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	
	Additional Information
	Maturity: production
	Creation Date: 2020/09/03
	Risk Level: medium
	False Positives: N/A

Unusual Parent Process for cmd.exe	Launching of cmd.exe from an unusual parent process is suspicious.
	
	More details
	
	Rule ID
	`parent_child_58`
	
	Query
	`{'selection1': {'Image|endswith': '\\cmd.exe'}, 'selection2': {'ParentImage|endswith': ['\\lsass.exe', '\\csrss.exe', '\\epad.exe', '\\regsvr32.exe', '\\dllhost.exe', '\\LogonUI.exe', '\\wermgr.exe', '\\spoolsv.exe', '\\jucheck.exe', '\\jusched.exe', '\\ctfmon.exe', '\\taskhostw.exe', '\\GoogleUpdate.exe', '\\sppsvc.exe', '\\sihost.exe', '\\slui.exe', '\\SIHClient.exe', '\\SearchIndexer.exe', '\\SearchProtocolHost.exe', '\\FlashPlayerUpdateService.exe', '\\Wer`

Title	Description
	E.exe', '\\WUDFHost.exe', '\\unsecapp.exe', '\\wlanext .exe']}, 'condition': 'selection1 and selection2'} **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** XTA0001, XT1002, TA0002, T1059 **References** N/A **Severity** 49 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** **Maturity**: production; **Creation Date**: 2020/08/21; **Risk Level**: medium; **False Positives**: N/A
Suspicious MS Office Child Process	Certain child processes being launched from MS Office applications or documents with macros are indicative of malicious activity. More details **Rule ID** parent_child_59 **Query** {'selection1': {'ParentImage|endswith': ['\\eqnedt32.exe', '\\excel.exe', '\\fltldr.exe', '\\msaccess.exe', '\\mspub.exe', '\\powerpnt.exe', '\\winword.exe']}, 'selection2': {'Image|endswith': ['\\Microsoft.Workflow.Compiler.exe', '\\arp.exe', '\\atbroker.exe', '\\bginfo.exe', '\\bitsadmin.exe', '\\cdb.exe', '\\certutil.exe', '\\cmd.exe', '\\cmstp.exe', '\\control.exe', '\\cscript.exe', '\\csi.exe', '\\dnx.exe', '\\dsget.exe', '\\dsquery.exe', '\\forfiles.exe', '\\fsi.exe', '\\ftp.exe', '\\gpresult.exe', '\\hostname.exe', '\\ieexec.exe', '\\iexpress.exe', '\\installutil.exe', '\\ipconfig.exe', '\\mshta.exe', '\\msxsl.exe', '\\nbtstat.exe', '\\net.exe', '\\net1.exe', '\\netsh.exe', '\\netstat.exe', '\\nltest.exe', '\\odbcconf.exe', '\\ping.exe', '\\powershell.exe', '\\pwsh.exe', '\\qprocess.exe', '\\quser.exe', '\\qwinsta.exe', '\\rcsi.exe', '\\reg.exe', '\\regasm.exe', '\\regsvcs.exe', '\\regsvr32.exe', '\\sc.exe', '\\schtasks.exe', '\\systeminfo.exe', '\\tasklist.exe', '\\tracert.exe', '\\whoami.exe', '\\wmic.exe', '\\wscript.exe', '\\xwizard.exe', '\\explorer.exe', '\\rundll32.exe', '\\hh.exe']}, 'condition': 'selection1 and selection2'} **Log Source**

Title	Description
	S Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** TA0001, T1566, XTA0001, XT1002 **References** N/A **Severity** 49 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** **Maturity**: production **Creation Date**: 2020/02/18 **Risk Level**: medium **False Positives**: N/A

Microsoft Build Engine Started by a System Process	It is unusual for Explorer or the WMI (Windows Management Instrumentation) subystem to launch MSBuild, the Microsoft Build Engine.
	More details
	Rule ID
	`parent_child_60`
	Query
	`{'selection1': {'Image|endswith': '\\MSBuild.exe'}, 'selection2': {'ParentImage|endswith': ['\\explorer.exe', '\\wmiprvse.exe']}, 'condition': 'selection1 and selection2'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0005, T1127
	References
	N/A
	Severity
	49
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	Additional Information

Title	Description
	Maturity / **Creation Date** / **Risk Level** / **False Positives** production / 2020/03/25 / medium • The Build Engine is commonly used by Windows developers but use by non-engineers is unusual.

Microsoft Build Engine Started by an Office Application	Launch of the Microsoft Build Engine from an Office application is unusual and may indicate the associated document has run a malicious script payload.
	
	More details
	
	Rule ID
	`parent_child_61`
	
	Query
	`{'selection1': {'Image|endswith': '\\MSBuild.exe'}, 'selection2': {'ParentImage|endswith': ['\\eqnedt32.exe', '\\excel.exe', '\\fltldr.exe', '\\msaccess.exe', '\\mspub.exe', '\\outlook.exe', '\\powerpnt.exe', '\\winword.exe']}, 'condition': 'selection1 and selection2'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0005, T1127
	
	References
	N/A
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	
	Additional Information
	Maturity / **Creation Date** / **Risk Level** / **False Positives**
	production / 2020/03/25 / high
	• The Build Engine is commonly used by Windows developers but use by non-engineers is unusual. It is quite unusual for this program to be started by an Office application like Word or Excel.

Command Execution via SolarWinds Process	A SolarWinds process that launches a command-line call or PowerShell command is considered suspicious. More details **Rule ID** `parent_child_62` **Query**

Title	Description
	 `{'selection1': {'Image|endswith': ['\\cmd.exe', '\\powershell.exe']}, 'selection2': {'ParentImage|endswith': ['\\ConfigurationWizard.exe', '\\NetflowDatabaseMaintenance.exe', '\\NetFlowService.exe', '\\SolarWinds.Administration.exe', '\\SolarWinds.Collector.Service.exe', '\\SolarwindsDiagnostics.exe']}, 'condition': 'selection1 and selection2'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** TA0001, T1195, XTA0001, XT1002, TA0002, T1059 **References** N/A **Severity** 49 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** **Maturity**: production **Creation Date**: 2020/12/14 **Risk Level**: medium **False Positives**: • Trusted SolarWinds child processes. Verify process details such as network connections and file writes.

Suspicious .NET Code Compilation	This may indicate suspicious .NET or Visual Basic compilation of downloaded code.
	
	More details
	
	Rule ID
	
	`parent_child_63`
	
	Query
	
	`{'selection1': {'Image|endswith': ['\\csc.exe', '\\vbc.exe']}, 'selection2': {'ParentImage|endswith': ['\\wscript.exe', '\\mshta.exe', '\\cscript.exe', '\\wmic.exe', '\\svchost.exe', '\\rundll32.exe', '\\cmstp.exe', '\\regsvr32.exe']}, 'condition': 'selection1 and selection2'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	
	XTA0001, XT1002, TA0005, T1027

Title	Description
	References N/A **Severity** 49 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** **Maturity**: production **Creation Date**: 2020/08/21 **Risk Level**: medium **False Positives**: N/A

Conhost Spawned By Suspicious Parent Process	The Console Window Host (conhost.exe) process being launched by a suspicious parent process is indicative of code injection.
	
	More details
	
	Rule ID
	`parent_child_64`
	
	Query
	`{'selection1': {'Image|endswith': '\\conhost.exe'}, 'selection2': {'ParentImage|endswith': ['\\svchost.exe', '\\lsass.exe', '\\services.exe', '\\smss.exe', '\\winlogon.exe', '\\explorer.exe', '\\dllhost.exe', '\\rundll32.exe', '\\regsvr32.exe', '\\userinit.exe', '\\wininit.exe', '\\spoolsv.exe', '\\wermgr.exe', '\\csrss.exe', '\\ctfmon.exe']}, 'condition': 'selection1 and selection2'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0002, T1059
	
	References
	N/A
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	
	Additional Information
	Maturity: production
	Creation Date: 2020/08/17
	Risk Level: high
	False Positives: N/A

Unusual Child Process of dns.exe	Such an unexpected process being launched from dns.exe may indicate activity related to running of remote code or other forms of exploitation.

Title	Description

	More details
	
	Rule ID
	`parent_child_65`
	
	Query
	`{'selection1': {'ParentImage|endswith': '\\dns.exe'}, 'selection2': {'Image|endswith': '\\conhost.exe'}, 'condition': 'selection1 and (not selection2)'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0003, T1133
	
	References
	N/A
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• parent_proc_name
	• process_name
	• stellar.rule_id
	
	Additional Information
	Maturity: production
	Creation Date: 2020/07/16
	Risk Level: high
	False Positives
	• Werfault.exe will legitimately spawn when dns.exe crashes, but the DNS service is very stable and so this is a low occurring event. Denial of Service (DoS) attempts by intentionally crashing the service will also cause werfault.exe to spawn.

Script Process Child of Common Web Processes	A parent web process, such as httpd.exe, that runs a script process, such as powershell.exe, is suspicious and indicative of possible attempts for remote shell access.
	
	More details
	
	Rule ID
	`parent_child_66`
	
	Query
	`{'selection1': {'ParentImage|endswith': ['\\w3wp.exe', '\\httpd.exe', '\\nginx.exe', '\\php.exe', '\\php-cgi.exe', '\\tomcat.exe']}, 'selection2': {'Image|endswith': ['\\cmd.exe', '\\cscript.exe', '\\powershell.exe', '\\pwsh.exe', '\\powershell_ise.exe', '\\wmic.exe', '\\wscript.exe']}, 'condition': 'selection1 and selection2'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:

Title	Description
	 Monitoring process creation **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** TA0001, T1190, XTA0001, XT1002, TA0003, T1505 **References** N/A **Severity** 74 **Suppression Logic Based On** • computer_name • parent_proc_name • process_name • stellar.rule_id **Additional Information** **Maturity**: production **Creation Date**: 2021/08/24 **Risk Level**: high **False Positives** • Security audits, maintenance, and network administrative scripts may trigger this alert when run under web processes.

Suspicious Endpoint Security Parent Process	A suspicious Endpoint Security parent process was detected, which may indicate process hollowing or other form of code injection.
	More details
	Rule ID
	`parent_child_67`
	Query
	`{'selection1': {'Image|endswith': ['\\esensor.exe', '\\elastic-endpoint.exe']}, 'selection2': {'ParentImage': ['C:\\Program Files\\Elastic*', 'C:\\Windows\\System32\\services.exe', 'C:\\Windows\\System32\\WerFault*.exe', 'C:\\Windows\\System32\\wermgr.exe']}, 'condition': 'selection1 and (not selection2)'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	XTA0001, XT1002, TA0005, T1036
	References
	N/A
	Severity
	49

Title	Description

Session Logic Based On

- computer_name
- parent_proc_name
- process_name
- stellar.rule_id

Additional Information

Maturity	Creation Date	Risk Level	False Positives
production	2020/08/24	medium	N/A

© 2026 Stellar Cyber . All rights reserved.