Stellar Cyber 6.6.0s is now live! Discover all the updates in the release notes!

Rules Contributing to Potentially Malicious Windows Event Alerts 6.1.0

The following rules are used to identify suspicious activity with Windows events. This is a generic rule name. Any one or more of these will trigger Potentially Malicious Windows Event Alert. Details for each rule can be viewed by clicking the **More Details** link in the description.

Windows Events Required: 3, 10, 517, 675, 1102, 1116, 2013, 4611, 4624, 4625, 4648, 4649, 4656, 4657, 4658, 4660, 4661, 4663, 4673, 4674, 4688, 4692, 4698, 4699, 4701, 4702, 4704, 4706, 4713, 4714, 4726, 4732, 4738, 4768, 4769, 4771, 4776, 4781, 4782, 4794, 4799, 4898, 4899, 5001, 5379, 6423

The Windows Detect Profile (Low Volume) covers these required Windows events.

Title	Description

ETW Logging Disabled In .NET Processes - Registry	Potential adversaries stopping ETW providers recording loaded .NET assemblies.
	More details
	Rule ID
	`windows_security_3`
	Query
	`{'selection_etw_enabled': {'EventID': 4657, 'ObjectName|endswith': '\\SOFTWARE\\Microsoft\\.NETFramework', 'ObjectValueName': 'ETWEnabled', 'NewValue': '0'}, 'selection_complus': {'EventID': 4657, 'ObjectName|contains': '\\Environment', 'ObjectValueName': ['COMPlus_ETWEnabled', 'COMPlus_ETWFlags'], 'NewValue': '0'}, 'condition': '1 of selection_*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	Rule Source
	SigmaHQ,a4c90ea1-2634-4ca0-adbb-35eae169b6fc
	Author: Roberto Rodriguez (Cyb3rWard0g), OTR (Open Threat Research)

Title	Description
	ics, Techniques, and Procedures TA0005, T1112, T1562 **References** • https://twitter.com/_xpn_/status/1268712093928378368 • https://github.com/dotnet/runtime/blob/ee2355c801d892f2894b0f7b14a20e6cc50e0e54/docs/design/coreclr/jit/viewing-jit-dumps.md#setting-configuration-variables • https://github.com/dotnet/runtime/blob/f62e93416a1799aecc6b0947adad55a0d9870732/src/coreclr/src/inc/clrconfigvalues.h#L35-L38 • https://github.com/dotnet/runtime/blob/7abe42dc1123722ed385218268bb9fe04556e3d3/src/coreclr/src/inc/clrconfig.h#L33-L39 • http://managed670.rssing.com/chan-5590147/all_p1.html • https://github.com/dotnet/runtime/blob/4f9ae42d861fcb4be2fcd5d3d55d5f227d30e723/docs/coding-guidelines/clr-jit-coding-conventions.md#1412-disabling-code • https://i.blackhat.com/EU-21/Wednesday/EU-21-Teodorescu-Veni-No-Vidi-No-Vici-Attacks-On-ETW-Blind-EDRs.pdf **Severity** 75 **Suppression Logic Based On** • event_id • computer_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2020/06/05 **Risk Level**: high **False Positives** • Unknown

NetNTLM Downgrade Attack	Detects NetNTLM downgrade attack
	More details
	Rule ID
	`windows_security_4`
	Query
	`{'selection': {'EventID': 4657, 'ObjectName|contains|all': ['\\REGISTRY\\MACHINE\\SYSTEM', 'ControlSet', '\\Control\\Lsa'], 'ObjectValueName': ['LmCompatibilityLevel', 'NtlmMinClientSec', 'RestrictSendingNTLMTraffic']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	• Requirements: Audit Policy : Object Access > Audit Registry (Success)
	Rule Source
	SigmaHQ,d3abac66-f11c-4ed0-8acb-50cc29c97eed
	Author: Florian Roth (Nextron Systems), wagga
	Tactics, Techniques, and Procedures
	TA0005, T1562.001, T1112
	References

Title	Description
	• https://www.optiv.com/blog/post-exploitation-using-netntlm-downgrade-attacks **Severity** 75 **Suppression Logic Based On** • event_id • computer_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2018/03/20 **Risk Level**: high **False Positives**: • Unknown

Windows Defender Discarded Signature	Dynamic Signature Service signature of Windows Defender has been discarded. This may be due to an attacker or a user disabling a security feature that can led the computer exposed to malware and other threats.
	More details
	Rule ID
	`windows_security_5`
	Query
	`{'selection2': {'EventID': 2013}, 'condition': 'selection 2'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured.
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0005, T1562.006
	References
	N/A
	Severity
	50
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2022/05/01
	Risk Level: medium
	False Positives: N/A

PetitPotam Suspicious Kerberos TGT Request	Detect suspicious Kerberos TGT requests. Once an attacer obtains a computer certificate by abusing Active Directory Certificate Services in combination with PetitPotam, the next step would be to leverage the certificate for malicious purposes. One way of doing this is to request a Kerberos Ticket Granting Ticket using a tool like Rubeus. This request will generate a 4768 event with some unusual fields depending on the environment. This analytic will require tuning, we recommend filtering Account_Name to the Domain Controller computer accounts. More details

Title	Description

	Rule ID
	`windows_security_7`
	Query
	`{'selection': {'EventID': 4768, 'TargetUserName|endswith': '$', 'CertThumbprint|contains': '*'}, 'filter_local': {'IpAddress': '::1'}, 'filter_thumbprint': {'CertThumbprint': ''}, 'condition': 'selection and not 1 of filter_*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	• The advanced audit policy setting "Account Logon > Kerberos Authentication Service" must be configured for Success/Failure
	Rule Source
	SigmaHQ,6a53d871-682d-40b6-83e0-b7c1a6c4e3a5
	Author: Mauricio Velazco, Michael Haag
	Tactics, Techniques, and Procedures
	TA0006, T1187
	References
	• https://github.com/topotam/PetitPotam
	• https://isc.sans.edu/forums/diary/Active+Directory+Certificate+Services+ADCS+PKI+domain+admin+vulnerability/27668/
	• https://github.com/splunk/security_content/blob/develop/detections/endpoint/petitpotam_suspicious_kerberos_tgt_request.yml
	Severity
	75
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	Additional Information
	Maturity: experimental
	Creation Date: 2021/09/02
	Risk Level: high
	False Positives
	• False positives are possible if the environment is using certificates for authentication. We recommend filtering Account_Name to the Domain Controller computer accounts.

DPAPI Domain Master Key Backup Attempt	Detects anyone attempting a backup for the DPAPI Master Key. This events gets generated at the source and not the Domain Controller.
	More details
	Rule ID
	`windows_security_18`
	Query
	`{'selection': {'EventID': 4692}, 'condition': 'selection'}`
	Log Source

Title	Description
	ar Cyber Windows Server Sensor configured for: • Collecting Windows security events **Rule Source** SigmaHQ,39a94fd1-8c9a-4ff6-bf22-c058762f8014 Author: Roberto Rodriguez @Cyb3rWard0g **Tactics, Techniques, and Procedures** TA0006, T1003.004 **References** • https://threathunterplaybook.com/hunts/windows/190620-DomainDPAPIBackupKeyExtraction/notebook.html **Severity** 50 **Suppression Logic Based On** • event_id • computer_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2019/08/10 **Risk Level**: medium **False Positives**: • If a computer is a member of a domain, DPAPI has a backup mechanism to allow unprotection of the data. Which will trigger this event.

Scanner PoC for CVE-2019-0708 RDP RCE Vuln	Detects the use of a scanner by zerosum0x0 that discovers targets vulnerable to CVE-2019-0708 RDP RCE aka BlueKeep
	More details
	Rule ID
	`windows_security_21`
	Query
	`{'selection': {'EventID': 4625, 'TargetUserName': 'AAAAAA'}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	Rule Source
	SigmaHQ,8400629e-79a9-4737-b387-5db940ab2367
	Author: Florian Roth (Nextron Systems), Adam Bradbury (idea)
	Tactics, Techniques, and Procedures
	TA0008, T1210
	References
	• https://twitter.com/AdamTheAnalyst/status/1134394070045003776
	• https://github.com/zerosum0x0/CVE-2019-0708
	Severity

Title	Description
	 **Suppression Logic Based On** • event_id • computer_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2019/06/02 **Risk Level**: high **False Positives** • Unlikely

Suspicious Scheduled Task Update	Detects update to a scheduled task event that contain suspicious keywords.
	More details
	Rule ID
	`windows_security_23`
	Query
	`{'selection_eid': {'EventID': 4702}, 'selection_paths': { 'TaskContentNew|contains': ['\\AppData\\Local\\Temp\\', '\\AppData\\Roaming\\', '\\Users\\Public\\', '\\WINDOWS\\Temp\\', 'C:\\Temp\\', '\\Desktop\\', '\\Downloads\\', '\\Temporary Internet', 'C:\\ProgramData\\', 'C:\\Perflogs\\']}, 'selection_commands': {'TaskContentNew|contains': ['regsvr32', 'rundll32', 'cmd.exe</Command>', 'cmd</Command>', '<Arguments>/c ', '<Arguments>/k ', '<Arguments>/r ', 'powershell', 'pwsh', 'mshta', 'wscript', 'cscript', 'certutil', 'bitsadmin', 'bash.exe', 'bash ', 'scrcons', 'wmic ', 'wmic.exe', 'forfiles', 'scriptrunner', 'hh.exe']}, 'condition': 'all of selection_*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	• The Advanced Audit Policy setting Object Access > Audit Other Object Access Events has to be configured to allow this detection. We also recommend extracting the Command field from the embedded XML in the event data.
	Rule Source
	SigmaHQ,614cf376-6651-47c4-9dcc-6b9527f749f4
	Author: Nasreddine Bencherchali (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0003, T1053.005
	References
	• https://learn.microsoft.com/en-us/windows/security/threat-protection/auditing/event-4698
	Severity
	75
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	Additional Information

Title	Description			
	Maturity	**Creation Date**	**Risk Level**	**False Positives**
	experimental	2022/12/05	high	• Unknown

Windows Defender Disabled	Windows Defender Real-time Protection scanning for malware and other potentially unwanted software was disabled.
	
	More details
	
	Rule ID
	`windows_security_28`
	
	Query
	`{'selection2': {'EventID': 5001}, 'condition': 'selection 2'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured.
	
	Rule Source
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	TA0005, T1562
	
	References
	N/A
	
	Severity
	50
	
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	
	Additional Information
	Maturity: test; **Creation Date**: 2022/05/01; **Risk Level**: medium; **False Positives**: N/A			

ADCS Certificate Template Configuration Vulnerability	Detects certificate creation with template allowing risk permission subject
	
	More details
	
	Rule ID
	`windows_security_29`
	
	Query
	`{'selection1': {'EventID': 4898, 'TemplateContent|contains': 'CT_FLAG_ENROLLEE_SUPPLIES_SUBJECT'}, 'selection2': {'EventID': 4899, 'NewTemplateContent|contains': 'CT_FLAG_ENROLLEE_SUPPLIES_SUBJECT'}, 'condition': 'selection1 or selection2'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	• Certificate services loaded a template would trigger event ID 4898 and certificate Services template was updated would trigger event ID 4899. A risk permission seems to be coming if template contain specific flag.			

Title	Description
	Source SigmaHQ,5ee3a654-372f-11ec-8d3d-0242ac130003 Author: Orlinum , BlueDefenZer **Tactics, Techniques, and Procedures** TA0004, T1068 **References** • https://www.specterops.io/assets/resources/Certified_Pre-Owned.pdf **Severity** 25 **Suppression Logic Based On** • event_id • computer_name • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2021/11/17 Risk Level: low **False Positives** • Administrator activity • Proxy SSL certificate with subject modification • Smart card enrollement

Addition of Domain Trusts	Addition of domains is seldom and should be verified for legitimacy.
	More details
	Rule ID
	`windows_security_38`
	Query
	`{'selection': {'EventID': 4706}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	Rule Source
	SigmaHQ,0255a820-e564-4e40-af2b-6ac61160335c
	Author: Thomas Patzke
	Tactics, Techniques, and Procedures
	TA0003, T1098
	References
	N/A
	Severity
	50
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id

Title	Description
	itional Information **Maturity**: stable **Creation Date**: 2019/12/03 **Risk Level**: medium **False Positives**: • Legitimate extension of domain structure

User Added to Local Administrators	This rule triggers on user accounts that are added to the local Administrators group, which could be legitimate activity or a sign of privilege escalation activity
	
	More details
	
	Rule ID
	`windows_security_40`
	
	Query
	`{'selection': {'EventID': 4732}, 'selection_group1': {'TargetUserName|startswith': 'Administr'}, 'selection_group2': {'TargetSid': 'S-1-5-32-544'}, 'filter': {'SubjectUserName|endswith': '$'}, 'condition': 'selection and (1 of selection_group*) and not filter'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	
	Rule Source
	SigmaHQ,c265cf08-3f99-46c1-8d59-328247057d57
	
	Author: Florian Roth (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0003, T1078, T1098
	
	References
	N/A
	
	Severity
	50
	
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	
	Additional Information
	Maturity: stable
	Creation Date: 2017/03/14
	Risk Level: medium
	False Positives:
	• Legitimate administrative activity

Sensitive Privilege SeEnableDelegationPrivilege assigned to a User	Identifies the assignment of the SeEnableDelegationPrivilege sensitive "user right" to a user. The SeEnableDelegationPrivilege "user right" enables computer and user accounts to be trusted for delegation. Attackers can abuse this right to compromise Active Directory accounts and elevate their privileges. More details **Rule ID** `windows_security_41` **Query**

Title	Description
	 `election1': {'EventID': 4704}, 'selection2': {'Privile geList': 'SeEnableDelegationPrivilege'}, 'condition': 'se lection1 and selection2'}` **Log Source** Stellar Cyber Windows Server Sensor configured. **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** TA0006, T1212 **References** N/A **Severity** 75 **Suppression Logic Based On** • event_id • computer_name • stellar.rule_id **Additional Information** **Maturity**: production **Creation Date**: 2022/01/27 **Risk Level**: high **False Positives**: N/A

Suspicious Computer Account Name Change CVE-2021-42287	Detects the renaming of an existing computer account to a account name that doesn't contain a $ symbol as seen in attacks against CVE-2021-42287
	
	More details
	
	Rule ID
	
	`windows_security_44`
	
	Query
	
	`{'selection': {'EventID': 4781, 'OldTargetUserName|contai ns': '$'}, 'filter': {'NewTargetUserName\|contains': '$'}, 'condition': 'selection and not filter'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	
	Rule Source
	
	SigmaHQ,45eb2ae2-9aa2-4c3a-99a5-6e5077655466
	
	Author: Florian Roth (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	
	TA0005, T1078
	
	References
	• https://medium.com/@mvelazco/hunting-for-samaccountname-spoofing-cve-2021-42287-and-domain-controller-impersonation-f704513c8a45
	
	Severity
	
	75

Title	Description
	pression Logic Based On • event_id • computer_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2021/12/22 **Risk Level**: high **False Positives**: • Unknown

Suspicious Remote Logon with Explicit Credentials	Detects suspicious processes logging on with explicit credentials
	More details
	Rule ID
	`windows_security_45`
	Query
	`{'selection': {'EventID': 4648, 'ProcessName|endswith': ['\\cmd.exe', '\\powershell.exe', '\\pwsh.exe', '\\winrs.exe', '\\wmic.exe', '\\net.exe', '\\net1.exe', '\\reg.exe']}, 'filter1': {'TargetServerName': 'localhost'}, 'filter2': {'SubjectUserName|endswith': '$', 'TargetUserName\|endswith': '$'}, 'condition': 'selection and not 1 of filter*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	Rule Source
	SigmaHQ,941e5c45-cda7-4864-8cea-bbb7458d194a
	Author: oscd.community, Teymur Kheirkhabarov @HeirhabarovT, Zach Stanford @svch0st, Tim Shelton
	Tactics, Techniques, and Procedures
	TA0003, T1078
	References
	• https://drive.google.com/file/d/1lKya3_mLnR3UQuCoiYruO3qgu052_iS_/view
	Severity
	50
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	Additional Information
	Maturity: experimental
	Creation Date: 2020/10/05
	Risk Level: medium
	False Positives:
	• Administrators that use the RunAS command or scheduled tasks

The Password Hash of an Account was Accessed	The Password Hash of an Account was Accessed. This could be an indication of malicious activity. More details

Title	Description

	ID
	`windows_security_46`
	Query
	`{'selection1': {'EventID': 4782}, 'condition': 'selection 1'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured.
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0006, T1003
	References
	N/A
	Severity
	50
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	Additional Information
	Maturity: test; **Creation Date**: 2022/05/01; **Risk Level**: medium; **False Positives**: N/A

Defrag Deactivation - Security	Detects the deactivation and disabling of the Scheduled defragmentation task as seen by Slingshot APT group
	More details
	Rule ID
	`windows_security_49`
	Query
	`{'selection': {'EventID': 4701, 'TaskName': '\\Microsoft\\Windows\\Defrag\\ScheduledDefrag'}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	• Requirements: Audit Policy : Audit Other Object Access Events > Success
	Rule Source
	SigmaHQ,c5a178bf-9cfb-4340-b584-e4df39b6a3e7
	Author: Florian Roth (Nextron Systems), Bartlomiej Czyz (@bczyz1)
	Tactics, Techniques, and Procedures
	TA0003, T1053
	References
	• https://securelist.com/apt-slingshot/84312/

Title	Description
	erity 50 **Suppression Logic Based On** • event_id • computer_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2019/03/04 **Risk Level**: medium **False Positives**: • Unknown

Password Protected ZIP File Opened (Email Attachment)	Detects the extraction of password protected ZIP archives. See the filename variable for more details on which file has been opened.
	More details
	Rule ID
	`windows_security_59`
	Query
	`{'selection': {'EventID': 5379, 'TargetName|contains|all': ['Microsoft_Windows_Shell_ZipFolder:filename', '\\Temporary Internet Files\\Content.Outlook']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	Rule Source
	SigmaHQ,571498c8-908e-40b4-910b-d2369159a3da
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0006, T1212
	References
	• https://twitter.com/sbousseaden/status/1523383197513379841
	Severity
	75
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	Additional Information
	Maturity: experimental
	Creation Date: 2022/05/09
	Risk Level: high
	False Positives: • Legitimate used of encrypted ZIP files

AD Privileged Users or Groups Reconnaissance	Detect priv users or groups recon based on 4661 eventid and known privileged users or groups SIDs More details

Title	Description

	Rule ID
	`windows_security_62`
	
	Query
	`{'selection': {'EventID': 4661, 'ObjectType': ['SAM_USER', 'SAM_GROUP']}, 'selection_object': [{'ObjectName|endswith': ['-512', '-502', '-500', '-505', '-519', '-520', '-544', '-551', '-555']}, {'ObjectName|contains': 'admin'}], 'filter': {'SubjectUserName|endswith': '$'}, 'condition': 'selection and selection_object and not filter'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	• Requirements: enable Object Access SAM on your Domain Controllers
	
	Rule Source
	SigmaHQ,35ba1d85-724d-42a3-889f-2e2362bcaf23
	
	Author: Samir Bousseaden
	
	Tactics, Techniques, and Procedures
	TA0007, T1087.002
	
	References
	N/A
	
	Severity
	75
	
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	
	Additional Information
	Maturity: experimental
	Creation Date: 2019/04/03
	Risk Level: high
	False Positives:
	• If source account name is not an admin then its super suspicious

Password Protected ZIP File Opened (Suspicious Filenames)	Detects the extraction of password protected ZIP archives with suspicious file names. See the filename variable for more details on which file has been opened.
	
	More details
	
	Rule ID
	`windows_security_63`
	
	Query
	`{'selection': {'EventID': 5379, 'TargetName|contains': 'Microsoft_Windows_Shell_ZipFolder:filename'}, 'selection_filename': {'TargetName|contains': ['invoice', 'new order', 'rechnung', 'factura', 'delivery', 'purchase', 'order', 'payment']}, 'condition': 'selection and selection_filename'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:

Title	Description
	• Collecting Windows security events **Rule Source** SigmaHQ,54f0434b-726f-48a1-b2aa-067df14516e4 Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0006, T1212 **References** • https://twitter.com/sbousseaden/status/1523383197513379841 **Severity** 75 **Suppression Logic Based On** • event_id • computer_name • stellar.rule_id **Additional Information** Maturity: experimental Creation Date: 2022/05/09 Risk Level: high False Positives: • Legitimate used of encrypted ZIP files

Security Eventlog Cleared	One of the Windows Eventlogs has been cleared. e.g. caused by "wevtutil cl" command execution
	More details
	Rule ID
	`windows_security_82`
	Query
	`{'selection_517': {'EventID': 517, 'ProviderName': 'Security'}, 'selection_1102': {'EventID': 1102, 'ProviderName': 'Microsoft-Windows-Eventlog'}, 'condition': '1 of selection_*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	Rule Source
	SigmaHQ,d99b79d2-0a6f-4f46-ad8b-260b6e17f982
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0005, T1070.001
	References
	• https://twitter.com/deviouspolack/status/832535435960209408
	• https://www.hybrid-analysis.com/sample/027cc450ef5f8c5f653329641ec1fed91f694e0d229928963b30f6b0d7d3a745?environmentId=100
	Severity
	75

Title	Description
	pression Logic Based On • computer_name • event_id • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2017/01/10 **Risk Level**: high **False Positives** • Rollout of log collection agents (the setup routine often includes a reset of the local Eventlog) • System provisioning (system reset before the golden image creation)

Operation Wocao Activity - Security	Detects activity mentioned in Operation Wocao report
	More details
	Rule ID
	`windows_security_83`
	Query
	`{'selection': {'EventID': 4799, 'TargetUserName|startswith': 'Administr', 'CallerProcessName|endswith': '\\checkadmin.exe'}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	Rule Source
	SigmaHQ,74ad4314-482e-4c3e-b237-3f7ed3b9ca8d
	Author: Florian Roth (Nextron Systems), frack113
	Tactics, Techniques, and Procedures
	TA0002, T1059.001, TA0003, T1053.005, TA0005, T1036.004, T1027, TA0007, T1012
	References
	• https://twitter.com/SBousseaden/status/1207671369963646976
	Severity
	75
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2019/12/20
	Risk Level: high
	False Positives
	• Administrators that use checkadmin.exe tool to enumerate local administrators

Kerberos Manipulation	This method triggers on rare Kerberos Failure Codes caused by manipulations of Kerberos messages More details

Title	Description

	Rule ID
	`windows_security_84`
	Query
	`{'selection': {'EventID': [675, 4768, 4769, 4771], 'FailureCode': ['0x9', '0xA', '0xB', '0xF', '0x10', '0x11', '0x13', '0x14', '0x1A', '0x1F', '0x21', '0x22', '0x23', '0x24', '0x26', '0x27', '0x28', '0x29', '0x2C', '0x2D', '0x2E', '0x2F', '0x31', '0x32', '0x3E', '0x3F', '0x40', '0x41', '0x43', '0x44']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	Rule Source
	SigmaHQ,f7644214-0eb0-4ace-9455-331ec4c09253
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0006, T1212
	References
	N/A
	Severity
	75
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2017/02/10
	Risk Level: high
	False Positives
	• Faulty legacy applications

Windows Login Default Point Of Sale Credentials	Windows has reported a login from a user with the default username used by a Point of Sale system. These are well known and are often used as the targets of brute force attacks leading to unauthorized access of the payment infrastructure.
	More details
	Rule ID
	`windows_security_85`
	Query
	`{'selection2': {'EventID': 4625}, 'selection3': {'TargetUserName': 'aloha'}, 'selection4': {'TargetUserName': 'micros'}, 'selection5': {'TargetUserName': 'posi'}, 'selection7': {'TargetUserName': 'ddpos'}, 'selection8': {'TargetUserName': 'term1'}, 'selection9': {'TargetUserName': 'pos'}, 'selection10': {'TargetUserName': 'pos2'}, 'condition': 'selection2 and (selection3 or selection4 or selection5 or selection7 or selection8 or selection9 or selection10)'}`
	Log Source

Title	Description
	ar Cyber Windows Server Sensor configured. **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** TA0006, T1110 **References** N/A **Severity** 50 **Suppression Logic Based On** • computer_name • event_id • event_data.TargetUserName • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/05/01 **Risk Level**: medium **False Positives**: N/A

SCM Database Privileged Operation	Detects non-system users performing privileged operation os the SCM database
	
	More details
	
	Rule ID
	
	`windows_security_86`
	
	Query
	
	`{'selection': {'EventID': 4674, 'ObjectType': 'SC_MANAGER OBJECT', 'ObjectName': 'servicesactive', 'PrivilegeList': 'SeTakeOwnershipPrivilege'}, 'filter': {'SubjectLogonId': '0x3e4', 'ProcessName|endswith': ':\\Windows\\System32\\services.exe'}, 'condition': 'selection and not filter'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	
	Rule Source
	
	SigmaHQ,dae8171c-5ec6-4396-b210-8466585b53e9
	
	Author: Roberto Rodriguez @Cyb3rWard0g, Tim Shelton
	
	Tactics, Techniques, and Procedures
	
	TA0005, T1548
	
	References
	
	• https://threathunterplaybook.com/hunts/windows/190826-RemoteSCMHandle/notebook.html
	
	Severity
	
	50
	
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id

Title	Description
	itional Information **Maturity**: test **Creation Date**: 2019/08/15 **Risk Level**: medium **False Positives**: Unknown

Reconnaissance Activity	Detects activity as "net user administrator /domain" and "net group domain admins /domain"
	
	More details
	
	Rule ID
	`windows_security_88`
	
	Query
	`{'selection': {'EventID': 4661, 'AccessMask': '0x2d', 'ObjectType': ['SAM_USER', 'SAM_GROUP'], 'ObjectName|startswith': 'S-1-5-21-', 'ObjectName|endswith': ['-500', '-512']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	• The volume of Event ID 4661 is high on Domain Controllers and therefore "Audit SAM" and "Audit Kernel Object" advanced audit policy settings are not configured in the recommendations for server systems
	
	Rule Source
	SigmaHQ,968eef52-9cff-4454-8992-1e74b9cbad6c
	
	Author: Florian Roth (Nextron Systems), Jack Croock (method), Jonhnathan Ribeiro (improvements), oscd.community
	
	Tactics, Techniques, and Procedures
	TA0007, T1087.002, T1069.002
	
	References
	• https://findingbad.blogspot.de/2017/01/hunting-what-does-it-look-like.html
	
	Severity
	75
	
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2017/03/07
	Risk Level: high
	False Positives: Administrator activity

Kerberos Policy was Changed	The Kerberos policy was changed. This could be an indication of malicious activity. More details **Rule ID** `windows_security_89` **Query**

Title	Description
	 `election1': {'EventID': 4713}, 'condition': 'selection 1'}` **Log Source** Stellar Cyber Windows Server Sensor configured. **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** TA0003, T1098 **References** N/A **Severity** 50 **Suppression Logic Based On** • event_id • computer_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/05/01 **Risk Level**: medium **False Positives**: N/A

Hacking Tool detected by Antivirus	The Windows Defender AntiVirus has detected a hacking tool in the system. This is an indication that an attacker has access to your system and is trying to install tools to gain persistence, compromise other systems, etc.
	
	More details
	
	Rule ID
	
	`windows_security_92`
	
	Query
	
	`{'selection2': {'EventID': 1116}, 'selection3': {'MalwareFamily|re': '(?:hacktool|meterpreter|metasploit|powersploit|cobalt|mimikatz|wpdump|htool|wce)'}, 'selection4': {'FileName': ''}, 'selection5': {'MalwareFamily': ''}, 'condition': 'selection2 and selection3 and not selection4 and not selection5'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured.
	
	Rule Source
	
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	
	TA0007, T1518
	
	References
	N/A
	
	Severity
	
	50
	
	Suppression Logic Based On

Title	Description
	 • event_id • computer_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/05/01 **Risk Level**: medium **False Positives**: N/A

Important Scheduled Task Deleted/Disabled	Detects when adversaries stop services or processes by deleting or disabling their respective scheduled tasks in order to conduct data destructive activities
	
	More details
	
	Rule ID
	`windows_security_95`
	
	Query
	`{'selection': {'EventID': [4699, 4701], 'TaskName|contains': ['\\Windows\\SystemRestore\\SR', '\\Windows\\Windows Defender\\', '\\Windows\\BitLocker', '\\Windows\\WindowsBackup\\', '\\Windows\\WindowsUpdate\\', '\\Windows\\UpdateOrchestrator\\Schedule', '\\Windows\\ExploitGuard']}, 'filter_sys_username': {'EventID': 4699, 'SubjectUserName|endswith': '$', 'TaskName|contains': '\\Windows\\Windows Defender\\'}, 'condition': 'selection and not 1 of filter_*'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	• The Advanced Audit Policy setting Object Access > Audit Other Object Access Events has to be configured to allow this detection. We also recommend extracting the Command field from the embedded XML in the event data.
	
	Rule Source
	SigmaHQ,7595ba94-cf3b-4471-aa03-4f6baa9e5fad
	
	Author: Nasreddine Bencherchali (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0003, T1053.005
	
	References
	• https://learn.microsoft.com/en-us/windows/security/threat-protection/auditing/event-4699
	• https://learn.microsoft.com/en-us/windows/security/threat-protection/auditing/event-4701
	
	Severity
	75
	
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	
	Additional Information
	Maturity: experimental
	Creation Date: 2022/12/05
	Risk Level: high
	False Positives:
	• Unknown

Title	Description

Account Tampering - Suspicious Failed Logon Reasons	This method uses uncommon error codes on failed logons to determine suspicious activity and tampering with accounts that have been disabled or somehow restricted.
	
	More details
	
	Rule ID
	`windows_security_97`
	
	Query
	`{'selection': {'EventID': [4625, 4776], 'Status': ['0xC00 00072', '0xC000006F', '0xC0000070', '0xC0000413', '0xC000 018C', '0xC000015B']}, 'filter': {'SubjectUserSid': 'S-1- 0-0'}, 'condition': 'selection and not filter'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	
	Rule Source
	SigmaHQ,9eb99343-d336-4020-a3cd-67f3819e68ee
	
	Author: Florian Roth (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0003, T1078
	
	References
	• https://docs.microsoft.com/en-us/windows/security/threat-protection/auditing/event-4625
	• https://twitter.com/SBousseaden/status/1101431884540710913
	
	Severity
	50
	
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	
	Additional Information
	Maturity: experimental
	Creation Date: 2017/02/19
	Risk Level: medium
	False Positives:
	• User using a disabled account

Encrypted Data Recovery Policy was Changed	The Encrypted Data policy was changed. This could be an indication of malicious activity.
	
	More details
	
	Rule ID
	`windows_security_99`
	
	Query
	`{'selection1': {'EventID': 4714}, 'condition': 'selection 1'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured.
	
	Rule Source
	Developed internally by Stellar Cyber

Title	Description
	ics, Techniques, and Procedures TA0003, T1098 **References** N/A **Severity** 50 **Suppression Logic Based On** • event_id • computer_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/05/01 **Risk Level**: medium **False Positives**: N/A

ADCS Certificate Template Configuration Vulnerability with Risky EKU	Detects certificate creation with template allowing risk permission subject and risky EKU
	More details
	Rule ID
	`windows_security_104`
	Query
	`{'selection10': {'EventID': 4898, 'TemplateContent|contains': ['1.3.6.1.5.5.7.3.2', '1.3.6.1.5.2.3.4', '1.3.6.1.4.1.311.20.2.2', '2.5.29.37.0']}, 'selection11': {'TemplateContent|contains': 'CT_FLAG_ENROLLEE_SUPPLIES_SUBJECT'}, 'selection20': {'EventID': 4899, 'NewTemplateContent|contains': ['1.3.6.1.5.5.7.3.2', '1.3.6.1.5.2.3.4', '1.3.6.1.4.1.311.20.2.2', '2.5.29.37.0']}, 'selection21': {'NewTemplateContent|contains': 'CT_FLAG_ENROLLEE_SUPPLIES_SUBJECT'}, 'condition': '(selection10 and selection11) or (selection20 and selection21)'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	• Certificate services loaded a template would trigger event ID 4898 and certificate Services template was updated would trigger event ID 4899. A risk permission seems to be coming if template contain specific flag with risky EKU.
	Rule Source
	SigmaHQ,bfbd3291-de87-4b7c-88a2-d6a5deb28668
	Author: Orlinum , BlueDefenZer
	Tactics, Techniques, and Procedures
	TA0004, T1068
	References
	• https://www.specterops.io/assets/resources/Certified_Pre-Owned.pdf
	Severity
	75
	Suppression Logic Based On

Title	Description
	 • event_id • computer_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2021/11/17 **Risk Level**: high **False Positives** • Administrator activity • Proxy SSL certificate with subject modification • Smart card enrollement

KRBTGT Delegation Backdoor	Identifies the modification of the msDS-AllowedToDelegateTo attribute to KRBTGT. Attackers can use this technique to maintain persistence to the domain by having the ability to request tickets for the KRBTGT service.
	
	More details
	
	Rule ID
	`windows_security_109`
	
	Query
	`{'selection1': {'EventID': 4738}, 'selection2': {'AllowedToDelegateTo': '*krbtgt*'}, 'condition': 'selection1 and selection2'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured.
	
	Rule Source
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	TA0003, T1098, TA0006, T1558,
	
	References
	N/A
	
	Severity
	75
	
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	
	Additional Information
	Maturity: production
	Creation Date: 2022/01/27
	Risk Level: high
	False Positives: N/A

Password Change on Directory Service Restore Mode (DSRM) Account	The Directory Service Restore Mode (DSRM) account is a local administrator account on Domain Controllers. Attackers may change the password to gain persistence. More details **Rule ID** `windows_security_112` **Query**

Title	Description
	 election': {'EventID': 4794}, 'condition': 'selection' } **Log Source** Stellar Cyber Windows Server Sensor configured for: • Collecting Windows security events **Rule Source** SigmaHQ,53ad8e36-f573-46bf-97e4-15ba5bf4bb51 Author: Thomas Patzke **Tactics, Techniques, and Procedures** TA0003, T1098 **References** • https://adsecurity.org/?p=1714 **Severity** 75 **Suppression Logic Based On** • event_id • computer_name • stellar.rule_id **Additional Information** **Maturity** **Creation Date** **Risk Level** **False Positives** stable 2017/02/19 high • Initial installation of a domain controller
Suspicious Scheduled Task Creation	Detects suspicious scheduled task creation events. Based on attributes such as paths, commands line flags, etc. More details **Rule ID** windows_security_115 **Query** {'selection_eid': {'EventID': 4698}, 'selection_paths': { 'TaskContent|contains': ['\\AppData\\Local\\Temp\\', '\\A ppData\\Roaming\\', '\\Users\\Public\\', '\\WINDOWS\\Temp \\', 'C:\\Temp\\', '\\Desktop\\', '\\Downloads\\', '\\Tem porary Internet', 'C:\\ProgramData\\', 'C:\\Perflogs\\']} , 'selection_commands': {'TaskContent|contains': ['regsvr 32', 'rundll32', 'cmd.exe</Command>', 'cmd</Command>', '< Arguments>/c ', '<Arguments>/k ', '<Arguments>/r ', 'powe rshell', 'pwsh', 'mshta', 'wscript', 'cscript', 'certutil ', 'bitsadmin', 'bash.exe', 'bash ', 'scrcons', 'wmic ', 'wmic.exe', 'forfiles', 'scriptrunner', 'hh.exe']}, 'cond ition': 'all of selection_*'} **Log Source** Stellar Cyber Windows Server Sensor configured for: • Collecting Windows security events • The Advanced Audit Policy setting Object Access > Audit Other Object Access Events has to be configured to allow this detection. We also recommend extracting the Command field from the embedded XML in the event data. **Rule Source**

Title	Description
	 naHQ,3a734d25-df5c-4b99-8034-af1ddb5883a4 Author: Nasreddine Bencherchali (Nextron Systems) **Tactics, Techniques, and Procedures** TA0003, T1053.005 **References** • https://learn.microsoft.com/en-us/windows/security/threat-protection/auditing/event-4698 **Severity** 75 **Suppression Logic Based On** • event_id • computer_name • stellar.rule_id **Additional Information** Maturity: experimental Creation Date: 2022/12/05 Risk Level: high False Positives: • Unknown

User Account Deleted	A user account has been deleted. This could be an indication of malicious activity.
	More details
	Rule ID
	`windows_security_118`
	Query
	`{'selection1': {'EventID': 4726}, 'condition': 'selection 1'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured.
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0003, T1098
	References
	N/A
	Severity
	50
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2022/05/01
	Risk Level: medium
	False Positives: N/A

Replay Attack Detected	Detects possible Kerberos Replay Attack on the domain controllers when "KRB_AP_ERR_REPEAT" Kerberos response is sent to the client

Title	Description

	More details
	
	Rule ID
	`windows_security_124`
	
	Query
	`{'selection': {'EventID': 4649}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	
	Rule Source
	SigmaHQ,5a44727c-3b85-4713-8c44-4401d5499629
	
	Author: frack113
	
	Tactics, Techniques, and Procedures
	TA0008, T1550
	
	References
	• https://github.com/Yamato-Security/EnableWindowsLogSettings/blob/7f6d755d45ac7cc9fc35b0cbf498e6aa4ef19def/ConfiguringSecurityLogAuditPolicies.md
	• https://learn.microsoft.com/en-us/windows/security/threat-protection/auditing/event-4649
	
	Severity
	75
	
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	
	Additional Information
	Maturity: experimental
	Creation Date: 2022/10/14
	Risk Level: high
	False Positives:
	• Unknown

Device Installation Blocked	Detects an installation of a device that is forbidden by the system policy
	
	More details
	
	Rule ID
	`windows_security_130`
	
	Query
	`{'selection': {'EventID': 6423}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	
	Rule Source
	SigmaHQ,c9eb55c3-b468-40ab-9089-db2862e42137
	
	Author: frack113

Title	Description
	ics, Techniques, and Procedures TA0001, T1200 **References** • https://github.com/Yamato-Security/EnableWindowsLogSettings/blob/7f6d755d45ac7cc9fc35b0cbf498e6aa4ef19def/ConfiguringSecurityLogAuditPolicies.md • https://learn.microsoft.com/en-us/windows/security/threat-protection/auditing/event-6423 **Severity** 50 **Suppression Logic Based On** • event_id • computer_name • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2022/10/14 **Risk Level**: medium **False Positives**: • Unknown

Webshell detected by Antivirus	The Windows Defender AntiVirus has detected a webshell in the system. This is an indication that an attacker gained access to your server and he is trying to deploy a webshell in the webserver.
	More details
	Rule ID
	`windows_security_131`
	Query
	`{'selection1': {'EventID': 1116}, 'selection2': {'MalwareFamily|contains': 'webshell'}, 'selection3': {'MalwareFamily|contains': 'chopper'}, 'selection4': {'MalwareFamily|re': '(?:PHP|JSP|ASP) [\\/]Backdoor'}, 'selection5': {'MalwareFamily|re': 'Backdoor[.:](?:PHP|JSP|ASP)'}, 'condition': 'selection1 and (selection2 or selection3 or selection4 or selection5)'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured.
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0003, T1505.003
	References
	N/A
	Severity
	50
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	Additional Information

Title	Description			
	Maturity	Creation Date	Risk Level	False Positives
	test	2022/05/01	medium	N/A

OilRig APT Schedule Task Persistence - Security	Detects OilRig schedule task persistence as reported by Nyotron in their March 2018 report
	
	More details
	
	Rule ID
	`windows_security_132`
	
	Query
	`{'selection_service': {'EventID': 4698, 'TaskName': ['SC Scheduled Scan', 'UpdatMachine']}, 'condition': 'selection_service'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	
	Rule Source
	SigmaHQ,c0580559-a6bd-4ef6-b9b7-83703d98b561
	
	Author: Florian Roth (Nextron Systems), Markus Neis, Jonhnathan Ribeiro, Daniil Yugoslavskiy, oscd.community
	
	Tactics, Techniques, and Procedures
	TA0003, T1053.005, T1543.003, TA0005, T1112, TA0011, T1071.004
	
	References
	• https://web.archive.org/web/20180402134442/https://nyotron.com/wp-content/uploads/2018/03/Nyotron-OilRig-Malware-Report-March-2018C.pdf
	
	Severity
	90
	
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2018/03/23
	Risk Level: critical
	False Positives:
	• Unlikely			

Startup/Logon Script added to Group Policy Object	Detects the modification of Group Policy Objects (GPO) to add a startup/logon script to users or computer objects.
	
	More details
	
	Rule ID
	`windows_security_171`
	
	Query
	`{'selection1': {'EventID': 5136}, 'selection2': {'AttributeLDAPDisplayName': ['gPCMachineExtensionNames', 'gPCUserExtensionNames']}, 'selection3': {'AttributeValue|contains': '42B5FAAE-6536-11D2-AE5A-0000F87571E3'}, 'selection4': {'AttributeValue|contains':`			

Title	Description
	 40B66650-4972-11D1-A7CA-0000F87571E3', '40B6664F-4972-11D1-A7CA- 0000F87571E3']}, 'condition': 'selection1 and selection2 and selection3 and selection4'} **Log Source** Stellar Cyber Windows Server Sensor configured. **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** TA0004, T1484.001, T1547 **References** N/A **Severity** 50 **Suppression Logic Based On** • event_id • computer_name • stellar.rule_id **Additional Information** **Maturity**: production **Creation Date**: 2021/11/08 **Risk Level**: medium **False Positives**: • Legitimate Administrative Activity
Windows Privilege Escalation through Security Group Modification	This rule detects request for privilege escalation by modifying windows security group More details **Rule ID** windows_security_201 **Query** {'selection1': {'EventID': [632, 4728, 636, 4732, 660, 4756]}, 'selection2': {'TargetUserName': ['Group Policy Creator Owners', 'Administrators', 'DHCP Administrators', 'DNS Admins', 'Domain Admins', 'Enterprise Admins', 'Enterprise Key Admins', 'Hyper- V Administrators', 'Key Admins', 'Schema Admins', 'Storage Replica Administrators']}, 'condition': 'selection1 and selection2'} **Log Source** Stellar Cyber Windows Server Sensor configured for: • Collecting Windows security events **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** TA0003, T1078, T1098 **References** N/A

Title

Description

erity

50

Suppression Logic Based On

- event_id
- computer_name
- stellar.rule_id

Additional Information

Maturity	Creation Date	Risk Level	False Positives
test	2023/06/22	high	• Legitimate administrative activity

© 2026 Stellar Cyber . All rights reserved.