Stellar Cyber 6.6.0s is now live! Discover all the updates in the release notes!

Rules Contributing to Sensitive Windows Network Share File or Folder Accessed Alerts

6.1.0

The following rules are used to identify suspicious activity with Windows network share file or folder access. Any one or more of these will trigger Sensitive Windows Network Share File or Folder Accessed Alert. Details for each rule can be viewed by clicking the **More Details** link in the description.

Windows Events Required: 5145

The Windows Detect Profile (Low Volume) covers these required Windows events.

Title	Description

Impacket PsExec Execution	Detects execution of Impacket's psexec.py.
	More details
	Rule ID
	`windows_security_150`
	Query
	`{'selection1': {'EventID': 5145, 'ShareName': '\\\\*\\IPC$', 'RelativeTargetName|contains': ['RemCom_stdin', 'RemCom_stdout', 'RemCom_stderr']}, 'condition': 'selection1'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	• The advanced audit policy setting "Object Access > Audit Detailed File Share" must be configured for Success/Failure
	Rule Source
	SigmaHQ,32d56ea1-417f-44ff-822b-882873f5f43b
	Author: Bhabesh Raj
	Tactics, Techniques, and Procedures

Title	Description
	T[illegible], T1021.002 **References** N/A **Severity** 75 **Suppression Logic Based On** • event_id • computer_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2020/12/14 **Risk Level**: high **False Positives**: • Unknown

Remote Task Creation via ATSVC Named Pipe	Detects remote task creation via at.exe or API interacting with ATSVC namedpipe
	
	More details
	
	Rule ID
	`windows_security_151`
	
	Query
	`{'selection': {'EventID': 5145, 'ShareName': '\\\\*\\IPC$', 'RelativeTargetName': 'atsvc', 'Accesses|contains': ['WriteData', '%%4417']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	• The advanced audit policy setting "Object Access > Audit Detailed File Share" must be configured for Success/Failure
	
	Rule Source
	SigmaHQ,f6de6525-4509-495a-8a82-1f8b0ed73a00
	
	Author: Samir Bousseaden
	
	Tactics, Techniques, and Procedures
	TA0003, T1053.002
	
	References
	N/A
	
	Severity
	50
	
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2019/04/03
	Risk Level: medium
	False Positives: • Unknown

Protected Storage Service Access	Detects access to a protected_storage service over the network. Potential abuse of DPAPI to extract domain backup keys from Domain Controllers

Title	Description

	More details
	
	Rule ID
	
	`windows_security_152`
	
	Query
	
	`{'selection': {'EventID': 5145, 'ShareName|contains': 'IPC', 'RelativeTargetName': 'protected_storage'}, 'condition': 'selection'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Collecting Windows security events
	
	Rule Source
	
	SigmaHQ,45545954-4016-43c6-855e-eae8f1c369dc
	
	Author: Roberto Rodriguez @Cyb3rWard0g
	
	Tactics, Techniques, and Procedures
	
	TA0008, T1021.002
	
	References
	
	• https://threathunterplaybook.com/hunts/windows/190620-DomainDPAPIBackupKeyExtraction/notebook.html
	
	Severity
	
	75
	
	Suppression Logic Based On
	
	• event_id
	• computer_name
	• stellar.rule_id
	
	Additional Information
	
	Maturity: test
	Creation Date: 2019/08/10
	Risk Level: high
	False Positives:
	• Unknown

Persistence and Execution at Scale via GPO Scheduled Task	Detect lateral movement using GPO scheduled task, usually used to deploy ransomware at scale
	
	More details
	
	Rule ID
	
	`windows_security_153`
	
	Query
	
	`{'selection': {'EventID': 5145, 'ShareName': '\\\\*\\SYSVOL', 'RelativeTargetName|endswith': 'ScheduledTasks.xml', 'Accesses|contains': ['WriteData', '%%4417']}, 'condition': 'selection'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Collecting Windows security events
	• The advanced audit policy setting "Object Access > Audit Detailed File Share" must be configured for Success/Failure
	
	Rule Source

Title	Description
	S HQ,a8f29a7b-b137-4446-80a0-b804272f3da2 Author: Samir Bousseaden **Tactics, Techniques, and Procedures** TA0003, T1053.005 **References** • https://twitter.com/menasec1/status/1106899890377052160 • https://www.secureworks.com/blog/ransomware-as-a-distraction **Severity** 75 **Suppression Logic Based On** • event_id • computer_name • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2019/04/03 Risk Level: high False Positives: • If the source IP is not localhost then it's super suspicious, better to monitor both local and remote changes to GPO scheduledtasks

First Time Seen Remote Named Pipe	This detection excludes known named pipes accessible remotely and notify on newly observed ones, may help to detect lateral movement and remote exec using named pipes
	More details
	Rule ID
	`windows_security_154`
	Query
	`{'selection1': {'EventID': 5145, 'ShareName': '*\\IPC$'}, 'false_positives': {'RelativeTargetName': ['atsvc', 'samr', 'lsarpc', 'lsass', 'winreg', 'netlogon', 'srvsvc', 'protected_storage', 'wkssvc', 'browser', 'netdfs', 'svcctl', 'spoolss', 'ntsvcs', 'LSM_API_service', 'HydraLsPipe', 'TermSrv_API_service', 'MsFteWds', 'sql\\query', 'eventlog']}, 'condition': 'selection1 and not false_positives'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	• The advanced audit policy setting "Object Access > Audit Detailed File Share" must be configured for Success/Failure
	Rule Source
	SigmaHQ,52d8b0c6-53d6-439a-9e41-52ad442ad9ad
	Author: Samir Bousseaden
	Tactics, Techniques, and Procedures
	TA0008, T1021.002
	References
	• https://twitter.com/menasec1/status/1104489274387451904

Title	Description
	Severity 75 **Suppression Logic Based On** • event_id • computer_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2019/04/03 **Risk Level**: high **False Positives** • Update the excluded named pipe to filter out any newly observed legit named pipe

DCERPC SMB Spoolss Named Pipe	Detects the use of the spoolss named pipe over SMB. This can be used to trigger the authentication via NTLM of any machine that has the spoolservice enabled.
	
	More details
	
	Rule ID
	`windows_security_155`
	
	Query
	`{'selection': {'EventID': 5145, 'ShareName': '\\\\*\\IPC$', 'RelativeTargetName': 'spoolss'}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	
	Rule Source
	SigmaHQ,214e8f95-100a-4e04-bb31-ef6cba8ce07e
	
	Author: OTR (Open Threat Research)
	
	Tactics, Techniques, and Procedures
	TA0008, T1021.002
	
	References
	• https://posts.specterops.io/hunting-in-active-directory-unconstrained-delegation-forests-trusts-71f2b33688e1
	• https://dirkjanm.io/a-different-way-of-abusing-zerologon/
	• https://twitter.com/_dirkjan/status/1309214379003588608
	
	Severity
	50
	
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2018/11/28
	Risk Level: medium
	False Positives
	• Domain Controllers acting as printer servers too? :)

Title	Description

T1047 Wmiprvse Wbemcomn DLL Hijack	Detects a threat actor creating a file named `wbemcomn.dll` in the `C:\Windows\System32\wbem\` directory over the network for a WMI DLL Hijack scenario.
	
	More details
	
	Rule ID
	
	`windows_security_157`
	
	Query
	
	`{'selection': {'EventID': 5145, 'RelativeTargetName|endswith': '\\wbem\\wbemcomn.dll'}, 'filter': {'SubjectUserName|endswith': '$'}, 'condition': 'selection and not filter'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Collecting Windows security events
	
	Rule Source
	
	SigmaHQ,f6c68d5f-e101-4b86-8c84-7d96851fd65c
	
	Author: Roberto Rodriguez @Cyb3rWard0g, Open Threat Research (OTR)
	
	Tactics, Techniques, and Procedures
	
	TA0002, T1047, TA0008, T1021.002
	
	References
	
	• https://threathunterplaybook.com/hunts/windows/201009-RemoteWMIWbemcomnDLLHijack/notebook.html
	
	Severity
	
	75
	
	Suppression Logic Based On
	
	• event_id
	• computer_name
	• stellar.rule_id
	
	Additional Information
	
	Maturity: test
	Creation Date: 2020/10/12
	Risk Level: high
	False Positives:
	• Unknown

CVE-2021-1675 Print Spooler Exploitation IPC Access	Detects remote printer driver load from Detailed File Share in Security logs that are a sign of successful exploitation attempts against print spooler vulnerability CVE-2021-1675 and CVE-2021-34527
	
	More details
	
	Rule ID
	
	`windows_security_159`
	
	Query
	
	`{'selection': {'EventID': 5145, 'ShareName': '\\\\*\\IPC$', 'RelativeTargetName': 'spoolss', 'AccessMask': '0x3', 'ObjectType': 'File'}, 'condition': 'selection'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Collecting Windows security events

Title	Description
	Rule Source SigmaHQ,8fe1c584-ee61-444b-be21-e9054b229694 Author: INIT_6 **Tactics, Techniques, and Procedures** TA0002, T1569 **References** • https://twitter.com/INIT_3/status/1410662463641731075 **Severity** 90 **Suppression Logic Based On** • event_id • computer_name • stellar.rule_id **Additional Information** Maturity: experimental Creation Date: 2021/07/02 Risk Level: critical False Positives: • Unknown

Possible PetitPotam Coerce Authentication Attempt	Detect PetitPotam coerced authentication activity.
	More details
	Rule ID
	`windows_security_161`
	Query
	`{'selection': {'EventID': 5145, 'ShareName|startswith': '\\\\', 'ShareName|endswith': '\\IPC$', 'RelativeTargetName': 'lsarpc', 'SubjectUserName': 'ANONYMOUS LOGON'}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	• The advanced audit policy setting "Object Access > Detailed File Share" must be configured for Success/Failure
	Rule Source
	SigmaHQ,1ce8c8a3-2723-48ed-8246-906ac91061a6
	Author: Mauricio Velazco, Michael Haag
	Tactics, Techniques, and Procedures
	TA0006, T1187
	References
	• https://github.com/topotam/PetitPotam
	• https://github.com/splunk/security_content/blob/0dd6de32de2118b2818550df9e65255f4109a56d/detections/endpoint/petitpotam_network_share_access_request.yml
	Severity
	75
	Suppression Logic Based On

Title	Description
	event_id • computer_name • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2021/09/02 **Risk Level**: high **False Positives**: • Unknown. Feedback welcomed.

Possible Impacket SecretDump Remote Activity	Detect AD credential dumping using impacket secretdump HKTL
	
	More details
	
	Rule ID
	`windows_security_162`
	
	Query
	`{'selection': {'EventID': 5145, 'ShareName': '\\\\*\\ADMIN$', 'RelativeTargetName|contains|all': ['SYSTEM32\\', '.tmp']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	• The advanced audit policy setting "Object Access > Audit Detailed File Share" must be configured for Success/Failure
	
	Rule Source
	SigmaHQ,252902e3-5830-4cf6-bf21-c22083dfd5cf
	
	Author: Samir Bousseaden, wagga
	
	Tactics, Techniques, and Procedures
	TA0006, T1003
	
	References
	N/A
	
	Severity
	75
	
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	
	Additional Information
	Maturity: experimental
	Creation Date: 2019/04/03
	Risk Level: high
	False Positives:
	• Unknown

Suspicious PsExec Execution	detects execution of psexec or paexec with renamed service name, this rule helps to filter out the noise if psexec is used for legit purposes or if attacker uses a different psexec client other than sysinternal one More details **Rule ID** `windows_security_164` **Query**

Title	Description
	{'selection1': {'EventID': 5145, 'ShareName': '*\\IPC$', 'RelativeTargetName|endswith': ['-stdin', '-stdout', '-stderr']}, 'filter': {'RelativeTargetName|startswith': 'PSEXESVC'}, 'condition': 'selection1 and not filter'} **Log Source** Stellar Cyber Windows Server Sensor configured for: • Collecting Windows security events • The advanced audit policy setting "Object Access > Audit Detailed File Share" must be configured for Success/Failure **Rule Source** SigmaHQ,c462f537-a1e3-41a6-b5fc-b2c2cef9bf82 Author: Samir Bousseaden **Tactics, Techniques, and Procedures** TA0008, T1021.002 **References** N/A **Severity** 75 **Suppression Logic Based On** • event_id • computer_name • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2019/04/03 Risk Level: high False Positives: • Unknown
DCOM InternetExplorer.Application Iertutil DLL Hijack - Security	Detects a threat actor creating a file named `iertutil.dll` in the `C:\Program Files\Internet Explorer\` directory over the network for a DCOM InternetExplorer DLL Hijack scenario. More details **Rule ID** windows_security_165 **Query** {'selection': {'EventID': 5145, 'RelativeTargetName|endswith': '\\Internet Explorer\\iertutil.dll'}, 'filter': {'SubjectUserName|endswith': '$'}, 'condition': 'selection and not filter'} **Log Source** Stellar Cyber Windows Server Sensor configured for: • Collecting Windows security events **Rule Source** SigmaHQ,c39f0c81-7348-4965-ab27-2fde35a1b641 Author: Roberto Rodriguez @Cyb3rWard0g, Open Threat Research (OTR) **Tactics, Techniques, and Procedures** TA0008, T1021

Title	Description
	References • https://threathunterplaybook.com/hunts/windows/201009-RemoteDCOMIErtUtilDLLHijack/notebook.html **Severity** 75 **Suppression Logic Based On** • event_id • computer_name • stellar.rule_id **Additional Information** Maturity: test; Creation Date: 2020/10/12; Risk Level: high; False Positives: • Unknown

Transferring Files with Credential Data via Network Shares	Transferring files with well-known filenames (sensitive files with credential data) using network shares
	More details
	Rule ID
	`windows_security_170`
	Query
	`{'selection': {'EventID': 5145, 'RelativeTargetName|contains': ['\\mimidrv.sys', '\\windows\\minidump\\', '\\hiberfil.sys', '\\ntds.dit']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0006, T1003
	References
	• https://www.slideshare.net/heirhabarov/hunting-for-credentials-dumping-in-windows-environment
	Severity
	50
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	Additional Information
	Maturity: test; Creation Date: 2019-10-22; Risk Level: medium; False Positives: • Transferring sensitive files for legitimate administration work by legitimate administrator



© 2026 Stellar Cyber . All rights reserved.