Stellar Cyber 6.6.0s is now live! Discover all the updates in the release notes!

Rules Contributing to Suspicious Connection to Another Process Alerts

The following rules are used to identify suspicious connection to another process. Any one or more of these will trigger Suspicious Connection to Another Process Alert. Details for each rule can be viewed by clicking the **More Details** link in the description.

Windows Events Required: 5156

The Windows Detect Profile (Low Volume) covers these required Windows events.

Title	Description

Remote PowerShell Sessions Network Connections (WinRM)	Detects basic PowerShell Remoting (WinRM) by monitoring for network inbound connections to ports 5985 OR 5986
	
	More details
	
	Rule ID
	`windows_security_166`
	
	Query
	`{'selection': {'EventID': 5156, 'DestPort': ['5985', '5986'], 'LayerRTID': '44'}, 'filter': {'Application': ['System']}, 'condition': 'selection and not filter'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	
	Rule Source
	SigmaHQ,13acf386-b8c6-4fe0-9a6e-c4756b974698
	
	Author: Roberto Rodriguez @Cyb3rWard0g
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.001
	
	References
	• https://threathunterplaybook.com/hunts/windows/190511-RemotePwshExecution/notebook.html

Title	Description
	Severity 75 **Suppression Logic Based On** • event_id • computer_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2019/09/12 **Risk Level**: high **False Positives** • Legitimate use of remote PowerShell execution

Suspicious Outbound Kerberos Connection - Security	Detects suspicious outbound network activity via kerberos default port indicating possible lateral movement or first stage PrivEsc via delegation.
	More details
	Rule ID
	`windows_security_167`
	Query
	`{'selection': {'EventID': 5156, 'DestPort': '88', 'Direction': '%%14593'}, 'filter_exact': {'Application': ['System', '\\device\\harddiskvolume*\\windows\\system32\\lsass.exe', '\\device\\harddiskvolume**\\nmap.exe', '\\device\\harddiskvolume**\\chrome.exe', '\\device\\harddiskvolume**\\firefox.exe', '\\device\\harddiskvolume**\\msedge.exe', '\\device\\harddiskvolume**\\iexplore.exe']}, 'condition': 'selection and not 1 of filter_*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	Rule Source
	SigmaHQ,eca91c7c-9214-47b9-b4c5-cb1d7e4f2350
	Author: Ilyas Ochkov, oscd.community
	Tactics, Techniques, and Procedures
	TA0006, T1558.003
	References
	• https://github.com/GhostPack/Rubeus
	Severity
	75
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2019/10/24
	Risk Level: high
	False Positives
	• Web Browsers



© 2026 Stellar Cyber . All rights reserved.