Stellar Cyber 6.6.0s is now live! Discover all the updates in the release notes!

# Rules Contributing to Suspicious OCI Logging Activity Alert 6.0.0

This topic covers a feature that is not available for all customers yet. See Early Access Program Features and Topics Under Development.

The following rules are used to identify suspicious logging activity in OCI. Any one or more of these will trigger the Suspicious OCI Logging Activity Alert. Details for each rule can be viewed by clicking the **More Details** link in the description.

| Title | Description |
| --- | --- |
| OCI Log Group Deletion | Identifies the deletion of a specified OCI LogGroup. When a log group is deleted, all the archived log entries associated with the log group are also permanently deleted.<br><br>More details<br><br>**Rule ID**<br>`oci_audit_10`<br><br>**Query**<br>`{'selection': {'eventName': 'deleteloggroup'}, 'condition': 'selection'}`<br><br>**Log Source**<br>Stellar Cyber OCI configured.<br><br>**Rule Source**<br>Developed internally by Stellar Cyber<br><br>**Tactics, Techniques, and Procedures**<br>TA0005, T1562.001, TA0040, T1485<br><br>**References**<br>N/A<br><br>**Severity**<br>50<br><br>**Suppression Logic Based On** |

| Title | Description |
| --- | --- |
| | • oracle.data.resourceId<br>• oracle.data.eventName<br>• stellar.rule_id<br><br>**Additional Information**<br><br>**Maturity** experimental<br>**Creation Date** 2025/02/24<br>**Risk Level** medium<br><br>**False Positives**<br>• Verify whether the user identity, user agent, and/or hostname should be making changes in your environment. Log group deletions by unfamiliar users or hosts should be investigated. If known behavior is causing false positives, it can be exempted from the rule.<br>• If this rule is noisy in your environment due to expected activity, consider adding exceptions — preferably with a combination of user and IP address conditions. |
| OCI Log Object Deletion | Identifies the deletion of an OCI log object, which permanently deletes all associated archived log entries.<br><br>More details<br><br>**Rule ID**<br>`oci_audit_11`<br><br>**Query**<br>`{'selection': {'eventName': 'deletelog'}, 'condition': 'selection'}`<br><br>**Log Source**<br>Stellar Cyber OCI configured.<br><br>**Rule Source**<br>Developed internally by Stellar Cyber<br><br>**Tactics, Techniques, and Procedures**<br>TA0005, T1562.001, TA0040, T1485<br><br>**References**<br>N/A<br><br>**Severity**<br>50<br><br>**Suppression Logic Based On**<br>• oracle.data.resourceId<br>• oracle.data.eventName<br>• stellar.rule_id<br><br>**Additional Information**<br><br>**Maturity** experimental<br>**Creation Date** 2025/02/24<br>**Risk Level** medium<br><br>**False Positives**<br>• A log object may be deleted by a system administrator. Verify whether the user identity, user agent, and/or hostname should be making changes in your environment. Log deletions by unfamiliar users or hosts should be investigated. If known behavior is causing false positives, it can be exempted from the rule.<br>• If this rule is noisy in your environment due to expected activity, consider adding exceptions — preferably with a combination of user and IP address conditions. |
| OCI Log Object Updated | Identifies an update to an existing OCI log object with configuration that specifies the delivery of log files.<br><br>More details |

| Title | Description |
| --- | --- |

**Rule ID**

`oci_audit_13`

**Query**

```
{'selection': {'eventName': 'updatelog'}, 'condition': 'selection'}
```

**Log Source**

Stellar Cyber OCI configured.

**Rule Source**

Developed internally by Stellar Cyber

**Tactics, Techniques, and Procedures**

TA0009, T1530, TA0040, T1565.001

**References**

N/A

**Severity**

25

**Suppression Logic Based On**

- oracle.data.resourceId
- oracle.data.eventName
- stellar.rule_id

**Additional Information**

| Maturity | Creation Date | Risk Level | False Positives |
| --- | --- | --- | --- |
| experimental | 2025/02/25 | low | • Log object updates may be made by a system or network administrator. Verify whether the user identity, user agent, and/or hostname should be making changes in your environment. Log object updates from unfamiliar users or hosts should be investigated. If known behavior is causing false positives, it can be exempted from the rule -- preferably with a combination of user and IP address conditions. |



© 2026 Stellar Cyber . All rights reserved.