Stellar Cyber 6.6.0s is now live! Discover all the updates in the release notes!

Rules Contributing to Suspicious OCI Modification of Route Table Alert 6.0.0

This topic covers a feature that is not available for all customers yet. See Early Access Program Features and Topics Under Development.

The following rules are used to identify suspicious modification of route tables in OCI. Any one or more of these will trigger the Suspicious OCI Modification of Route Table Alert. Details for each rule can be viewed by clicking the **More Details** link in the description.

Title	Description

OCI Route Table Created	Identifies when an OCI Route Table has been created for the specified VCN.
	More details
	Rule ID
	`oci_audit_5`
	Query
	`{'selection1': {'eventName': 'createroutetable'}, 'selection2': {'status': '200'}, 'condition': 'selection1 and selection2'}`
	Log Source
	Stellar Cyber OCI configured.
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0003, T1098
	References
	N/A
	Severity
	25
	Suppression Logic Based On
	• oracle.data.resourceId

Title	Description
	• oracle.data.eventName • stellar.rule_id **Additional Information** **Maturity** experimental **Creation Date** 2025/02/24 **Risk Level** low **False Positives** • Routine infrastructure updates or deployments may trigger route table creation events. To manage this, establish a baseline of expected behavior during scheduled maintenance windows and exclude these from alerts. • Automated cloud management tools often create route tables as part of their operations. Identify these tools and create exceptions for their known activities to reduce noise. • Development and testing environments frequently undergo changes, including the creation of route tables. Consider excluding these environments from alerts or applying a different set of monitoring rules. • Legitimate changes by authorized personnel can be mistaken for suspicious activity. Implement a process to verify and document authorized changes, allowing for quick exclusion of these events from alerts. • Multi-account setups might have centralized networking teams that create route tables across accounts. Coordinate with these teams to understand their activities and exclude them from triggering alerts.

OCI Route Table Modified or Deleted	Identifies OCI events where a route table has been modified or deleted. Route table can be used by attackers to disrupt network traffic, reroute communications, or maintain persistence in a compromised environment.
	
	More details
	
	Rule ID
	`oci_audit_6`
	
	Query
	`{'selection': {'eventName': ['deleteroutetable']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber OCI configured.
	
	Rule Source
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	TA0003, T1098
	
	References
	N/A
	
	Severity
	25
	
	Suppression Logic Based On
	• oracle.data.resourceId
	• oracle.data.eventName
	• stellar.rule_id
	
	Additional Information

Title				Description
Maturity	Creation Date	Risk Level	False Positives	
experimental	2025/02/24	low		• Route table modifications are often part of routine administrative tasks, such as creating new routes, updating associations, or removing unused resources. • Automated workflows may trigger these events. Verify whether the source IP matches known automation tools. • Confirm whether these actions align with maintenance activities or scaling events (e.g., adding or removing subnets).

© 2026 Stellar Cyber . All rights reserved.