Stellar Cyber 6.6.0s is now live! Discover all the updates in the release notes!

Rules Contributing to Suspicious Process Creation Commandline Alert 6.1.0 6.3.0

The following rules are used to identify suspicious activity relating to command-line process creation. Any one or more of these will trigger the Suspicious Process Creation Alert. Details for each rule can be viewed by clicking the **More Details** link in the description.

Windows Events Required: 1

The Windows Detect Profile (Low Volume) covers these required Windows events.

Title	Description

SystemNightmare Exploitation Script Execution	Detects the exploitation of PrinterNightmare to get a shell as LOCAL_SYSTEM
	More details
	Rule ID
	`process_creation_commandline_1`
	Query
	`{'selection': {'CommandLine|contains': ['printnightmare.gentilkiwi.com', ' /user:gentilguest ', 'Kiwi Legit Printer']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,c01f7bd6-0c1d-47aa-9c61-187b91273a16
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0004, T1068
	References
	• https://github.com/GossiTheDog/SystemNightmare
	Severity

Title	Description
	Suppression Logic Based On • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2021/08/11 **Risk Level**: critical **False Positives** • Unknown

Suspicious Reg Add Open Command	Threat actors performed dumping of SAM, SECURITY and SYSTEM registry hives using DelegateExecute key
	
	More details
	
	Rule ID
	`process_creation_commandline_2`
	
	Query
	`{'selection_1': {'CommandLine|contains|all': ['reg', 'add', 'hkcu\\software\\classes\\ms-settings\\shell\\open\\command', '/ve ', '/d']}, 'selection_2': {'CommandLine|contains|all': ['reg', 'add', 'hkcu\\software\\classes\\ms-settings\\shell\\open\\command', '/v', 'DelegateExecute']}, 'selection_3': {'CommandLine|contains|all': ['reg', 'delete', 'hkcu\\software\\classes\\ms-settings']}, 'condition': '1 of selection_*'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,dd3ee8cc-f751-41c9-ba53-5a32ed47e563
	
	Author: frack113, Swachchhanda Shrawan Poudel (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0006, T1003
	
	References
	• https://thedfirreport.com/2021/12/13/diavol-ransomware/
	
	Severity
	49
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2021/12/20
	Risk Level: medium
	False Positives
	• Unknown

CL_LoadAssembly.ps1 Proxy Execution	Detects the use of a Microsoft signed script to execute commands and bypassing AppLocker.

Title	Description

	More details
	
	Rule ID
	`process_creation_commandline_3`
	
	Query
	`{'selection': {'CommandLine|contains': ['\\CL_LoadAssembly.ps1', 'LoadAssemblyFromPath ']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,c57872c7-614f-4d7f-a40d-b78c8df2d30d
	
	Author: frack113, Nasreddine Bencherchali (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1216
	
	References
	• https://bohops.com/2018/01/07/executing-commands-and-bypassing-applocker-with-powershell-diagnostic-scripts/
	• https://lolbas-project.github.io/lolbas/Scripts/CL_LoadAssembly/
	
	Severity
	49
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: experimental
	Creation Date: 2022/05/21
	Risk Level: medium
	False Positives:
	• Unknown

Suspicious Characters in CommandLine	Detects suspicious Unicode characters in the command line, which could be a sign of obfuscation or defense evasion
	
	More details
	
	Rule ID
	`process_creation_commandline_4`
	
	Query
	`{'selection_spacing_modifiers': {'CommandLine|contains': ['ˣ', 'ʟ', 'ˢ']}, 'selection_unicode_slashes': {'CommandLine|contains': ['⁄', '⁄']}, 'selection_unicode_hyphens': {'CommandLine|contains': ['—', '—']}, 'condition': '1 of selection*'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source

Title	Description
	maHQ,2c0d2d7b-30d6-4d14-9751-7b9113042ab9 Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003 **References** • https://www.wietzebeukema.nl/blog/windows-command-line-obfuscation **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: experimental Creation Date: 2022/04/27 Risk Level: high False Positives: • Unknown

Firewall Disabled via Netsh.EXE	Detects netsh commands that turns off the Windows firewall
	More details
	Rule ID
	`process_creation_commandline_5`
	Query
	`{'selection_img': [{'Image|endswith': '\\netsh.exe'}, {'OriginalFileName': 'netsh.exe'}], 'selection_cli_1': {'CommandLine|contains|all': ['firewall', 'set', 'opmode', 'disable']}, 'selection_cli_2': {'CommandLine|contains|all': ['advfirewall', 'set', 'state', 'off']}, 'condition': 'selection_img and 1 of selection_cli_*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,57c4bf16-227f-4394-8ec7-1b745ee061c3
	Author: Fatih Sirin
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1562.004
	References
	• https://www.winhelponline.com/blog/enable-and-disable-windows-firewall-quickly-using-command-line/
	• https://app.any.run/tasks/210244b9-0b6b-4a2c-83a3-04bd3175d017/
	• https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1562.004/T1562.004.md#atomic-test-1---disable-microsoft-defender-firewall
	Severity
	49
	Suppression Logic Based On

Title	Description
	• computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2019/11/01 **Risk Level**: medium **False Positives**: • Legitimate administration activity

Ke3chang Registry Key Modifications	Detects Registry modifications performed by Ke3chang malware in campaigns running in 2019 and 2020
	
	More details
	
	Rule ID
	`process_creation_commandline_6`
	
	Query
	`{'selection1': {'CommandLine|contains': ['-Property DWORD -name DisableFirstRunCustomize -value 2 -Force', '-Property String -name Check_Associations -value', '-Property DWORD -name IEHarden -value 0 -Force']}, 'condition': 'selection1'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,7b544661-69fc-419f-9a59-82ccc328f205
	
	Author: Markus Neis, Swisscom
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1562.001
	
	References
	• https://www.verfassungsschutz.de/embed/broschuere-2020-06-bfv-cyber-brief-2020-01.pdf
	• https://unit42.paloaltonetworks.com/operation-ke3chang-resurfaces-with-new-tidepool-malware/
	
	Severity
	95
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2020/06/18
	Risk Level: critical
	False Positives:
	• Will need to be looked for combinations of those processes

Potential PowerShell Obfuscation Via WCHAR	Detects suspicious encoded character syntax often used for defense evasion More details **Rule ID** `process_creation_commandline_7`

Title	Description
	Query `{'selection': {'CommandLine|contains': '(WCHAR)0x'}, 'condition': 'selection'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,e312efd0-35a1-407f-8439-b8d434b438a6 Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059, TA0005, T1027 **References** • https://twitter.com/0gtweet/status/1281103918693482496 **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2020/07/09 Risk Level: high False Positives: • Unknown

Conti Volume Shadow Listing	Detects a command used by conti to find volume shadow backups
	More details
	Rule ID
	`process_creation_commandline_8`
	Query
	`{'selection': {'CommandLine|contains|all': ['vssadmin list shadows', 'log.txt']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,7b30e0a7-c675-4b24-8a46-82fa67e2433d
	Author: Max Altgelt (Nextron Systems), Tobias Michalski (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0042, T1587.001, TA0002, T1059.003
	References
	• https://twitter.com/vxunderground/status/1423336151860002816?s=20
	• https://www.virustotal.com/gui/file/03e9b8c2e86d6db450e5eceec057d7e369ee2389b9daecaf06331a95410aa5f8/detection

Title	Description
	verity 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2021/08/09 **Risk Level**: high **False Positives**: • Unknown

InfDefaultInstall.exe .inf Execution	Executes SCT script using scrobj.dll from a command in entered into a specially prepared INF file.
	
	More details
	
	Rule ID
	`process_creation_commandline_9`
	
	Query
	`{'selection': {'CommandLine|contains|all': ['InfDefaultInstall.exe ', '.inf']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,ce7cf472-6fcc-490a-9481-3786840b5d9b
	
	Author: frack113
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1218
	
	References
	• https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1218/T1218.md#atomic-test-4---infdefaultinstallexe-inf-execution
	• https://lolbas-project.github.io/lolbas/Binaries/Infdefaultinstall/
	
	Severity
	49
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2021/07/13
	Risk Level: medium
	False Positives: • Unknown

Root Certificate Installed From Susp Locations	Adversaries may install a root certificate on a compromised system to avoid warnings when connecting to adversary controlled web servers. More details **Rule ID**

Title	Description
	ocess_creation_commandline_10 **Query** `{'selection': {'CommandLine|contains|all': ['Import-Certificate', ' -FilePath ', 'Cert:\\LocalMachine\\Root'], 'CommandLine|contains': ['\\AppData\\Local\\Temp\\', ':\\Windows\\TEMP\\', '\\Desktop\\', '\\Downloads\\', '\\Perflogs\\', ':\\Users\\Public\\']}, 'condition': 'selection'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,5f6a601c-2ecb-498b-9c33-660362323afa Author: Nasreddine Bencherchali (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0005, T1553.004 **References** • https://www.microsoft.com/security/blog/2022/09/07/profiling-dev-0270-phosphorus-ransomware-operations/ • https://docs.microsoft.com/en-us/powershell/module/pki/import-certificate?view=windowsserver2022-ps **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: experimental Creation Date: 2022/09/09 Risk Level: high False Positives: • Unlikely

Suspicious PrinterPorts Creation (CVE-2020-1048)	Detects new commands that add new printer port which point to suspicious file
	More details
	Rule ID
	`process_creation_commandline_11`
	Query
	`{'selection1': {'CommandLine|contains': 'Add-PrinterPort -Name'}, 'selection2': {'CommandLine|contains': ['.exe', '.dll', '.bat']}, 'selection3': {'CommandLine|contains': 'Generic / Text Only'}, 'condition': '(selection1 and selection2) or selection3'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source

Title	Description
	maHQ,cc08d590-8b90-413a-aff6-31d1a99678d7 Author: EagleEye Team, Florian Roth **Tactics, Techniques, and Procedures** TA0002, T1059 **References** • https://windows-internals.com/printdemon-cve-2020-1048/ **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2020/05/13 Risk Level: high False Positives: • New printer port install on host

PowerShell Script Run in AppData	Detects a suspicious command line execution that invokes PowerShell with reference to an AppData folder
	More details
	Rule ID
	`process_creation_commandline_12`
	Query
	`{'selection1': {'CommandLine|contains': ['powershell.exe', '\\powershell', '\\pwsh', 'pwsh.exe']}, 'selection2': {'CommandLine|contains|all': ['/c ', '\\AppData\\'], 'CommandLine|contains': ['Local\\', 'Roaming\\']}, 'condition': 'all of selection*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,ac175779-025a-4f12-98b0-acdaeb77ea85
	Author: Florian Roth (Nextron Systems), Jonhnathan Ribeiro, oscd.community
	Tactics, Techniques, and Procedures
	TA0002, T1059
	References
	• https://twitter.com/JohnLaTwC/status/1082851155481288706
	• https://app.any.run/tasks/f87f1c4e-47e2-4c46-9cf4-31454c06ce03
	Severity
	49
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id

Title	Description
	ditional Information **Maturity**: experimental **Creation Date**: 2019/01/09 **Risk Level**: medium **False Positives**: • Administrative scripts

Potential Remote Desktop Tunneling	Detects potential use of an SSH utility to establish RDP over a reverse SSH Tunnel. This can be used by attackers to enable routing of network packets that would otherwise not reach their intended destination.
	
	More details
	
	Rule ID
	`process_creation_commandline_13`
	
	Query
	`{'selection': {'CommandLine|contains': ':3389'}, 'selection_opt': {'CommandLine|contains': [' -L ', ' -P ', ' -R ', ' -pw ', ' -ssh ']}, 'condition': 'all of selection*'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,8a3038e8-9c9d-46f8-b184-66234a160f6f
	
	Author: Tim Rauch, Elastic (idea)
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0008, T1021
	
	References
	• https://www.elastic.co/guide/en/security/current/potential-remote-desktop-tunneling-detected.html
	
	Severity
	49
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: experimental
	Creation Date: 2022/09/27
	Risk Level: medium
	False Positives:
	• Unknown

MSTSC Shadowing	Detects RDP session hijacking by using MSTSC shadowing
	
	More details
	
	Rule ID
	`process_creation_commandline_14`
	
	Query
	`{'selection': {'CommandLine|contains|all': ['noconsentprompt', 'shadow:']}, 'condition': 'selection'}`
	
	Log Source

Title	Description
	llar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,6ba5a05f-b095-4f0a-8654-b825f4f16334 Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0008, T1563.002 **References** • https://twitter.com/kmkz_security/status/1220694202301976576 • https://github.com/kmkz/Pentesting/blob/47592e5e160d3b86c2024f09ef04ceb87d204995/Post-Exploitation-Cheat-Sheet **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2020/01/24 Risk Level: high False Positives: • Unknown

Suspicious Scan Loop Network	Adversaries may attempt to get a listing of other systems by IP address, hostname, or other logical identifier on a network that may be used for Lateral Movement from the current system
	More details
	Rule ID
	`process_creation_commandline_15`
	Query
	`{'selection_loop': {'CommandLine|contains': ['for ', 'foreach ']}, 'selection_tools': [{'CommandLine|re': '\\bnslookup\\b'}, {'CommandLine|re': '\\bping\\b'}], 'condition': 'all of selection_*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,f8ad2e2c-40b6-4117-84d7-20b89896ab23
	Author: frack113
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0007, T1018
	References
	• https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1018/T1018.md
	• https://ss64.com/nt/for.html

Title	Description
	• https://ss64.com/ps/foreach-object.html **Severity** 49 **Suppression Logic Based On** • computer_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/03/12 **Risk Level**: medium **False Positives**: • Legitimate script

Obfuscated IP Download	Detects use of an encoded/obfuscated version of an IP address (hex, octal...) in an URL combined with a download command
	More details
	Rule ID
	`process_creation_commandline_16`
	Query
	`{'selection_img': {'CommandLine|contains': ['Invoke-WebRequest', 'iwr ', 'wget ', 'curl ', 'DownloadFile', 'DownloadString']}, 'selection_ip': [{'CommandLine|contains': ['//0x', '.0x', '.00x']}, {'CommandLine|contains|all': ['http://%', '%2e']}], 'condition': 'all of selection*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,cb5a2333-56cf-4562-8fcb-22ba1bca728d
	Author: Florian Roth (Nextron Systems), X__Junior (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003
	References
	• https://h.43z.one/ipconverter/
	• https://twitter.com/Yasser_Elsnbary/status/1553804135354564608
	Severity
	49
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: experimental
	Creation Date: 2022/08/03
	Risk Level: medium
	False Positives: • Unknown

MSExchange Transport Agent Installation	Detects the Installation of a Exchange Transport Agent More details

Title	Description

	Rule ID
	`process_creation_commandline_17`
	Query
	`{'selection': {'CommandLine|contains': 'Install-TransportAgent'}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,83809e84-4475-4b69-bc3e-4aad8568612f
	Author: Tobias Michalski (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0003, T1505.002
	References
	• https://speakerdeck.com/heirhabarov/hunting-for-persistence-via-microsoft-exchange-server-or-outlook?slide=7
	Severity
	49
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2021/06/08
	Risk Level: medium
	False Positives:
	• Legitimate installations of exchange TransportAgents. AssemblyPath is a good indicator for this.

Pubprn.vbs Proxy Execution	Detects the use of the 'Pubprn.vbs' Microsoft signed script to execute commands.
	More details
	Rule ID
	`process_creation_commandline_18`
	Query
	`{'selection': {'CommandLine|contains|all': ['\\pubprn.vbs', 'script:']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,1fb76ab8-fa60-4b01-bddd-71e89bf555da
	Author: frack113
	Tactics, Techniques, and Procedures

Title	Description
	0002, T1059.003, TA0005, T1216.001 **References** • https://lolbas-project.github.io/lolbas/Scripts/Pubprn/ **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2022/05/28 **Risk Level**: medium **False Positives**: • Unknown

Tamper Windows Defender Remove-MpPreference	Detects attempts to remove windows defender configuration using the 'MpPreference' cmdlet
	
	More details
	
	Rule ID
	`process_creation_commandline_19`
	
	Query
	`{'selection_remove': {'CommandLine|contains': 'Remove-MpPreference'}, 'selection_tamper': {'CommandLine|contains': ['-ControlledFolderAccessProtectedFolders ', '-AttackSurfaceReductionRules_Ids ', '-AttackSurfaceReductionRules_Actions ', '-CheckForSignaturesBeforeRunningScan ']}, 'condition': 'all of selection_*'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,07e3cb2c-0608-410d-be4b-1511cb1a0448
	
	Author: Nasreddine Bencherchali (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1562.001
	
	References
	• https://techcommunity.microsoft.com/t5/core-infrastructure-and-security/windows-10-controlled-folder-access-event-search/ba-p/2326088
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information

Title	Description
	aturity **Creation Date** **Risk Level** **False Positives** experimental 2022/08/05 high • Legitimate PowerShell scripts

AnyDesk Silent Installation	Detects AnyDesk Remote Desktop silent installation. Which can be used by attackers to gain remote access.
	
	More details
	
	Rule ID
	`process_creation_commandline_20`
	
	Query
	`{'selection': {'CommandLine|contains|all': ['--install', '--start-with-win', '--silent']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,114e7f1c-f137-48c8-8f54-3088c24ce4b9
	
	Author: Ján Trenčanský
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0011, T1219
	
	References
	• https://twitter.com/TheDFIRReport/status/1423361119926816776?s=20
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity **Creation Date** **Risk Level** **False Positives**
	test 2021/08/06 high
	• Legitimate deployment of AnyDesk

Execution via CL_Invocation.ps1	Detects Execution via SyncInvoke in CL_Invocation.ps1 module
	
	More details
	
	Rule ID
	`process_creation_commandline_21`
	
	Query
	`{'selection': {'CommandLine|contains|all': ['CL_Invocation.ps1', 'SyncInvoke']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation

Title	Description
	le Source SigmaHQ,a0459f02-ac51-4c09-b511-b8c9203fc429 Author: Nasreddine Bencherchali (Nextron Systems), oscd.community, Natalia Shornikova **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0005, T1216 **References** • https://lolbas-project.github.io/lolbas/Scripts/CI_invocation/ • https://twitter.com/bohops/status/948061991012327424 **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2020/10/14 Risk Level: high False Positives: • Unknown

Writing Of Malicious Files To The Fonts Folder	Monitors for the hiding possible malicious files in the C:\Windows\Fonts\ location. This folder doesn't require admin privillege to be written and executed from.
	More details
	Rule ID
	`process_creation_commandline_24`
	Query
	`{'selection_1': {'CommandLine|contains': ['echo', 'copy', 'type', 'file createnew', 'cacls']}, 'selection_2': {'CommandLine|contains': 'C:\\Windows\\Fonts\\'}, 'selection_3': {'CommandLine|contains': ['.sh', '.exe', '.dll', '.bin', '.bat', '.cmd', '.js', '.msh', '.reg', '.scr', '.ps', '.vb', '.jar', '.pl', '.inf', '.cpl', '.hta', '.msi', '.vbs']}, 'condition': 'all of selection_*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,ae9b0bd7-8888-4606-b444-0ed7410cb728
	Author: Sreeman
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1211
	References
	• https://thedfirreport.com/2020/04/20/sqlserver-or-the-miner-in-the-basement/
	Severity

Title	Description
	 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2020/04/21 **Risk Level**: medium **False Positives** • Unknown

Suspicious FromBase64String Usage On Gzip Archive - Process Creation	Detects attempts of decoding a base64 Gzip archive via PowerShell. This technique is often used as a method to load malicious content into memory afterward.
	More details
	Rule ID
	`process_creation_commandline_25`
	Query
	`{'selection': {'CommandLine|contains|all': ['FromBase64String', 'MemoryStream', 'H4sI']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,d75d6b6b-adb9-48f7-824b-ac2e786efe1f
	Author: frack113
	Tactics, Techniques, and Procedures
	TA0002, T1059.003
	References
	• https://speakerdeck.com/heirhabarov/hunting-for-powershell-abuse?slide=43
	Severity
	49
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: experimental
	Creation Date: 2022/12/23
	Risk Level: medium
	False Positives
	• Legitimate administrative script

Suspicious Usage Of ShellExec_RunDLL	Detects suspicious usage of the ShellExec_RunDLL function to launch other commands as seen in the the raspberry-robin attack More details **Rule ID** `process_creation_commandline_26` **Query**

Title	Description
	 `selection_openasrundll': {'CommandLine|contains': 'ShellExec_RunDLL'}, 'selection_suspcli': {'CommandLine|contains': ['regsvr32', 'msiexec', '\\Users\\Public\\', 'odbcconf', '\\Desktop\\', '\\Temp\\', 'Invoke-', 'iex', 'comspec']}, 'condition': 'all of selection_*'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,d87bd452-6da1-456e-8155-7dc988157b7d Author: Nasreddine Bencherchali (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003 **References** • https://redcanary.com/blog/raspberry-robin/ • https://www.microsoft.com/en-us/security/blog/2022/10/27/raspberry-robin-worm-part-of-larger-ecosystem-facilitating-pre-ransomware-activity/ • https://github.com/SigmaHQ/sigma/issues/1009 **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2022/09/01 **Risk Level**: high **False Positives**: • Unknown

Turla Group Lateral Movement	Detects automated lateral movement by Turla group
	More details
	Rule ID
	`process_creation_commandline_27`
	Query
	`{'selection': {'CommandLine': ['net use \\\\%DomainController%\\C$ "P@ssw0rd" *', 'dir c:\\*.doc* /s', 'dir %TEMP%\\*.exe']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,c601f20d-570a-4cde-a7d6-e17f99cb8e7f
	Author: Markus Neis
	Tactics, Techniques, and Procedures

Title	Description
	0002, T1059.003, TA0007, T1083, T1135, TA0008, T1021.002 **References** • https://securelist.com/the-epic-turla-operation/65545/ **Severity** 95 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2017/11/07 **Risk Level**: critical **False Positives** • Unknown

Netsh RDP Port Opening	Detects netsh commands that opens the port 3389 used for RDP, used in Sarwent Malware
	
	More details
	
	Rule ID
	`process_creation_commandline_28`
	
	Query
	`{'selection1': {'CommandLine|contains|all': ['netsh', 'firewall add portopening', 'tcp 3389']}, 'selection2': {'CommandLine|contains|all': ['netsh', 'advfirewall firewall add rule', 'action=allow', 'protocol=TCP', 'localport=3389']}, 'condition': '1 of selection*'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,01aeb693-138d-49d2-9403-c4f52d7d3d62
	
	Author: Sander Wiebing
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1562.004
	
	References
	• https://labs.sentinelone.com/sarwent-malware-updates-command-detonation/
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2020/05/23
	Risk Level: high
	False Positives
	• Legitimate administration

Title	Description

PowerShell DownloadFile	Detects the execution of powershell, a WebClient object creation and the invocation of DownloadFile in a single command line
	
	More details
	
	Rule ID
	`process_creation_commandline_29`
	
	Query
	`{'selection': {'CommandLine|contains|all': ['powershell', '.DownloadFile', 'System.Net.WebClient']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,8f70ac5f-1f6f-4f8e-b454-db19561216c5
	
	Author: Florian Roth (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0002, T1059, TA0011, T1104, T1105
	
	References
	• https://www.fireeye.com/blog/threat-research/2020/03/apt41-initiates-global-intrusion-campaign-using-multiple-exploits.html
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2020/08/28
	Risk Level: high
	False Positives: • Unknown

Powershell Defender Exclusion	Detects requests to exclude files, folders or processes from Antivirus scanning using PowerShell cmdlets
	
	More details
	
	Rule ID
	`process_creation_commandline_30`
	
	Query
	`{'selection1': {'CommandLine|contains': ['Add-MpPreference ', 'Set-MpPreference ']}, 'selection2': {'CommandLine|contains': [' -ExclusionPath ', ' -ExclusionExtension ', ' -ExclusionProcess ', ' -ExclusionIpAddress ']}, 'condition': 'all of selection*'}`
	
	Log Source

Title	Description
	llar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,17769c90-230e-488b-a463-e05c08e9d48f Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0005, T1562.001 **References** • https://docs.microsoft.com/en-us/microsoft-365/security/defender-endpoint/configure-process-opened-file-exclusions-microsoft-defender-antivirus • https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1562.001/T1562.001.md • https://twitter.com/AdamTheAnalyst/status/1483497517119590403 **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: experimental Creation Date: 2021/04/29 Risk Level: medium False Positives: • Possible Admin Activity • Other Cmdlets that may use the same parameters

Lazarus Loaders	Detects different loaders as described in various threat reports on Lazarus group activity
	More details
	Rule ID
	`process_creation_commandline_31`
	Query
	`{'selection_cmd1': {'CommandLine|contains|all': ['cmd.exe /c ', ' -p 0x']}, 'selection_cmd2': {'CommandLine|contains': ['C:\\ProgramData\\', 'C:\\RECYCLER\\']}, 'selection_rundll1': {'CommandLine|contains|all': ['rundll32.exe ', 'C:\\ProgramData\\']}, 'selection_rundll2': {'CommandLine|contains': ['.bin,', '.tmp,', '.dat,', '.io,', '.ini,', '.db,']}, 'condition': '(selection_cmd1 and selection_cmd2) or (selection_rundll1 and selection_rundll2)'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,7b49c990-4a9a-4e65-ba95-47c9cc448f6e
	Author: Florian Roth (Nextron Systems), wagga

Title	Description
	tics, Techniques, and Procedures TA0002, T1059.003 **References** • https://www.hvs-consulting.de/lazarus-report/ • https://securelist.com/lazarus-covets-covid-19-related-intelligence/99906/ **Severity** 95 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2020/12/23 Risk Level: critical False Positives: • Unknown

Suspicious GrpConv Execution	Detects the suspicious execution of a utility to convert Windows 3.x .grp files or for persistence purposes by malicious software or actors
	More details
	Rule ID
	`process_creation_commandline_32`
	Query
	`{'selection': {'CommandLine|contains': ['grpconv.exe -o', 'grpconv -o']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,f14e169e-9978-4c69-acb3-1cff8200bc36
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0003, T1547
	References
	• https://twitter.com/0gtweet/status/1526833181831200770
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: experimental
	Creation Date: 2022/05/19
	Risk Level: high
	False Positives: • Unknown

Title	Description

Disabled RestrictedAdminMode For RDS - ProcCreation	Detect activation of DisableRestrictedAdmin to desable RestrictedAdmin mode. RestrictedAdmin mode prevents the transmission of reusable credentials to the remote system to which you connect using Remote Desktop. This prevents your credentials from being harvested during the initial connection process if the remote server has been compromise
	
	More details
	
	Rule ID
	
	`process_creation_commandline_33`
	
	Query
	
	`{'selection': {'CommandLine|contains|all': ['\\System\\CurrentControlSet\\Control\\Lsa\\', 'DisableRestrictedAdmin', ' 1']}, 'condition': 'selection'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation
	
	Rule Source
	
	SigmaHQ,28ac00d6-22d9-4a3c-927f-bbd770104573
	
	Author: frack113
	
	Tactics, Techniques, and Procedures
	
	TA0002, T1059.003, TA0005, T1112
	
	References
	
	• https://github.com/redcanaryco/atomic-red-team/blob/a8e3cf63e97b973a25903d3df9fd55da6252e564/atomics/T1112/T1112.md
	• https://social.technet.microsoft.com/wiki/contents/articles/32905.remote-desktop-services-enable-restricted-admin-mode.aspx
	
	Severity
	
	74
	
	Suppression Logic Based On
	
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	
	Maturity: experimental
	Creation Date: 2023/01/13
	Risk Level: high
	False Positives:
	• Unknown

Malicious Base64 Encoded Powershell Invoke Cmdlets	Detects base64 encoded powershell cmdlet invocation of known suspicious cmdlets
	
	More details
	
	Rule ID
	
	`process_creation_commandline_34`
	
	Query
	
	`{'selection': {'CommandLine|contains': ['SQBuAHYAbwBrAGUALQBCAGwAbwBvAGQASABvAHUAbgBkA', 'kAbgB2AG8AawBlAC0AQgBsAG8AbwBkAEgAbwB1AG4AZA', 'JAG4AdgBvAGsAZQAtAEIAbABvAG8AZABIAG8AdQBuAGQA', 'SQBuAHYAbwBrAGUALQBNAGkAbQBpAGsAYQB0AHoA', 'kAbgB2AG8AawBlAC0ATQBpAG0AaQBrAGEAdAB6A', 'JAG4Ad`

Title	Description
	 vAGsAZQAtAE0AaQBtAGkAawBhAHQAeg', 'SQBuAHYAbwBrAGUALQBXAE0ASQBFAHgAZQBjA', 'kAbgB2AG8AawBlAC0AVwBNAEkARQB4AGUAYw', 'JAG4AdgBvAGsAZQAtAFcATQBJAEUAeABlAGMA']}, 'condition': 'selection'} **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,fd6e2919-3936-40c9-99db-0aa922c356f7 Author: pH-T (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059, TA0005, T1027 **References** • https://thedfirreport.com/2022/05/09/seo-poisoning-a-gootloader-story/ **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/05/31 **Risk Level**: high **False Positives**: • Unlikely
Uninstall Crowdstrike Falcon	Adversaries may disable security tools to avoid possible detection of their tools and activities by uninstalling Crowdstrike Falcon More details **Rule ID** process_creation_commandline_35 **Query** {'selection': {'CommandLine|contains|all': ['\\WindowsSensor.exe', ' /uninstall', ' /quiet']}, 'condition': 'selection'} **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,f0f7be61-9cf5-43be-9836-99d6ef448a18 Author: frack113 **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0005, T1562.001 **References** • https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1562.001/

Title	Description
	T1562.001.md **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2021/07/12 **Risk Level**: medium **False Positives** • Uninstall by admin

Suspicious Powershell No File or Command	Detects suspicious powershell execution that ends with a common flag instead of a command or a filename to execute (could be a sign of implicit execution that uses files in WindowsApps directory)
	More details
	Rule ID
	`process_creation_commandline_36`
	Query
	`{'selection': {'CommandLine|endswith': [' -windowstyle hidden"', ' -windowstyle hidden', " -windowstyle hidden'", ' -w hidden"', ' -w hidden', " -w hidden'", ' -ep bypass"', ' -ep bypass', " -ep bypass'", ' -noni"', ' -noni', " -noni'"]}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,b66474aa-bd92-4333-a16c-298155b120df
	Author: pH-T (Nextron Systems), Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059, TA0003, T1053.005
	References
	• https://blog.malwarebytes.com/threat-intelligence/2022/04/colibri-loader-combines-task-scheduler-and-powershell-in-clever-persistence-technique/
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: experimental
	Creation Date: 2022/04/08
	Risk Level: high
	False Positives
	• Unknown

Title	Description

New Network Provider - CommandLine	Detects when an attacker tries to add a new network provider in order to dump clear text credentials, similar to how the NPPSpy tool does it
	
	More details
	
	Rule ID
	`process_creation_commandline_37`
	
	Query
	`{'selection': {'CommandLine|contains|all': ['\\System\\CurrentControlSet\\Services\\', '\\NetworkProvider']}, 'filter': {'CommandLine|contains': ['\\System\\CurrentControlSet\\Services\\WebClient\\NetworkProvider', '\\System\\CurrentControlSet\\Services\\LanmanWorkstation\\NetworkProvider', '\\System\\CurrentControlSet\\Services\\RDPNP\\NetworkProvider']}, 'condition': 'selection and not filter'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,baef1ec6-2ca9-47a3-97cc-4cf2bda10b77
	
	Author: Nasreddine Bencherchali (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0006, T1003
	
	References
	• https://docs.microsoft.com/en-us/troubleshoot/windows-client/deployment/network-provider-settings-removed-in-place-upgrade
	• https://github.com/gtworek/PSBits/tree/master/PasswordStealing/NPPSpy
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: experimental
	Creation Date: 2022/08/23
	Risk Level: high
	False Positives:
	• Other legitimate network providers used and not filtred in this rule

Turla Group Commands May 2020	Detects commands used by Turla group as reported by ESET in May 2020
	
	More details
	
	Rule ID
	`process_creation_commandline_38`
	
	Query
	`{'selection1': {'CommandLine|contains': ['tracert -h 10 yahoo.com', '.WSqmCons))|iex;', 'Fr`omBa`se6`4Str`i`

Title	Description
	 `']}, 'selection2': {'CommandLine|contains|all': ['net use https://docs.live.net', '@aol.co.uk']}, 'condition': '1 of selection*'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,9e2e51c5-c699-4794-ba5a-29f5da40ac0c Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059, TA0003, T1053.005, TA0005, T1027 **References** • https://www.welivesecurity.com/wp-content/uploads/2020/05/ESET_Turla_ComRAT.pdf **Severity** 95 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2020/05/26 **Risk Level**: critical **False Positives** • Unknown

Potential Data Stealing Via Chromium Headless Debugging	Detects chromium based browsers starting in headless and debugging mode and pointing to a user profile. This could be a sign of data stealing or remote control
	
	More details
	
	Rule ID
	
	`process_creation_commandline_39`
	
	Query
	
	`{'selection': {'CommandLine|contains|all': ['--remote-debugging-', '--user-data-dir', '--headless']}, 'condition': 'selection'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation
	
	Rule Source
	
	SigmaHQ,3e8207c5-fcd2-4ea6-9418-15d45b4890e4
	
	Author: Nasreddine Bencherchali (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	
	TA0002, T1059.003, TA0009, T1185
	
	References
	
	• https://github.com/defaultnamehere/cookie_crimes/
	• https://mango.pdf.zone/stealing-chrome-cookies-without-a-password

Title	Description
	 • https://embracethered.com/blog/posts/2020/cookie-crimes-on-mirosoft-edge/ • https://embracethered.com/blog/posts/2020/chrome-spy-remote-control/ **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2022/12/23 **Risk Level**: high **False Positives**: • Unknown

Invoke-Obfuscation Via Use MSHTA	Detects Obfuscated Powershell via use MSHTA in Scripts
	More details
	Rule ID
	`process_creation_commandline_40`
	Query
	`{'selection': {'CommandLine|contains|all': ['set', '&&', 'mshta', 'vbscript:createobject', '.run', '(window.close)']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,ac20ae82-8758-4f38-958e-b44a3140ca88
	Author: Nikita Nazarov, oscd.community
	Tactics, Techniques, and Procedures
	TA0002, T1059, TA0005, T1027
	References
	• https://github.com/SigmaHQ/sigma/issues/1009
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2020/10/08
	Risk Level: high
	False Positives: • Unknown

Suspicious Rundll32 Script in CommandLine	Detects suspicious process related to rundll32 based on arguments More details **Rule ID**

Title	Description
	ocess_creation_commandline_41 **Query** {'selection': {'CommandLine|contains|all': ['rundll32', 'mshtml,RunHTMLApplication'], 'CommandLine|contains': ['javascript:', 'vbscript:']}, 'condition': 'selection'} **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,73fcad2e-ff14-4c38-b11d-4172c8ac86c7 Author: frack113, Zaw Min Htun (ZETA) **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0005, T1218.011 **References** • https://gist.github.com/ryhanson/227229866af52e2d963cf941af135a52 • https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1218.011/T1218.011.md **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: experimental Creation Date: 2021/12/04 Risk Level: medium **False Positives** • False positives depend on scripts and administrative tools used in the monitored environment
Suspicious Base64 Encoded Powershell Invoke	Detects base64 encoded powershell 'Invoke-' call More details **Rule ID** process_creation_commandline_42 **Query** {'selection': {'CommandLine|contains': ['SQBuAHYAbwBrAGUALQ', 'kAbgB2AG8AawBlAC0A', 'JAG4AdgBvAGsAZQAtA']}, 'filter_other_rule': {'CommandLine|contains': ['SQBuAHYAbwBrAGUALQBCAGwAbwBvAGQASABvAHUAbgBkA', 'kAbgB2AG8AawBlAC0AQgBsAG8AbwBkAEgAbwB1AG4AZA', 'JAG4AdgBvAGsAZQAtAEIAbABvAG8AZABIAG8AdQBuAGQA', 'SQBuAHYAbwBrAGUALQBNAGkAbQBpAGsAYQB0AHoA', 'kAbgB2AG8AawBlAC0ATQBpAG0AaQBrAGEAdAB6A', 'JAG4AdgBvAGsAZQAtAE0AaQBtAGkAawBhAHQAeg', 'SQBuAHYAbwBrAGUALQBXAE0ASQBFAHgAZQBjA', 'kAbgB2AG8AawBlAC0AVwBNAEkARQB4AGUAYw', 'JAG4AdgBvAGsAZQAtAFcATQBJAEUAeABlAGMA']}, 'condition': 'selection and not 1 of filter*'} **Log Source**

Title	Description
	llar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,6385697e-9f1b-40bd-8817-f4a91f40508e Author: pH-T (Nextron Systems), Harjot Singh, @cyb3rjy0t **Tactics, Techniques, and Procedures** TA0002, T1059, TA0005, T1027 **References** • https://thedfirreport.com/2022/05/09/seo-poisoning-a-gootloader-story/ **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test; Creation Date: 2022/05/20; Risk Level: high; False Positives: • Unlikely

HackTool - Bloodhound/Sharphound Execution	Detects command line parameters used by Bloodhound and Sharphound hack tools
	More details
	Rule ID
	`process_creation_commandline_44`
	Query
	`{'selection_cli_1': {'CommandLine|contains': [' -CollectionMethod All ', ' --CollectionMethods Session ', ' --Loop --Loopduration ', ' --PortScanTimeout ', '.exe -c All -d ', 'Invoke-Bloodhound', 'Get-BloodHoundData']}, 'selection_cli_2': {'CommandLine|contains|all': [' -JsonFolder ', ' -ZipFileName ']}, 'selection_cli_3': {'CommandLine|contains|all': [' DCOnly ', ' --NoSaveCache ']}, 'condition': '1 of selection_*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,f376c8a7-a2d0-4ddc-aa0c-16c17236d962
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.001, TA0007, T1087, T1482, T1069
	References
	• https://github.com/BloodHoundAD/BloodHound

Title	Description
	• https://github.com/BloodHoundAD/SharpHound **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2019/12/20 **Risk Level**: high **False Positives** • Other programs that use these command line option and accepts an 'All' parameter

Explorer Process Tree Break	Detects a command line process that uses explorer.exe to launch arbitrary commands or binaries, which is similar to cmd.exe /c, only it breaks the process tree and makes its parent a new instance of explorer spawning from "svchost"
	More details
	Rule ID
	`process_creation_commandline_45`
	Query
	`{'selection': [{'CommandLine|contains': '/factory, {75dff2b7-6936-4c06-a8bb-676a7b00b24b}'}, {'CommandLine|contains|all': ['explorer.exe', ' /root,']}], 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,949f1ffb-6e85-4f00-ae1e-c3c5b190d605
	Author: Florian Roth (Nextron Systems), Nasreddine Bencherchali (Nextron Systems), @gott_cyber
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1036
	References
	• https://twitter.com/CyberRaiju/status/1273597319322058752
	• https://twitter.com/bohops/status/1276357235954909188?s=12
	• https://twitter.com/nas_bench/status/1535322450858233858
	Severity
	49
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information

Title	Description
	Maturity test **Creation Date** 2019/06/29 **Risk Level** medium **False Positives** • Unknown how many legitimate software products use that method

Suspicious Del in CommandLine	Detects suspicious command line to remove and 'exe' or 'dll'
	
	More details
	
	Rule ID
	`process_creation_commandline_46`
	
	Query
	`{'susp_del_exe': {'CommandLine|contains|all': ['del ', '*.exe', '/f ', '/q ']}, 'susp_del_dll': {'CommandLine|contains|all': ['del ', '*.dll', 'C:\\ProgramData\\']}, 'condition': 'susp_del_exe or susp_del_dll'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,204b17ae-4007-471b-917b-b917b315c5db
	Author: frack113 , X__Junior (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1070.004
	
	References
	• https://www.joesandbox.com/analysis/509330/0/html#1044F3BDBE3BB6F734E357235F4D5898582D
	
	Severity
	49
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity experimental
	Creation Date 2021/12/02
	Risk Level medium
	False Positives
	• Unknown

Invoke-Obfuscation COMPRESS OBFUSCATION	Detects Obfuscated Powershell via COMPRESS OBFUSCATION
	
	More details
	
	Rule ID
	`process_creation_commandline_47`
	
	Query
	`{'selection': {'CommandLine|contains|all': ['new-object', 'text.encoding]::ascii'], 'CommandLine|contains': ['system.io.compression.deflatestream', 'system.io.streamreader', 'readtoend(']}, 'condition': 'selection'}`

Title	Description
	g Source Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,7eedcc9d-9fdb-4d94-9c54-474e8affc0c7 Author: Timur Zinniatullin, oscd.community **Tactics, Techniques, and Procedures** TA0002, T1059, TA0005, T1027 **References** • https://github.com/SigmaHQ/sigma/issues/1009 **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2020/10/18 Risk Level: medium False Positives: • Unknown

Operation Wocao Activity	Detects activity mentioned in Operation Wocao report
	More details
	Rule ID
	`process_creation_commandline_48`
	Query
	`{'selection': {'CommandLine|contains': ['checkadmin.exe 127.0.0.1 -all', 'netsh advfirewall firewall add rule name=powershell dir=in', 'cmd /c powershell.exe -ep bypass -file c:\\s.ps1', '/tn win32times /f', 'create win32times binPath=', '\\c$\\windows\\system32\\devmgr.dll', ' -exec bypass -enc JgAg', 'type *keepass\\KeePass.config.xml', 'iie.exe iie.txt', 'reg query HKEY_CURRENT_USER\\Software*\\PuTTY\\Sessions\\']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	• The 'System Security Extension' audit subcategory need to be enabled to log the EID 4697
	Rule Source
	SigmaHQ,1cfac73c-be78-4f9a-9b08-5bde0c3953ab
	Author: Florian Roth (Nextron Systems), frack113
	Tactics, Techniques, and Procedures

Title	Description

0002, T1059, TA0003, T1053.005, TA0005, T1036.004, T1027, TA0007, T1012

References

- https://twitter.com/SBousseaden/status/1207671369963646976

Severity

74

Suppression Logic Based On

- computer_name
- event_data.CommandLine
- stellar.rule_id

Additional Information

Maturity	Creation Date	Risk Level	False Positives
test	2019/12/20	high	• Administrators that use checkadmin.exe tool to enumerate local administrators

Title	Description

Fireball Archer Install	Detects Archer malware invocation via rundll32
	
	More details
	
	Rule ID
	`process_creation_commandline_49`
	
	Query
	`{'selection': {'CommandLine|contains|all': ['rundll32.exe', 'InstallArcherSvc']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,3d4aebe0-6d29-45b2-a8a4-3dfde586a26d
	
	Author: Florian Roth (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1218.011
	
	References
	• https://www.virustotal.com/en/file/9b4971349ae85aa09c0a69852ed3e626c954954a3927b3d1b6646f139b930022/analysis/
	• https://www.hybrid-analysis.com/sample/9b4971349ae85aa09c0a69852ed3e626c954954a3927b3d1b6646f139b930022?environmentId=100
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2017/06/03
	Risk Level: high
	False Positives:
	• Unknown

Zip A Folder With PowerShell For Staging In Temp	Use living off the land tools to zip a file and stage it in the Windows temporary folder for later exfiltration
	
	More details
	
	Rule ID
	`process_creation_commandline_50`
	
	Query
	`{'selection': {'CommandLine|contains|all': ['Compress-Archive ', ' -Path ', ' -DestinationPath ', '$env:TEMP\\']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation

Title	Description
	Rule Source SigmaHQ,85a8e5ba-bd03-4bfb-bbfa-a4409a8f8b98 Author: Nasreddine Bencherchali (Nextron Systems), frack113 **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0009, T1074.001 **References** • https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1074.001/T1074.001.md **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2021/07/20 Risk Level: medium False Positives: • Unknown

Registry Dump of SAM Creds and Secrets	Adversaries may attempt to extract credential material from the Security Account Manager (SAM) database either through Windows Registry where the SAM database is stored
	More details
	Rule ID
	`process_creation_commandline_51`
	Query
	`{'selection_reg': {'CommandLine|contains': ' save '}, 'selection_key': {'CommandLine|contains': ['HKLM\\sam', 'HKLM\\system', 'HKLM\\security']}, 'condition': 'all of selection_*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,038cd51c-3ad8-41c5-ba8f-5d1c92f3cc1e
	Author: frack113
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0006, T1003.002
	References
	• https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1003.002/T1003.002.md#atomic-test-1---registry-dump-of-sam-creds-and-secrets
	Severity
	74
	Suppression Logic Based On

Title	Description
	 • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/01/05 **Risk Level**: high **False Positives** • Unknown

Procdump Evasion	Detects uses of the SysInternals Procdump utility in which procdump or its output get renamed or a dump file is moved ot copied to a different name
	
	More details
	
	Rule ID
	`process_creation_commandline_52`
	
	Query
	`{'selection1': {'CommandLine|contains': ['copy procdump', 'move procdump']}, 'selection2': {'CommandLine|contains|all': ['copy ', '.dmp '], 'CommandLine|contains': ['2.dmp', 'lsass', 'out.dmp']}, 'selection3': {'CommandLine|contains': ['copy lsass.exe_', 'move lsass.exe_']}, 'condition': '1 of selection*'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,79b06761-465f-4f88-9ef2-150e24d3d737
	Author: Florian Roth (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1036, TA0006, T1003.001
	
	References
	• https://twitter.com/mrd0x/status/1480785527901204481
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2022/01/11
	Risk Level: high
	False Positives
	• Cases in which procdump just gets copied to a different directory without any renaming

Powershell Token Obfuscation - Process Creation	Detects TOKEN OBFUSCATION technique from Invoke-Obfuscation More details **Rule ID** `process_creation_commandline_53`

Title	Description
	Query `{'selection': [{'CommandLine|re': '\\w+`(\\w+|-|.)`[\\w+|\\s]'}, {'CommandLine|re': '"(\\{\\d\\})+"\\s*-f'}, {'CommandLine|re': '\\$\\{((e|n|v)*`(e|n|v)*)+:path\\}|\\$\\{((e|n|v)*`(e|n|v)*)+:((p|a|t|h)*`(p|a|t|h)*)+\\}|\\$\\{env:((p|a|t|h)*`(p|a|t|h)*)+\\}'}], 'condition': 'selection'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,deb9b646-a508-44ee-b7c9-d8965921c6b6 Author: frack113 **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0005, T1027 **References** • https://github.com/danielbohannon/Invoke-Obfuscation **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: experimental Creation Date: 2022/12/27 Risk Level: high False Positives: • Unknown

Suspicious Minimized MSEdge Start	Detects the suspicious minimized start of MsEdge browser, which can be used to download files from the Internet
	More details
	Rule ID
	`process_creation_commandline_54`
	Query
	`{'selection': {'CommandLine|contains': 'start /min msedge'}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,94771a71-ba41-4b6e-a757-b531372eaab6
	Author: Florian Roth (Nextron Systems), Nasreddine Bencherchali (Nextron Systems)

Title	Description
	tics, Techniques, and Procedures TA0002, T1059.003, TA0011, T1105 **References** • https://twitter.com/mrd0x/status/1478234484881436672?s=12 **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2022/01/11 Risk Level: high False Positives: • Software that uses MsEdge to download components in the background (see ParentImage, ParentCommandLine)

Suspicious PowerShell Download and Execute Pattern	Detects suspicious PowerShell download patterns that are often used in malicious scripts, stagers or downloaders (make sure that your backend applies the strings case-insensitive)
	More details
	Rule ID
	`process_creation_commandline_55`
	Query
	`{'selection': {'CommandLine|contains': ['IEX ((New-Object Net.WebClient).DownloadString', 'IEX (New-Object Net.WebClient).DownloadString', 'IEX((New-Object Net.WebClient).DownloadString', 'IEX(New-Object Net.WebClient).DownloadString', ' -command (New-Object System.Net.WebClient).DownloadFile(', ' -c (New-Object System.Net.WebClient).DownloadFile(']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,e6c54d94-498c-4562-a37c-b469d8e9a275
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059
	References
	• https://gist.github.com/jivoi/c354eaaf3019352ce32522f916c03d70
	• https://www.trendmicro.com/en_us/research/22/j/lv-ransomware-exploits-proxyshell-in-attack.html
	Severity
	74

Title	Description
	Suppression Logic Based On • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2022/02/28 **Risk Level**: high **False Positives** • Software installers that pull packages from remote systems and execute them

Add User to Local Administrators	Detects suspicious command line that adds an account to the local administrators/administrateurs group
	
	More details
	
	Rule ID
	`process_creation_commandline_56`
	
	Query
	`{'selection_net': {'Image|endswith': ['\\net.exe', '\\net1.exe'], 'CommandLine|contains|all': ['localgroup ', ' /add']}, 'selection_powershell': {'Image|endswith': ['\\powershell.exe', '\\pwsh.exe'], 'CommandLine|contains|all': ['Add-LocalGroupMember ', ' -Group ']}, 'selection_group': {'CommandLine|contains': [' administrators ', ' administrateur']}, 'filter_domain_admins_compliance': {'UserId': 'S-1-5-18', 'CommandLine|contains': 'domain admin'}, 'condition': '(selection_net or selection_powershell) and selection_group and not filter_domain_admins_compliance'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0003, T1098
	
	References
	• https://blog.talosintelligence.com/2022/08/recent-cyber-attack.html?m=1
	
	Severity
	49
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: experimental
	Creation Date: 2022/08/12
	Risk Level: medium
	False Positives
	• Administrative activity

Taskkill Symantec Endpoint Protection	Detects one of the possible scenarios for disabling symantec endpoint protection. Symantec Endpoint Protection antivirus software services incorrectly implement the protected service mechanism. As a result, the NT AUTHORITY/SYSTEM user can

Title	Description

	e the taskkill /im command several times ccSvcHst.exe /f, thereby killing the process belonging to the service, and thus shutting down the service.
	
	More details
	
	Rule ID
	`process_creation_commandline_57`
	
	Query
	`{'selection': {'CommandLine|contains|all': ['taskkill', ' /F ', ' /IM ', 'ccSvcHst.exe']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,4a6713f6-3331-11ed-a261-0242ac120002
	
	Author: Ilya Krestinichev, Florian Roth (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1562.001
	
	References
	• https://www.exploit-db.com/exploits/37525
	• https://community.spiceworks.com/topic/2195015-batch-script-to-uninstall-symantec-endpoint-protection
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: experimental
	Creation Date: 2022/09/13
	Risk Level: high
	False Positives:
	• Unknown

MsiExec Web Install	Detects suspicious msiexec process starts with web addresses as parameter
	
	More details
	
	Rule ID
	`process_creation_commandline_58`
	
	Query
	`{'selection': {'CommandLine|contains|all': [' msiexec', '://']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,f7b5f842-a6af-4da5-9e95-e32478f3cd2f

Title	Description
	hor: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0005, T1218.007, TA0011, T1105 **References** • https://blog.trendmicro.com/trendlabs-security-intelligence/attack-using-windows-installer-msiexec-exe-leads-lokibot/ **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2018/02/09 Risk Level: medium False Positives: • False positives depend on scripts and administrative tools used in the monitored environment

PsExec Service Start	Detects a PsExec service start
	More details
	Rule ID
	`process_creation_commandline_59`
	Query
	`{'selection': {'CommandLine': 'C:\\Windows\\PSEXESVC.exe'}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,3ede524d-21cc-472d-a3ce-d21b568d8db7
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1569.002, T1059.003
	References
	N/A
	Severity
	24
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2018/03/13
	Risk Level: low
	False Positives:
	• Administrative activity

Title	Description

Scheduled Task WScript VBScript	Detects specific process parameters as used by ACTINIUM scheduled task persistence creation.
	
	More details
	
	Rule ID
	
	`process_creation_commandline_60`
	
	Query
	
	`{'selection': {'CommandLine|contains|all': ['schtasks', 'create', 'wscript', 'e:vbscript']}, 'condition': 'selection'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation
	
	Rule Source
	
	SigmaHQ,e1118a8f-82f5-44b3-bb6b-8a284e5df602
	
	Author: Andreas Hunkeler (@Karneades)
	
	Tactics, Techniques, and Procedures
	
	TA0002, T1059.003, TA0003, T1053.005
	
	References
	
	• https://www.microsoft.com/security/blog/2022/02/04/actinium-targets-ukrainian-organizations
	
	Severity
	
	74
	
	Suppression Logic Based On
	
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	
	Maturity: test
	Creation Date: 2022/02/07
	Risk Level: high
	False Positives:
	• Unlikely

Dropping Of Password Filter DLL	Detects dropping of dll files in system32 that may be used to retrieve user credentials from LSASS
	
	More details
	
	Rule ID
	
	`process_creation_commandline_61`
	
	Query
	
	`{'selection_cmdline': {'CommandLine|contains|all': ['HKLM\\SYSTEM\\CurrentControlSet\\Control\\Lsa', 'scecli\\0*', 'reg add']}, 'condition': 'selection_cmdline'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation
	
	Rule Source

Title	Description
	maHQ,b7966f4a-b333-455b-8370-8ca53c229762 Author: Sreeman **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0005, T1556.002 **References** • https://pentestlab.blog/2020/02/10/credential-access-password-filter-dll/ • https://github.com/3gstudent/PasswordFilter/tree/master/PasswordFilter **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2020/10/29 Risk Level: medium False Positives: • Unknown

Suspicious UltraVNC Execution	Detects suspicious UltraVNC command line flag combination that indicate a auto reconnect upon execution, e.g. startup (as seen being used by Gamaredon threat group)
	More details
	Rule ID
	`process_creation_commandline_62`
	Query
	`{'selection': {'CommandLine|contains|all': ['-autoreconnect ', '-connect ', '-id:']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,871b9555-69ca-4993-99d3-35a59f9f3599
	Author: Bhabesh Raj
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0008, T1021.005
	References
	• https://www.ria.ee/sites/default/files/content-editors/kuberturve/tale_of_gamaredon_infection.pdf
	• https://unit42.paloaltonetworks.com/unit-42-title-gamaredon-group-toolset-evolution
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine

Title	Description
	• stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/03/04 **Risk Level**: high **False Positives**: • Unknown

Potential AMSI Bypass Using NULL Bits - ProcessCreation	Detects usage of special strings/null bits in order to potentially bypass AMSI functionalities
	More details
	Rule ID
	`process_creation_commandline_63`
	Query
	`{'selection': {'CommandLine|contains': ["if(0){{{0}}}' -f $(0 -as [char]) +", '#<NULL>']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,92a974db-ab84-457f-9ec0-55db83d7a825
	Author: Nasreddine Bencherchali (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1562.001
	References
	• https://github.com/r00t-3xp10it/hacking-material-books/blob/43cb1e1932c16ff1f58b755bc9ab6b096046853f/obfuscation/simple_obfuscation.md#amsi-bypass-using-null-bits-satoshi
	Severity
	49
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: experimental
	Creation Date: 2023/01/04
	Risk Level: medium
	False Positives: • Unknown

Invoke-Obfuscation CLIP+ Launcher	Detects Obfuscated use of Clip.exe to execute PowerShell
	More details
	Rule ID
	`process_creation_commandline_65`
	Query
	`{'selection': {'CommandLine|contains|all': ['cmd', '&&', 'clipboard]::', '-f'], 'CommandLine|contains': ['/c', '/r']}, 'condition': 'selection'}`

Title	Description
	g Source Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,b222df08-0e07-11eb-adc1-0242ac120002 Author: Jonathan Cheong, oscd.community **Tactics, Techniques, and Procedures** TA0002, T1059, TA0005, T1027 **References** • https://github.com/SigmaHQ/sigma/issues/1009 **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2020/10/13 Risk Level: high False Positives: • Unknown

SyncAppvPublishingServer VBS Execute Arbitrary PowerShell Code	Executes arbitrary PowerShell code using SyncAppvPublishingServer.vbs
	More details
	Rule ID
	`process_creation_commandline_67`
	Query
	`{'selection': {'CommandLine|contains|all': ['\\SyncAppvPublishingServer.vbs', ';']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,36475a7d-0f6d-4dce-9b01-6aeb473bbaf1
	Author: frack113
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1218, T1216
	References
	• https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1216/T1216.md
	• https://lolbas-project.github.io/lolbas/Binaries/Syncappvpublishingserver/
	Severity
	49

Title	Description
	Suppression Logic Based On • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2021/07/16 **Risk Level**: medium **False Positives**: • Unknown

Suspicious Add User to Remote Desktop Users Group	Detects suspicious command line in which a user gets added to the local Remote Desktop Users group
	
	More details
	
	Rule ID
	`process_creation_commandline_68`
	
	Query
	`{'selection_main': [{'CommandLine|contains|all': ['local group ', ' /add']}, {'CommandLine|contains|all': ['Add-LocalGroupMember ', ' -Group ']}], 'selection_group': {'CommandLine|contains': ['Remote Desktop Users', 'Utilisateurs du Bureau à distance', 'Usuarios de escritorio remoto']}, 'condition': 'all of selection_*'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,ffa28e60-bdb1-46e0-9f82-05f7a61cc06e
	
	Author: Florian Roth (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0003, T1133, T1136.001, TA0008, T1021.001
	
	References
	• https://www.microsoft.com/security/blog/2021/11/16/evolving-trends-in-iranian-threat-actor-activity-mstic-presentation-at-cyberwarcon-2021/
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: experimental
	Creation Date: 2021/12/06
	Risk Level: high
	False Positives:
	• Administrative activity

GatherNetworkInfo.vbs Script Usage	Adversaries can abuse of C:\Windows\System32\gatherNetworkInfo.vbs script along with cscript.exe to gather information about the target More details **Rule ID**

Title	Description
	ocess_creation_commandline_69 **Query** `{'selection': {'CommandLine|contains|all': ['cscript.exe', 'gatherNetworkInfo.vbs']}, 'condition': 'selection'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,575dce0c-8139-4e30-9295-1ee75969f7fe Author: blueteamer8699 **Tactics, Techniques, and Procedures** TA0002, T1059 **References** • https://posts.slayerlabs.com/living-off-the-land/#gathernetworkinfovbs **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/01/03 **Risk Level**: medium **False Positives**: • Administrative activity

APT29	This method detects a suspicious PowerShell command line combination as used by APT29 in a campaign against U.S. think tanks.
	
	More details
	
	Rule ID
	`process_creation_commandline_70`
	
	Query
	`{'selection': {'CommandLine|contains|all': ['-noni', '-ep', 'bypass', '$']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,033fe7d6-66d1-4240-ac6b-28908009c71f
	
	Author: Florian Roth (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0002, T1059
	
	References

Title	Description
	 • https://www.microsoft.com/security/blog/2018/12/03/analysis-of-cyberattack-on-u-s-think-tanks-non-profits-public-sector-by-unidentified-attackers/ • https://www.fireeye.com/blog/threat-research/2018/11/not-so-cozy-an-uncomfortable-examination-of-a-suspected-apt29-phishing-campaign.html **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2018/12/04 Risk Level: high False Positives: • Unknown

Suspicious WMIC ActiveScriptEventConsumer Creation	Detects WMIC executions in which a event consumer gets created in order to establish persistence
	More details
	Rule ID
	`process_creation_commandline_71`
	Query
	`{'selection': {'CommandLine|contains|all': ['ActiveScriptEventConsumer', ' CREATE ']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,ebef4391-1a81-4761-a40a-1db446c0e625
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0003, T1546.003
	References
	• https://twitter.com/johnlatwc/status/1408062131321270282?s=12
	• https://www.fireeye.com/content/dam/fireeye-www/global/en/current-threats/pdfs/wp-windows-management-instrumentation.pdf
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2021/06/25
	Risk Level: high
	False Positives: • Legitimate software creating script event consumers

Title	Description

TAIDOOR RAT DLL Load	Detects specific process characteristics of Chinese TAIDOOR RAT malware load
	
	More details
	
	Rule ID
	`process_creation_commandline_72`
	
	Query
	`{'selection1': {'CommandLine|contains': ['dll,MyStart', 'dll MyStart']}, 'selection2a': {'CommandLine|endswith': ' MyStart'}, 'selection2b': {'CommandLine|contains': 'rundll32.exe'}, 'condition': 'selection1 or ( selection2a and selection2b )'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,d1aa3382-abab-446f-96ea-4de52908210b
	
	Author: Florian Roth (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1055.001
	
	References
	• https://us-cert.cisa.gov/ncas/analysis-reports/ar20-216a
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2020/07/30
	Risk Level: high
	False Positives:
	• Unknown

Empire PowerShell UAC Bypass	Detects some Empire PowerShell UAC bypass methods
	
	More details
	
	Rule ID
	`process_creation_commandline_73`
	
	Query
	`{'selection': {'CommandLine|contains': [' -NoP -NonI -w Hidden -c $x=$((gp HKCU:Software\\Microsoft\\Windows Update).Update)', ' -NoP -NonI -c $x=$((gp HKCU:Software\\Microsoft\\Windows Update).Update);']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation

Title	Description
	le Source SigmaHQ,3268b746-88d8-4cd3-bffc-30077d02c787 Author: Ecco **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0005, T1548.002 **References** • https://github.com/EmpireProject/Empire/blob/e37fb2eef8ff8f5a0a689f1589f424906fe13055/data/module_source/privesc/Invoke-EventVwrBypass.ps1#L64 • https://github.com/EmpireProject/Empire/blob/e37fb2eef8ff8f5a0a689f1589f424906fe13055/data/module_source/privesc/Invoke-FodHelperBypass.ps1#L64 **Severity** 95 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: stable Creation Date: 2019/08/30 Risk Level: critical False Positives: • Unknown

Emotet Process Creation	Detects all Emotet like process executions that are not covered by the more generic rules
	More details
	Rule ID
	`process_creation_commandline_74`
	Query
	`{'selection': {'CommandLine|contains': [' -e* PAA', 'JABlAG4AdgA6AHUAcwBlAHIAcAByAG8AZgBpAGwAZQ', 'QAZQBuAHYAOgB1AHMAZQByAHAAcgBvAGYAaQBsAGUA', 'kAGUAbgB2ADoAdQBzAGUAcgBwAHIAbwBmAGkAbABlA', 'IgAoACcAKgAnACkAOwAkA', 'IAKAAnACoAJwApADsAJA', 'iACgAJwAqACcAKQA7ACQA', 'JABGAGwAeAByAGgAYwBmAGQ', 'PQAkAGUAbgB2ADoAdABlAG0AcAArACgA', '0AJABlAG4AdgA6AHQAZQBtAHAAKwAoA', '9ACQAZQBuAHYAOgB0AGUAbQBwACsAKA']}, 'filter': {'CommandLine|contains': ['fAAgAEMAbwBuAHYAZQByAHQAVABvAC0ASgBzAG8AbgAgAC0ARQByAHIAbwByAEEAYwB0AGkAbwBuACAAUwBpAGwAZQBuAHQAbAB5AEMAbwBuAHQAaQBuAHUAZQ', 'wAIABDAG8AbgB2AGUAcgB0AFQAbwAtAEoAcwBvAG4AIAAtAEUAcgByAG8AcgBBAGMAdABpAG8AbgAgAFMAaQBsAGUAbgB0AGwAeQBDAG8AbgB0AGkAbgB1AGUA', '8ACAAQwBvAG4AdgBlAHIAdABUAG8ALQBKAHMAbwBuACAALQBFAHIAcgBvAHIAQQBjAHQAaQBvAG4AIABTAGkAbABlAG4AdABsAHkAQwBvAG4AdABpAG4AdQBlA']}, 'condition': 'selection and not filter'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source

Title	Description
	maHQ,d02e8cf5-6099-48cf-9bfc-1eec2d0c7b18 Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059, TA0005, T1027 **References** • https://app.any.run/tasks/e13ab713-64cf-4b23-ad93-6dceaa5429ac/ • https://app.any.run/tasks/81f3c28c-c686-425d-8a2b-a98198d244e1/ • https://app.any.run/tasks/97f875e8-0e08-4328-815f-055e971ba754/ • https://app.any.run/tasks/84fc9b4a-ea2b-47b1-8aa6-9014402dfb56/ **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: stable; Creation Date: 2019/09/30; Risk Level: high; False Positives: • Unlikely

Esentutl Gather Credentials	Conti recommendation to its affiliates to use esentutl to access NTDS dumped file. Trickbot also uses this utilities to get MSEdge info via its module pwgrab.
	More details
	Rule ID
	`process_creation_commandline_75`
	Query
	`{'selection': {'CommandLine|contains|all': ['esentutl', ' /p']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,7df1713a-1a5b-4a4b-a071-dc83b144a101
	Author: sam0x90
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0006, T1003.003
	References
	• https://twitter.com/vxunderground/status/1423336151860002816
	• https://attack.mitre.org/software/S0404/
	• https://thedfirreport.com/2021/08/01/bazarcall-to-conti-ransomware-via-trickbot-and-cobalt-strike/
	Severity
	49
	Suppression Logic Based On
	• computer_name

Title	Description
	 • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2021/08/06 **Risk Level**: medium **False Positives**: • To be determined

EvilNum Golden Chickens Deployment via OCX Files	Detects Golden Chickens deployment method as used by Evilnum in report published in July 2020
	More details
	Rule ID
	`process_creation_commandline_76`
	Query
	`{'selection': {'CommandLine|contains|all': ['regsvr32', '/s', '/i', '\\AppData\\Roaming\\', '.ocx']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,8acf3cfa-1e8c-4099-83de-a0c4038e18f0
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1218.011
	References
	• https://www.welivesecurity.com/2020/07/09/more-evil-deep-look-evilnum-toolset/
	• https://app.any.run/tasks/33d37fdf-158d-4930-aa68-813e1d5eb8ba/
	Severity
	95
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2020/07/10
	Risk Level: critical
	False Positives:
	• Unknown

Suspicious Dosfuscation Character in Commandline	Detects possible payload obfuscation via the commandline
	More details
	Rule ID
	`process_creation_commandline_77`
	Query
	`{'selection': {'CommandLine|contains': ['^^', ',;,', '%COMSPEC:~', ' s^et ', ' s^e^t ', ' se^t ']}, 'condition': 'selection'}`

Title	Description
	g Source Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,a77c1610-fc73-4019-8e29-0f51efc04a51 Author: frack113, Nasreddine Bencherchali (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003 **References** • https://www.fireeye.com/content/dam/fireeye-www/blog/pdfs/dosfuscation-report.pdf **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: experimental; Creation Date: 2022/02/15; Risk Level: medium; False Positives: • Legitimate use

WhoAmI as Parameter	Detects a suspicious process command line that uses whoami as first parameter (as e.g. used by EfsPotato)
	More details
	Rule ID
	`process_creation_commandline_78`
	Query
	`{'selection': {'CommandLine|contains': '.exe whoami'}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,e9142d84-fbe0-401d-ac50-3e519fb00c89
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0007, T1033
	References
	• https://twitter.com/blackarrowsec/status/1463805700602224645?s=12
	Severity
	74
	Suppression Logic Based On

Title	Description
	 • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2021/11/29 **Risk Level**: high **False Positives**: • Unknown

Powershell Inline Execution From A File	Detects inline execution of PowerShell code from a file
	More details
	Rule ID
	`process_creation_commandline_79`
	Query
	`{'selection_exec': {'CommandLine|contains': ['iex ', 'Invoke-Expression ', 'Invoke-Command ', 'icm ']}, 'selection_read': {'CommandLine|contains': ['cat ', 'get-content ', 'type ']}, 'selection_raw': {'CommandLine|contains': ' -raw'}, 'condition': 'all of selection_*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,ee218c12-627a-4d27-9e30-d6fb2fe22ed2
	Author: frack113
	Tactics, Techniques, and Procedures
	TA0002, T1059.003
	References
	• https://speakerdeck.com/heirhabarov/hunting-for-powershell-abuse?slide=50
	Severity
	49
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: experimental
	Creation Date: 2022/12/25
	Risk Level: medium
	False Positives: • Unknown

Base64 Encoded PowerShell Command Detected	Detects usage of the "FromBase64String" function in the commandline which is used to decode a base64 encoded string More details **Rule ID** `process_creation_commandline_80` **Query**

Title	Description
	 `selection': {'CommandLine|contains': '::FromBase64String('}, 'condition': 'selection'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,e32d4572-9826-4738-b651-95fa63747e8a Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059, TA0005, T1027, T1140 **References** • https://gist.github.com/Neo23x0/6af876ee72b51676c82a2db8d2cd3639 **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity** / **Creation Date** / **Risk Level** / **False Positives** test / 2020/01/29 / high / • Administrative script libraries

CL_Mutexverifiers.ps1 Proxy Execution	Detects the use of a Microsoft signed script to execute commands
	
	More details
	
	Rule ID
	
	`process_creation_commandline_81`
	
	Query
	
	`{'selection': {'CommandLine|contains|all': ['\\CL_Mutexverifiers.ps1', 'runAfterCancelProcess ']}, 'condition': 'selection'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation
	
	Rule Source
	
	SigmaHQ,1e0e1a81-e79b-44bc-935b-ddb9c8006b3d
	
	Author: Nasreddine Bencherchali (Nextron Systems), oscd.community, Natalia Shornikova, frack113
	
	Tactics, Techniques, and Procedures
	
	TA0002, T1059.003, TA0005, T1216
	
	References
	
	• https://lolbas-project.github.io/lolbas/Scripts/CL_mutexverifiers/
	
	Severity

Title	Description
	 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2022/05/21 **Risk Level**: medium **False Positives**: • Unknown

Suspicious X509Enrollment - Process Creation	Detect use of X509Enrollment
	More details
	Rule ID
	`process_creation_commandline_82`
	Query
	`{'selection': {'CommandLine|contains': ['X509Enrollment.CBinaryConverter', '884e2002-217d-11da-b2a4-000e7bbb2b09']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,114de787-4eb2-48cc-abdb-c0b449f93ea4
	Author: frack113
	Tactics, Techniques, and Procedures
	TA0002, T1059.003
	References
	• https://speakerdeck.com/heirhabarov/hunting-for-powershell-abuse?slide=42
	• https://speakerdeck.com/heirhabarov/hunting-for-powershell-abuse?slide=41
	• https://learn.microsoft.com/en-us/dotnet/api/microsoft.hpc.scheduler.store.cx509enrollmentwebclassfactoryclass?view=hpc-sdk-5.1.6115
	Severity
	49
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: experimental
	Creation Date: 2022/12/23
	Risk Level: medium
	False Positives:
	• Legitimate administrative script

Suspicious Regsvr32 HTTP IP Pattern	Detects a certain command line flag combination used by regsvr32 when used to download and register a DLL from a remote address which uses HTTP (not HTTPS) and a IP address and not FQDN More details

Title	Description

	Rule ID
	`process_creation_commandline_83`
	Query
	`{'selection_flags': {'CommandLine|contains|all': [' /s', ' /u']}, 'selection_ip': {'CommandLine|contains': [' /i:http://1', ' /i:http://2', ' /i:http://3', ' /i:http://4', ' /i:http://5', ' /i:http://6', ' /i:http://7', ' /i:http://8', ' /i:http://9', ' /i:https://1', ' /i:https://2', ' /i:https://3', ' /i:https://4', ' /i:https://5', ' /i:https://6', ' /i:https://7', ' /i:https://8', ' /i:https://9']}, 'condition': 'all of selection_*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,2dd2c217-bf68-437a-b57c-fe9fd01d5de8
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1218.010
	References
	• https://twitter.com/mrd0x/status/1461041276514623491c19-ps
	• https://twitter.com/tccontre18/status/1480950986650832903
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity experimental
	Creation Date 2022/01/11
	Risk Level high
	False Positives
	• FQDNs that start with a number

Rundll32 Without Parameters	Detects rundll32 execution without parameters as observed when running Metasploit windows/smb/psexec exploit module
	More details
	Rule ID
	`process_creation_commandline_84`
	Query
	`{'selection': {'CommandLine': 'rundll32.exe'}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source

Title	Description
	maHQ,5bb68627-3198-40ca-b458-49f973db8752 Author: Bartlomiej Czyz, Relativity **Tactics, Techniques, and Procedures** TA0002, T1569.002, T1059.003, TA0008, T1021.002, T1570 **References** • https://bczyz1.github.io/2021/01/30/psexec.html **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2021/01/31 Risk Level: high False Positives: • Unknown

Suspicious Ntdll Pipe Redirection	Detects command that type the content of ntdll.dll to a different file or a pipe in order to evade AV / EDR detection
	More details
	Rule ID
	`process_creation_commandline_85`
	Query
	`{'selection': {'CommandLine|contains': ['type %windir%\\system32\\ntdll.dll', 'type %systemroot%\\system32\\ntdll.dll', 'type c:\\windows\\system32\\ntdll.dll', '\\ntdll.dll > \\\\.\\pipe\\']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,bbc865e4-7fcd-45a6-8ff1-95ced28ec5b2
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003
	References
	N/A
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information

Title	Description			
	Maturity	Creation Date	Risk Level	False Positives
	test	2022/03/05	high	• Unknown

Raccine Uninstall	Detects commands that indicate a Raccine removal from an end system. Raccine is a free ransomware protection tool.
	
	More details
	
	Rule ID
	`process_creation_commandline_86`
	
	Query
	`{'selection1': {'CommandLine|contains|all': ['taskkill ', 'RaccineSettings.exe']}, 'selection2': {'CommandLine|contains|all': ['reg.exe', 'delete', 'Raccine Tray']}, 'selection3': {'CommandLine|contains|all': ['schtasks', '/DELETE', 'Raccine Rules Updater']}, 'condition': '1 of selection*'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,a31eeaed-3fd5-478e-a8ba-e62c6b3f9ecc
	
	Author: Florian Roth (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1562.001
	
	References
	• https://github.com/Neo23x0/Raccine
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2021/01/21
	Risk Level: high
	False Positives:
	• Legitimate deinstallation by administrative staff			

REGISTER_APP.VBS Proxy Execution	Detects the use of a Microsoft signed script 'REGISTER_APP.VBS' to register a VSS/VDS Provider as a COM+ application.
	
	More details
	
	Rule ID
	`process_creation_commandline_88`
	
	Query
	`{'selection': {'CommandLine|contains|all': ['\\register_app.vbs', '-register']}, 'condition': 'selection'}`			

Title	Description
	g Source Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,1c8774a0-44d4-4db0-91f8-e792359c70bd Author: Nasreddine Bencherchali (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0005, T1218 **References** • https://twitter.com/sblmsrsn/status/1456613494783160325?s=20 **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2022/08/19 **Risk Level**: medium **False Positives** • Legitimate usage of the script. Always investigate what's being registered to confirm if it's benign

PowerShell Get-Process LSASS	Detects a "Get-Process" cmdlet and it's aliases on lsass process, which is in almost all cases a sign of malicious activity
	More details
	Rule ID
	`process_creation_commandline_89`
	Query
	`{'selection': {'CommandLine|contains': ['Get-Process lsas', 'ps lsas', 'gps lsas']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,b2815d0d-7481-4bf0-9b6c-a4c48a94b349
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0006, T1552.004
	References
	• https://twitter.com/PythonResponder/status/1385064506049630211
	Severity
	74

Title	Description
	Suppression Logic Based On • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2021/04/23 **Risk Level**: high **False Positives**: • Unknown

Raspberry Robin Dot Ending File	Detects commandline containing reference to files ending with a "." This scheme has been seen used by raspberry-robin
	More details
	Rule ID
	`process_creation_commandline_90`
	Query
	`{'selection': {'CommandLine|re': '\\\\([a-zA-Z0-9]{1,32})\\.([a-zA-Z0-9]{1,6})\\.(\\s*(["\'])|(\\s+[^a-zA-Z0-9\\s.]))'}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,a35c97c8-d9c4-4c89-a3e7-533dc0bcb73a
	Author: Nasreddine Bencherchali (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003
	References
	• https://www.microsoft.com/en-us/security/blog/2022/10/27/raspberry-robin-worm-part-of-larger-ecosystem-facilitating-pre-ransomware-activity/
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: experimental
	Creation Date: 2022/10/28
	Risk Level: high
	False Positives: • Unknown

LockerGoga Ransomware	Detects LockerGoga Ransomware command line.
	More details
	Rule ID
	`process_creation_commandline_91`
	Query
	`{'selection': {'CommandLine|contains': '-i SM-tgytutrc -s'}, 'condition': 'selection'}`

Title	Description
	g Source Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,74db3488-fd28-480a-95aa-b7af626de068 Author: Vasiliy Burov, oscd.community **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0040, T1486 **References** • https://medium.com/@malwaredancer/lockergoga-input-arguments-ipc-communication-and-others-bd4e5a7ba80a • https://blog.f-secure.com/analysis-of-lockergoga-ransomware/ **Severity** 95 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: stable **Creation Date**: 2020/10/18 **Risk Level**: critical **False Positives**: • Unlikely

Write Protect For Storage Disabled	Looks for changes to registry to disable any write-protect property for storage devices. This could be a precursor to a ransomware attack and has been an observed technique used by cypherpunk group.
	More details
	Rule ID
	`process_creation_commandline_92`
	Query
	`{'selection': {'CommandLine|contains|all': ['reg add', '\\system\\currentcontrolset\\control', 'write protection', '0'], 'CommandLine|contains': ['storage', 'storagedevicepolicies']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,75f7a0e2-7154-4c4d-9eae-5cdb4e0a5c13
	Author: Sreeman
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1562
	References
	N/A

Title	Description
	Severity 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2021/06/11 **Risk Level**: medium **False Positives**: • Unknown

Audio Capture via PowerShell	Detects audio capture via PowerShell Cmdlet.
	
	More details
	
	Rule ID
	`process_creation_commandline_93`
	
	Query
	`{'selection': {'CommandLine|contains': 'WindowsAudioDevice-Powershell-Cmdlet'}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,932fb0d8-692b-4b0f-a26e-5643a50fe7d6
	
	Author: E.M. Anhaus (originally from Atomic Blue Detections, Endgame), oscd.community, Nasreddine Bencherchali (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0009, T1123
	
	References
	• https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1123/T1123.md
	• https://eqllib.readthedocs.io/en/latest/analytics/ab7a6ef4-0983-4275-a4f1-5c6bd3c31c23.html
	
	Severity
	49
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2019/10/24
	Risk Level: medium
	False Positives:
	• Legitimate audio capture by legitimate user.

Potential Suspicious Windows Feature Enabled - ProcCreation	Detects usage of the built-in PowerShell cmdlet "Enable-WindowsOptionalFeature" used as a Deployment Image Servicing and Management tool. Similar to DISM.exe, this cmdlet is used to enumerate, install, uninstall, configure, and update features and packages in Windows images

Title	Description

	More details
	
	Rule ID
	`process_creation_commandline_94`
	
	Query
	`{'selection_cmd': {'CommandLine|contains|all': ['Enable-WindowsOptionalFeature', '-Online', '-FeatureName']}, 'selection_feature': {'CommandLine|contains': ['TelnetServer', 'Internet-Explorer-Optional-amd64', 'TFTP', 'SMB1Protocol', 'Client-ProjFS', 'Microsoft-Windows-Subsystem-Linux']}, 'condition': 'all of selection*'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,c740d4cf-a1e9-41de-bb16-8a46a4f57918
	Author: Nasreddine Bencherchali (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003
	
	References
	• https://docs.microsoft.com/en-us/powershell/module/dism/enable-windowsoptionalfeature?view=windowsserver2022-ps
	• https://learn.microsoft.com/en-us/windows/win32/projfs/enabling-windows-projected-file-system
	• https://learn.microsoft.com/en-us/windows/wsl/install-on-server
	
	Severity
	49
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: experimental
	Creation Date: 2022/12/29
	Risk Level: medium
	False Positives:
	• Unknown

Reg Disable Security Service	Detects a suspicious reg.exe invocation that looks as if it would disable an important security service
	
	More details
	
	Rule ID
	`process_creation_commandline_96`
	
	Query
	`{'selection_reg_add': {'CommandLine|contains|all': ['reg', 'add']}, 'selection_cli_reg_start': {'CommandLine|contains|all': [' /d 4', ' /v Start'], 'CommandLine|contains': ['\\Sense', '\\WinDefend', '\\MsMpSvc', '\\NisSrv', '\\WdBoot', '\\WdNisDrv', '\\WdNisSvc', '\\wscsvc', '\\S`

Title	Description
	 `urityHealthService', '\\wuauserv', '\\UsoSvc', '\\WdFilter', '\\AppIDSvc']}, 'selection_cli_reg_disable_defender': {'CommandLine|contains|all': [' /d 1', 'Windows Defender'], 'CommandLine|contains': ['DisableIOAVProtection', 'DisableOnAccessProtection', 'DisableRoutinelyTakingAction', 'DisableScanOnRealtimeEnable', 'DisableBlockAtFirstSeen', 'DisableBehaviorMonitoring', 'DisableEnhancedNotifications', 'DisableAntiSpyware', 'DisableAntiSpywareRealtimeProtection', 'DisableConfig', 'DisablePrivacyMode', 'SignatureDisableUpdateOnStartupWithoutEngine', 'DisableArchiveScanning', 'DisableIntrusionPreventionSystem', 'DisableScriptScanning']}, 'condition': 'selection_reg_add and 1 of selection_cli_*'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,5e95028c-5229-4214-afae-d653d573d0ec Author: Florian Roth (Nextron Systems), John Lambert (idea), elhoim **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0005, T1562.001 **References** • https://twitter.com/JohnLaTwC/status/1415295021041979392 • https://github.com/gordonbay/Windows-On-Reins/blob/e587ac7a0407847865926d575e3c46f68cf7c68d/wor.ps1 • https://vms.drweb.fr/virus/?i=24144899 • https://bidouillesecurity.com/disable-windows-defender-in-powershell/ **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity** **Creation Date** **Risk Level** **False Positives** experimental 2021/07/14 high • Unknown • Other security solution installers

Serv-U Exploitation CVE-2021-35211 by DEV-0322	Detects patterns as noticed in exploitation of Serv-U CVE-2021-35211 vulnerability by threat group DEV-0322
	
	More details
	
	Rule ID
	
	`process_creation_commandline_97`
	
	Query
	
	`{'selection_whoami': {'CommandLine|contains': 'whoami'}, 'selection_cmd_1': {'CommandLine|contains': ['./Client/Common/', '.\\Client\\Common\\']}, 'selection_cmd_2': {'CommandLine|contains': 'C:\\Windows\\Temp\\Serv-`

Title	Description
	 `bat'}, 'condition': 'selection_whoami and 1 of selecti on_cmd*'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,75578840-9526-4b2a-9462-af469a45e767 Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0003, T1136.001 **References** • https://www.microsoft.com/security/blog/2021/07/13/microsoft-discovers-threat-actor-targeting-solarwinds-serv-u-software-with-0-day-exploit/ **Severity** 95 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2021/07/14 **Risk Level**: critical **False Positives**: • Unlikely

Suspicious Debugger Registration Cmdline	Detects the registration of a debugger for a program that is available in the logon screen (sticky key backdoor).
	
	More details
	
	Rule ID
	
	`process_creation_commandline_98`
	
	Query
	
	`{'selection1': {'CommandLine|contains': '\\CurrentVersion\\Image File Execution Options\\'}, 'selection2': {'CommandLine|contains': ['sethc.exe', 'utilman.exe', 'osk.exe', 'magnify.exe', 'narrator.exe', 'displayswitch.exe', 'atbroker.exe', 'HelpPane.exe']}, 'condition': 'all of selection*'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation
	
	Rule Source
	
	SigmaHQ,ae215552-081e-44c7-805f-be16f975c8a2
	
	Author: Florian Roth (Nextron Systems), oscd.community, Jonhnathan Ribeiro
	
	Tactics, Techniques, and Procedures
	
	TA0002, T1059.003, TA0003, T1546.008
	
	References

Title	Description
	 • https://blogs.technet.microsoft.com/jonathantrull/2016/10/03/detecting-sticky-key-backdoors/ • https://bazaar.abuse.ch/sample/6f3aa9362d72e806490a8abce245331030d1ab5ac77e400dd475748236a6cc81/ **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2019/09/06 Risk Level: high False Positives: • Unknown

CrackMapExec Command Execution	Detect various execution methods of the CrackMapExec pentesting framework
	More details
	Rule ID
	`process_creation_commandline_99`
	Query
	`{'selection': {'CommandLine|endswith': ['cmd.exe /Q /c * 1> \\\\*\\*\\* 2>&1', 'cmd.exe /C * > \\\\*\\*\\* 2>&1', 'cmd.exe /C * > *\\Temp\\* 2>&1'], 'CommandLine|contains': ['powershell.exe -exec bypass -noni -nop -w 1 -C "', 'powershell.exe -noni -nop -w 1 -enc ']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,058f4380-962d-40a5-afce-50207d36d7e2
	Author: Thomas Patzke
	Tactics, Techniques, and Procedures
	TA0002, T1047, T1059, TA0003, T1053
	References
	• https://github.com/byt3bl33d3r/CrackMapExec
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: stable
	Creation Date: 2020/05/22
	Risk Level: high
	False Positives: • Unknown

Title	Description

DevInit Lolbin Download	Detects a certain command line flag combination used by devinit.exe lolbin to download arbitrary MSI packages on a Windows system
	
	More details
	
	Rule ID
	`process_creation_commandline_100`
	
	Query
	`{'selection': {'CommandLine|contains|all': [' -t msi-install ', ' -i http']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,90d50722-0483-4065-8e35-57efaadd354d
	Author: Florian Roth (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1218
	
	References
	• https://twitter.com/mrd0x/status/1460815932402679809
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2022/01/11
	Risk Level: high
	False Positives:
	• Unknown

Sticky-Key Backdoor Copy Cmd.exe	By replacing the sticky keys executable with the local admins CMD executable, an attacker is able to access a privileged windows console session without authenticating to the system. When the sticky keys are "activated" the privilleged shell is launched.
	
	More details
	
	Rule ID
	`process_creation_commandline_101`
	
	Query
	`{'selection': {'CommandLine': 'copy /y C:\\windows\\system32\\cmd.exe C:\\windows\\system32\\sethc.exe'}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source

Title	Description
	maHQ,1070db9a-3e5d-412e-8e7b-7183b616e1b3 Author: Sreeman **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0003, T1546.008 **References** • https://www.fireeye.com/blog/threat-research/2017/03/apt29_domain_frontin.html • https://www.clearskysec.com/wp-content/uploads/2020/02/ClearSky-Fox-Kitten-Campaign-v1.pdf **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: experimental Creation Date: 2020/02/18 Risk Level: medium False Positives: • Unknown

Suspicious Use of Procdump on LSASS	Detects suspicious uses of the SysInternals Procdump utility by using a special command line parameter in combination with the lsass.exe process. This way we're also able to catch cases in which the attacker has renamed the procdump executable.
	More details
	Rule ID
	`process_creation_commandline_102`
	Query
	`{'selection1': {'CommandLine|contains': [' -ma ', ' /ma ']}, 'selection2': {'CommandLine|contains': ' ls'}, 'condition': 'all of selection*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,5afee48e-67dd-4e03-a783-f74259dcf998
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1036, TA0006, T1003.001
	References
	N/A
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id

Title	Description
	ditional Information **Maturity**: stable **Creation Date**: 2018/10/30 **Risk Level**: high **False Positives**: • Unlikely, because no one should dump an lsass process memory • Another tool that uses the command line switches of Procdump

Suspicious Rundll32 Activity Invoking Sys File	Detects suspicious process related to rundll32 based on command line that includes a *.sys file as seen being used by UNC2452
	
	More details
	
	Rule ID
	`process_creation_commandline_103`
	
	Query
	`{'selection1': {'CommandLine|contains': 'rundll32.exe'}, 'selection2': {'CommandLine|contains': ['.sys,', '.sys']}, 'condition': 'all of selection*'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,731231b9-0b5d-4219-94dd-abb6959aa7ea
	
	Author: Florian Roth (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1218.011
	
	References
	• https://www.microsoft.com/security/blog/2021/03/04/goldmax-goldfinder-sibot-analyzing-nobelium-malware/
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2021/03/05
	Risk Level: high
	False Positives:
	• Unknown

ETW Logging Tamper In .NET Processes	Detects changes to environment variables related to ETW logging. This could indicate potential adversaries stopping ETW providers recording loaded .NET assemblies. More details **Rule ID** `process_creation_commandline_104` **Query**

Title	Description
	 `selection': {'CommandLine|contains': ['COMPlus_ETWEnabled', 'COMPlus_ETWFlags']}, 'condition': 'selection'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,41421f44-58f9-455d-838a-c398859841d4 Author: Roberto Rodriguez (Cyb3rWard0g), OTR (Open Threat Research) **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0005, T1562 **References** • https://twitter.com/_xpn_/status/1268712093928378368 • https://github.com/dotnet/runtime/blob/ee2355c801d892f2894b0f7b14a20e6cc50e0e54/docs/design/coreclr/jit/viewing-jit-dumps.md#setting-configuration-variables • https://github.com/dotnet/runtime/blob/f62e93416a1799aecc6b0947adad55a0d9870732/src/coreclr/src/inc/clrconfigvalues.h#L35-L38 • https://github.com/dotnet/runtime/blob/7abe42dc1123722ed385218268bb9fe04556e3d3/src/coreclr/src/inc/clrconfig.h#L33-L39 • http://managed670.rssing.com/chan-5590147/all_p1.html • https://github.com/dotnet/runtime/blob/4f9ae42d861fcb4be2fcd5d3d55d5f227d30e723/docs/coding-guidelines/clr-jit-coding-conventions.md#1412-disabling-code • https://i.blackhat.com/EU-21/Wednesday/EU-21-Teodorescu-Veni-No-Vidi-No-Vici-Attacks-On-ETW-Blind-EDRs.pdf **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2020/05/02 **Risk Level**: high **False Positives**: • Unlikely

Suspicious WMIC Execution - ProcessCallCreate	Detects WMIC executing "process call create" with suspicious calls to processes such as "rundll32", "regsrv32"...etc
	
	More details
	
	Rule ID
	
	`process_creation_commandline_105`
	
	Query
	
	`{'selection': {'CommandLine|contains|all': ['process ', 'call ', 'create '], 'CommandLine|contains': ['rundll32', 'bitsadmin', 'regsvr32', 'cmd.exe /c ', 'cmd.exe /k ', 'cmd.exe /r ', 'cmd /c ', 'cmd /k ', 'cmd /r ', 'powershell', 'pwsh', 'certutil', 'cscript', 'wscript', 'mshta', '\\Users\\Public\\', '\\Windows\\Temp\\', '\\AppData\\Local\\', '%temp%', '%tmp%', '%ProgramData%', '%appdata%`

Title	Description
	'%comspec%', '%localappdata%']}, 'condition': 'selection'} **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,3c89a1e8-0fba-449e-8f1b-8409d6267ec8 Author: Florian Roth (Nextron Systems), Nasreddine Bencherchali (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1047, T1059.003 **References** • https://thedfirreport.com/2020/10/08/ryuks-return/ • https://symantec-enterprise-blogs.security.com/blogs/threat-intelligence/ransomware-hive-conti-avoslocker **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2020/10/12 **Risk Level**: high **False Positives**: • Unknown
Potential APT-C-12 BlueMushroom DLL Load Activity Via Regsvr32	Detects potential BlueMushroom DLL loading activity via regsvr32 from AppData Local More details **Rule ID** process_creation_commandline_106 **Query** {'selection': {'CommandLine|contains|all': ['regsvr32', '\\AppData\\Local\\', '.dll', ',DllEntry']}, 'condition': 'selection'} **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,bd70d3f8-e60e-4d25-89f0-0b5a9cff20e0 Author: Florian Roth (Nextron Systems), Tim Shelton, Nasreddine Bencherchali (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0005, T1218.010 **References** • https://pbs.twimg.com/media/EF3yLGoWkAEGeLa?format=jpg

Title	Description
	Severity 50 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2019/10/02 **Risk Level**: medium **False Positives**: • Unknown

Mshtml DLL RunHTMLApplication Abuse	Detects suspicious command line using the "mshtml.dll" RunHTMLApplication export to run arbitrary code via different protocol handlers (vbscript, javascript, file, htpp...)
	
	More details
	
	Rule ID
	`process_creation_commandline_107`
	
	Query
	`{'selection': {'CommandLine|contains|all': ['\\..\\', 'mshtml', 'RunHTMLApplication']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,4782eb5a-a513-4523-a0ac-f3082b26ac5c
	
	Author: Nasreddine Bencherchali (Nextron Systems), Florian Roth (Nextron Systems), Josh Nickels, frack113, Zaw Min Htun (ZETA)
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003
	
	References
	• https://twitter.com/n1nj4sec/status/1421190238081277959
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: experimental
	Creation Date: 2022/08/14
	Risk Level: high
	False Positives: • Unlikely

Persistence Via TypedPaths - CommandLine	Detects modification addition to the 'TypedPaths' key in the user or admin registry via the commandline. Which might indicate persistence attempt More details **Rule ID**

Title	Description
	ocess_creation_commandline_109 **Query** `{'selection': {'CommandLine|contains': '\\Software\\Microsoft\\Windows\\CurrentVersion\\Explorer\\TypedPaths'}, 'condition': 'selection'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,ec88289a-7e1a-4cc3-8d18-bd1f60e4b9ba Author: Nasreddine Bencherchali (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003 **References** • https://twitter.com/dez_/status/1560101453150257154 • https://forensafe.com/blogs/typedpaths.html **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: experimental Creation Date: 2022/08/22 Risk Level: medium False Positives: • Unknown

UtilityFunctions.ps1 Proxy Dll	Detects the use of a Microsoft signed script executing a managed DLL with PowerShell.
	More details
	Rule ID
	`process_creation_commandline_110`
	Query
	`{'selection': {'CommandLine|contains': ['UtilityFunctions.ps1', 'RegSnapin ']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,0403d67d-6227-4ea8-8145-4e72db7da120
	Author: frack113
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1216
	References

Title	Description
	• https://lolbas-project.github.io/lolbas/Scripts/UtilityFunctions/ **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2022/05/28 **Risk Level**: medium **False Positives**: • Unknown

Unidentified Attacker November 2018	A sigma rule detecting an unidetefied attacker who used phishing emails to target high profile orgs on November 2018. The Actor shares some TTPs with YYTRIUM/APT29 campaign in 2016.
	More details
	Rule ID
	`process_creation_commandline_111`
	Query
	`{'selection': {'CommandLine|contains': 'cyzfc.dat,', 'CommandLine|endswith': 'PointFunctionCall'}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,7453575c-a747-40b9-839b-125a0aae324b
	Author: Florian Roth (Nextron Systems), @41thexplorer
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1218.011
	References
	• https://twitter.com/DrunkBinary/status/1063075530180886529
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: stable
	Creation Date: 2018/11/20
	Risk Level: high
	False Positives: N/A

Powershell AMSI Bypass via .NET Reflection	Detects Request to "amsiInitFailed" that can be used to disable AMSI Scanning More details **Rule ID** `process_creation_commandline_112`

Title	Description
	ery `{'selection': {'CommandLine|contains': ['System.Management.Automation.AmsiUtils', 'amsiInitFailed']}, 'condition': 'selection'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,30edb182-aa75-42c0-b0a9-e998bb29067c Author: Markus Neis, @Kostastsale **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0005, T1562.001 **References** • https://s3cur3th1ssh1t.github.io/Bypass_AMSI_by_manual_modification/ **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2018/08/17 Risk Level: high False Positives: • Unlikely

PowerShell SAM Copy	Detects suspicious PowerShell scripts accessing SAM hives
	More details
	Rule ID
	`process_creation_commandline_113`
	Query
	`{'selection_1': {'CommandLine|contains|all': ['\\HarddiskVolumeShadowCopy', 'System32\\config\\sam']}, 'selection_2': {'CommandLine|contains': ['Copy-Item', 'cp $_.', 'cpi $_.', 'copy $_.', '.File]::Copy(']}, 'condition': 'all of selection*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,1af57a4b-460a-4738-9034-db68b880c665
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0006, T1003.002
	References

Title	Description
	• https://twitter.com/splinter_code/status/1420546784250769408 **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2021/07/29 Risk Level: high False Positives: • Some rare backup scenarios • PowerShell scripts fixing HiveNightmare / SeriousSAM ACLs

UAC Bypass Using Event Viewer RecentViews	Detects the pattern of UAC Bypass using Event Viewer RecentViews
	More details
	Rule ID
	`process_creation_commandline_114`
	Query
	`{'selection_path': {'CommandLine|contains': ['\\Event Viewer\\RecentViews', '\\EventV~1\\RecentViews']}, 'selection_redirect': {'CommandLine|contains': '>'}, 'condition': 'all of selection_*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,30fc8de7-d833-40c4-96b6-28319fbc4f6c
	Author: Nasreddine Bencherchali (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003
	References
	• https://twitter.com/orange_8361/status/1518970259868626944
	• https://lolbas-project.github.io/lolbas/Binaries/Eventvwr/#execute
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2022/11/22
	Risk Level: high
	False Positives:
	• Unknown

Title	Description

Suspicious Office Token Search Via CLI	Detects possible search for office tokens via CLI by looking for the string "eyJ0eX". This string is used as an anchor to look for the start of the JWT token used by office and similar apps.
	
	More details
	
	Rule ID
	
	`process_creation_commandline_115`
	
	Query
	
	`{'selection': {'CommandLine|contains': ['eyJ0eXAiOi', ' eyJ0eX', ' "eyJ0eX"', " 'eyJ0eX'"]}, 'condition': 'selection'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation
	
	Rule Source
	
	SigmaHQ,6d3a3952-6530-44a3-8554-cf17c116c615
	
	Author: Nasreddine Bencherchali (Nextron Systems), kagebunsher
	
	Tactics, Techniques, and Procedures
	
	TA0002, T1059.003, TA0006, T1528
	
	References
	
	• https://mrd0x.com/stealing-tokens-from-office-applications/
	
	Severity
	
	49
	
	Suppression Logic Based On
	
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	
	Maturity: experimental
	Creation Date: 2022/10/25
	Risk Level: medium
	False Positives:
	• Legitimate command-lines containing the string mentioned in the command-line

Change Default File Association To Executable	Detects when a program changes the default file association of any extension to an executable
	
	More details
	
	Rule ID
	
	`process_creation_commandline_116`
	
	Query
	
	`{'selection': {'CommandLine|contains|all': ['cmd', 'assoc ', 'exefile'], 'CommandLine|contains': [' /c ', ' /r ', ' /k ']}, 'filter': {'CommandLine|contains': '.exe=exefile'}, 'condition': 'selection and not filter'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:

Title	Description
	• Monitoring process creation **Rule Source** SigmaHQ,ae6f14e6-14de-45b0-9f44-c0986f50dc89 Author: Nasreddine Bencherchali (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0003, T1546.001 **References** • https://docs.microsoft.com/en-us/windows-server/administration/windows-commands/assoc **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: experimental Creation Date: 2022/06/28 Risk Level: high False Positives: • Unknown

Conti Backup Database	Detects a command used by conti to dump database
	More details
	Rule ID
	`process_creation_commandline_118`
	Query
	`{'selection_tools': {'CommandLine|contains': ['sqlcmd ', 'sqlcmd.exe']}, 'selection_svr': {'CommandLine|contains': ' -S localhost '}, 'selection_query': {'CommandLine|contains': ['sys.sysprocesses', 'master.dbo.sysdatabases', 'BACKUP DATABASE']}, 'condition': 'all of selection*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,2f47f1fd-0901-466e-a770-3b7092834a1b
	Author: frack113
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0009, T1005
	References
	• https://twitter.com/vxunderground/status/1423336151860002816?s=20
	• https://www.virustotal.com/gui/file/03e9b8c2e86d6db450e5eceec057d7e369ee2389b9daecaf06331a95410aa5f8/detection
	• https://docs.microsoft.com/en-us/sql/tools/sqlcmd-utility?view=sql-server-ver15
	Severity

Title	Description
	 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2021/08/16 **Risk Level**: high **False Positives** • Unknown

Winnti Pipemon Characteristics	Detects specific process characteristics of Winnti Pipemon malware reported by ESET
	More details
	Rule ID
	`process_creation_commandline_119`
	Query
	`{'selection1': {'CommandLine|contains': 'setup0.exe -p'}, 'selection2a': {'CommandLine|contains': 'setup.exe'}, 'selection2b': {'CommandLine|endswith': ['-x:0', '-x:1', '-x:2']}, 'condition': 'selection1 or all of selection2*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,73d70463-75c9-4258-92c6-17500fe972f2
	Author: Florian Roth (Nextron Systems), oscd.community
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0003, T1574.002
	References
	• https://www.welivesecurity.com/2020/05/21/no-game-over-winnti-group/
	Severity
	95
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: stable
	Creation Date: 2020/07/30
	Risk Level: critical
	False Positives
	• Legitimate setups that use similar flags

Suspicious ZipExec Execution	ZipExec is a Proof-of-Concept (POC) tool to wrap binary-based tools into a password-protected zip file. More details **Rule ID** `process_creation_commandline_120`

Title	Description
	Query `{'run': {'CommandLine|contains|all': ['/generic:Microsoft_Windows_Shell_ZipFolder:filename=', '.zip', '/pass:', '/user:']}, 'delete': {'CommandLine|contains|all': ['/delete', 'Microsoft_Windows_Shell_ZipFolder:filename=', '.zip']}, 'condition': 'run or delete'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,90dcf730-1b71-4ae7-9ffc-6fcf62bd0132 Author: frack113 **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0005, T1218, T1202 **References** • https://twitter.com/SBousseaden/status/1451237393017839616 • https://github.com/Tylous/ZipExec **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2021/11/07 Risk Level: medium False Positives: • Unknown

NirCmd Tool Execution As LOCAL SYSTEM	Detects the use of NirCmd tool for command execution as SYSTEM user
	More details
	Rule ID
	`process_creation_commandline_121`
	Query
	`{'selection': {'CommandLine|contains': ' runassystem '}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,d9047477-0359-48c9-b8c7-792cedcdc9c4
	Author: Florian Roth (Nextron Systems), Nasreddine Bencherchali (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1569.002, T1059.003

Title	Description
	References • https://www.nirsoft.net/utils/nircmd.html • https://www.winhelponline.com/blog/run-program-as-system-localsystem-account-windows/ • https://www.nirsoft.net/utils/nircmd2.html#using **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test; Creation Date: 2022/01/24; Risk Level: high False Positives: • Legitimate use by administrators

Invoke-Obfuscation Via Use Clip	Detects Obfuscated Powershell via use Clip.exe in Scripts
	More details
	Rule ID
	`process_creation_commandline_122`
	Query
	`{'selection': {'CommandLine|contains|all': ['echo', 'clip', '&&'], 'CommandLine|contains': ['clipboard', 'invoke', 'i`', 'n`', 'v`', 'o`', 'k`', 'e`']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,e1561947-b4e3-4a74-9bdd-83baed21bdb5
	Author: Nikita Nazarov, oscd.community
	Tactics, Techniques, and Procedures
	TA0002, T1059, TA0005, T1027
	References
	• https://github.com/SigmaHQ/sigma/issues/1009
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: test; Creation Date: 2020/10/09; Risk Level: high
	False Positives:
	• Unknown

Title	Description

PowerShell Base64 Encoded Shellcode	Detects Base64 encoded Shellcode
	
	More details
	
	Rule ID
	`process_creation_commandline_123`
	
	Query
	`{'selection': {'CommandLine|contains': ['OiCAAAAYInlM', 'OiJAAAAYInlM']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,2d117e49-e626-4c7c-bd1f-c3c0147774c8
	
	Author: Florian Roth (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1027
	
	References
	• https://twitter.com/cyb3rops/status/1063072865992523776
	
	Severity
	95
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: stable
	Creation Date: 2018/11/17
	Risk Level: critical
	False Positives:
	• Unknown

Ryuk Ransomware	Detects Ryuk ransomware activity
	
	More details
	
	Rule ID
	`process_creation_commandline_124`
	
	Query
	`{'selection': {'CommandLine|contains|all': ['Microsoft\\Windows\\CurrentVersion\\Run', 'C:\\users\\Public\\']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,c37510b8-2107-4b78-aa32-72f251e7a844
	
	Author: Florian Roth (Nextron Systems), Vasiliy Burov, Nasreddine Bencherchali (Nextron Systems)

Title	Description
	tics, Techniques, and Procedures TA0002, T1059.003, TA0003, T1547.001 **References** • https://app.any.run/tasks/d860402c-3ff4-4c1f-b367-0237da714ed1/ **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: stable Creation Date: 2019/12/16 Risk Level: high False Positives: • Unlikely

Arbitrary Shell Command Execution Via Settingcontent-Ms	The .SettingContent-ms file type was introduced in Windows 10 and allows a user to create "shortcuts" to various Windows 10 setting pages. These files are simply XML and contain paths to various Windows 10 settings binaries.
	More details
	Rule ID
	`process_creation_commandline_125`
	Query
	`{'selection': {'CommandLine|contains': '.SettingContent-ms'}, 'filter': {'CommandLine|contains': 'immersivecontrolpanel'}, 'condition': 'selection and not filter'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,24de4f3b-804c-4165-b442-5a06a2302c7e
	Author: Sreeman
	Tactics, Techniques, and Procedures
	TA0001, T1566.001, TA0002, T1204, T1059.003
	References
	• https://posts.specterops.io/the-tale-of-settingcontent-ms-files-f1ea253e4d39
	Severity
	49
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: experimental
	Creation Date: 2020/03/13
	Risk Level: medium
	False Positives: • Unknown

Title	Description

Base64 Encoded Reflective Assembly Load	Detects base64 encoded .NET reflective loading of Assembly
	
	More details
	
	Rule ID
	`process_creation_commandline_127`
	
	Query
	`{'selection': {'CommandLine|contains': ['WwBSAGUAZgBsAGUAYwB0AGkAbwBuAC4AQQBzAHMAZQBtAGIAbAB5AF0AOgA6AEwAbwBhAGQAKA', 'sAUgBlAGYAbABlAGMAdABpAG8AbgAuAEEAcwBzAGUAbQBiAGwAeQBdADoAOgBMAG8AYQBkACgA', 'bAFIAZQBmAGwAZQBjAHQAaQBvAG4ALgBBAHMAcwBlAG0AYgBsAHkAXQA6ADoATABvAGEAZAAoA', 'AFsAcgBlAGYAbABlAGMAdABpAG8AbgAuAGEAcwBzAGUAbQBiAGwAeQBdADoAOgAoACIATABvAGEAZAAiAC', 'BbAHIAZQBmAGwAZQBjAHQAaQBvAG4ALgBhAHMAcwBlAG0AYgBsAHkAXQA6ADoAKAAiAEwAbwBhAGQAIgAp', 'AWwByAGUAZgBsAGUAYwB0AGkAbwBuAC4AYQBzAHMAZQBtAGIAbAB5AF0AOgA6ACgAIgBMAG8AYQBkACIAK', 'WwBSAGUAZgBsAGUAYwB0AGkAbwBuAC4AQQBzAHMAZQBtAGIAbAB5AF0AOgA6ACgAIgBMAG8AYQBkACIAKQ', 'sAUgBlAGYAbABlAGMAdABpAG8AbgAuAEEAcwBzAGUAbQBiAGwAeQBdADoAOgAoACIATABvAGEAZAAiACkA', 'bAFIAZQBmAGwAZQBjAHQAaQBvAG4ALgBBAHMAcwBlAG0AYgBsAHkAXQA6ADoAKAAiAEwAbwBhAGQAIgApA', 'WwByAGUAZgBsAGUAYwB0AGkAbwBuAC4AYQBzAHMAZQBtAGIAbAB5AF0AOgA6AEwAbwBhAGQAKA', 'sAcgBlAGYAbABlAGMAdABpAG8AbgAuAGEAcwBzAGUAbQBiAGwAeQBdADoAOgBMAG8AYQBkACgA', 'bAHIAZQBmAGwAZQBjAHQAaQBvAG4ALgBhAHMAcwBlAG0AYgBsAHkAXQA6ADoATABvAGEAZAAoA']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,62b7ccc9-23b4-471e-aa15-6da3663c4d59
	
	Author: Christian Burkard (Nextron Systems), pH-T (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0002, T1059, TA0005, T1027
	
	References
	• https://github.com/Neo23x0/Raccine/blob/20a569fa21625086433dcce8bb2765d0ea08dcb6/yara/mal_revil.yar
	• https://thedfirreport.com/2022/05/09/seo-poisoning-a-gootloader-story/
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2022/03/01
	Risk Level: high
	False Positives:
	• Unlikely

Suspicious NT Resource Kit Auditpol Usage	Threat actors can use an older version of the auditpol binary available inside the NT resource kit to change audit policy configuration to impair detection capability. This can

Title	Description

	b…ried out by selectively disabling/removing certain audit policies as well as restoring a custom policy owned by the threat actor.
	
	More details
	
	Rule ID
	
	`process_creation_commandline_128`
	
	Query
	
	`{'selection': {'CommandLine|contains': ['/logon:none', '/system:none', '/sam:none', '/privilege:none', '/object:none', '/process:none', '/policy:none']}, 'condition': 'selection'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation
	
	Rule Source
	
	SigmaHQ,c6c56ada-612b-42d1-9a29-adad3c5c2c1e
	
	Author: Nasreddine Bencherchali (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	
	TA0002, T1059.003, TA0005, T1562.002
	
	References
	
	• https://github.com/3CORESec/MAL-CL/tree/master/Descriptors/Windows%202000%20Resource%20Kit%20Tools/AuditPol
	
	Severity
	
	74
	
	Suppression Logic Based On
	
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	
	Maturity: test
	Creation Date: 2021/12/18
	Risk Level: high
	False Positives:
	• Unknown

Weak or Abused Passwords In CLI	Detects weak passwords or often abused passwords (seen used by threat actors) via the CLI. An example would be a threat actor creating a new user via the net command and providing the password inline
	
	More details
	
	Rule ID
	
	`process_creation_commandline_129`
	
	Query
	
	`{'selection': {'CommandLine|contains': ['Asd123.aaaa', 'password123', '123456789', 'P@ssw0rd!']}, 'condition': 'selection'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation

Title	Description
	Rule Source SigmaHQ,91edcfb1-2529-4ac2-9ecc-7617f895c7e4 Author: Nasreddine Bencherchali (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003 **References** • https://symantec-enterprise-blogs.security.com/blogs/threat-intelligence/espionage-asia-governments • https://thedfirreport.com/2022/09/26/bumblebee-round-two/ • https://www.microsoft.com/en-us/security/blog/2022/10/25/dev-0832-vice-society-opportunistic-ransomware-campaigns-impacting-us-education-sector/ **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: experimental Creation Date: 2022/09/14 Risk Level: medium False Positives: • Legitimate usage of the passwords by users via commandline (should be discouraged) • Other currently unknown false positives

Suspicious Encoded Obfuscated LOAD String	Detects suspicious base64 encoded and obbfuscated LOAD string often used for reflection.assembly load
	More details
	Rule ID
	`process_creation_commandline_130`
	Query
	`{'selection': {'CommandLine|contains': ['OgA6ACgAIgBMACIAKwAiAG8AYQBkACIAKQ', 'oAOgAoACIATAAiACsAIgBvAGEAZAAiACkA', '6ADoAKAAiAEwAIgArACIAbwBhAGQAIgApA', 'OgA6ACgAIgBMAG8AIgArACIAYQBkACIAKQ', 'oAOgAoACIATABvACIAKwAiAGEAZAAiACkA', '6ADoAKAAiAEwAbwAiACsAIgBhAGQAIgApA', 'OgA6ACgAIgBMAG8AYQAiACsAIgBkACIAKQ', 'oAOgAoACIATABvAGEAIgArACIAZAAiACkA', '6ADoAKAAiAEwAbwBhACIAKwAiAGQAIgApA', 'OgA6ACgAJwBMACcAKwAnAG8AYQBkACcAKQ', 'oAOgAoACcATAAnACsAJwBvAGEAZAAnACkA', '6ADoAKAAnAEwAJwArACcAbwBhAGQAJwApA', 'OgA6ACgAJwBMAG8AJwArACcAYQBkACcAKQ', 'oAOgAoACcATABvACcAKwAnAGEAZAAnACkA', '6ADoAKAAnAEwAbwAnACsAJwBhAGQAJwApA', 'OgA6ACgAJwBMAG8AYQAnACsAJwBkACcAKQ', 'oAOgAoACcATABvAGEAJwArACcAZAAnACkA', '6ADoAKAAnAEwAbwBhACcAKwAnAGQAJwApA']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source

Title	Description
	maHQ,9c0295ce-d60d-40bd-bd74-84673b7592b1 Author: pH-T (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059, TA0005, T1027 **References** • https://github.com/Neo23x0/Raccine/blob/20a569fa21625086433dcce8bb2765d0ea08dcb6/yara/mal_revil.yar • https://thedfirreport.com/2022/05/09/seo-poisoning-a-gootloader-story/ **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2022/03/01 Risk Level: high False Positives: • Unlikely

RunXCmd Tool Execution As System	Detects the use of RunXCmd tool for command execution
	More details
	Rule ID
	`process_creation_commandline_131`
	Query
	`{'selection': {'CommandLine|contains|all': [' /account=system ', '/exec=']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,93199800-b52a-4dec-b762-75212c196542
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1569.002, T1059.003
	References
	• https://www.d7xtech.com/free-software/runx/
	• https://www.winhelponline.com/blog/run-program-as-system-localsystem-account-windows/
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information

Title	Description
	Maturity Creation Date Risk Level False Positives test 2022/01/24 high • Legitimate use by administrators

Base64 Encoded Listing of Shadowcopy	Detects base64 encoded listing Win32_Shadowcopy
	
	More details
	
	Rule ID
	`process_creation_commandline_132`
	
	Query
	`{'selection': {'CommandLine|contains': ['VwBpAG4AMwAyAF8AUwBoAGEAZABvAHcAYwBvAHAAeQAgAHwAIABGAG8AcgBFAGEAYwBoAC0ATwBiAGoAZQBjAHQA', 'cAaQBuADMAMgBfAFMAaABhAGQAbwB3AGMAbwBwAHkAIAB8ACAARgBvAHIARQBhAGMAaAAtAE8AYgBqAGUAYwB0A', 'XAGkAbgAzADIAXwBTAGgAYQBkAG8AdwBjAG8AcAB5ACAAfAAgAEYAbwByAEUAYQBjAGgALQBPAGIAagBlAGMAdA']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,47688f1b-9f51-4656-b013-3cc49a166a36
	
	Author: Christian Burkard (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0002, T1059, TA0005, T1027
	
	References
	• https://github.com/Neo23x0/Raccine/blob/20a569fa21625086433dcce8bb2765d0ea08dcb6/yara/mal_revil.yar
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity Creation Date Risk Level False Positives
	test 2022/03/01 high
	• Unlikely

MERCURY Command Line Patterns	Detects suspicious command line patterns as seen being used by MERCURY threat actor
	
	More details
	
	Rule ID
	`process_creation_commandline_133`
	
	Query
	`{'selection_base': {'CommandLine|contains|all': ['-exec bypass -w 1 -`

Title	Description
	 c', 'UwB0AGEAcgB0AC0ASgBvAGIAIAAtAFMAYwByAGkAcAB0AEIAbABvAGMAaw']}, 'condition': 'all of selection*'} **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,a62298a3-1fe0-422f-9a68-ffbcbc5a123d Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059 **References** • https://www.microsoft.com/security/blog/2022/08/25/mercury-leveraging-log4j-2-vulnerabilities-in-unpatched-systems-to-target-israeli-organizations/ **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: experimental Creation Date: 2022/08/26 Risk Level: high False Positives: • Unknown
DTRACK Process Creation	Detects specific process parameters as seen in DTRACK infections More details **Rule ID** process_creation_commandline_134 **Query** {'selection': {'CommandLine|contains': ' echo EEEE > '}, 'condition': 'selection'} **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,f1531fa4-5b84-4342-8f68-9cf3fdbd83d4 Author: Florian Roth (Nextron Systems), Nasreddine Bencherchali (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0040, T1490 **References** • https://securelist.com/my-name-is-dtrack/93338/ • https://app.any.run/tasks/4bc9860d-ab51-4077-9e09-59ad346b92fd/ • https://app.any.run/tasks/ce4deab5-3263-494f-93e3-afb2b9d79f14/

Title	Description
	Severity 95 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: stable **Creation Date**: 2019/10/30 **Risk Level**: critical **False Positives**: • Unlikely

Suspicious Netsh Discovery Command	Adversaries may look for details about the network configuration and settings of systems they access or through information discovery of remote systems
	
	More details
	
	Rule ID
	`process_creation_commandline_135`
	
	Query
	`{'selection': {'CommandLine|contains|all': ['netsh ', 'show ', 'firewall '], 'CommandLine|contains': ['config ', 'state ', 'rule ', 'name=all']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,0e4164da-94bc-450d-a7be-a4b176179f1f
	
	Author: frack113, Christopher Peacock '@securepeacock', SCYTHE '@scythe_io'
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0007, T1016
	
	References
	• https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1016/T1016.md#atomic-test-2---list-windows-firewall-rules
	
	Severity
	24
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: experimental
	Creation Date: 2021/12/07
	Risk Level: low
	False Positives: • Administrative activity

F-Secure C3 Load by Rundll32	F-Secure C3 produces DLLs with a default exported StartNodeRelay function. More details **Rule ID**

Title	Description
	ocess_creation_commandline_136 **Query** `{'selection': {'CommandLine|contains|all': ['rundll32.exe', '.dll', 'StartNodeRelay']}, 'condition': 'selection'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,b18c9d4c-fac9-4708-bd06-dd5bfacf200f Author: Alfie Champion (ajpc500) **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0005, T1218.011 **References** • https://github.com/FSecureLABS/C3/blob/11a081fd3be2aaf2a879f6b6e9a96ecdd24966ef/Src/NodeRelayDll/NodeRelayDll.cpp#L12 **Severity** 95 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2021/06/02 Risk Level: critical False Positives: • Unknown

Suspicious RunAs-Like Flag Combination	Detects suspicious command line flags that let the user set a target user and command as e.g. seen in PsExec-like tools
	
	More details
	
	Rule ID
	`process_creation_commandline_137`
	
	Query
	`{'selection_user': {'CommandLine|contains': [' -u system ', ' --user system ', ' -u NT', ' -u "NT', " -u 'NT", ' --system ', ' -u administrator ']}, 'selection_command': {'CommandLine|contains': [' -c cmd', ' -c "cmd', ' -c powershell', ' -c "powershell', ' --command cmd', ' --command powershell', ' -c whoami', ' -c wscript', ' -c cscript']}, 'condition': 'all of selection*'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,50d66fb0-03f8-4da0-8add-84e77d12a020

Title	Description
	hor: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003 **References** • https://www.trendmicro.com/en_us/research/22/k/hack-the-real-box-apt41-new-subgroup-earth-longzhi.html **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: experimental Creation Date: 2022/11/11 Risk Level: medium False Positives: • Unknown

Stop Or Remove Antivirus Service	Detects usage of 'Stop-Service' or 'Remove-Service' powershell cmdlet to disable AV services. Adversaries may disable security tools to avoid possible detection of their tools and activities by stopping antivirus service
	More details
	Rule ID
	`process_creation_commandline_138`
	Query
	`{'selection_action': {'CommandLine|contains': ['Stop-Service ', 'Remove-Service ']}, 'selection_product': {'CommandLine|contains': [' McAfeeDLPAgentService', ' Trend Micro Deep Security Manager', ' TMBMServer', 'Sophos', 'Symantec']}, 'condition': 'all of selection*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,6783aa9e-0dc3-49d4-a94a-8b39c5fd700b
	Author: frack113
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1562.001
	References
	• https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1562.001/T1562.001.md
	• https://research.nccgroup.com/2022/08/19/back-in-black-unlocking-a-lockbit-3-0-ransomware-attack/
	Severity
	74
	Suppression Logic Based On

Title	Description
	 • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2021/07/07 **Risk Level**: high **False Positives**: • Unknown

Adwind RAT / JRAT	Detects javaw.exe in AppData folder as used by Adwind / JRAT
	More details
	Rule ID
	`process_creation_commandline_139`
	Query
	`{'selection': [{'CommandLine|contains|all': ['\\AppData\\Roaming\\Oracle', '\\java', '.exe ']}, {'CommandLine|contains|all': ['cscript.exe', 'Retrive', '.vbs ']}], 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,1fac1481-2dbc-48b2-9096-753c49b4ec71
	Author: Florian Roth (Nextron Systems), Tom Ueltschi, Jonhnathan Ribeiro, oscd.community
	Tactics, Techniques, and Procedures
	TA0002, T1059
	References
	• https://www.hybrid-analysis.com/sample/ba86fa0d4b6af2db0656a88b1dd29f36fe362473ae8ad04255c4e52f214a541c?environmentId=100
	• https://www.first.org/resources/papers/conf2017/Advanced-Incident-Detection-and-Threat-Hunting-using-Sysmon-and-Splunk.pdf
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2017/11/10
	Risk Level: high
	False Positives: N/A

Suspicious AdvancedRun Runas Priv User	Detects the execution of AdvancedRun utility in the context of the TrustedInstaller, SYSTEM, Local Service or Network Service accounts More details **Rule ID** `process_creation_commandline_140` **Query**

Title	Description
	 `'selection': {'CommandLine|contains': ['/EXEFilename', '/CommandLine']}, 'selection_runas': [{'CommandLine|contains': [' /RunAs 8 ', ' /RunAs 4 ', ' /RunAs 10 ', ' /RunAs 11 ']}, {'CommandLine|endswith': ['/RunAs 8', '/RunAs 4', '/RunAs 10', '/RunAs 11']}], 'condition': 'all of selection*'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,fa00b701-44c6-4679-994d-5a18afa8a707 Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003 **References** • https://twitter.com/splinter_code/status/1483815103279603714 • https://medium.com/s2wblog/analysis-of-destructive-malware-whispergate-targeting-ukraine-9d5d158f19f3 • https://www.winhelponline.com/blog/run-program-as-system-localsystem-account-windows/ **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2022/01/20 **Risk Level**: high **False Positives**: • Unknown

ShimCache Flush	Detects actions that clear the local ShimCache and remove forensic evidence
	
	More details
	
	Rule ID
	
	`process_creation_commandline_141`
	
	Query
	
	`{'selection1a': {'CommandLine|contains|all': ['rundll32', 'apphelp.dll']}, 'selection1b': {'CommandLine|contains': ['ShimFlushCache', '#250']}, 'selection2a': {'CommandLine|contains|all': ['rundll32', 'kernel32.dll']}, 'selection2b': {'CommandLine|contains': ['BaseFlushAppcompatCache', '#46']}, 'condition': '(selection1a and selection1b) or (selection2a and selection2b)'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation
	
	Rule Source

Title	Description
	maHQ,b0524451-19af-4efa-a46f-562a977f792e Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0005, T1112 **References** • https://medium.com/@blueteamops/shimcache-flush-89daff28d15e **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: stable Creation Date: 2021/02/01 Risk Level: high False Positives: • Unknown

Sliver C2 Implant Activity Pattern	Detects process activity patterns as seen being used by Sliver C2 framework implants
	More details
	Rule ID
	`process_creation_commandline_142`
	Query
	`{'selection_cmdline': {'CommandLine|contains': '-NoExit -Command [Console]::OutputEncoding=[Text.UTF8Encoding]::UTF8'}, 'condition': '1 of selection*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,42333b2c-b425-441c-b70e-99404a17170f
	Author: Nasreddine Bencherchali (Nextron Systems), Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003
	References
	• https://github.com/BishopFox/sliver/blob/79f2d48fcdfc2bee4713b78d431ea4b27f733f30/implant/sliver/shell/shell_windows.go#L36
	• https://www.microsoft.com/security/blog/2022/08/24/looking-for-the-sliver-lining-hunting-for-emerging-command-and-control-frameworks/
	Severity
	95
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id

Title	Description
	Additional Information **Maturity**: experimental **Creation Date**: 2022/08/25 **Risk Level**: critical **False Positives**: • Unlikely

Disabled IE Security Features	Detects command lines that indicate unwanted modifications to registry keys that disable important Internet Explorer security features
	
	More details
	
	Rule ID
	`process_creation_commandline_143`
	
	Query
	`{'selection1': {'CommandLine|contains|all': [' -name IEHarden ', ' -value 0 ']}, 'selection2': {'CommandLine|contains|all': [' -name DEPOff ', ' -value 1 ']}, 'selection3': {'CommandLine|contains|all': [' -name DisableFirstRunCustomize ', ' -value 2 ']}, 'condition': '1 of selection*'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,fb50eb7a-5ab1-43ae-bcc9-091818cb8424
	
	Author: Florian Roth (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1562.001
	
	References
	• https://unit42.paloaltonetworks.com/operation-ke3chang-resurfaces-with-new-tidepool-malware/
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2020/06/19
	Risk Level: high
	False Positives:
	• Unknown, maybe some security software installer disables these features temporarily

Invoke-Obfuscation RUNDLL LAUNCHER	Detects Obfuscated Powershell via RUNDLL LAUNCHER More details **Rule ID** `process_creation_commandline_144` **Query**

Title	Description
	 `'selection': {'CommandLine|contains|all': ['rundll32.exe', 'shell32.dll', 'shellexec_rundll', 'powershell']}, 'condition': 'selection'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,056a7ee1-4853-4e67-86a0-3fd9ceed7555 Author: Timur Zinniatullin, oscd.community **Tactics, Techniques, and Procedures** TA0002, T1059, TA0005, T1027 **References** • https://github.com/SigmaHQ/sigma/issues/1009 **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2020/10/18 **Risk Level**: medium **False Positives** • Unknown

Tasks Folder Evasion	The Tasks folder in system32 and syswow64 are globally writable paths. Adversaries can take advantage of this and load or influence any script hosts or ANY .NET Application in Tasks to load and execute a custom assembly into cscript, wscript, regsvr32, mshta, eventvwr
	More details
	Rule ID
	`process_creation_commandline_145`
	Query
	`{'selection1': {'CommandLine|contains': ['echo ', 'copy ', 'type ', 'file createnew']}, 'selection2': {'CommandLine|contains': [' C:\\Windows\\System32\\Tasks\\', ' C:\\Windows\\SysWow64\\Tasks\\']}, 'condition': 'all of selection*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,cc4e02ba-9c06-48e2-b09e-2500cace9ae0
	Author: Sreeman
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0003, T1574.002

Title	Description
	References • https://twitter.com/subTee/status/1216465628946563073 • https://gist.github.com/am0nsec/8378da08f848424e4ab0cc5b317fdd26 **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test; Creation Date: 2020/01/13; Risk Level: high; False Positives: • Unknown

Sofacy Trojan Loader Activity	Detects Trojan loader activity as used by APT28
	More details
	Rule ID
	`process_creation_commandline_146`
	Query
	`{'selection1': {'CommandLine|contains|all': ['rundll32.exe', '%APPDATA%\\']}, 'selection2': [{'CommandLine|contains': '.dat",'}, {'CommandLine|endswith': ['.dll",#1', '.dll #1', '.dll" #1']}], 'condition': 'all of selection*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,ba778144-5e3d-40cf-8af9-e28fb1df1e20
	Author: Florian Roth (Nextron Systems), Jonhnathan Ribeiro, oscd.community
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1218.011
	References
	• https://researchcenter.paloaltonetworks.com/2018/02/unit42-sofacy-attacks-multiple-government-entities/
	• https://twitter.com/ClearskySec/status/960924755355369472
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: test; Creation Date: 2018/03/01; Risk Level: high; False Positives: • Unknown

Title	Description

Suspicious Commandline Escape	Detects suspicious process that use escape characters
	
	More details
	
	Rule ID
	`process_creation_commandline_147`
	
	Query
	`{'selection': {'CommandLine|contains': ['h^t^t^p', 'h"t" t"p']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,f0cdd048-82dc-4f7a-8a7a-b87a52b6d0fd
	
	Author: juju4
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1140
	
	References
	• https://twitter.com/vysecurity/status/885545634958385153
	• https://twitter.com/Hexacorn/status/885553465417756673
	• https://twitter.com/Hexacorn/status/885570278637678592
	• https://www.fireeye.com/blog/threat-research/2017/06/obfuscation-in-the-wild.html
	• http://www.windowsinspired.com/understanding-the-command-line-string-and-arguments-received-by-a-windows-program/
	
	Severity
	24
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2018/12/11
	Risk Level: low
	False Positives:
	• False positives depend on scripts and administrative tools used in the monitored environment

Suspicious Rundll32 Invoking Inline VBScript	Detects suspicious process related to rundll32 based on command line that invokes inline VBScript as seen being used by UNC2452
	
	More details
	
	Rule ID
	`process_creation_commandline_148`
	
	Query
	`{'selection': {'CommandLine|contains|all': ['rundll32.exe', 'Execute', 'RegRead', 'window.close']}, 'condition': 'selection'}`

Title	Description
	g Source Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,1cc50f3f-1fc8-4acf-b2e9-6f172e1fdebd Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0005, T1055 **References** • https://www.microsoft.com/security/blog/2021/03/04/goldmax-goldfinder-sibot-analyzing-nobelium-malware/ **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2021/03/05 Risk Level: high False Positives: • Unknown

Disabled Volume Snapshots	Detects commands that temporarily turn off Volume Snapshots
	More details
	Rule ID
	`process_creation_commandline_149`
	Query
	`{'selection': {'CommandLine|contains|all': ['reg', ' add ', '\\Services\\VSS\\Diag', '/d Disabled']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,dee4af55-1f22-4e1d-a9d2-4bdc7ecb472a
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1562.001
	References
	• https://twitter.com/0gtweet/status/1354766164166115331
	Severity
	74
	Suppression Logic Based On
	• computer_name

Title	Description
	 • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2021/01/28 **Risk Level**: high **False Positives**: • Legitimate administration

PowerShell Get-Clipboard Cmdlet Via CLI	Detects usage of the 'Get-Clipboard' cmdlet via CLI
	More details
	Rule ID
	`process_creation_commandline_150`
	Query
	`{'selection': {'CommandLine|contains': 'Get-Clipboard'}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,b9aeac14-2ffd-4ad3-b967-1354a4e628c3
	Author: Nasreddine Bencherchali (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0009, T1115
	References
	• https://github.com/OTRF/detection-hackathon-apt29/issues/16
	Severity
	49
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2020/05/02
	Risk Level: medium
	False Positives:
	• Unknown

Suspicious Reg Add BitLocker	Detects suspicious addition to BitLocker related registry keys via the reg.exe utility
	More details
	Rule ID
	`process_creation_commandline_151`
	Query
	`{'selection': {'CommandLine|contains|all': ['REG', 'ADD', '\\SOFTWARE\\Policies\\Microsoft\\FVE', '/v', '/f'], 'CommandLine|contains': ['EnableBDEWithNoTPM', 'UseAdvancedStartup', 'UseTPM', 'UseTPMKey', 'UseTPMKeyPIN', 'RecoveryKeyMessageSource', 'UseTPMPIN', 'RecoveryKeyMessage']}, 'condition': 'selection'}`

Title	Description
	g Source Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,0e0255bf-2548-47b8-9582-c0955c9283f5 Author: frack113 **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0040, T1486 **References** • https://thedfirreport.com/2021/11/15/exchange-exploit-leads-to-domain-wide-ransomware/ **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2021/11/15 **Risk Level**: high **False Positives**: • Unlikely

Suspicious Reconnaissance Activity Using Get-LocalGroupMember Cmdlet	Detects suspicious reconnaissance command line activity on Windows systems using the PowerShell Get-LocalGroupMember Cmdlet
	More details
	Rule ID
	`process_creation_commandline_152`
	Query
	`{'selection_cmdlet': {'CommandLine|contains': 'Get-LocalGroupMember '}, 'selection_group': {'CommandLine|contains': ['domain admins', ' administrator', ' administrateur', 'enterprise admins', 'Exchange Trusted Subsystem', 'Remote Desktop Users', 'Utilisateurs du Bureau à distance', 'Usuarios de escritorio remoto']}, 'condition': 'all of selection_*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,c8a180d6-47a3-4345-a609-53f9c3d834fc
	Author: Nasreddine Bencherchali (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0007, T1087.001
	References
	• https://www.absolomb.com/2018-01-26-Windows-Privilege-Escalation-Guide/

Title	Description
	Severity 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2022/10/10 **Risk Level**: medium **False Positives**: • Administrative activity

Conti Ransomware Execution	Conti ransomware command line ioc
	
	More details
	
	Rule ID
	`process_creation_commandline_153`
	
	Query
	`{'selection': {'CommandLine|contains|all': ['-m ', '-net ', '-size ', '-nomutex ', '-p \\\\', '$']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,689308fc-cfba-4f72-9897-796c1dc61487
	Author: frack113
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0040, T1486
	
	References
	• https://news.sophos.com/en-us/2021/09/03/conti-affiliates-use-proxyshell-exchange-exploit-in-ransomware-attacks/
	
	Severity
	95
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2021/10/12
	Risk Level: critical
	False Positives:
	• Unlikely

Snatch Ransomware	Detects specific process characteristics of Snatch ransomware word document droppers More details **Rule ID** `process_creation_commandline_154` **Query**

Title	Description
	 `selection': {'CommandLine|contains': ['shutdown /r /f /t 00', 'net stop SuperBackupMan']}, 'condition': 'selection'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,5325945e-f1f0-406e-97b8-65104d393fff Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1204, T1059.003 **References** • https://news.sophos.com/en-us/2019/12/09/snatch-ransomware-reboots-pcs-into-safe-mode-to-bypass-protection/ **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: stable Creation Date: 2020/08/26 Risk Level: high False Positives: • Scripts that shutdown the system immediately and reboot them in safe mode are unlikely

Copy from Volume Shadow Copy	Detects a copy execution that targets a shadow copy (sometimes used to copy registry hives that are in use)
	More details
	Rule ID
	`process_creation_commandline_155`
	Query
	`{'selection': {'CommandLine|contains': 'copy \\\\?\\GLOBALROOT\\Device\\HarddiskVolumeShadowCopy'}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,c73124a7-3e89-44a3-bdc1-25fe4df754b1
	Author: Max Altgelt (Nextron Systems), Tobias Michalski (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0040, T1490
	References

Title	Description
	 • https://twitter.com/vxunderground/status/1423336151860002816?s=20 • https://www.virustotal.com/gui/file/03e9b8c2e86d6db450e5eceec057d7e369ee2389b9daecaf06331a95410aa5f8/detection • https://pentestlab.blog/2018/07/04/dumping-domain-password-hashes/ **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2021/08/09 **Risk Level**: medium **False Positives**: • Some rare backup scenarios

Suspicious VBScript UN2452 Pattern	Detects suspicious inline VBScript keywords as used by UNC2452
	More details
	Rule ID
	`process_creation_commandline_156`
	Query
	`{'selection': {'CommandLine|contains|all': ['Execute', 'CreateObject', 'RegRead', 'window.close', '\\Microsoft\\Windows\\CurrentVersion']}, 'filter': {'CommandLine|contains': '\\Software\\Microsoft\\Windows\\CurrentVersion\\Run'}, 'condition': 'selection and not filter'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,20c3f09d-c53d-4e85-8b74-6aa50e2f1b61
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0003, T1547.001
	References
	• https://www.microsoft.com/security/blog/2021/03/04/goldmax-goldfinder-sibot-analyzing-nobelium-malware/
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2021/03/05
	Risk Level: high
	False Positives:
	• Unknown

Title	Description

Sensitive Registry Access via Volume Shadow Copy	Detects a command that accesses password storing registry hives via volume shadow backups
	
	More details
	
	Rule ID
	
	`process_creation_commandline_157`
	
	Query
	
	`{'selection_1': {'CommandLine|contains': '\\\\?\\GLOBALROOT\\Device\\HarddiskVolumeShadowCopy'}, 'selection_2': {'CommandLine|contains': ['\\NTDS.dit', '\\SYSTEM', '\\SECURITY', 'C:\\tmp\\log']}, 'condition': 'all of selection*'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation
	
	Rule Source
	
	SigmaHQ,f57f8d16-1f39-4dcb-a604-6c73d9b54b3d
	
	Author: Max Altgelt (Nextron Systems), Tobias Michalski (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	
	TA0002, T1059.003, TA0040, T1490
	
	References
	
	• https://twitter.com/vxunderground/status/1423336151860002816?s=20
	• https://www.virustotal.com/gui/file/03e9b8c2e86d6db450e5eceec057d7e369ee2389b9daecaf06331a95410aa5f8/detection
	• https://pentestlab.blog/2018/07/04/dumping-domain-password-hashes/
	
	Severity
	
	74
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	
	Maturity: experimental
	Creation Date: 2021/08/09
	Risk Level: high
	False Positives:
	• Some rare backup scenarios

Abusable Invoke-ATHRemoteFXvGPUDisablementCommand	RemoteFXvGPUDisablement.exe is an abusable, signed PowerShell host executable that was introduced in Windows 10 and Server 2019 (OS Build 17763.1339).
	
	More details
	
	Rule ID
	
	`process_creation_commandline_158`
	
	Query
	
	`{'selection_cmd': {'CommandLine|contains': 'Invoke-ATHRemoteFXvGPUDisablementCommand '}, 'selection_opt': {'CommandLine|contains': ['-ModuleName ', '-ModulePath ', '-ScriptBlock ', '-`

Title	Description
	moteFXvGPUDisablementFilePath']}, 'condition': 'all of selection_*'} **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,a6fc3c46-23b8-4996-9ea2-573f4c4d88c5 Author: frack113 **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0005, T1218 **References** • https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1218/T1218.md • https://github.com/redcanaryco/AtomicTestHarnesses/blob/7e1e4da116801e3d6fcc6bedb207064577e40572/TestHarnesses/T1218_SignedBinaryProxyExecution/InvokeRemoteFXvGPUDisablementCommand.ps1 **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2021/07/13 **Risk Level**: medium **False Positives**: • Unknown
Execute From Alternate Data Streams	Detects execution from an Alternate Data Stream (ADS). Adversaries may use NTFS file attributes to hide their malicious data in order to evade detection More details **Rule ID** process_creation_commandline_159 **Query** {'selection_stream': {'CommandLine|contains': 'txt:'}, 'selection_tools_type': {'CommandLine|contains|all': ['type ', ' > ']}, 'selection_tools_makecab': {'CommandLine|contains|all': ['makecab ', '.cab']}, 'selection_tools_reg': {'CommandLine|contains|all': ['reg ', ' export ']}, 'selection_tools_regedit': {'CommandLine|contains|all': ['regedit ', ' /E ']}, 'selection_tools_esentutl': {'CommandLine|contains|all': ['esentutl ', ' /y ', ' /d ', ' /o ']}, 'condition': 'selection_stream and (1 of selection_tools_*)'} **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source**

Title	Description
	maHQ,7f43c430-5001-4f8b-aaa9-c3b88f18fa5c Author: frack113 **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0005, T1564.004 **References** • https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1564.004/T1564.004.md **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2021/09/01 Risk Level: medium False Positives: • Unknown

Potential Tampering With Security Products Via WMIC	Detects uninstallation or termination of security products using the WMIC utility
	More details
	Rule ID
	`process_creation_commandline_160`
	Query
	`{'selection_cli_1': {'CommandLine|contains|all': ['wmic', 'product where ', 'call uninstall', '/nointeractive']}, 'selection_cli_2': {'CommandLine|contains|all': ['wmic', 'caption like '], 'CommandLine|contains': ['call delete', 'call terminate']}, 'selection_cli_3': {'CommandLine|contains|all': ['process ', 'where ', 'delete']}, 'selection_product': {'CommandLine|contains': ['%carbon%', '%cylance%', '%endpoint%', '%eset%', '%malware%', '%Sophos%', '%symantec%', 'Antivirus', 'AVG ', 'Carbon Black', 'CarbonBlack', 'Cb Defense Sensor 64-bit', 'Crowdstrike Sensor', 'Cylance ', 'Dell Threat Defense', 'DLP Endpoint', 'Endpoint Detection', 'Endpoint Protection', 'Endpoint Security', 'Endpoint Sensor', 'ESET File Security', 'LogRhythm System Monitor Service', 'Malwarebytes', 'McAfee Agent', 'Microsoft Security Client', 'Sophos Anti-Virus', 'Sophos AutoUpdate', 'Sophos Credential Store', 'Sophos Management Console', 'Sophos Management Database', 'Sophos Management Server', 'Sophos Remote Management System', 'Sophos Update Manager', 'Threat Protection', 'VirusScan', 'Webroot SecureAnywhere', 'Windows Defender']}, 'condition': '1 of selection_cli_* and selection_product'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source

Title	Description
	maHQ,847d5ff3-8a31-4737-a970-aeae8fe21765 Author: Florian Roth (Nextron Systems), Nasreddine Bencherchali (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0005, T1562.001 **References** • https://twitter.com/cglyer/status/1355171195654709249 • https://thedfirreport.com/2021/10/18/icedid-to-xinglocker-ransomware-in-24-hours/ • https://www.mandiant.com/resources/unc2165-shifts-to-evade-sanctions • https://research.nccgroup.com/2022/08/19/back-in-black-unlocking-a-lockbit-3-0-ransomware-attack/ • https://www.trendmicro.com/en_us/research/23/a/vice-society-ransomware-group-targets-manufacturing-companies.html **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2021/01/30 Risk Level: high False Positives: • Legitimate administration

Potential Download/Upload Activity Using Type Command	Detects usage of the "type" command to download/upload data from WebDAV server
	
	More details
	
	Rule ID
	
	`process_creation_commandline_161`
	
	Query
	
	`{'selection_upload': {'CommandLine|contains|all': ['type ', ' > \\\\']}, 'selection_download': {'CommandLine|contains|all': ['type \\\\', ' > ']}, 'condition': '1 of selection_*'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation
	
	Rule Source
	
	SigmaHQ,aa0b3a82-eacc-4ec3-9150-b5a9a3e3f82f
	
	Author: Nasreddine Bencherchali (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	
	TA0002, T1059.003, TA0011, T1105
	
	References
	
	• https://mr0range.com/a-new-lolbin-using-the-windows-type-command-to-upload-download-files-81d7b6179e22
	
	Severity

Title	Description
	 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2022/12/14 **Risk Level**: medium **False Positives**: • Unknown

Invoke-Obfuscation Via Stdin	Detects Obfuscated Powershell via Stdin in Scripts
	More details
	Rule ID
	`process_creation_commandline_162`
	Query
	`{'selection': {'CommandLine|contains|all': ['set', '&&'], 'CommandLine|contains': ['environment', 'invoke', 'input']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,9c14c9fa-1a63-4a64-8e57-d19280559490
	Author: Nikita Nazarov, oscd.community
	Tactics, Techniques, and Procedures
	TA0002, T1059, TA0005, T1027
	References
	• https://github.com/SigmaHQ/sigma/issues/1009
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2020/10/12
	Risk Level: high
	False Positives: • Unknown

Wscript Shell Run In CommandLine	Detects the presence of the keywords "Wscript", "Shell" and "Run" in the command, which could indicate a suspicious activity More details **Rule ID** `process_creation_commandline_163` **Query**

Title	Description
	 `selection': {'CommandLine|contains|all': ['Wscript.', '.Shell', '.Run']}, 'condition': 'selection'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,2c28c248-7f50-417a-9186-a85b223010ee Author: Nasreddine Bencherchali (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003 **References** • http://blog.talosintelligence.com/2022/08/modernloader-delivers-multiple-stealers.html **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2022/08/31 **Risk Level**: high **False Positives**: • Rare legitimate inline scripting by some administrators

Reg Add RUN Key	Detects suspicious command line reg.exe tool adding key to RUN key in Registry
	
	More details
	
	Rule ID
	
	`process_creation_commandline_164`
	
	Query
	
	`{'selection': {'CommandLine|contains|all': ['reg', ' ADD ', 'Software\\Microsoft\\Windows\\CurrentVersion\\Run']}, 'condition': 'selection'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation
	
	Rule Source
	
	SigmaHQ,de587dce-915e-4218-aac4-835ca6af6f70
	
	Author: Florian Roth (Nextron Systems), Swachchhanda Shrawan Poudel (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	
	TA0002, T1059.003, TA0003, T1547.001
	
	References
	
	• https://app.any.run/tasks/9c0f37bc-867a-4314-b685-e101566766d7/

Title	Description
	 • https://docs.microsoft.com/en-us/windows/win32/setupapi/run-and-runonce-registry-keys **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2021/06/28 **Risk Level**: medium **False Positives** • Legitimate software automatically (mostly, during installation) sets up autorun keys for legitimate reasons. • Legitimate administrator sets up autorun keys for legitimate reasons. • Discord

Disable or Delete Windows Eventlog	Detects command that is used to disable or delete Windows eventlog via logman Windows utility
	More details
	Rule ID
	`process_creation_commandline_165`
	Query
	`{'selection_tools': {'CommandLine|contains': 'logman '}, 'selection_action': {'CommandLine|contains': ['stop ', 'delete ']}, 'selection_service': {'CommandLine|contains': 'EventLog-System'}, 'condition': 'all of selection*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,cd1f961e-0b96-436b-b7c6-38da4583ec00
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1562.001, T1070.001
	References
	• https://twitter.com/0gtweet/status/1359039665232306183?s=21
	• https://ss64.com/nt/logman.html
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information

Title	Description
	Maturity test **Creation Date** 2021/02/11 **Risk Level** high **False Positives** • Legitimate deactivation by administrative staff • Installer tools that disable services, e.g. before log collection agent installation

Java Running with Remote Debugging	Detects a JAVA process running with remote debugging allowing more than just localhost to connect
	
	More details
	
	Rule ID
	`process_creation_commandline_166`
	
	Query
	`{'selection_jdwp_transport': {'CommandLine|contains': 'transport=dt_socket,address='}, 'selection_old_jvm_version': {'CommandLine|contains': ['jre1.', 'jdk1.']}, 'exclusion': [{'CommandLine|contains': 'address=127.0.0.1'}, {'CommandLine|contains': 'address=localhost'}], 'condition': 'all of selection* and not exclusion'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,8f88e3f6-2a49-48f5-a5c4-2f7eedf78710
	
	Author: Florian Roth (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0002, T1203, T1059.003
	
	References
	• https://dzone.com/articles/remote-debugging-java-applications-with-jdwp
	
	Severity
	49
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity test
	Creation Date 2019/01/16
	Risk Level medium
	False Positives
	• Unknown

Monitoring For Persistence Via BITS	BITS will allow you to schedule a command to execute after a successful download to notify you that the job is finished. When the job runs on the system the command specified in the BITS job will be executed. This can be abused by actors to create a backdoor within the system and for persistence. It will be chained in a BITS job to schedule the download of malware/additional binaries and execute the program after being downloaded More details **Rule ID**

Title	Description
	ocess_creation_commandline_167 **Query** `{'selection_1': {'CommandLine|contains|all': ['bitsadmin', '/SetNotifyCmdLine'], 'CommandLine|contains': ['%COMSPEC%', 'cmd.exe', 'regsvr32.exe']}, 'selection_2': {'CommandLine|contains|all': ['bitsadmin', '/Addfile'], 'CommandLine|contains': ['http:', 'https:', 'ftp:', 'ftps:']}, 'condition': '1 of selection_*'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,b9cbbc17-d00d-4e3d-a827-b06d03d2380d Author: Sreeman **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0003, T1197 **References** • https://www.fireeye.com/blog/threat-research/2020/10/kegtap-and-singlemalt-with-a-ransomware-chaser.html • http://0xthem.blogspot.com/2014/03/t-emporal-persistence-with-and-schtasks.html • https://isc.sans.edu/diary/Wipe+the+drive+Stealthy+Malware+Persistence+Mechanism+-+Part+1/15394 **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2020/10/29 **Risk Level**: medium **False Positives** • Unknown

Obfuscated Command Line Using Special Unicode Characters	Adversaries may attempt to make an executable or file difficult to discover or analyze by encrypting, encoding, or otherwise obfuscating its contents on the system or in transit.
	More details
	Rule ID
	`process_creation_commandline_168`
	Query
	`{'selection': {'CommandLine|contains': ['â', '€', '£', '¯', '®', 'µ', '¶']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source

Title	Description
	maHQ,e0552b19-5a83-4222-b141-b36184bb8d79 Author: frack113, Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0005, T1027 **References** • https://www.wietzebeukema.nl/blog/windows-command-line-obfuscation • https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1027/T1027.md#atomic-test-6---dlp-evasion-via-sensitive-data-in-vba-macro-over-http **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2022/01/15 Risk Level: high False Positives: • Unknown

Compress Data and Lock With Password for Exfiltration With 7-ZIP	An adversary may compress or encrypt data that is collected prior to exfiltration using 3rd party utilities
	More details
	Rule ID
	`process_creation_commandline_169`
	Query
	`{'selection_7z': {'CommandLine|contains': ['7z.exe', '7za.exe']}, 'selection_password': {'CommandLine|contains': ' -p'}, 'selection_action': {'CommandLine|contains': [' a ', ' u ']}, 'condition': 'all of selection*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,9fbf5927-5261-4284-a71d-f681029ea574
	Author: frack113
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0009, T1560.001
	References
	• https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1560.001/T1560.001.md
	Severity
	49

Title	Description
	Suppression Logic Based On • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2021/07/27 Risk Level: medium False Positives: • Command line parameter combinations that contain all included strings

Suspicious DIR Execution	Detects usage of the "dir" command that's part of windows batch/cmd to collect information about directories
	More details
	Rule ID
	`process_creation_commandline_170`
	Query
	`{'selection': {'CommandLine|contains|all': ['dir ', ' /s', ' /b']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,7c9340a9-e2ee-4e43-94c5-c54ebbea1006
	Author: frack113
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0007, T1217
	References
	• https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1217/T1217.md
	Severity
	24
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: experimental
	Creation Date: 2021/12/13
	Risk Level: low
	False Positives:
	• Unknown

Suspicious Diantz Download and Compress Into a CAB File	Download and compress a remote file and store it in a cab file on local machine. More details **Rule ID** `process_creation_commandline_172` **Query**

Title	Description
	 `selection': {'CommandLine|contains|all': ['diantz.exe' , ' \\\\', '.cab']}, 'condition': 'selection'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,185d7418-f250-42d0-b72e-0c8b70661e93 Author: frack113 **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0011, T1105 **References** • https://lolbas-project.github.io/lolbas/Binaries/Diantz/ **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2021/11/26 **Risk Level**: medium **False Positives**: • Unknown

Invoke-Obfuscation VAR++ LAUNCHER OBFUSCATION	Detects Obfuscated Powershell via VAR++ LAUNCHER
	
	More details
	
	Rule ID
	
	`process_creation_commandline_173`
	
	Query
	
	`{'selection': {'CommandLine|contains|all': ['&&set', 'cmd', '/c', '-f'], 'CommandLine|contains': ['{0}', '{1}', '{2}', '{3}', '{4}', '{5}']}, 'condition': 'selection'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation
	
	Rule Source
	
	SigmaHQ,e9f55347-2928-4c06-88e5-1a7f8169942e
	
	Author: Timur Zinniatullin, oscd.community
	
	Tactics, Techniques, and Procedures
	
	TA0002, T1059, TA0005, T1027
	
	References
	
	• https://github.com/SigmaHQ/sigma/issues/1009
	
	Severity

Title	Description
	Suppression Logic Based On • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2020/10/13 **Risk Level**: high **False Positives** • Unknown

Ps.exe Renamed SysInternals Tool	Detects renamed SysInternals tool execution with a binary named ps.exe as used by Dragonfly APT group and documented in TA17-293A report
	
	More details
	
	Rule ID
	`process_creation_commandline_174`
	
	Query
	`{'selection': {'CommandLine': 'ps.exe -accepteula'}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,18da1007-3f26-470f-875d-f77faf1cab31
	
	Author: Florian Roth (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1036.003
	
	References
	• https://www.us-cert.gov/ncas/alerts/TA17-293A
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2017/10/22
	Risk Level: high
	False Positives
	• Renamed SysInternals tool

TropicTrooper Campaign November 2018	Detects TropicTrooper activity, an actor who targeted high-profile organizations in the energy and food and beverage sectors in Asia More details **Rule ID** `process_creation_commandline_175` **Query**

Title	Description
	 `selection': {'CommandLine|contains': 'abCCC

Title	Description
	 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2019/10/22 Risk Level: medium **False Positives** • Legitimate administrator working with shadow copies, access for backup purposes

Suspicious Desktopimgdownldr Command	Detects a suspicious Microsoft desktopimgdownldr execution with parameters used to download files from the Internet
	More details
	Rule ID
	`process_creation_commandline_177`
	Query
	`{'selection1': {'CommandLine|contains': ' /lockscreenurl:'}, 'selection1_filter': {'CommandLine|contains': ['.jpg', '.jpeg', '.png']}, 'selection_reg': {'CommandLine|contains|all': ['reg delete', '\\PersonalizationCSP']}, 'condition': '( selection1 and not selection1_filter ) or selection_reg'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,bb58aa4a-b80b-415a-a2c0-2f65a4c81009
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0011, T1105
	References
	• https://labs.sentinelone.com/living-off-windows-land-a-new-native-file-downldr/
	• https://twitter.com/SBousseaden/status/1278977301745741825
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2020/07/03
	Risk Level: high
	False Positives
	• False positives depend on scripts and administrative tools used in the monitored environment

Title	Description

Rundll32 JS RunHTMLApplication Pattern	Detects suspicious command line patterns used when rundll32 is used to run JavaScript code
	
	More details
	
	Rule ID
	
	`process_creation_commandline_178`
	
	Query
	
	`{'selection1': {'CommandLine|contains|all': ['rundll32', 'javascript', '..\\..\\mshtml,RunHTMLApplication']}, 'selection2': {'CommandLine|contains': ';document.write();GetObject("script'}, 'condition': '1 of selection*'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation
	
	Rule Source
	
	SigmaHQ,9f06447a-a33a-4cbe-a94f-a3f43184a7a3
	
	Author: Florian Roth (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	
	TA0002, T1059.003
	
	References
	
	• http://hyp3rlinx.altervista.org/advisories/MICROSOFT_WINDOWS_DEFENDER_DETECTION_BYPASS.txt
	
	Severity
	
	74
	
	Suppression Logic Based On
	
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	
	Maturity: test
	Creation Date: 2022/01/14
	Risk Level: high
	False Positives:
	• Unlikely

ADCSPwn Hack Tool	Detects command line parameters used by ADCSPwn, a tool to escalate privileges in an active directory network by coercing authenticate from machine accounts and relaying to the certificate service
	
	More details
	
	Rule ID
	
	`process_creation_commandline_179`
	
	Query
	
	`{'selection': {'CommandLine|contains|all': [' --adcs ', ' --port ']}, 'condition': 'selection'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation

Title	Description
	le Source SigmaHQ,cd8c163e-a19b-402e-bdd5-419ff5859f12 Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0006, T1557.001 **References** • https://github.com/bats3c/ADCSPwn **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2021/07/31 Risk Level: high False Positives: • Unlikely

Potential PowerShell Execution Policy Tampering - ProcCreation	Detects changes to the PowerShell execution policy registry key in order to bypass signing requirements for script execution from the CommandLine
	More details
	Rule ID
	`process_creation_commandline_180`
	Query
	`{'selection_path': {'CommandLine|contains': ['\\ShellIds\\Microsoft.PowerShell\\ExecutionPolicy', '\\Policies\\Microsoft\\Windows\\PowerShell\\ExecutionPolicy']}, 'selection_values': {'CommandLine|contains': ['Bypass', 'RemoteSigned', 'Unrestricted']}, 'condition': 'all of selection_*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,cf2e938e-9a3e-4fe8-a347-411642b28a9f
	Author: Nasreddine Bencherchali (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003
	References
	• https://learn.microsoft.com/de-de/powershell/module/microsoft.powershell.security/set-executionpolicy?view=powershell-7.3
	Severity
	74
	Suppression Logic Based On

Title	Description
	 • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2023/01/11 **Risk Level**: high **False Positives**: • Unknown

CrackMapExec PowerShell Obfuscation	The CrachMapExec pentesting framework implements a PowerShell obfuscation with some static strings detected by this rule.
	
	More details
	
	Rule ID
	`process_creation_commandline_181`
	
	Query
	`{'powershell_execution': {'CommandLine|contains': ['powershell.exe', 'pwsh.exe']}, 'snippets': {'CommandLine|contains': ['join*split', "($ShellId[1]+$ShellId[13]+'x')", '($PSHome[*]+$PSHOME[*]+', "($env:Public[13]+$env:Public[5]+'x')", "($env:ComSpec[4,*,25]-Join'')", "[1,3]+'x'-Join'')"]}, 'condition': 'powershell_execution and snippets'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,6f8b3439-a203-45dc-a88b-abf57ea15ccf
	
	Author: Thomas Patzke
	
	Tactics, Techniques, and Procedures
	TA0002, T1059, TA0005, T1027.005
	
	References
	• https://github.com/byt3bl33d3r/CrackMapExec
	• https://github.com/byt3bl33d3r/CrackMapExec/blob/0a49f75347b625e81ee6aa8c33d3970b5515ea9e/cme/helpers/powershell.py#L242
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2020/05/22
	Risk Level: high
	False Positives:
	• Unknown

Copy DMP Files From Share	Detects usage of the copy command to copy files with the .dmp extensions from a remote share More details

Title	Description

	Rule ID
	`process_creation_commandline_182`
	Query
	`{'selection': {'CommandLine|contains|all': ['.dmp', 'copy ', ' \\\\'], 'CommandLine|contains': [' /c ', ' /r ', ' /k ']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,044ba588-dff4-4918-9808-3f95e8160606
	Author: Nasreddine Bencherchali (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003
	References
	• https://thedfirreport.com/2022/09/26/bumblebee-round-two/
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: experimental
	Creation Date: 2022/09/27
	Risk Level: high
	False Positives: • Unknown

Deletion of Volume Shadow Copies via WMI with PowerShell	Detects deletion of Windows Volume Shadow Copies with PowerShell code and Get-WMIObject. This technique is used by numerous ransomware families such as Sodinokibi/REvil
	More details
	Rule ID
	`process_creation_commandline_183`
	Query
	`{'selection_get': {'CommandLine|contains': ['Get-WmiObject', 'gwmi', 'Get-CimInstance', 'gcim']}, 'selection_shadowcopy': {'CommandLine|contains': 'Win32_Shadowcopy'}, 'selection_delete': {'CommandLine|contains': ['.Delete()', 'Remove-WmiObject', 'rwmi', 'Remove-CimInstance', 'rcim']}, 'condition': 'all of selection*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source

Title	Description
	maHQ,21ff4ca9-f13a-41ad-b828-0077b2af2e40 Author: Tim Rauch, Elastic (idea) **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0040, T1490 **References** • https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1490/T1490.md#atomic-test-5---windows---delete-volume-shadow-copies-via-wmi-with-powershell • https://www.elastic.co/guide/en/security/current/volume-shadow-copy-deletion-via-powershell.html **Severity** 80 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2022/09/20 **Risk Level**: high **False Positives**: • Unknown

ScreenConnect Remote Access	Detects ScreenConnect program starts that establish a remote access to that system (not meeting, not remote support)
	
	More details
	
	Rule ID
	
	`process_creation_commandline_184`
	
	Query
	
	`{'selection': {'CommandLine|contains|all': ['e=Access&', 'y=Guest&', '&p=', '&c=', '&k=']}, 'condition': 'selection'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation
	
	Rule Source
	
	SigmaHQ,75bfe6e6-cd8e-429e-91d3-03921e1d7962
	
	Author: Florian Roth (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	
	TA0002, T1059.003, TA0003, T1133
	
	References
	
	• https://www.anomali.com/blog/probable-iranian-cyber-actors-static-kitten-conducting-cyberespionage-campaign-targeting-uae-and-kuwait-government-agencies
	
	Severity
	
	74
	
	Suppression Logic Based On
	
	• computer_name

Title	Description
	 • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity** test **Creation Date** 2021/02/11 **Risk Level** high **False Positives** • Legitimate use by administrative staff

Curl Start Combination	Adversaries can use curl to download payloads remotely and execute them. Curl is included by default in Windows 10 build 17063 and later.
	More details
	Rule ID
	`process_creation_commandline_185`
	Query
	`{'selection': {'CommandLine|contains|all': [' /c ', 'curl ', 'http', '-o', '&']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,21dd6d38-2b18-4453-9404-a0fe4a0cc288
	Author: Sreeman, Nasreddine Bencherchali (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1218, TA0011, T1105
	References
	• https://medium.com/@reegun/curl-exe-is-the-new-rundll32-exe-lolbin-3f79c5f35983
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity test
	Creation Date 2020/01/13
	Risk Level high
	False Positives
	• Administrative scripts (installers)

Suspicious Usage of the Manage-bde.wsf Script	Detects usage of the manage-bde.wsf script that may indicate an attempt of proxy execution from script
	More details
	Rule ID
	`process_creation_commandline_186`
	Query
	`{'selection': {'CommandLine|contains|all': ['cscript', 'manage-bde.wsf']}, 'condition': 'selection'}`
	Log Source

Title	Description
	llar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,c363385c-f75d-4753-a108-c1a8e28bdbda Author: oscd.community, Natalia Shornikova, Nasreddine Bencherchali (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0005, T1216 **References** • https://lolbas-project.github.io/lolbas/Scripts/Manage-bde/ • https://gist.github.com/bohops/735edb7494fe1bd1010d67823842b712 • https://twitter.com/bohops/status/980659399495741441 • https://twitter.com/JohnLaTwC/status/1223292479270600706 • https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1216/T1216.md **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2020/10/13 Risk Level: medium False Positives: • Unknown

Potential COM Objects Download Cradles Usage - Process Creation	Detects usage of COM objects that can be abused to download files in PowerShell by CLSID
	More details
	Rule ID
	`process_creation_commandline_187`
	Query
	`{'selection_1': {'CommandLine|contains': '[Type]::GetTypeFromCLSID('}, 'selection_2': {'CommandLine|contains': ['0002DF01-0000-0000-C000-000000000046', 'F6D90F16-9C73-11D3-B32E-00C04F990BB4', 'F5078F35-C551-11D3-89B9-0000F81FE221', '88d96a0a-f192-11d4-a65f-0040963251e5', 'AFBA6B42-5692-48EA-8141-DC517DCF0EF1', 'AFB40FFD-B609-40A3-9828-F88BBE11E4E3', '88d96a0b-f192-11d4-a65f-0040963251e5', '2087c2f4-2cef-4953-a8ab-66779b670495', '000209FF-0000-0000-C000-000000000046', '00024500-0000-0000-C000-000000000046']}, 'condition': 'all of selection_*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation

Title	Description
	le Source SigmaHQ,02b64f1b-3f33-4e67-aede-ef3b0a5a8fcf Author: frack113 **Tactics, Techniques, and Procedures** TA0002, T1059.003 **References** • https://learn.microsoft.com/en-us/dotnet/api/system.type.gettypefromclsid?view=net-7.0 • https://speakerdeck.com/heirhabarov/hunting-for-powershell-abuse?slide=57 **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: experimental Creation Date: 2022/12/25 Risk Level: medium False Positives: • Legitimate use of the library

Base64 MZ Header In CommandLine	Detects encoded base64 MZ header in the commandline
	More details
	Rule ID
	`process_creation_commandline_188`
	Query
	`{'selection': {'CommandLine|contains': ['TVqQAAMAAAAEAAAA', 'TVpQAAIAAAAEAA8A', 'TVqAAAEAAAAEABAA', 'TVoAAAAAAAAAAAAA', 'TVpTAQEAAAAEAAAA']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,22e58743-4ac8-4a9f-bf19-00a0428d8c5f
	Author: Nasreddine Bencherchali (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003
	References
	• https://thedfirreport.com/2022/07/11/select-xmrig-from-sqlserver/
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id

Title	Description
	ditional Information **Maturity**: experimental **Creation Date**: 2022/07/12 **Risk Level**: high **False Positives**: • Unlikely

Capture a Network Trace with netsh.exe	Detects capture a network trace via netsh.exe trace functionality
	
	More details
	
	Rule ID
	`process_creation_commandline_189`
	
	Query
	`{'selection': {'CommandLine|contains|all': ['netsh', 'trace', 'start']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,d3c3861d-c504-4c77-ba55-224ba82d0118
	
	Author: Kutepov Anton, oscd.community
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0007, T1040
	
	References
	N/A
	
	Severity
	49
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2019/10/24
	Risk Level: medium
	False Positives:
	• Legitimate administrator or user uses netsh.exe trace functionality for legitimate reason

Baby Shark Activity	Detects activity that could be related to Baby Shark malware
	
	More details
	
	Rule ID
	`process_creation_commandline_190`
	
	Query
	`{'selection': {'CommandLine|contains': ['reg query "HKEY_CURRENT_USER\\Software\\Microsoft\\Terminal Server Client\\Default"', 'powershell.exe mshta.exe http', 'cmd.exe /c taskkill /im cmd.exe']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:

Title	Description
	• Monitoring process creation **Rule Source** SigmaHQ,2b30fa36-3a18-402f-a22d-bf4ce2189f35 Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059, TA0005, T1218.005, TA0007, T1012 **References** • https://unit42.paloaltonetworks.com/new-babyshark-malware-targets-u-s-national-security-think-tanks/ **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test; Creation Date: 2019/02/24; Risk Level: high; False Positives: • Unknown

Suspicious Ping/Del Command Combination	Detects a method often used by ransomware. Which combines the "ping" to wait a couple of seconds and then "del" to delete the file in question. Its used to hide the file responsible for the initial infection for example
	More details
	Rule ID
	`process_creation_commandline_191`
	Query
	`{'selection_count': {'CommandLine|contains': [' -n ', ' /n ']}, 'selection_nul': {'CommandLine|contains': 'Nul'}, 'selection_del_param': {'CommandLine|contains': [' /f ', ' -f ', ' /q ', ' -q ']}, 'selection_all': {'CommandLine|contains|all': ['ping', 'del ']}, 'condition': 'all of selection_*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,54786ddc-5b8a-11ed-9b6a-0242ac120002
	Author: Ilya Krestinichev
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0005, T1070.004
	References
	• https://blog.sygnia.co/kaseya-ransomware-supply-chain-attack
	• https://media.kasperskycontenthub.com/wp-content/uploads/sites/43/2022/06/23093553/Common-TTPs-of-the-modern-ransomware_low-res.pdf

Title	Description
	 • https://www.acronis.com/en-us/blog/posts/lockbit-ransomware/ • https://symantec-enterprise-blogs.security.com/blogs/threat-intelligence/blackbyte-exbyte-ransomware **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2022/11/03 **Risk Level**: high **False Positives**: • False positive could occur in admin scripts that execute inline

Change Default File Association	When a file is opened, the default program used to open the file (also called the file association or handler) is checked. File association selections are stored in the Windows Registry and can be edited by users, administrators, or programs that have Registry access or by administrators using the built-in assoc utility. Applications can modify the file association for a given file extension to call an arbitrary program when a file with the given extension is opened.
	More details
	Rule ID
	`process_creation_commandline_192`
	Query
	`{'selection': {'CommandLine|contains|all': ['cmd', 'assoc'], 'CommandLine|contains': [' /c ', ' /k ', ' /r ']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,3d3aa6cd-6272-44d6-8afc-7e88dfef7061
	Author: Timur Zinniatullin, oscd.community
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0003, T1546.001
	References
	• https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1546.001/T1546.001.md
	Severity
	24
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information

Title	Description			
	Maturity	Creation Date	Risk Level	False Positives
	test	2019/10/21	low	• Admin activity

PowerShell Web Download and Execution	Detects suspicious ways to download files or content and execute them using PowerShell Invoke-Expression
	
	More details
	
	Rule ID
	`process_creation_commandline_193`
	
	Query
	`{'selection_download': {'CommandLine|contains': ['.DownloadString(', '.DownloadFile(', 'Invoke-WebRequest ', 'iwr ']}, 'selection_iex': {'CommandLine|contains': ['IEX(', 'IEX (', 'I`EX', 'IE`X', 'I`E`X', '| IEX', '|IEX ', 'Invoke-Expression', ';iex $']}, 'condition': 'all of selection_*'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,85b0b087-eddf-4a2b-b033-d771fa2b9775
	
	Author: Florian Roth (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003
	
	References
	• https://github.com/VirtualAlllocEx/Payload-Download-Cradles/blob/88e8eca34464a547c90d9140d70e9866dcbc6a12/Download-Cradles.cmd
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: experimental
	Creation Date: 2022/03/24
	Risk Level: high
	False Positives: • Scripts or tools that download files and execute them

Empire PowerShell Launch Parameters	Detects suspicious powershell command line parameters used in Empire More details **Rule ID** `process_creation_commandline_194` **Query**

Title	Description
	 `selection': {'CommandLine|contains': [' -NoP -sta -NonI -W Hidden -Enc ', ' -noP -sta -w 1 -enc ', ' -NoP -NonI -W Hidden -enc ', ' -noP -sta -w 1 -enc', ' -enc  SQB', ' -nop -exec bypass -EncodedCommand ']}, 'condition': 'selection'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,79f4ede3-402e-41c8-bc3e-ebbf5f162581 Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059 **References** • https://github.com/EmpireProject/Empire/blob/c2ba61ca8d2031dad0cfc1d5770ba723e8b710db/lib/common/helpers.py#L165 • https://github.com/EmpireProject/Empire/blob/e37fb2eef8ff8f5a0a689f1589f424906fe13055/lib/modules/powershell/persistence/powerbreach/deaduser.py#L191 • https://github.com/EmpireProject/Empire/blob/e37fb2eef8ff8f5a0a689f1589f424906fe13055/lib/modules/powershell/persistence/powerbreach/resolver.py#L178 • https://github.com/EmpireProject/Empire/blob/e37fb2eef8ff8f5a0a689f1589f424906fe13055/data/module_source/privesc/Invoke-EventVwrBypass.ps1#L64 **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2019/04/20 **Risk Level**: high **False Positives**: • Other tools that incidentally use the same command line parameters

Invoke-Obfuscation STDIN+ Launcher	Detects Obfuscated use of stdin to execute PowerShell
	
	More details
	
	Rule ID
	
	`process_creation_commandline_195`
	
	Query
	
	`{'selection_main': {'CommandLine|contains|all': ['cmd', 'powershell'], 'CommandLine|contains': ['/c', '/r']}, 'selection_other': [{'CommandLine|contains': 'noexit'}, {'CommandLine|contains|all': ['input', '$']}], 'condition': 'all of selection_*'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:

Title	Description
	• Monitoring process creation **Rule Source** SigmaHQ,6c96fc76-0eb1-11eb-adc1-0242ac120002 Author: Jonathan Cheong, oscd.community **Tactics, Techniques, and Procedures** TA0002, T1059, TA0005, T1027 **References** • https://github.com/SigmaHQ/sigma/issues/1009 **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2020/10/15 Risk Level: high False Positives: • Unknown

Conti NTDS Exfiltration Command	Detects a command used by conti to exfiltrate NTDS
	More details
	Rule ID
	`process_creation_commandline_196`
	Query
	`{'selection': {'CommandLine|contains|all': ['7za.exe', '\\C$\\temp\\log.zip']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,aa92fd02-09f2-48b0-8a93-864813fb8f41
	Author: Max Altgelt (Nextron Systems), Tobias Michalski (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0009, T1560
	References
	• https://twitter.com/vxunderground/status/1423336151860002816?s=20
	• https://www.virustotal.com/gui/file/03e9b8c2e86d6db450e5eceec057d7e369ee2389b9daecaf06331a95410aa5f8/detection
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id

Title	Description
	Additional Information **Maturity**: test **Creation Date**: 2021/08/09 **Risk Level**: high **False Positives**: • Unknown

Covenant Launcher Indicators	Detects suspicious command lines used in Covenant luanchers
	
	More details
	
	Rule ID
	`process_creation_commandline_198`
	
	Query
	`{'selection': {'CommandLine|contains|all': ['-Sta', '-Nop', '-Window', 'Hidden'], 'CommandLine|contains': ['-Command', '-EncodedCommand']}, 'selection2': {'CommandLine|contains': ['sv o (New-Object IO.MemorySteam);sv d ', 'mshta file.hta', 'GruntHTTP', '-EncodedCommand cwB2ACAAbwAgA']}, 'condition': 'selection or selection2'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,c260b6db-48ba-4b4a-a76f-2f67644e99d2
	
	Author: Florian Roth (Nextron Systems), Jonhnathan Ribeiro, oscd.community
	
	Tactics, Techniques, and Procedures
	TA0002, T1059, TA0005, T1564.003
	
	References
	• https://posts.specterops.io/covenant-v0-5-eee0507b85ba
	
	Severity
	74
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2020/06/04
	Risk Level: high
	False Positives: N/A

UNC2452 PowerShell Pattern	Detects a specific PowerShell command line pattern used by the UNC2452 actors as mentioned in Microsoft and Symantec reports More details **Rule ID** `process_creation_commandline_199` **Query**

Title	Description
	 `selection1': {'CommandLine|contains|all': ['Invoke-WMIMethod win32_process -name create -argumentlist', 'rundll32 c:\\windows']}, 'selection2': {'CommandLine|contains|all': ['wmic /node:', 'process call create "rundll32 c:\\windows']}, 'condition': '1 of selection*'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,b7155193-8a81-4d8f-805d-88de864ca50c Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059, T1047 **References** • https://symantec-enterprise-blogs.security.com/blogs/threat-intelligence/solarwinds-raindrop-malware • https://www.microsoft.com/security/blog/2020/12/18/analyzing-solorigate-the-compromised-dll-file-that-started-a-sophisticated-cyberattack-and-how-microsoft-defender-helps-protect/ • https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1047/T1047.md#atomic-test-7---create-a-process-using-wmi-query-and-an-encoded-command **Severity** 95 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2021/01/20 **Risk Level**: critical **False Positives**: • Unlikely

Launch-VsDevShell.PS1 Proxy Execution	Detects the use of the 'Launch-VsDevShell.ps1' Microsoft signed script to execute commands.
	
	More details
	
	Rule ID
	
	`process_creation_commandline_200`
	
	Query
	
	`{'selection_script': {'CommandLine|contains': 'Launch-VsDevShell.ps1'}, 'selection_flags': {'CommandLine|contains': ['VsWherePath ', 'VsInstallationPath ']}, 'condition': 'all of selection_*'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation
	
	Rule Source

Title	Description
	maHQ,45d3a03d-f441-458c-8883-df101a3bb146 Author: Nasreddine Bencherchali (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0005, T1216.001 **References** • https://twitter.com/nas_bench/status/1535981653239255040 **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: experimental Creation Date: 2022/08/19 Risk Level: medium False Positives: • Legitimate usage of the script by a developer

Detect Virtualbox Driver Installation OR Starting Of VMs	Adversaries can carry out malicious operations using a virtual instance to avoid detection. This rule is built to detect the registration of the Virtualbox driver or start of a Virtualbox VM.
	
	More details
	
	Rule ID
	
	`process_creation_commandline_201`
	
	Query
	
	`{'selection_1': {'CommandLine|contains': ['VBoxRT.dll,RTR3Init', 'VBoxC.dll', 'VBoxDrv.sys']}, 'selection_2': {'CommandLine|contains': ['startvm', 'controlvm']}, 'condition': '1 of selection_*'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation
	
	Rule Source
	
	SigmaHQ,bab049ca-7471-4828-9024-38279a4c04da
	
	Author: Janantha Marasinghe
	
	Tactics, Techniques, and Procedures
	
	TA0002, T1059.003, TA0005, T1564.006
	
	References
	
	• https://news.sophos.com/en-us/2020/05/21/ragnar-locker-ransomware-deploys-virtual-machine-to-dodge-security/
	• https://threatpost.com/maze-ransomware-ragnar-locker-virtual-machine/159350/
	
	Severity
	
	24
	
	Suppression Logic Based On

Title	Description
	 • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2020/09/26 **Risk Level**: low **False Positives** • This may have false positives on hosts where Virtualbox is legitimately being used for operations

Suspicious RDP Redirect Using TSCON	Detects a suspicious RDP session redirect using tscon.exe
	More details
	Rule ID
	`process_creation_commandline_202`
	Query
	`{'selection': {'CommandLine|contains': ' /dest:rdp-tcp:'}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,f72aa3e8-49f9-4c7d-bd74-f8ab84ff9bbb
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0008, T1563.002, T1021.001
	References
	• http://www.korznikov.com/2017/03/0-day-or-feature-privilege-escalation.html
	• https://medium.com/@networksecurity/rdp-hijacking-how-to-hijack-rds-and-remoteapp-sessions-transparently-to-move-through-an-da2a1e73a5f6
	Severity
	74
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2018/03/17
	Risk Level: high
	False Positives
	• Unknown

Rar Usage with Password and Compression Level	Detects the use of rar.exe, on the command line, to create an archive with password protection or with a specific compression level. This is pretty indicative of malicious actions. More details **Rule ID** `process_creation_commandline_203` **Query**

Title	Description
	 `selection_password': {'CommandLine|contains': ' -hp'}, 'selection_other': {'CommandLine|contains': [' -m', ' a ']}, 'condition': 'selection_password and selection_other'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,faa48cae-6b25-4f00-a094-08947fef582f Author: @ROxPinTeddy **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0009, T1560.001 **References** • https://labs.sentinelone.com/the-anatomy-of-an-apt-attack-and-cobaltstrike-beacons-encoded-configuration/ • https://ss64.com/bash/rar.html • https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1560.001/T1560.001.md **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2020/05/12 **Risk Level**: high **False Positives**: • Legitimate use of Winrar command line version • Other command line tools, that use these flags

Invoke-Obfuscation VAR+ Launcher	Detects Obfuscated use of Environment Variables to execute PowerShell
	
	More details
	
	Rule ID
	
	`process_creation_commandline_204`
	
	Query
	
	`{'selection': {'CommandLine|contains|all': ['cmd', '"set', '-f'], 'CommandLine|contains': ['/c', '/r']}, 'condition': 'selection'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation
	
	Rule Source
	
	SigmaHQ,27aec9c9-dbb0-4939-8422-1742242471d0

Title	Description
	hor: Jonathan Cheong, oscd.community **Tactics, Techniques, and Procedures** TA0002, T1059, TA0005, T1027 **References** • https://github.com/SigmaHQ/sigma/issues/1009 **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2020/10/15 **Risk Level**: high **False Positives**: • Unknown

Title	Description

Suspicious SYSVOL Domain Group Policy Access	Detects Access to Domain Group Policies stored in SYSVOL
	
	More details
	
	Rule ID
	`process_creation_commandline_205`
	
	Query
	`{'selection': {'CommandLine|contains|all': ['\\SYSVOL\\', '\\policies\\']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,05f3c945-dcc8-4393-9f3d-af65077a8f86
	
	Author: Markus Neis, Jonhnathan Ribeiro, oscd.community
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0006, T1552.006
	
	References
	• https://adsecurity.org/?p=2288
	• https://www.hybrid-analysis.com/sample/f2943f5e45befa52fb12748ca7171d30096e1d4fc3c365561497c618341299d5?environmentId=100
	
	Severity
	49
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2018/04/09
	Risk Level: medium
	False Positives:
	• Administrative activity

AnyDesk Piped Password Via CLI	Detects piping the password to an anydesk instance via CMD and the '--set-password' flag.
	
	More details
	
	Rule ID
	`process_creation_commandline_206`
	
	Query
	`{'selection': {'CommandLine|contains|all': ['/c ', 'echo ', '.exe --set-password']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,b1377339-fda6-477a-b455-ac0923f9ec2c

Title	Description
	hor: Nasreddine Bencherchali (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0011, T1219 **References** • https://redcanary.com/blog/misbehaving-rats/ **Severity** 49 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: experimental Creation Date: 2022/09/28 Risk Level: medium **False Positives** • Legitimate piping of the password to anydesk • Some FP could occure with similar tools that uses the same command line '--set-password'

Suspicious PowerShell Mailbox Export to Share	Detects usage of the powerShell New-MailboxExportRequest Cmdlet to exports a mailbox to a remote or local share, as used in ProxyShell exploitations
	More details
	Rule ID
	`process_creation_commandline_207`
	Query
	`{'selection': {'CommandLine|contains|all': ['New-MailboxExportRequest', ' -Mailbox ', ' -FilePath \\\\']}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,889719ef-dd62-43df-86c3-768fb08dc7c0
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059.003
	References
	• https://youtu.be/5mqid-7zp8k?t=2481
	• https://blog.orange.tw/2021/08/proxylogon-a-new-attack-surface-on-ms-exchange-part-1.html
	• https://peterjson.medium.com/reproducing-the-proxyshell-pwn2own-exploit-49743a4ea9a1
	• https://m365internals.com/2022/10/07/hunting-in-on-premises-exchange-server-logs/
	Severity
	95

Title	Description
	Suppression Logic Based On • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: experimental **Creation Date**: 2021/08/07 **Risk Level**: critical **False Positives**: • Unknown

Compress Data and Lock With Password for Exfiltration With WINZIP	An adversary may compress or encrypt data that is collected prior to exfiltration using 3rd party utilities
	More details
	Rule ID
	`process_creation_commandline_208`
	Query
	`{'selection_winzip': {'CommandLine|contains': ['winzip.exe', 'winzip64.exe']}, 'selection_password': {'CommandLine|contains': '-s"'}, 'selection_other': {'CommandLine|contains': [' -min ', ' -a ']}, 'condition': 'all of selection*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,e2e80da2-8c66-4e00-ae3c-2eebd29f6b6d
	Author: frack113
	Tactics, Techniques, and Procedures
	TA0002, T1059.003, TA0009, T1560.001
	References
	• https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1560.001/T1560.001.md
	Severity
	49
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2021/07/27
	Risk Level: medium
	False Positives: • Unknown

Network Reconnaissance Activity	Detects a set of suspicious network related commands often used in recon stages More details **Rule ID** `process_creation_commandline_209` **Query**

Title	Description
	 `selection_nslookup': {'CommandLine|contains|all': ['nslookup', '_ldap._tcp.dc._msdcs.']}, 'condition': '1 of selection*'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,e6313acd-208c-44fc-a0ff-db85d572e90e Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0002, T1059.003, TA0007, T1087, T1082 **References** • https://thedfirreport.com/2022/02/07/qbot-likes-to-move-it-move-it/ **Severity** 74 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/02/07 **Risk Level**: high **False Positives**: • False positives depend on scripts and administrative tools used in the monitored environment

File overwritten by cipher tool	The Windows tool cipher can be used to remove data from available unused disk space on the entire volume. Ransomware could use this technique to prevent the victim from using file recovery tools to recover their files.
	
	More details
	
	Rule ID
	
	`process_creation_commandline_301`
	
	Query
	
	`{'selection3': {'Image|contains': '\\cipher.exe'}, 'selection5': {'CommandLine|re': '\\/w\\:[A-Z]{1}'}, 'condition': 'selection3 and selection5'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation
	
	Rule Source
	
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	
	TA0005, T1070.004
	
	References
	N/A

Title	Description
	verity 50 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/05/01 **Risk Level**: medium **False Positives**: N/A

PowerShell reverse shell one-liner	A PowerShell process with arguments that may indicate a reverse shell execution has been detected.
	
	More details
	
	Rule ID
	`process_creation_commandline_302`
	
	Query
	`{'selection3': {'Image|contains': 'powershell.exe'}, 'selection5': {'CommandLine|contains': 'Sockets.TCPClient'}, 'selection6': {'CommandLine|contains': 'GetStream()'}, 'selection7': {'CommandLine|contains': 'IEX'}, 'selection8': {'CommandLine|contains': 'DownloadString'}, 'selection9': {'CommandLine|contains': 'mini-reverse.ps1'}, 'condition': 'selection3 and ((selection5 and selection6) or (selection7 and selection8 and selection9))'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.001
	
	References
	N/A
	
	Severity
	50
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2022/05/01
	Risk Level: medium
	False Positives: N/A

Shellcode execution via InstallUtil.exe	Suspicious file/code has been executed via InstallUtil.exe. This is a common technique used by malware to install additional malicious components and/or execute Shellcode. More details

Title	Description

	Rule ID
	`process_creation_commandline_303`
	Query
	`{'selection3': {'Image|contains': 'InstallUtil.exe'}, 'selection4': {'CommandLine|contains': '/LogToConsole=false'}, 'selection5': {'CommandLine|contains': '/logfile= '}, 'condition': 'selection3 and selection4 and selection5'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0005, T1218.004
	References
	N/A
	Severity
	50
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: test; Creation Date: 2022/05/01; Risk Level: medium; False Positives: N/A

ALPC Task Scheduler Exploit LPE	Microsoft Windows task scheduler contains a local privilege escalation vulnerability in the Advanced Local Procedure Call (ALPC) interface, which can allow an attacker to perform a local privilege escalation.
	More details
	Rule ID
	`process_creation_commandline_304`
	Query
	`{'selection3': {'Image|contains': '\\schtasks.exe'}, 'selection5': {'CommandLine|contains': '/change /TN'}, 'selection6': {'CommandLine|contains': '/RU'}, 'selection7': {'CommandLine|contains': '/RP'}, 'condition': 'selection3 and selection5 and selection6 and selection7'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures

Title	Description
	0003, T1053.005 **References** N/A **Severity** 50 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/05/01 **Risk Level**: medium **False Positives**: N/A

Behavior DNS cache cleared	The DNS cache has been cleared in the system.
	
	More details
	
	Rule ID
	`process_creation_commandline_305`
	
	Query
	`{'selection': {'Image|endswith': '\\ipconfig.exe', 'CommandLine|contains': '/flushdns', 'ParentImage|endswith': ['\\cmd.exe', '\\powershell.exe', '\\pwsh.exe', '\\wscript.exe', '\\cscript.exe', '\\mshta.exe']}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	TA0005, T1070
	
	References
	N/A
	
	Severity
	50
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2022/05/01
	Risk Level: medium
	False Positives: N/A

WMIC sending output to clipboard	WMIC command is using /output:clipboard as a way to hide the normal output of process creation that is printed when creating a process with WMIC. More details **Rule ID**

Title	Description
	ocess_creation_commandline_307 **Query** {'selection3': {'Image|contains': '\\wmic.exe'}, 'selection5': {'CommandLine|contains': '/output:clipboard'}, 'selection6': {'CommandLine|contains': 'process call create'}, 'condition': 'selection3 and selection5 and selection6'} **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** TA0005, T1036 **References** N/A **Severity** 50 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test; Creation Date: 2022/05/01; Risk Level: medium; False Positives: N/A
CnC Channel through Nslookup	A Windows process was detected using Nslookup with abnormal flag(s) usually used by malware to communicate with the Command and Control. More details **Rule ID** process_creation_commandline_308 **Query** {'selection3': {'Image|contains': '\\slookup.exe'}, 'selection4': {'CommandLine|contains': ' aaaa'}, 'selection5': {'CommandLine|contains': '=aaaa'}, 'selection6': {'CommandLine|re': '[a-z0-9]{15,45}\\. [a-z0-9]{1,15}\\.[a-z0-9] {1,4}'}, 'condition': 'selection3 and (selection4 or selection5) and selection6'} **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures**

Title	Description
	0005, T1218 **References** N/A **Severity** 50 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/05/01 **Risk Level**: medium **False Positives**: N/A

WMIC Retrieving Security Configuration	The wmic.exe command was executed to get information from the security configurations. This could be an indication of malicious activity.
	
	More details
	
	Rule ID
	`process_creation_commandline_309`
	
	Query
	`{'selection3': {'Image|contains': '\\wmic.exe'}, 'selection4': {'CommandLine|contains': 'SecurityCenter2'}, 'selection5': {'CommandLine|contains': ['AntiVirusProduct', 'FirewallProduct']}, 'condition': 'selection3 and selection4 and selection5'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	TA0009, T1005
	
	References
	N/A
	
	Severity
	50
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2022/05/01
	Risk Level: medium
	False Positives: N/A

Taskkill killing Antivirus process	An attempt to kill an Antivirus process has been detected. This can be the result of a manual command used by an attacker or an automated process as part of malware being deployed in the system.

Title	Description

	More details
	
	Rule ID
	`process_creation_commandline_310`
	
	Query
	`{'selection3': {'Image|contains': 'Taskkill'}, 'selection4': {'CommandLine|re': '(?:fsav32|MsMpEng|FPAVServer|TMBMSRV|Mcshield|avgnsx|AvastSvc|dwengine|secenter|avguard|ccSvcHst|avp|360sd|360tray|AvastUi)\\.exe'}, 'condition': 'selection3 and selection4'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	TA0005, T1562
	
	References
	N/A
	
	Severity
	50
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2022/05/01
	Risk Level: medium
	False Positives: N/A

WSH Injection via PubPrn	An attempt to inject malicious code into a Microsoft signed WSH script has been detected. This can be an attempt to bypass whitelisting restrictions.
	
	More details
	
	Rule ID
	`process_creation_commandline_312`
	
	Query
	`{'selection3': {'Image|contains': 'wscript.exe'}, 'selection4': {'CommandLine|contains': 'pubprn.vbs'}, 'selection5': {'CommandLine|contains': 'script:'}, 'condition': 'selection3 and selection4 and selection5'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures

Title	Description
	0005, T1055 **References** N/A **Severity** 50 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/05/01 **Risk Level**: medium **False Positives**: N/A

AppLocker Bypass	A successful attempt to bypass AppLocker has been detected. This can indicate an attacker is trying to bypass whitelisting technologhies and escalate privileges or/and move laterally in your network.
	
	More details
	
	Rule ID
	`process_creation_commandline_314`
	
	Query
	`{'selection3': {'Image|contains': '\\regsvr32.exe'}, 'selection4': {'CommandLine|contains': '/s'}, 'selection5': {'CommandLine|contains': '/i:http'}, 'selection6': {'CommandLine|contains': 'scrobj.dll'}, 'condition': 'selection3 and selection4 and selection5 and selection6'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	TA0005, T1218.010
	
	References
	N/A
	
	Severity
	50
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2022/05/01
	Risk Level: medium
	False Positives: N/A

File Deletion Backup files deleted recursively	An attempt to delete files and folders that migth contain backup data has been detected. This could be an indication of a ransomware infection or an attacker trying to cause damage.

Title	Description

	More details
	
	Rule ID
	`process_creation_commandline_315`
	
	Query
	`{'selection3': {'Image|contains': '\\cmd.exe'}, 'selection4': {'CommandLine|contains': ' del '}, 'selection5': {'CommandLine|re': '(?:backup|bkup|\\.bak|\\.bac|\\.dsk|\\.win|\\.bkf|\\.wbcat)'}, 'condition': 'selection3 and selection4 and selection5'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	TA0005, T1070.004
	
	References
	N/A
	
	Severity
	50
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2022/05/01
	Risk Level: medium
	False Positives: N/A

Attempt to stop or delete Windows Defender service	Windows Defender Real-time Protection scanning for malware and other potentially unwanted software has been stopped.
	
	More details
	
	Rule ID
	`process_creation_commandline_316`
	
	Query
	`{'selection3': {'Image|contains': '\\et.exe'}, 'selection5': {'Image|contains': '\\sc.exe'}, 'selection7': {'CommandLine|contains': 'stop'}, 'selection8': {'CommandLine|contains': 'delete'}, 'selection9': {'CommandLine|contains': 'WinDefend'}, 'condition': '(selection3 or selection5) and (selection7 or selection8) and selection9'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	Developed internally by Stellar Cyber

Title	Description
	Tactics, Techniques, and Procedures TA0005, T1562.001 **References** N/A **Severity** 50 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test; Creation Date: 2022/05/01; Risk Level: medium; False Positives: N/A

Windows Process Argument contains Base64 Encoded PE Header	A process has been launched with a Base64 encoded argument. Once decoded, the argument corresponds to the PE Header. This can indicate an attacker is trying to bypass any present execution policy.
	More details
	Rule ID
	`process_creation_commandline_317`
	Query
	`{'selection3': {'CommandLine|contains': 'TVqQAAMAAAAEAAA'}, 'condition': 'selection3'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0005, T1140
	References
	N/A
	Severity
	50
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: test; Creation Date: 2022/05/01; Risk Level: medium; False Positives: N/A

Cobalt Gang Windows script execution	A known Cobalt Gang script has been executed in the system. This could mean that your computer has been compromised and malicious code is running in your endpoint. More details

Title	Description

	Rule ID
	`process_creation_commandline_319`
	Query
	`{'selection3': {'Image|contains': '\\wscript.exe'}, 'selection5': {'CommandLine|contains': 'error_log.vbe'}, 'condition': '(selection3) and selection5'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0005, T1218
	References
	N/A
	Severity
	50
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: test; Creation Date: 2022/05/01; Risk Level: medium; False Positives: N/A

Windows execution using odbcconf tool	The odbcconf tool allows users to configure Open Database Connectivity (ODBC) drivers. The utility can be misused to execute malicious code and evade detection techniques.
	More details
	Rule ID
	`process_creation_commandline_320`
	Query
	`{'selection3': {'Image|contains': '\\odbcconf.exe'}, 'selection5': {'CommandLine|contains': 'REGSVR'}, 'condition': 'selection3 and selection5'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0005, T1218
	References
	N/A

Title	Description
	verity 50 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/05/01 **Risk Level**: medium **False Positives**: N/A

Windows INF file launch	The Advanced INF Package Installer (advpack.dll) can use the LaunchINFSection function to invoke a section from .inf files. This could be used by attackers to remotely launch staged SCT files with malicious code.
	More details
	Rule ID
	`process_creation_commandline_321`
	Query
	`{'selection3': {'Image|contains': '\\rundll32.exe'}, 'selection5': {'CommandLine|re': 'advpack\\.dll, (?:LaunchINFSection|#46)\\s+'}, 'condition': 'selection3 and selection5'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0005, T1218
	References
	N/A
	Severity
	50
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2022/05/01
	Risk Level: medium
	False Positives: N/A

Windows MavInject DLL Injection	MavInject is a Windows utility that can be used to execute code. Mavinject can be used to inject a DLL into a running process. More details **Rule ID** `process_creation_commandline_322` **Query**

Title	Description
	 `selection3': {'Image|re': '\\\\Mavinject(?:32|64)?.exe'}, 'selection5': {'CommandLine|contains': '/INJECTRUNNING'}, 'condition': 'selection3 and selection5'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** TA0005, T1218 **References** N/A **Severity** 50 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/05/01 **Risk Level**: medium **False Positives**: N/A

Suspicious ACL Change	A suspicious change was detected to an access control list (ACL). In this case, 'Full Access' was granted to 'Everyone' on a file or folder.
	More details
	Rule ID
	`process_creation_commandline_324`
	Query
	`{'selection3': {'Image|contains': '\\icacls.exe'}, 'selection4': {'CommandLine|re': '\\/grant(?::r)?\\s+Everyone:F'}, 'condition': 'selection3 and selection4'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0003, T1098
	References
	N/A
	Severity
	50

Title	Description
	Suppression Logic Based On • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/05/01 **Risk Level**: medium **False Positives**: N/A

Credential Access Tool Detected - LaZagne	LaZagne is a multiplatform tool capable to retrieve user credentials from several system services and applications, such as web browsers.
	More details
	Rule ID
	`process_creation_commandline_325`
	Query
	`{'selection3': {'Image|contains': '\\lazagne'}, 'selection4': {'CommandLine|contains': '-quiet'}, 'condition': 'selection3 and selection4'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0006, T1003.002
	References
	N/A
	Severity
	50
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2022/05/01
	Risk Level: medium
	False Positives: N/A

Indirect command execution using pcalua.exe	An user tried to use a Windows pcalua.exe utility to execute commands in an alternative way (without using cmd.exe or powershell.exe). Attackers may use this technique to avoid invoking the cmd but still execute commands.
	More details
	Rule ID
	`process_creation_commandline_327`
	Query
	`{'selection3': {'Image|contains': '\\pcalua.exe'}, 'selection5': {'CommandLine|contains': ' -a '}, 'selection6': {'CommandLine|re': '\\.`

Title	Description
	 :hta|vbs|vbe|js|jse|wsf|wsh)'}, 'condition': 'selection3 and selection5 and selection6'} **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** TA0005, T1202 **References** N/A **Severity** 50 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test; Creation Date: 2022/05/01; Risk Level: medium; False Positives: N/A
Windows UAC Bypass	A User Account Control Bypass activity was detected. This can be due to either regular operation or because an attacker is trying to escalate privileges. More details **Rule ID** process_creation_commandline_328 **Query** {'selection3': {'CommandLine|contains': 'TpmInitUACBypass.exe'}, 'condition': 'selection3'} **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** TA0005, T1548.002 **References** N/A **Severity** 50 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id

Title	Description
	Additional Information **Maturity**: test **Creation Date**: 2022/05/01 **Risk Level**: medium **False Positives**: N/A

SAM, SECURITY or SYSTEM Registry Hive Export	These hives can be used with a password cracker or creddump to dump the LANMAN/NTLM hashes, view cached credentials, and decrypt LSA secrets. This could be an indication of a ransomware infection or an attacker trying to cause damage.
	
	More details
	
	Rule ID
	`process_creation_commandline_329`
	
	Query
	`{'selection3': {'Image|contains': '\\reg.exe'}, 'selection4': {'CommandLine|re': 'save.+ (?:hklm|hkey_local_machine)\\\\ (?:system|security|sam)'}, 'condition': 'selection3 and selection4'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	TA0006, T1003.002
	
	References
	N/A
	
	Severity
	50
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2022/05/01
	Risk Level: medium
	False Positives: N/A

Suspicious PowerShell Argument	PowerShell was executed with suspicious command line argument. The script is likely attempting to download files from a remote server. This could be an indication of malicious activity.
	
	More details
	
	Rule ID
	`process_creation_commandline_330`
	
	Query
	`{'selection3': {'Image|contains': '\\powershell.exe'}, 'selection4': {'CommandLine|contains': 'Net.WebClient'}, 'selection5': {'CommandLine|contains': 'Download'}, 'condition': 'selection3 and selection4 and selection5'}`

Title	Description
	g Source Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** TA0002, T1059.001 **References** N/A **Severity** 50 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/05/01 **Risk Level**: medium **False Positives**: N/A

Windows UAC bypass - UACME tool	User Account Control Bypass activity was detected. This can be due to either a regular operation or because an attacker is trying to escalate privileges.
	More details
	Rule ID
	`process_creation_commandline_331`
	Query
	`{'selection9': {'CommandLine|re': '\\.exe\\".*cleanmgr\\.exe \\/autoclean'}, 'condition': 'selection9'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0005, T1548.002
	References
	N/A
	Severity
	50
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information

Title	Description			
	Maturity	Creation Date	Risk Level	False Positives
	test	2022/05/01	medium	N/A

Ransomware Decryption Instructions File Detected	After a ransomware malware infects a host machine, a file with instructions to recover the encrypted files is created. A file with these characteristics was opened in the system, what is an indicator of ransomware infection.
	
	More details
	
	Rule ID
	`process_creation_commandline_332`
	
	Query
	`{'selection3': {'CommandLine|re': '_Locky_recover_instructions.txt|Coin.Locker.txt DECRYPT_ReadMe.TXT|Contact_Here_To_Recover_Your_Files.txt|DECRYPT_INSTRUCTION.TXT|DECRYPT_INSTRUCTIONS.TXT|DecryptAllFiles.txt|encryptor_raas_readme_liesmich.txt|FILESAREGONE.TXT|help_decrypt_your_files.html|HELP_RECOVER_FILES.txt|HELP_TO_DECRYPT_YOUR_FILES.txt|HELPDECRYPT.TXT|HELPDECYPRT_YOUR_FILES.HTML|How_To_Recover_Files.txt|Howto_Restore_FILES.TXT|HOW TO DECRYPT YOUR DATA.txt|IHAVEYOURSECRET.KEY|INSTRUCCIONES_DESCIFRADO.TXT|ReadDecryptFilesHere.txt|Readme to restore your files.txt|!SBLOCK_INFO!.rtf|КАК ВОССТАНОВИТЬ ЗАШИФРОВАННЫЕ ФАЙЛЫ.TXT|README_LOCKED.txt'}, 'condition': 'selection3'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	TA0040, T1486
	
	References
	N/A
	
	Severity
	50
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information			

	Maturity	Creation Date	Risk Level	False Positives
	test	2022/05/01	medium	N/A
Windows Autorun Registry Entry Added via reg.exe	An executable was added to the Windows Autorun registry. While this may have occurred due to normal software installation, this is a common technique used by malware to ensure it is started after reboots. More details **Rule ID** `process_creation_commandline_333`			

Title	Description
	ery `{'selection3': {'Image|contains': 'reg.exe'}, 'selection4': {'CommandLine|contains': 'SOFTWARE\\Microsoft\\Windows\\CurrentVersion\\Run'}, 'selection5': {'CommandLine|contains': ' add '}, 'condition': 'selection3 and selection4 and selection5'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** TA0003, T1547.001 **References** N/A **Severity** 50 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test; **Creation Date**: 2022/05/01; **Risk Level**: medium; **False Positives**: N/A

File Deletion Backup Catalog Deletion	If the backup catalog is deleted for a computer, you will not be able to access the backups created of that computer using the Windows Server Backup snap-in. This could be an indication of a ransomware infection or an attacker trying to cause damage.
	More details
	Rule ID
	`process_creation_commandline_334`
	Query
	`{'selection3': {'Image|contains': '\\wbadmin.exe'}, 'selection4': {'CommandLine|contains': 'delete catalog'}, 'condition': 'selection3 and selection4'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0005, T1070.004
	References
	N/A

Title	Description
	Severity 50 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/05/01 **Risk Level**: medium **False Positives**: N/A

Wireless Network Password Retrieval	The password of a wireless network was accessed. This could be an indication of malicious activity.
	
	More details
	
	Rule ID
	`process_creation_commandline_335`
	
	Query
	`{'selection3': {'ParentImage|contains': '\\etsh.exe'}, 'selection5': {'CommandLine|contains': 'wlan'}, 'selection6': {'CommandLine|contains': 'key=clear'}, 'condition': 'selection3 and selection5 and selection6'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	TA0006, T1555
	
	References
	N/A
	
	Severity
	50
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2022/05/01
	Risk Level: medium
	False Positives: N/A

Metasploit MSSQL Command Execution	An attacked gained access to the MSSQL Server database and is executing the Metasploit module mssql_exec. More details **Rule ID** `process_creation_commandline_337` **Query**

Title	Description
	 'selection3': {'ParentImage|contains': 'sqlservr.exe'}, 'selection4': {'CommandLine|contains': 'echo OWNED'}, 'condition': 'selection3 and selection4'} **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** TA0001, T1190 **References** N/A **Severity** 50 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2022/05/01 Risk Level: medium False Positives: N/A
Internet Explorer executing suspicious wmic command	An attacker can execute code after a successful exploit attack. Internet Explorer is a commonly targeted software in Exploit Kit campaigns. More details **Rule ID** process_creation_commandline_338 **Query** {'selection3': {'ParentImage|contains': '\\iexplore.exe'}, 'selection4': {'Image|contains': '\\WMIC.exe'}, 'selection6': {'CommandLine|contains': 'process call create'}, 'selection7': {'CommandLine|contains': '\\Temp\\'}, 'condition': 'selection3 and (selection4 and selection6 and selection7)'} **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** TA0002, T1203 **References** N/A **Severity**

Title	Description
	 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/05/01 **Risk Level**: medium **False Positives**: N/A

File Deletion Windows Shadow Copies Deletion via Powershell	An attempt to delete all shadow copies using the Windows Volume Shadow Copy Service (VSS) via Powershell has been detected. This could be an indication of a ransomware infection or an attacker trying to cause damage.
	More details
	Rule ID
	`process_creation_commandline_339`
	Query
	`{'selection7': {'Image|contains': '\\powershell.exe'}, 'selection8': {'CommandLine|contains': 'RwBlAHQALQBXAG0AaQBPAGIAagBlAGMAdAAgAFcAaQBuADMAMgBfAFMAaABhAGQAbwB3AGMAbwBwAHkAIAB8ACAARgBvAHIARQBhAGMAaAAtAE8AYgBqAGUAYwB0ACAAewAkAF8ALgBEAGUAbABlAHQAZQAoACkAOwB9AA==', 'condition': '(selection7 and selection8)'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0005, T1070.004
	References
	N/A
	Severity
	50
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2022/05/01
	Risk Level: medium
	False Positives: N/A

HackTool - Certipy Execution	Detects Certipy execution, a tool for Active Directory Certificate Services enumeration and abuse based on PE metadata characteristics and common command line arguments. More details **Rule ID** `process_creation_commandline_340`

Title	Description
	Query `{'selection_img': [{'Image|endswith': '\\Certipy.exe'}], 'selection_cli_commands': {'CommandLine|contains': [' account ', ' auth ', ' cert ', ' find ', ' forge ', ' ptt ', ' relay ', ' req ', ' shadow ', ' template ']}, 'selection_cli_flags': {'CommandLine|contains': [' -bloodhound', ' -ca-pfx ', ' -dc-ip ', ' -kirbi', ' -old-bloodhound', ' -pfx ', ' -target', ' -template', ' -username ', ' -vulnerable', 'auth -pfx', 'shadow auto', 'shadow list']}, 'condition': 'selection_img or all of selection_cli_*'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,6938366d-8954-4ddc-baff-c830b3ba8fcd Author: pH-T (Nextron Systems), Sittikorn Sangrattanapitak **Tactics, Techniques, and Procedures** TA0006, T1649 **References** • https://github.com/ly4k/Certipy • https://research.ifcr.dk/certipy-4-0-esc9-esc10-bloodhound-gui-new-authentication-and-request-methods-and-more-7237d88061f7 **Severity** 75 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2023-04-17 Risk Level: high False Positives: • Unlikely

Findstr GPP Passwords	Look for the encrypted cpassword value within Group Policy Preference files on the Domain Controller. This value can be decrypted with gpp-decrypt.
	More details
	Rule ID
	`process_creation_commandline_341`
	Query
	`{'selection_img': [{'Image|endswith': ['\\find.exe', '\\findstr.exe']}], 'selection_cli': {'CommandLine|contains|all': ['cpassword', '\\sysvol\\', '.xml']}, 'condition': 'all of selection_*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation

Title	Description
	le Source SigmaHQ,91a2c315-9ee6-4052-a853-6f6a8238f90d Author: frack113 **Tactics, Techniques, and Procedures** TA0006, T1552.006 **References** • https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1552.006/T1552.006.md#atomic-test-1---gpp-passwords-findstr **Severity** 75 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2021-12-27 Risk Level: high False Positives: • Unknown

Domain Trust Discovery Via Dsquery	Detects execution of "dsquery.exe" for domain trust discovery
	More details
	Rule ID
	`process_creation_commandline_342`
	Query
	`{'selection_img': [{'Image|endswith': '\\dsquery.exe'}], 'selection_cli': {'CommandLine|contains': 'trustedDomain'}, 'condition': 'all of selection_*'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,3bad990e-4848-4a78-9530-b427d854aac0
	Author: E.M. Anhaus, Tony Lambert, oscd.community, omkar72
	Tactics, Techniques, and Procedures
	TA0007, T1482
	References
	• https://github.com/redcanaryco/atomic-red-team/blob/f339e7da7d05f6057fdfcdd3742bfcf365fee2a9/atomics/T1482/T1482.md
	• https://posts.specterops.io/an-introduction-to-manual-active-directory-querying-with-dsquery-and-ldapsearch-84943c13d7eb?gi=41b97a644843
	Severity
	50
	Suppression Logic Based On
	• computer_name

Title	Description
	 • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2019-10-24 **Risk Level**: medium **False Positives**: • Legitimate use of the utilities by legitimate user for legitimate reason

PUA - DIT Snapshot Viewer	Detects the use of Ditsnap tool, an inspection tool for Active Directory database, ntds.dit.
	More details
	Rule ID
	`process_creation_commandline_343`
	Query
	`{'selection': [{'Image|endswith': '\\ditsnap.exe'}, {'CommandLine|contains': 'ditsnap.exe'}], 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	SigmaHQ,d3b70aad-097e-409c-9df2-450f80dc476b
	Author: Furkan Caliskan (@caliskanfurkan_)
	Tactics, Techniques, and Procedures
	TA0006, T1003.003
	References
	• https://thedfirreport.com/2020/06/21/snatch-ransomware/
	• https://web.archive.org/web/20201124182207/https://github.com/yosqueoy/ditsnap
	Severity
	75
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2020-07-04
	Risk Level: high
	False Positives:
	• Legitimate admin usage

Suspicious Process Patterns NTDS.DIT Exfil	Detects suspicious process patterns used in NTDS.DIT exfiltration
	More details
	Rule ID
	`process_creation_commandline_344`
	Query
	`{'selection_tool': [{'Image|endswith': ['\\NTDSDump.exe', '\\NTDSDumpEx.exe']}, {'CommandLine|contains|all': ['n`

Title	Description
	s.dit', 'system.hiv']}, {'CommandLine|contains': 'NTDS grab.ps1'}], 'selection_oneliner_1': {'CommandLine|contains|all': ['ac i ntds', 'create full']}, 'selection_oneliner_2': {'CommandLine|contains|all': ['/c copy ', '\\windows\\ntds\\ntds.dit']}, 'selection_onliner_3': {'CommandLine|contains|all': ['activate instance ntds', 'create full']}, 'selection_powershell': {'CommandLine|contains|all': ['powershell', 'ntds.dit']}, 'set1_selection_ntds_dit': {'CommandLine|contains': 'ntds.dit'}, 'set1_selection_image_folder': [{'ParentImage|contains': ['\\apache', '\\tomcat', '\\AppData\\', '\\Temp\\', '\\Public\\', '\\PerfLogs\\']}, {'Image|contains': ['\\apache', '\\tomcat', '\\AppData\\', '\\Temp\\', '\\Public\\', '\\PerfLogs\\']}], 'condition': '1 of selection* or all of set1*'} **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,8bc64091-6875-4881-aaf9-7bd25b5dda08 Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0006, T1003.003 **References** • https://www.ired.team/offensive-security/credential-access-and-credential-dumping/ntds.dit-enumeration • https://www.n00py.io/2022/03/manipulating-user-passwords-without-mimikatz/ • https://pentestlab.blog/tag/ntds-dit/ • https://github.com/samratashok/nishang/blob/414ee1104526d7057f9adaeee196d91ae447283e/Gather/Copy-VSS.ps1 • https://github.com/zcgonvh/NTDSDumpEx • https://github.com/rapid7/metasploit-framework/blob/d297adcebb5c1df6fe30b12ca79b161deb71571c/data/post/powershell/NTDSgrab.ps1 • https://blog.talosintelligence.com/2022/08/recent-cyber-attack.html?m=1 **Severity** 75 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022-03-11 **Risk Level**: high **False Positives**: • Unknown
Get-ForestTrust with PowerShell	The following analytic detects the execution of the Get-ForestTrust command via PowerShell, commonly used by adversaries to gather domain trust information. This detection leverages data from Endpoint Detection and Response (EDR) agents, focusing on process names and command-line executions. Identifying this activity is crucial as it indicates potential reconnaissance efforts to map out domain trusts, which can inform further attacks. If confirmed malicious, this activity could allow attackers to

Title	Description

	understand domain relationships, aiding in lateral movement and privilege escalation within the network.
	
	More details
	
	Rule ID
	
	`process_creation_commandline_345`
	
	Query
	
	`{'selection1': {'Image|endswith': ['powershell.exe', 'cmd.exe']}, 'selection2': {'CommandLine|contains': 'get-foresttrust'}, 'condition': 'selection1 and selection2'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation
	
	Rule Source
	
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	
	TA0007, T1482
	
	References
	
	• https://powersploit.readthedocs.io/en/latest/Recon/Get-ForestTrust/
	
	Severity
	
	50
	
	Suppression Logic Based On
	
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	
	Maturity: production
	Creation Date: 2024-11-13
	Risk Level: medium
	False Positives:
	• Limited false positives as this requires an active Administrator or adversary to bring in, import, and execute.

Renamed AdFind Execution	Detects the use of a renamed Adfind.exe. AdFind continues to be seen across majority of breaches. It is used to domain trust discovery to plan out subsequent steps in the attack chain.
	
	More details
	
	Rule ID
	
	`process_creation_commandline_346`
	
	Query
	
	`{'selection_1': {'CommandLine|contains': ['domainlist', 'trustdmp', 'dcmodes', 'adinfo', ' dclist ', 'computer_pwdnotreqd', 'objectcategory=', '-subnets -f', 'name="Domain Admins"', '-sc u:', 'domainncs', 'dompol', ' oudmp ', 'subnetdmp', 'gpodmp', 'fspdmp', 'users_noexpire', 'computers_active', 'computers_pwdnotreqd']}, 'selection_2': {'Hashes|contains': ['IMPHASH=BCA5675746D13A1F246E2DA3C2217492', 'IMPHASH=53E117A96057EAF19C41380D0E87F1C2']}, 'selection_3':`

Title	Description
	 OriginalFileName': 'AdFind.exe'}, 'filter': {'Image|endswith': '\\AdFind.exe'}, 'condition': '1 of selection* and not filter'} **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** SigmaHQ,df55196f-f105-44d3-a675-e9dfb6cc2f2b Author: Florian Roth (Nextron Systems) **Tactics, Techniques, and Procedures** TA0007, T1018, T1087.002, T1482, T1069.002 **References** • https://www.joeware.net/freetools/tools/adfind/ • https://thedfirreport.com/2020/05/08/adfind-recon/ • https://thedfirreport.com/2021/01/11/trickbot-still-alive-and-well/ • https://www.microsoft.com/security/blog/2021/01/20/deep-dive-into-the-solorigate-second-stage-activation-from-sunburst-to-teardrop-and-raindrop/ • https://social.technet.microsoft.com/wiki/contents/articles/7535.adfind-command-examples.aspx • https://github.com/center-for-threat-informed-defense/adversary_emulation_library/blob/bf62ece1c679b07b5fb49c4bae947fe24c81811f/fin6/Emulation_Plan/Phase1.md **Severity** 75 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022-08-21 **Risk Level**: high **False Positives**: • Unknown
Enumerating Domain Trusts via NLTEST.EXE	Identifies the use of nltest.exe for domain trust discovery purposes. Adversaries may use this command-line utility to enumerate domain trusts and gain insight into trust relationships, as well as the state of Domain Controller (DC) replication in a Microsoft Windows NT Domain. More details **Rule ID** process_creation_commandline_347 **Query** {'selection1': {'Image|endswith': '\\nltest.exe'}, 'selection2': {'CommandLine|contains': ['/dclist:', '/dcname:', '/parentdomain', '/domain_trusts', '/bdc_query:']}, 'filter_parent': {'ParentImage|endswith': 'PDQInventoryScanner.exe'}, 'filter_system_users': {'UserId': ['S-1-5-18', 'S-1-5-19', 'S-1-5-20']}, 'condition': 'selection1 and selection2 and (not filter_parent) and (not filter_system_users)'}

Title	Description
	g Source Stellar Cyber Windows Server Sensor configured. **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** TA0007, T1018, T1482 **References** N/A **Severity** 25 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity** test **Creation Date** 2022/05/31 **Risk Level** low **False Positives** • Domain administrators may use this command-line utility for legitimate information gathering purposes, but it is not common for environments with Windows Server 2012 and newer.

Potential SPN Enumeration Via Setspn.EXE	Detects service principal name (SPN) enumeration used for Kerberoasting
	More details
	Rule ID
	`process_creation_commandline_348`
	Query
	`{'selection_pe': [{'Image|endswith': '\\setspn.exe'}], 'selection_cli': {'CommandLine|contains': [' -q ', ' /q ']}, 'selection_cli2': {'CommandLine|contains|all': [' -t ', ' -f ']}, 'condition': 'selection_pe and (selection_cli or selection_cli2)'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0006, T1558.003
	References
	• https://web.archive.org/web/20200329173843/https://p16.praetorian.com/blog/how-to-use-kerberoasting-t1208-for-privilege-escalation
	• https://www.praetorian.com/blog/how-to-use-kerberoasting-t1208-for-privilege-escalation/?edition=2019

Title	Description
	Severity 50 **Suppression Logic Based On** • computer_name • event_data.CommandLine • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2018-11-14 **Risk Level**: medium **False Positives**: • Administration activity

HackTool - Mimikatz Execution	Detects well-known mimikatz command line arguments
	
	More details
	
	Rule ID
	`process_creation_commandline_349`
	
	Query
	`{'selection_tools_name': {'CommandLine|contains': ['DumpCreds', 'mimikatz']}, 'selection_function_names': {'CommandLine|contains': ['::aadcookie', '::detours', '::memssp', '::mflt', '::ncroutemon', '::ngcsign', '::printnightmare', '::skeleton', '::preshutdown', '::mstsc', '::multirdp']}, 'selection_module_names': {'CommandLine|contains': ['rpc::', 'token::', 'crypto::', 'dpapi::', 'sekurlsa::', 'kerberos::', 'lsadump::', 'privilege::', 'process::', 'vault::']}, 'condition': '1 of selection_*'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	SigmaHQ,a642964e-bead-4bed-8910-1bb4d63e3b4d
	
	Author: Teymur Kheirkhabarov, oscd.community, David ANDRE (additional keywords), Tim Shelton
	
	Tactics, Techniques, and Procedures
	TA0006, T1003
	
	References
	• https://www.slideshare.net/heirhabarov/hunting-for-credentials-dumping-in-windows-environment
	• https://tools.thehacker.recipes/mimikatz/modules
	
	Severity
	75
	
	Suppression Logic Based On
	• computer_name
	• event_data.CommandLine
	• stellar.rule_id
	
	Additional Information
	Maturity: experimental
	Creation Date: 2025/08/13
	Risk Level: high
	False Positives:
	• Unlikely



© 2026 Stellar Cyber . All rights reserved.