Stellar Cyber 6.6.0s is now live! Discover all the updates in the release notes!

Rules Contributing to Suspicious Windows Active Directory Operation Alerts

The following rules are used to identify suspicious activity with Windows Active Directory operation. Any one or more of these will trigger Suspicious Windows Active Directory Operation Alert. Details for each rule can be viewed by clicking the **More Details** link in the description.

Windows Events Required: 4662

The Windows Detect Profile (Low Volume) covers these required Windows events.

Title	Description

DPAPI Domain Backup Key Extraction	Detects tools extracting LSA secret DPAPI domain backup key from Domain Controllers
	
	More details
	
	Rule ID
	`windows_security_37`
	
	Query
	`{'selection': {'EventID': 4662, 'ObjectType': 'SecretObject', 'AccessMask': '0x2', 'ObjectName|contains': 'BCKUPKEY'}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	
	Rule Source
	SigmaHQ,4ac1f50b-3bd0-4968-902d-868b4647937e
	
	Author: Roberto Rodriguez @Cyb3rWard0g
	
	Tactics, Techniques, and Procedures
	TA0006, T1003.004
	
	References
	• https://threathunterplaybook.com/hunts/windows/190620-DomainDPAPIBackupKeyExtraction/notebook.html
	
	Severity

Title	Description
	75  **Suppression Logic Based On** • event_id • computer_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2019/06/20 **Risk Level**: high **False Positives** • Unknown

WMI Persistence - Security	Detects suspicious WMI event filter and command line event consumer based on WMI and Security Logs.
	More details
	Rule ID
	`windows_security_60`
	Query
	`{'selection': {'EventID': 4662, 'ObjectType': 'WMI Namespace', 'ObjectName|contains': 'subscription'}, 'condition': 'selection'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	Rule Source
	SigmaHQ,f033f3f3-fd24-4995-97d8-a3bb17550a88
	Author: Florian Roth (Nextron Systems), Gleb Sukhodolskiy, Timur Zinniatullin oscd.community
	Tactics, Techniques, and Procedures
	TA0003, T1546.003
	References
	• https://twitter.com/mattifestation/status/899646620148539397
	• https://www.eideon.com/2018-03-02-THL03-WMIBackdoors/
	Severity
	50
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2017/08/22
	Risk Level: medium
	False Positives
	• Unknown (data set is too small; further testing needed)

AD Object WriteDAC Access	Detects WRITE_DAC access to a domain object More details **Rule ID** `windows_security_77`

Title	Description
	Query `{'selection': {'EventID': 4662, 'ObjectServer': 'DS', 'AccessMask': '0x40000', 'ObjectType': ['19195a5b-6da0-11d0-afd3-00c04fd930c9', 'domainDNS']}, 'condition': 'selection'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Collecting Windows security events **Rule Source** SigmaHQ,028c7842-4243-41cd-be6f-12f3cf1a26c7 Author: Roberto Rodriguez @Cyb3rWard0g **Tactics, Techniques, and Procedures** TA0005, T1222.001 **References** • https://threathunterplaybook.com/hunts/windows/180815-ADObjectAccessReplication/notebook.html • https://threathunterplaybook.com/library/windows/active_directory_replication.html • https://threathunterplaybook.com/hunts/windows/190101-ADModDirectoryReplication/notebook.html **Severity** 90 **Suppression Logic Based On** • event_id • computer_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2019/09/12 **Risk Level**: critical **False Positives** • Unknown

Access to a Sensitive LDAP Attribute	Identify access to sensitive Active Directory object attributes that contains credentials and decryption keys such as unixUserPassword, ms-PKI-AccountCredentials and msPKI-CredentialRoamingTokens.
	More details
	Rule ID
	`windows_security_81`
	Query
	`{'selection1': {'EventID': 4662}, 'selection2': {'SubjectUserSid': 'S-1-5-18'}, 'selection3': {'Properties': ['*612cb747-c0e8-4f92-9221-fdd5f15b550d*', '*b8dfa744-31dc-4ef1-ac7c-84baf7ef9da7*', '*b3f93023-9239-4f7c-b99c-6745d87adbc2*', '*b7ff5a38-0818-42b0-8110-d3d154c97f24*']}, 'selection4': {'AccessMask': ['0x0', '0x100']}, 'condition': 'selection1 and (not selection2) and selection3 and (not selection4)'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured.
	Rule Source
	Developed internally by Stellar Cyber

Title	Description

Tactics, Techniques, and Procedures

TA0006, T1003

References

N/A

Severity

50

Suppression Logic Based On

- event_id
- computer_name
- stellar.rule_id

Additional Information

Maturity	Creation Date	Risk Level	False Positives
production	2022/11/09	medium	N/A

© 2026 Stellar Cyber . All rights reserved.