Stellar Cyber 6.6.0s is now live! Discover all the updates in the release notes!

Rules Contributing to Suspicious Windows Logon Event Alerts

The following rules are used to identify suspicious Windows logon activities. Any one or more of these will trigger Suspicious Windows Logon Alert. Details for each rule can be viewed by clicking the **More Details** link in the description.

Windows Events Required: 4624

The Windows Detect Profile (Low Volume) covers these required Windows events.

Title	Description

Hacktool Ruler	This events that are generated when using the hacktool Ruler by Sensepost
	More details
	Rule ID
	`windows_security_113`
	Query
	`{'selection1': {'EventID': 4776, 'Workstation': 'RULER'}, 'selection2': {'EventID': [4624, 4625], 'WorkstationName': 'RULER'}, 'condition': '(1 of selection*)'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	Rule Source
	SigmaHQ,24549159-ac1b-479c-8175-d42aea947cae
	Author: Florian Roth (Nextron Systems)
	Tactics, Techniques, and Procedures
	TA0002, T1059, TA0005, T1550.002, TA0007, T1087, TA0009, T1114
	References
	• https://github.com/sensepost/ruler
	• https://github.com/sensepost/ruler/issues/47

Title	Description
	• https://github.com/staaldraad/go-ntlm/blob/cd032d41aa8ce5751c07cb7945400c0f5c81e2eb/ntlm/ntlmv1.go#L427 • https://docs.microsoft.com/en-us/windows/security/threat-protection/auditing/event-4776 • https://docs.microsoft.com/en-us/windows/security/threat-protection/auditing/event-4624 **Severity** 75 **Suppression Logic Based On** • event_id • computer_name • stellar.rule_id **Additional Information** Maturity: test Creation Date: 2017/05/31 Risk Level: high False Positives: • Go utilities that use staaldraad awesome NTLM library

Remote WMI ActiveScriptEventConsumers	Detect potential adversaries leveraging WMI ActiveScriptEventConsumers remotely to move laterally in a network
	More details
	Rule ID
	`windows_security_134`
	Query
	`{'selection': {'EventID': 4624, 'LogonType': '3', 'ProcessName|endswith': 'scrcons.exe'}, 'filter': {'TargetLogonId': '0x3e7'}, 'condition': 'selection and not filter'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	Rule Source
	SigmaHQ,9599c180-e3a8-4743-8f92-7fb96d3be648
	Author: Roberto Rodriguez (Cyb3rWard0g), OTR (Open Threat Research)
	Tactics, Techniques, and Procedures
	TA0003, T1546.003
	References
	• https://threathunterplaybook.com/hunts/windows/200902-RemoteWMIActiveScriptEventConsumers/notebook.html
	Severity
	75
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2020/09/02
	Risk Level: high
	False Positives:
	• SCCM

Title	Description

RottenPotato Like Attack Pattern	Detects logon events that have characteristics of events generated during an attack with RottenPotato and the like
	
	More details
	
	Rule ID
	
	`windows_security_136`
	
	Query
	
	`{'selection': {'EventID': 4624, 'LogonType': '3', 'TargetUserName|re': '(?:ANONYMOUS(_| )LOGON)$', 'WorkstationName': ['-', ''], 'IpAddress': ['127.0.0.1', '::1']}, 'condition': 'selection'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Collecting Windows security events
	
	Rule Source
	
	SigmaHQ,16f5d8ca-44bd-47c8-acbe-6fc95a16c12f
	
	Author: @SBousseaden, Florian Roth
	
	Tactics, Techniques, and Procedures
	
	TA0004, T1068
	
	References
	
	• https://twitter.com/SBousseaden/status/1195284233729777665
	
	Severity
	
	75
	
	Suppression Logic Based On
	
	• event_id
	• computer_name
	• stellar.rule_id
	
	Additional Information
	
	Maturity: test
	Creation Date: 2019/11/15
	Risk Level: high
	False Positives:
	• Unknown

Successful Overpass the Hash Attempt	Detects successful logon with logon type 9 (NewCredentials) which matches the Overpass the Hash behavior of e.g Mimikatz's sekurlsa::pth module.
	
	More details
	
	Rule ID
	
	`windows_security_138`
	
	Query
	
	`{'selection': {'EventID': 4624, 'LogonType': '9', 'LogonProcessName': 'seclogo', 'AuthenticationPackageName': 'Negotiate'}, 'condition': 'selection'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Collecting Windows security events
	
	Rule Source

Title	Description
	SigmaHQ 0330-c20b-4356-90b6-7b7049ae0b87 Author: Roberto Rodriguez (source), Dominik Schaudel (rule) **Tactics, Techniques, and Procedures** TA0005, T1550.002 **References** N/A **Severity** 75 **Suppression Logic Based On** • event_id • computer_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2018/02/12 **Risk Level**: high **False Positives** • Runas command-line tool using /netonly parameter • Legitimate use of Active Directory management tools (e.g., ADManager Plus) • Group Policy Client service (gpsvc) applying user-specific settings

DiagTrackEoP Default Login Username	Detects the default "UserName" used by the DiagTrackEoP POC
	
	More details
	
	Rule ID
	
	`windows_security_140`
	
	Query
	
	`{'selection': {'EventID': 4624, 'LogonType': '9', 'TargetOutboundUserName': 'thisisnotvaliduser'}, 'condition': 'selection'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	
	Rule Source
	
	SigmaHQ,2111118f-7e46-4fc8-974a-59fd8ec95196
	
	Author: Nasreddine Bencherchali (Nextron Systems)
	
	Tactics, Techniques, and Procedures
	
	TA0005, T1078
	
	References
	• https://github.com/Wh04m1001/DiagTrackEoP/blob/3a2fc99c9700623eb7dc7d4b5f314fd9ce5ef51f/main.cpp#L46
	
	Severity
	
	90
	
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id

Title	Description
	Additional Information **Maturity**: experimental **Creation Date**: 2022/08/03 **Risk Level**: critical **False Positives**: Unlikely

Access Token Abuse	This rule tries to detect token impersonation and theft. (Example: DuplicateToken(Ex) and ImpersonateLoggedOnUser with the LOGON32_LOGON_NEW_CREDENTIALS flag.)
	
	More details
	
	Rule ID
	`windows_security_142`
	
	Query
	`{'selection': {'EventID': 4624, 'LogonType': '9', 'LogonProcessName': 'Advapi', 'AuthenticationPackageName': 'Negotiate', 'ImpersonationLevel': '%%1833'}, 'condition': 'selection'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Collecting Windows security events
	
	Rule Source
	SigmaHQ,02f7c9c1-1ae8-4c6a-8add-04693807f92f
	
	Author: Michaela Adams, Zach Mathis
	
	Tactics, Techniques, and Procedures
	TA0005, T1134.001
	
	References
	• https://www.elastic.co/fr/blog/how-attackers-abuse-access-token-manipulation
	• https://www.manageengine.com/log-management/cyber-security/access-token-manipulation.html
	
	Severity
	50
	
	Suppression Logic Based On
	• event_id
	• computer_name
	• stellar.rule_id
	
	Additional Information
	Maturity: experimental
	Creation Date: 2022/11/06
	Risk Level: medium
	False Positives: Anti-Virus

KrbRelayUp Attack Pattern	Detects logon events that have characteristics of events generated during an attack with KrbRelayUp and the like
	
	More details
	
	Rule ID
	`windows_security_143`
	
	Query
	`{'selection1': {'EventID': 4624, 'LogonType': '3', 'AuthenticationPackageName': 'Kerberos', 'TargetUserSid|startswith': 'S-1-5-21-', 'TargetUserSid|endswith': '-500'}, 'selection2': {'IpAddress'`

Title	Description

: ['::1', '127.0.0.1']}, 'condition': 'selection1 and selection2
'}

Log Source

Stellar Cyber Windows Server Sensor configured for:

- Collecting Windows security events

Rule Source

SigmaHQ,749c9f5e-b353-4b90-a9c1-05243357ca4b

Author: Elastic, @SBousseaden

Tactics, Techniques, and Procedures

TA0008, T1550

References

- https://github.com/elastic/detection-rules/blob/fb6ee2c69864ffdfe347bf3b050cb931f53067a6/rules/windows/privilege_escalation_krbrelayup_suspicious_logon.toml

Severity

75

Suppression Logic Based On

- event_id
- computer_name
- stellar.rule_id

Additional Information

Maturity	Creation Date	Risk Level	False Positives
experimental	2022/04/27	high	• Unknown

© 2026 Stellar Cyber . All rights reserved.