Stellar Cyber 6.6.0s is now live! Discover all the updates in the release notes!

Rules Contributing to Windows Suspicious Process Creation Alert

The following rules are used to identify suspicious activity associated with process creation. Any one or more of these will trigger the Suspicious Process Creation Alert. Details for each rule can be viewed by clicking the **More Details** link in the description.

Windows Events Required: 1, 4688

The Windows Detect Profile (Low Volume) covers these required Windows events.

Title	Description

Powershell Process Created by Internet Explorer	A Powershell process has been created by Internet Explorer. This can indicate a malicious website has successfully launched an exploit.
	
	More details
	
	Rule ID
	`process_creation_image_1`
	
	Query
	`{'selection3': {'ParentImage|contains': 'iexplore.exe'}, 'selection4': {'Image|contains': 'powershell.exe'}, 'condition': 'selection3 and selection4'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.001
	
	References
	N/A
	
	Severity
	50

Title	Description
	pression Logic Based On • computer_name • process_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/05/01 **Risk Level**: medium **False Positives**: N/A

Powershell Process Created by Office PowerPoint	A Powershell process has been created by Microsoft Office PowerPoint. This can indicate a malicious document containing a macro or an exploit has been opened by the user.
	More details
	Rule ID
	`process_creation_image_2`
	Query
	`{'selection3': {'ParentImage|contains': 'POWERPNT.EXE'}, 'selection4': {'Image|contains': 'powershell.exe'}, 'condition': 'selection3 and selection4'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0002, T1059.001
	References
	N/A
	Severity
	50
	Suppression Logic Based On
	• computer_name
	• process_name
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2022/05/01
	Risk Level: medium
	False Positives: N/A

Executable with Suspicious Extension	An executable was launched with a well-known extension preceding the executable extension. This could be an indication that a user was tricked into executing a malicious program.
	More details
	Rule ID
	`process_creation_image_5`
	Query
	`{'selection3': {'Image|re': '\\.(jpeg|jpg|png|gif|tiff|ico|zip|rar|pdf)\\.(exe|msi|scr|hta|bat|hta)$'}, 'selection4': {'CurrentDire`

Title	Description
	 `ry|re': '(?:\\\\Program Files(?:\\(x86\\))?|\\\\PROGRA~ (?:1|2))'}, 'condition': 'selection3 and not selection4'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** TA0005, T1036 **References** N/A **Severity** 50 **Suppression Logic Based On** • computer_name • process_name • stellar.rule_id **Additional Information** Maturity: test; Creation Date: 2022/05/01; Risk Level: medium; False Positives: N/A

Process created by dbgsrv debugger	A known signed debugger software has been detected creating a remote process. This could be used by an attacker trying to bypass whitelisted applications.
	More details
	Rule ID
	`process_creation_image_6`
	Query
	`{'selection3': {'ParentImage|contains': '\\dbgsrv.exe'}, 'selection4': {'ParentCommandLine|contains': 'clicon='}, 'selection5': {'ParentCommandLine|contains': 'port='}, 'condition': 'selection3 and selection4 and selection5'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0005, T1218
	References
	N/A
	Severity
	50
	Suppression Logic Based On

Title	Description
	 • computer_name • process_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/05/01 **Risk Level**: medium **False Positives**: N/A

Powershell Process Created by Office Word	A Powershell process has been created by Microsoft Office Word. This can indicate a malicious document containing a macro or an exploit has been opened by the user.
	More details
	Rule ID
	`process_creation_image_8`
	Query
	`{'selection3': {'ParentImage|contains': 'WINWORD.EXE'}, 'selection4': {'Image|contains': 'powershell.exe'}, 'condition': 'selection3 and selection4'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0002, T1059.001
	References
	N/A
	Severity
	50
	Suppression Logic Based On
	• computer_name
	• process_name
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2022/05/01
	Risk Level: medium
	False Positives: N/A

Java Process Spawning Scripting Process	A suspicious process has been created by Java Software. This could be an indication of malicious activity.
	More details
	Rule ID
	`process_creation_image_10`
	Query
	`{'selection3': {'ParentImage|re': '\\\\java[w]?\\.exe'}, 'selection4': {'Image|re': '(?:powershell|wscript|cscript|mshta)\\.exe'}, 'condition': 'selection3 and selection4'}`
	Log Source

Title	Description
	 ar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** TA0005, T1216 **References** N/A **Severity** 50 **Suppression Logic Based On** • computer_name • process_name • stellar.rule_id **Additional Information**

Maturity	Creation Date	Risk Level	False Positives
test	2022/05/01	medium	N/A

Title	Description

Potential LSASS Clone Creation via PssCaptureSnapShot	Identifies the creation of an LSASS process clone via PssCaptureSnapShot where the parent process is the initial LSASS process instance. This may indicate an attempt to evade detection and dump LSASS memory for credential access.
	
	More details
	
	Rule ID
	`windows_security_11`
	
	Query
	`{'selection1': {'Image': '?:\\Windows\\System32\\lsass.exe'}, 'selection2': {'ParentImage': '?:\\Windows\\System32\\lsass.exe'}, 'condition': 'selection1 and selection2'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured.
	
	Rule Source
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	TA0006, T1003
	
	References
	N/A
	
	Severity
	75
	
	Suppression Logic Based On
	• computer_name
	• process_name
	• stellar.rule_id
	
	Additional Information
	Maturity: production
	Creation Date: 2021/11/27
	Risk Level: high
	False Positives: N/A

Powershell Process Created by webserver process	A webserver process has created a Powershell session. This could be the result of a successful exploitation of the webserver or the installation of a webshell.
	
	More details
	
	Rule ID
	`process_creation_image_11`
	
	Query
	`{'selection3': {'Image|contains': 'powershell.exe'}, 'selection4': {'ParentImage|contains': 'w3wp.exe'}, 'selection5': {'ParentImage|contains': 'httpd.exe'}, 'selection6': {'ParentImage|contains': 'tomcat6.exe'}, 'selection7': {'ParentImage|contains': 'nginx.exe'}, 'selection8': {'ParentImage|contains': 'php-cgi.exe'}, 'selection9': {'ParentImage|contains': 'tomcat.exe'}, 'condition': 'selection3 and (selection4 or selection5 or selection6 or selection7 or selection8 or selection9)'}`
	
	Log Source

Title	Description
	ar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** TA0001, T1190 **References** N/A **Severity** 50 **Suppression Logic Based On** • computer_name • process_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/05/01 **Risk Level**: medium **False Positives**: N/A

Process Execution Using pcwutl.dll	A process has been launched using the pcwutl.dll library. This can indicate an attacker is trying to bypass whitelisting technologies.
	More details
	Rule ID
	`process_creation_image_12`
	Query
	`{'selection3': {'ParentImage|contains': '\\rundll32.exe'}, 'selection4': {'ParentCommandLine|contains': 'pcwutl.dll'}, 'condition': 'selection3 and selection4'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0005, T1218.011
	References
	N/A
	Severity
	50
	Suppression Logic Based On
	• computer_name
	• process_name
	• stellar.rule_id
	Additional Information

Title	Description			
	Maturity	Creation Date	Risk Level	False Positives
	test	2022/05/01	medium	N/A

Windows Hacking Tool Detected	A common hacking tool was detected being used on this machine. While hacking tools can be used for System diagnostics during routine maintenance it is also a common indicator of malware performing additional reconnaissance or privilege escalation.
	
	More details
	
	Rule ID
	`process_creation_image_13`
	
	Query
	`{'selection3': {'Image|re': '\\\\(?:(?:(?:win32dd|win64dd|wce|mailpv|rdpv|logreader|netpass|iepv|routerpass|pstpass|vncpass|mspass)\\.exe)|WebBrowserPassView|VNCPassView|Cachedump|Fgdump|gsecdump|Lslsass|mimikatz|pwdump|getlsasrvaddr|timestomp|BulletsPassView|WebBrowserPassView|WirelessKeyView|Chromepass|dialupass|lookpass|Fluxay5Beta1|pstpassword|OperaPassView|routerpassview|PasswordFox)'}, 'condition': 'selection3'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	
	TA0006, T1003
	
	References
	N/A
	
	Severity
	
	50
	
	Suppression Logic Based On
	• computer_name
	• process_name
	• stellar.rule_id
	
	Additional Information			

	Maturity	**Creation Date**	**Risk Level**	**False Positives**
	test	2022/05/01	medium	N/A

Executable launched using Windows PresentationHost tool	Windows Presentation Foundation Host (PresentationHost.exe) enables applications to be hosted in compatible browsers. This tool can bypass code integrity enforcement in Windows Defender Application Control.
	
	More details
	
	Rule ID
	`process_creation_image_14`
	
	Query
	`{'selection3': {'ParentImage|contains': '\\PresentationHost.exe'}, 'selection4': {'Image|re': '\\\\`			

Title	Description
	 `iexplore|chrome|firefox)\\.exe'}, 'condition': 'selection3 and not selection4'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** TA0005, T1218 **References** N/A **Severity** 50 **Suppression Logic Based On** • computer_name • process_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/05/01 **Risk Level**: medium **False Positives**: N/A

Executable Launched from System Volume Information	Running executables from the System Volume Information folder is a common technique used by malware in order to hide itself. This could be an indication of malicious activity.
	
	More details
	
	Rule ID
	
	`process_creation_image_15`
	
	Query
	
	`{'selection3': {'Image|contains': ':\\System Volume Information\\'}, 'condition': 'selection3'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation
	
	Rule Source
	
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	
	TA0005, T1036
	
	References
	N/A
	
	Severity
	
	50
	
	Suppression Logic Based On
	• computer_name
	• process_name
	• stellar.rule_id

Title	Description
	itional Information **Maturity**: test **Creation Date**: 2022/05/01 **Risk Level**: medium **False Positives**: N/A

Powershell Process Created by Office Excel	A Powershell process has been created by Microsoft Office Excel. This can indicate a malicious document containing a macro or an exploit has been opened by the user.
	
	More details
	
	Rule ID
	`process_creation_image_16`
	
	Query
	`{'selection3': {'ParentImage|contains': 'EXCEL.EXE'}, 'selection4': {'Image|contains': 'powershell.exe'}, 'condition': 'selection3 and selection4'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	TA0002, T1059.001
	
	References
	N/A
	
	Severity
	50
	
	Suppression Logic Based On
	• computer_name
	• process_name
	• stellar.rule_id
	
	Additional Information
	Maturity: test
	Creation Date: 2022/05/01
	Risk Level: medium
	False Positives: N/A

Detected scripting process spawned by WinRAR	A scripting process executed with wscript.exe, cscript.exe or mshta.exe was directly executed from WinRAR. This behavior is commonly executed by packed malware.
	
	More details
	
	Rule ID
	`process_creation_image_17`
	
	Query
	`{'selection3': {'ParentImage|contains': '\\WinRAR.exe'}, 'selection4': {'Image|re': '\\\\(wscript|cscript|mshta)\\.exe$'}, 'condition': 'selection3 and selection4'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation

Title	Description
	Source Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** TA0002, T1059 **References** N/A **Severity** 50 **Suppression Logic Based On** • computer_name • process_name • stellar.rule_id **Additional Information** Maturity: test; Creation Date: 2022/05/01; Risk Level: medium; False Positives: N/A

RDP process spawning a suspicious process	An unauthenticated attacker could connect to the target system using RDP and send specially crafted requests. This vulnerability could execute arbitrary code on the target system.
	More details
	Rule ID
	`process_creation_image_18`
	Query
	`{'selection3': {'ParentImage|contains': '\\svchost.exe'}, 'selection4': {'ParentCommandLine|contains': 'svchost.exe -k termsvcs'}, 'selection5': {'Image|contains': '\\rdpclip.exe'}, 'condition': 'selection3 and selection4 and not selection5'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0008, T1210
	References
	N/A
	Severity
	50
	Suppression Logic Based On
	• computer_name
	• process_name
	• stellar.rule_id
	Additional Information

Title	Description			
	Maturity	Creation Date	Risk Level	False Positives
	test	2022/05/01	medium	N/A

Windows UAC bypass - UACME tool	User Account Control Bypass activity was detected. This can be due to either a regular operation or because an attacker is trying to escalate privileges.
	
	More details
	
	Rule ID
	`process_creation_image_19`
	
	Query
	`{'selection3': {'ParentImage|contains': '\\dism.exe'}, 'selection4': {'ParentCommandLine|contains': '.xml'}, 'selection5': {'Image|re': '\\\\appdata\\\\.*\\\\dismhost\\.exe'}, 'selection6': {'Image|contains': '\\wusa.exe'}, 'selection7': {'CommandLine|contains': '/quiet'}, 'selection8': {'ParentImage|contains': '\\explorer.exe'}, 'selection10': {'ParentImage|contains': 'dccw.exe'}, 'selection11': {'ParentImage|contains': '\\slui.exe'}, 'condition': '((selection3 and selection4 and not selection5) or (selection6 and selection7 and not selection8) or selection10 or selection11)'}`
	
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	
	Rule Source
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	TA0005, T1548.002
	
	References
	N/A
	
	Severity
	50
	
	Suppression Logic Based On
	• computer_name
	• process_name
	• stellar.rule_id
	
	Additional Information
	Maturity: test; Creation Date: 2022/05/01; Risk Level: medium; False Positives: N/A			

MS Exchange transport agent backdoor	Transport agents let you install custom software on an Exchange server. This could be used by malware to gain persistence and install backdoors.
	
	More details
	
	Rule ID
	`process_creation_image_20`
	
	Query
	`{'selection3': {'ParentImage|contains': '\\EdgeTransport.exe'}, 'condition': 'selection3'}`			

Title	Description
	Source Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** TA0002, T1129 **References** N/A **Severity** 50 **Suppression Logic Based On** • computer_name • process_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/05/01 **Risk Level**: medium **False Positives**: N/A

Executable launched using Synaptics Touchpad Enhancements tool	Synaptics Touchpad Enhancements utility allows you to run binaries in the system. This tool can bypass code integrity enforcement in Windows Defender Application Control.
	More details
	Rule ID
	`process_creation_image_21`
	Query
	`{'selection3': {'ParentImage|contains': '\\SynTPEnh.exe'}, 'selection4': {'ParentCommandLine|contains': '/SHELLEXEC'}, 'selection5': {'Image|contains': '\\SynTPHelper.exe'}, 'selection6': {'Image|contains': '\\WerFault.exe'}, 'condition': 'selection3 and selection4 and not (selection5 or selection6)'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0005, T1218
	References
	N/A
	Severity
	50
	Suppression Logic Based On
	• computer_name

Title	Description
	 • process_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/05/01 **Risk Level**: medium **False Positives**: N/A

SharPyShell Process Execution Detected	SharPyShell is a known hacking tool that is able to deploy a shell into the ASP.NET server. This shell can be controlled remotely from a malicious server. A process with these characteristics has been detected, what is an indicator of compromise by SharPyShell.
	More details
	Rule ID
	`process_creation_image_22`
	Query
	`{'selection3': {'SubjectDomainName': 'IIS APPPOOL'}, 'selection4': {'SubjectUserName': 'sharpy'}, 'condition': 'selection3 and selection4'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0003, T1505.003
	References
	N/A
	Severity
	50
	Suppression Logic Based On
	• computer_name
	• process_name
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2022/05/01
	Risk Level: medium
	False Positives: N/A

Suspicious Process Created by mshta.exe	A suspicious process process has been created by mshta.exe. This can indicate an attacker is using built-in Windows functionality to perform malicious activity.
	More details
	Rule ID
	`process_creation_image_24`
	Query
	`{'selection3': {'ParentImage|contains': '\\mshta.exe'}, 'selection4': {'Image|re': '\\\\(?:powershell|(?:w|c)script|cmd)\\.exe'}, 'selection5': {'CurrentDirectory|re': '(?:\\\\Program Files(?:\\(x86\\))?|\\\\PROGRA~`

Title	Description
	 `1|2))'}, 'condition': 'selection3 and selection4 and not selection5'}` **Log Source** Stellar Cyber Windows Server Sensor configured for: • Monitoring process creation **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** TA0005, T1218.005 **References** N/A **Severity** 50 **Suppression Logic Based On** • computer_name • process_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/05/01 **Risk Level**: medium **False Positives**: N/A

Java Process Spawning WMIC	The wmic.exe process was executed by Java Software. This could be an indication of malicious activity.
	
	More details
	
	Rule ID
	
	`process_creation_image_25`
	
	Query
	
	`{'selection3': {'ParentImage|re': '\\\\java[w]?\\.exe'}, 'selection4': {'Image|contains': '\\wmic.exe'}, 'condition': 'selection3 and selection4'}`
	
	Log Source
	
	Stellar Cyber Windows Server Sensor configured for:
	
	• Monitoring process creation
	
	Rule Source
	
	Developed internally by Stellar Cyber
	
	Tactics, Techniques, and Procedures
	
	TA0002, T1047
	
	References
	N/A
	
	Severity
	
	50
	
	Suppression Logic Based On
	• computer_name
	• process_name

Title	Description
	• stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/05/01 **Risk Level**: medium **False Positives**: N/A

Process Spawning Fodhelper	A process has spawned Fodhelper.exe. There is a known UAC bypass that can be used to escalate privileges.
	More details
	Rule ID
	`process_creation_image_26`
	Query
	`{'selection3': {'ParentImage|re': '\\\\(?:powershell|(?:w|c)script|cmd)\\.exe'}, 'selection4': {'Image|contains': '\\fodhelper.exe'}, 'condition': 'selection3 and selection4'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0005, T1548.002
	References
	N/A
	Severity
	50
	Suppression Logic Based On
	• computer_name
	• process_name
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2022/05/01
	Risk Level: medium
	False Positives: N/A

Executable Launched from Recycle Bin	Running executables from the Recycle Bin folder is a common technique used by malware in order to hide itself. This could be an indication of malicious activity.
	More details
	Rule ID
	`process_creation_image_28`
	Query
	`{'selection3': {'Image|contains': ':\\$Recycle.Bin\\'}, 'selection4': {'Image|contains': ':\\Recycler\\'}, 'condition': '(selection3 or selection4)'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:

Title	Description
	• Monitoring process creation **Rule Source** Developed internally by Stellar Cyber **Tactics, Techniques, and Procedures** TA0005, T1036 **References** N/A **Severity** 50 **Suppression Logic Based On** • computer_name • process_name • stellar.rule_id **Additional Information** Maturity: test; Creation Date: 2022/05/01; Risk Level: medium; False Positives: N/A

Suspicious Process Created by Notepad or Calculator	A potentially suspicious process was started by either Notepad or Calculator. This could be the result of malicious file being opened by the user or a proof-of-concept being tested.
	More details
	Rule ID
	`process_creation_image_31`
	Query
	`{'selection3': {'ParentImage|contains': '\\NOTEPAD.EXE'}, 'selection4': {'Image|re': '\\\\(?:notepad|ctfmon|Microsoft\\.Uev\\.SyncController)\\.exe'}, 'selection5': {'CommandLine|contains': '\\DRIVERS\\'}, 'selection6': {'ParentImage|contains': '\\CALC.EXE'}, 'selection7': {'Image|contains': 'CALC.EXE'}, 'selection8': {'Image|contains': ':\\Program Files'}, 'selection9': {'Image|contains': '":\\Windows\\splwow64.exe"'}, 'condition': '((selection3 and not (selection4 or selection5)) or (selection6 and not selection7)) and not (selection8 or selection9)'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0002, T1203
	References
	N/A
	Severity
	50

Title	Description
	pression Logic Based On • computer_name • process_name • stellar.rule_id **Additional Information** **Maturity**: test **Creation Date**: 2022/05/01 **Risk Level**: medium **False Positives**: N/A

Suspicious Process Created by Microsoft Office Application	A potentially suspicious process was started by a Microsoft Office application. This can indicate a malicious document containing a macro or an exploit has been opened by the user.
	More details
	Rule ID
	`process_creation_image_32`
	Query
	`{'selection3': {'ParentImage|re': '(?:winword|excel|powerpnt|msaccess|infopath)\\.exe'}, 'selection6': {'Image|re': '(?:cmd|svchost|wscript|notepad|rundll32|schtasks|ntvdm|bitsadmin|msiexec|regsvr32|certutil|mshta|[A-Z]:\\\\Users\\\\.*)\\.exe$'}, 'selection4': {'Image|contains': '\\AppData\\'}, 'selection5': {'CommandLine|contains': '\\DRIVERS\\'}, 'condition': 'selection3 and selection6 and not (selection4 or selection5)'}`
	Log Source
	Stellar Cyber Windows Server Sensor configured for:
	• Monitoring process creation
	Rule Source
	Developed internally by Stellar Cyber
	Tactics, Techniques, and Procedures
	TA0002, T1203
	References
	N/A
	Severity
	50
	Suppression Logic Based On
	• computer_name
	• process_name
	• stellar.rule_id
	Additional Information
	Maturity: test
	Creation Date: 2022/05/01
	Risk Level: medium
	False Positives: N/A

Windows mofcomp with suspicious file extension	The Managed Object Format (MOF) compiler parses a file containing MOF statements and adds the classes and class instances defined in the file to the WMI repository. Attackers could use this tool to compile malicious WMI classes. More details **Rule ID** `process_creation_image_33`

Title	Description



ry


```
{'selection3': {'Image': '\\mofcomp.exe'}, 'selection5': {'CommandLine|re': '\\.mof'}, 'condition': 'selection3 and not selection5'}
```


Log Source

Stellar Cyber Windows Server Sensor configured for:

- Monitoring process creation

Rule Source

Developed internally by Stellar Cyber

Tactics, Techniques, and Procedures

TA0002, T1047

References

N/A

Severity

50

Suppression Logic Based On

- computer_name
- process_name
- stellar.rule_id

Additional Information

Maturity	Creation Date	Risk Level	False Positives
test	2022/05/01	medium	N/A

© 2026 Stellar Cyber . All rights reserved.