
Stellar Cyber 6.6.0s is now live! Discover all the updates in the release notes!

Using Tables


Tables appear on many different pages in many different contexts, from tables of users to tables of events. This page describes how to work with tables in Stellar Cyber.



Common Controls


Several controls appear on most tables, allowing you to control the table itself:

- Use **Search** to use Lucene syntax to search within all pages of table (not just the currently displayed page).
- Click **Export CSV** to download the table as a CSV file, suitable for import to a spreadsheet application. You can choose to export the table with the displayed columns only, or all columns, even if not displayed.




You can export up to 100,000 rows of a table displaying Interflow data (for example, the table available in the Alerts page). For all other tables (for example, the System | DATA SOURCE MANAGEMENT | Sensors | Sensors table), there is no export limit.

- Use **Select View** or **Saved Views** and save time by preserving your table layout—columns, filters, and sorting—for quick reuse across sessions and pages.
- Click the column name to sort the table on that column. The ↑ and ↓ buttons tell you which column is being sorted on, as well as the direction of the sort.
- Tables listing alerts include an **Add to Case** button that lets you either create a new case based on the selected alerts or add them to an existing case.
- Tables often include a vertical **Columns** and/or **Filters** button at the left of the table:
    - Use the **Columns** button to toggle the Column Selector panel open and closed. The Column Selector panel lets you choose which columns to include in the table. Most Stellar Cyber tables include this button.
    - Use the **Filters** button to toggle the Filters panel open and closed. The Filters panel lets you apply display filters to a table, focusing your work on just those entries that interest you. The **Associated Alerts** table in the Detection tab of the Case Detail display is a good example of this button.




- Hover over a column heading until the cursor changes to a pointed hand. Then, click and drag to rearrange columns in the table.
- Right-click a cell to see additional actions you can perform, from copying the contents of the cell to the clipboard to using the cell data as an include or exclude filter. The exact actions depend on the table and cell data type; see the example below:

Not all cells provide this functionality. If the cursor changes to a pointing hand, you can click for additional actions.



Depending on the type of data displayed, you may have access to more complex options for drilling elsewhere in Stellar Cyber, as described in **Performing Field Actions** and illustrated below.



- Click the refresh button to refresh the table.


Column Controls

Stellar Cyber tables include a handy set of column controls in each column header. When you hover your cursor over a column heading, the cursor turns into a pointing hand and a "hamburger" menu appears , giving you access to the column controls summarized below:

- Pin Column Left
- Pin Column Right
- Autosize this Column
- Autosize all Columns
- Reset Columns

In addition, depending on the table and column type, there may also be a **Filter** tab that lets you set specific filters on the column data. For example, in the figure below, we have added the **Write Time** column to the **Documents** table in the **Threat Hunting** page. As shown, we can perform the following steps to limit the table's display to a specified window of Write Times:

1. Click in the header of the **Write Time** column.
2. Click on the **Filter** tab in the context menu that appears.
3. Use the **From** and **To** fields to specify a window of write times to display.



Actions


Several controls allow you to perform actions on the items in the table:

- Click **Create** to add an item. The item added depends on the table; the **Create** button only appears on tables where you can add items. For example, it appears on the **User**, **Tenant**, and **Automated Threat Hunting Playbooks**tables, because you can add all of those items. It does not appear on any events tables, because you cannot add events.
- Click to edit an item.
- Click to delete an item.

- Click ⓘ to see more information about an event in the events table.

Bulk Actions

Event tables allow you to perform bulk actions on multiple events at once. To modify multiple events, click the checkboxes next to the events you want to modify. The bulk actions become available, as illustrated below.



Depending on the table and data displayed, you can:

- Add to a case
- Add a comment
- Change event status
- Change event tags
- Change the assignee

Add a Comment

To add comments to the selected events:

1. Click **Add a Comment**.

   The **ADD A COMMENT** dialog box appears.

2. Enter your comment.
3. Click **Submit**.

   The comment is immediately added to the selected events.

To remove a comment, simply apply a blank comment.

Change Event Status

To change the status of the selected events:

1. Choose **Event Status** in the bulk actions dropdown.
2. Choose the new status.
3. Click **Apply**.

   The new status is immediately applied to the selected events.

The default event status filter is **All Open**. So if you change the status of events to **Closed** or **Ignored**, they disappear from view.

Change Event Tags

To change the tags of the selected events:

1. Choose **Event Tags** in the bulk actions dropdown.

2. Choose the tag from the dropdown.
3. Click **Apply**.

   The tag is immediately applied to the selected events.

You can also **Delete** or **Clear All** tags.

Change the Assignee

To change the assignee on the selected events:


1. Choose **Assignee** in the bulk actions dropdown.
2. Choose the new assignee.
3. Click **Apply**.

   The new assignee immediately replaces the old assignee.

Table Navigation

Tables in Stellar Cyber include standard controls to move between multiple pages of data. As illustrated in the figure below, you can use the following tools to speed your way through multiple pages of data:

- See the total number of table entries across all pages.
- Change the number of entries per page.
- Scroll forward or backward a single page of data.




Using Table Filters and the Search Bar

You can also set filters directly from table cells. Once set, they appear in the Filters panel. This section provides some tips on using the global search bar, table filters, and the filters panel to find what you're looking for:

Filtering and Searching Interflow Data 5.2.0

You can apply quick filters to control which Interflow key-pairs are displayed and perform searches. You can apply quick filters to display only **detections**, only **TI (Threat Intelligence) enrichments**, 6.6.0 only **Enriched** fields, 6.6.0 only **Non-Enriched** fields, or any combination of these filters. When you don't apply a filter, you see all the key-value pairs for an event.



When you apply the **Detection** filter, Stellar Cyber displays only the key-value pairs with field names that begin with `xdr_event`.

When you apply the **TI Enrichments** filter, Stellar Cyber displays the following fields if the event has been enriched with this information:

- `srcip_reputation`
- `dstip_reputation`
- `srcip_reputation_source`
- `dstip_reputation_source`
- `srcip_geo` and all its subproperties
    - `srcip_geo.city`
    - `srcip_geo.countryCode`
    - `srcip_geo.countryName`
    - `srcip_geo.latitude`
    - `srcip_geo.longitude`
    - `srcip_geo.region`
- `dstip_geo.region` and all its subproperties
    - `dstip_geo.city`
    - `dstip_geo.countryCode`
    - `dstip_geo.countryName`
    - `dstip_geo.latitude`
    - `dstip_geo.longitude`
    - `dstip_geo.region`

If the above fields for an event have not been enriched with information, Stellar Cyber does not display them.

When you apply the **Enriched** filter, Stellar Cyber displays only fields that Stellar Cyber added to the record after ingestion. This filter is broader than TI enrichments because it includes all platform-added enrichment fields, not only threat intelligence and geolocation fields.

When you apply the **Non-Enriched** filter, Stellar Cyber displays only fields that came from the original detection or log record before Stellar Cyber enrichment. This filter is useful when you want to review the source facts separately from the context added by Stellar Cyber.

For example, if you're acting as an MSSP analyst and are preparing an alert summary for a customer, you can use **Non-Enriched** to focus on the original detection facts, then use **Enriched** to review the added platform context separately. To learn more about configured enrichments, see [Configuring Data Enrichment].


When you apply multiple filters, Stellar Cyber displays key-value pairs that match any selected filter.

Search for any term that appears in a field key, name, or value and use commas to separate multiple terms. Stellar Cyber displays all results that match any of the search terms you enter. If you're applying a filter at the time of a search, then Stellar Cyber limits its search to just the filtered data. If no filter is applied, then it searches through all unfiltered data.


Searching for a Specific Interflow Key and Value

You can search for Interflow keys with specific values in a table in several ways:

- Expand an entry in the table to view key-value pairs and use the **Filter For** button for one of the key-value pairs to search for matching records. Once you add a term as a filter in this way, it automatically appears in the Filter Panel at the left of the display, too. For example, in the figure below, we're searching for Tactics matching the displayed value.



- Add the Interflow key directly in the Filter Panel. If the attribute you want to search for is not already listed in the panel, you can use the **Add new filter** functionality to add it. Then, supply the value in the field. For example:




Searching for a Value Without a Key

If you know the value you want to search for but aren't certain of the Interflow key (for example, a number), your best route is the Content Search box at the top of all Stellar Cyber pages. Take advantage of the full Lucene syntax to search for partial matches, fuzzy matches, and so on.


Excluding Values from a Table

Sometimes, it can be useful to narrow a search by temporarily excluding all records with a certain Interflow key value. This is the perfect time to use the Filter Out button in a table cell. For example, in the figure below, we're excluding all records matching the selected Host IP address:




Removing Some Filter Criteria

You can remove individual filter criteria from the current search by deselecting the check box in the filter panel. For example:



Removing All Filter Criteria

You can remove all filter criteria by clicking the **Clear all** button at the top of the filter panel. For example:



Searching for a Specific Alert Type

You can search the Alerts table for all alerts of a specific type using either the Content Search box or a table filter in the Alert Type column:


- Use the Content Search box to search the Alerts table for all alerts of a specific type by including the name of the Alert Type you want to search for in quotation marks. For example, to search for the **Emerging Threat** alert type, you would enter the following in the search bar:

- Use a table filter in the **Alert Type** column as follows:

  1. Click the "hamburger" menu in the **Alert Type** column header.
  2. Navigate to the **Filter** tab in the context menu that appears.
  3. Start typing the name of the alert type for which you want to search in the text box.
  4. When the matching alert type appears, click its box to apply the filter.

The filter appears at the top of the table, as in the figure below:



Search Tips

- When using table data as a filter, be aware of whether the data includes multiple values. For example, the figure below shows values of both **modular_sensor** and **Linux_agent** for the **data_sources** Interflow key. Rather than using the **Filter For** button to add this entire term as a search filter, try manually supplying one or the other in the Filters panel at the left of the display.



- If you encounter inconsistent results when using regular expressions in Lucene search, the underlying cause may be the computational cost of the generated query. Complex or overly broad regex patterns can produce resource-intensive queries that impact platform performance and result consistency.

  To ensure reliable and efficient execution, define regular expressions as narrowly and specifically as possible. Avoid overly generic patterns, and constrain the scope of matching wherever feasible.

- If you are searching for a string in a specific field and not receiving results, try including the field both with and without a `.keyword` suffix.

  For example, to search for a specific value in the `event_data.TargetUserName` field, try using a search for the string in both the `event_data.TargetUserName` and `event_data.TargetUserName.keyword` fields. For example:

  ```
  event_data.TargetUserName: "W2K16N527164H51$" OR
  event_data.TargetUserName.keyword: "W2K16N527164H51$"
  ```

Other Filters that Affect Data Display (Tenant Selection & Indices)

As you navigate Stellar Cyber, notice these primary settings that affect data visibility in conjunction with the other settings you make in both the toolbar and the filters panel.

Tenant Filter

The Tenant selection menu is displayed at the top of the Stellar Cyber interface. While the tenant selection is not in the filter controls, selecting a tenant filters the results just as any other filter.

You can also select **All Tenants** to essentially remove that filter. If your role is a tenant admin or user, your tenant is automatically selected and cannot be changed. This maintains privacy between tenants.

Indices

The Data Lake stores data in indices. Each index is used for a different purpose depending on what the source of data is. For example, there is one index for **Linux** events and another for **Syslog** records. When building your filter, remember that:

- The search results always display data from a single index.
- The filter controls do **not** include a control for which index is used to produce the results. This parameter is usually supplied invisibly by the current page.
- On the XDR Kill Chain Home Page the **Alerts** index is used. Other pages might use a different index depending on their function.
- The **Threat Hunting** page defaults to the **Alerts** index; a menu is available from this page for you to change the index to match the threat type you are investigating. Select one or more indices to complement the filter you set in the toolbar.

The indices are defined here.

Saved View Configurations 6.0.0

The Saved View Configurations feature lets you preserve and reapply customized table layouts across different sessions and contexts within the Stellar Cyber UI. Rather than reconfiguring columns, filters, and sorting options each time you revisit a page, you can save your preferred setup as a view and reload it instantly when needed.

This feature is designed to improve efficiency and usability by supporting consistent, personalized data views wherever you work with structured table data.

The Views feature replaces the behavior in releases prior to 6.0.0, where Stellar Cyber automatically saved your last table layout. Beginning with 6.0.0, you must manually save a View to preserve any changes to column settings before navigating away from the page. You can now save multiple Views and reuse them across different tables for consistency.

How to Use Saved Views

When you interact with a table that supports saved views, you can access the feature through either the **Select View** or **Saved Views** button above the table.

To create and use a saved view:

1. Customize the table layout to your needs using built-in controls:
    - Show or hide specific columns
    - Reorder and resize columns
    - Apply sorting, filters, and pagination
2. Click **Select View** (or **Saved Views**) to open the **Saved Views** panel.
3. Select **+ Create New View**, enter a name and a description, and then **Save** your current table configuration as a View.

 All Views are saved on a per-user basis.

4. To apply an existing View, open the **Saved Views** panel and select a View.

   The table updates automatically to reflect the applied View configuration.

5. To return the current View to the default table layout, open the **Saved Views** panel and click **Unselect View** to the right of the current View name.

Manage Views

The **Saved Views** panel lets you organize and maintain your table configurations. The following are some key features:

- **Create New View**: Save the current table setup under a unique name.
- **Apply View**: Select any saved View to update a table instantly.
- **Unselect View**: Revert to the default layout without removing the saved View configuration.
- **Search** and **Filter**: Use the built-in search to locate Views by name or filter Views using the **All**, **Applicable**, or **Favorite** tabs.
- **Manage View Metadata**: Mark Views as favorites and see details via contextual menus.
- **Edit**, **Clone**, and **Delete Views**: Use the Actions menu (three vertical dots) on the right of a View in the Views list to edit, clone or remove it.

This function provides a centralized, consistent experience for managing how you interact with data, enhancing both usability and efficiency.

Can't Use Table Buttons?

If you see buttons at the top of a table that are grayed out and unavailable, it's likely that you need to select one or more items in the table to enable them. Try checking the boxes of a few items in the table and see if the buttons become available.

© 2026 Stellar Cyber . All rights reserved.