Stellar Cyber 6.6.0s is now live! Discover all the updates in the release notes!

Using the System Action Center 6.6.0

Learn more at Stellar Cyber Academy.

The following link takes you to a course on the Stellar Cyber Academy technical training portal where you can learn more about this topic by watching the suggested lessons.

M02 Administration Essentials for Tenants, Users, and System (03h:46m)

System Action Center (24m:00s)

Learn to configure the System Action Center for monitoring and notifications, and watch a demonstration of its capabilities in action. Create rules for events such as case assignments and offline sensors, and explore configuration options for managing alerts across deployments to enhance system monitoring within the Stellar Cyber Platform.

The first time you access a link on the portal during a session, you must log in to access content.

You use **System | System Action Center** to create and manage rules that specify when system notifications are triggered and where they are sent. Triggered notifications always appear in the Notification Center, available under the  in the main toolbar. You can also configure notifications with both email and Slack actions to send messages to specified recipients, including both those defined in the System | Recipients page and those you specify manually on demand.

System notifications help you keep tabs on important system events in the following categories:

- **Case Management** – Get notifications when cases are assigned, closed, escalated, created, updated, or have a score that meets or exceeds a specified threshold.
- **Connector Monitoring** – Get notifications when specified connectors haven't sent data over a given time interval so you can address issues in real time.
- **Device Sensor Monitoring** – Get notifications for different device sensor health issues (for example, no data or heartbeats).

- **License Enforcement** – Find out proactively when your license limits are approaching an undesirable state or have been exceeded.
- **License Usage** – Get notifications when asset usage or ingestion usage exceeds specified thresholds or when asset counts decrease by a configurable percentage.
- **Log Source Monitoring** – Get notifications when log sources stop sending data.
- **Platform Health** – Get notifications when Stellar Cyber Platform health issues affect data ingestion, storage, cluster performance, or UI availability.

  Platform Health alerts are only available as part of an Early Access Program and may not appear in your version of the Stellar Cyber Platform. Contact your account manager to inquire about taking part in an Early Access Program.

- **Playbook Monitoring** – Get notifications when an ATH Playbook experiences a change in status (for example, failure or recovery).
- **Scheduled Report Monitoring** – Get notifications when a scheduled report fails.
- **Sensor Token** – Get notified when a token used to authorize sensors is about to expire.
- **Server Sensor Monitoring** – Get notifications when server sensors experience a change in status, stop sending data, or stop sending heartbeats.
- **TIP Feed Monitoring** – Get notifications when a TIP feed stops sending data or does not respond to polling.
- **User Modifications** – Get notifications for a wide variety of events related to user accounts and RBAC policies.


Refer to **Best Practices for the System Action Center** for guidance on ways you can use the System Action Center effectively in your organization.

See the following sections for details on working with the System Action Center:

- **Required Privileges**
- **Working with the System Action Center Page**
- **Creating New System Notification Rules**
- **Using the System Action Center**


Required Privileges

The System Action Center is only available to accounts with both **Root** scope and the **System | System Action Center** privilege assigned to their profile in **System | ORGANIZATION MANAGEMENT | Role-Based Access Control**. By default, this includes only the **Super Admin** role. The necessary privileges in the Role-Based Access Control page are shown below:



Working with the System Action Center Page

The System Action Center lists each of the defined system action rules in a standard Stellar Cyber table, as shown below.



Available System Action Rules

The table below summarizes the available System Action Rules. Further details on each rule type are provided later in the topic.

Category	Name	Description	Default
Case Management	Case assigned	Notify user a case has been assigned to them.	Disabled
Case Management	Case closed	Notify user that a case has been closed.	Disabled
Case Management	Case escalated	Notify user that a case has been escalated.	Disabled
Case Management	Case meets threshold	Notify users a case has met a desired notification threshold.	Disabled
Case Management	Case updated	Notify user that a case has been updated to 'In Progress' status.	Enabled
Case Management	New case created	Notify users of a new case has been created.	Disabled
Connector Monitoring	No data from connector(s)	Get notified when any connector doesn't send data within a set amount of time.	Enabled
Connector Monitoring	Connector status change	Get notified when the health status of any connector changes from healthy to unhealthy.	Enabled
Device Sensor Monitoring	Device sensor feedback	Get notified when any Device sensor sends a supported feedback message (for example, when a sensor has been upgraded).	Disabled
Device Sensor Monitoring	Device sensor ingestion change	Get notified when any device sensor ingestion changes unexpectedly.	Disabled

Category	Name	Description	Default
Device Sensor Monitoring	Device sensor status change	Get notified when the health status of any device sensor changes to unhealthy.	Disabled
Device Sensor Monitoring	New sensor registration failed	Get notified when a new sensor fails to register with the Stellar Cyber platform.  This feature is only available as part of an Early Access Program and may not appear in your version of the Stellar Cyber Platform. Contact your account manager to inquire about taking part in an Early Access Program.	
Device Sensor Monitoring	No data from device sensor(s)	Get notified when any device sensor doesn't send data within a set amount of time.	Disabled
Device Sensor Monitoring	No heartbeat from device sensor(s)	Get notified when any device sensor doesn't send heartbeat within a set amount of time.	Disabled
License Enforcement	License in undesirable state	Get notified when the license state drops to warning violation or out-of-compliance.	Enabled
License Enforcement	License limit exceeded	Get notified when the license limit is exceeded on a given day.	Enabled
License Usage	Asset count dropped	Get notified when licensing asset counts (V2 Devices, V2 Users, V2 Total) decrease by a configurable percentage threshold between evaluation intervals.	Enabled
License Usage	Asset threshold exceeded	Get notified when assets exceed a limit on a given day.	Enabled
License Usage	Ingestion threshold exceeded	Get notified when ingestion exceeds a limit on a given day.	Disabled
Log Source Monitoring	No data from all log sources	Get notified when no log sources send data within a set amount of time.	Disabled
Log Source Monitoring	No data from log source(s)	Get notified when specified log sources do not send data within a set amount of time.	Disabled
Playbook Monitoring	Playbook status change	Get notified whenever the status of an ATH Playbook changes (for example, failure or recovery).	Disabled
Scheduled Report Monitoring	Scheduled report failed	Get notified whenever a scheduled report fails to execute successfully.	Disabled
Sensor Token	Token is about to expire	Get notified three days before a token used to authorize sensor installations will expire.	Enabled
Server Sensor Monitoring	No data from server sensor(s)	Get notified when any server sensor doesn't send data within a set amount of time.	Disabled
Server Sensor Monitoring	No heartbeat from server sensor(s)	Get notified when any server sensor doesn't send heartbeat within a set amount of time.	Disabled

Category	Name	Description	Default
Server Sensor Monitoring	Server sensor status change	Get notified when the health status of any server sensor changes to unhealthy.	Disabled
TIP Feed Monitoring	No data from TIP feed	Get notified when a TIP feed has not polled for new IoCs within the expected timeframe.	Disabled
TIP Feed Monitoring	TIP feed received error	Get notified when a TIP feed encounters an error during polling.	Disabled
User Modifications	Account lockout triggered	Get notified whenever any user's account is locked due to login failures.	Disabled
User Modifications	Account password change	Get notified whenever any password policy is changed.	Disabled
User Modifications	New RBAC profile created	Get notified whenever a new RBAC profile is created.	Disabled
User Modifications	New user created	Get notified when a new user is created.	Disabled
User Modifications	RBAC profile deleted	Get notified whenever an RBAC profile is deleted.	Disabled
User Modifications	User RBAC privilege escalation	Get notified whenever a user's privilege profile is escalated.	Disabled
User Modifications	User deleted	Get notified when a user is deleted from the platform.	Disabled
User Modifications	User has disabled 2FA	Get notified whenever a user disabled 2FA.	Disabled

System Action Center Fields

The System Action Center lists the defined notification rules with the following information:

- **Name** – The name assigned to the rule when it was created.
- **Category** – Rules are available in the categories listed in the table in the previous section (Case Management, Connector Monitoring, Log Source Monitoring, and so on).
- **Type** – Each category of rule has multiple rule types available.
- **Tenant** – The tenant to whom the notification rule belongs.
- **Description** – Either the standard description of the rule provided by Stellar Cyber, or the description provided when the rule was created.
- **Creator** – The user account that created the rule.
- **Status** – Rules can be either **Enabled** or **Disabled** using the toggle in this column.



Changes to a rule's status require a few minutes to take effect. During this time, for example, you may still receive notifications for a rule you have disabled.

As described in About Built-In Rules, the built-in License Enforcement rules cannot be disabled.

- **Edit** and **Delete** icons.

  As described in About Built-In Rules, the built-in rules cannot be deleted.

- **Clone** – When you check a rule's box, a new **Clone** button appears that lets you make a copy of the selected rule for editing. This is useful when you want to create a new rule that is very similar to an existing rule.

  When you clone a Case Management rule, Stellar Cyber automatically disables the **Send to case assignee** option to help prevent duplicate emails.

In addition, the System Action Center supports standard Stellar Cyber table functionality:

- Sort on column headers.
- Click the "hamburger" menu available in a column header to pin, autosize, or reset columns.
- Use the collapsible **Filters** tab to control what's displayed in the table.
- Use the collapsible **Columns** tab to add/remove columns from the table.
- Export the table in CSV format.

About Built-In Rules

The System Action Center lists both built-in rules and user-configured rules:

- The built-in rules are as follows:

Rule Category	Built-In Rules
License Enforcement	◦ License in undesirable state ◦ License limit exceeded
License Usage	◦ Asset count dropped ◦ Asset threshold exceeded ◦ Ingestion threshold exceeded

- Built-in rules cannot be deleted. Because of this, they will not have a delete icon at the far right of their entry in the table, as is shown below for the first several rules.
- Built-in rules **can** be edited (for example, if you want to add an email address for notifications for the rule).
- The built-in License Monitoring rules can be disabled using the toggle in the **Status** column.
- The built-in License Enforcement rules (**License in undesirable state** and **License limit exceeded**) cannot be disabled.
- User-configured rules can be edited, deleted, and enabled/disabled. They always have the delete icon at the far right of their entry in the table.

Creating New System Notification Rules

You create a new system notification rule by clicking the **Create** button at the top of the System Action Center, selecting the category and type of rule you want to create from the menu that appears, and following the wizard's prompts. Alternatively, if you want to use an existing rule as a template for a new one, you can check the box for the source rule in the list and click the **Clone** button to create an editable copy.

Click the headings below for specific instructions on the type of rule you want to create:

About System Notification Actions

When you create a new system notification rule using the instructions in the sections below, you always have the option of configuring **actions** for the rule. The System Action Center supports the following action types:

- **Email** – Email actions send emails to specified recipients, including both those defined in the System | Recipients page and those you type into the wizard manually.
- **Slack** – Slack actions send Slack messages to specified channels or recipients using the URL for an incoming webhook that you create in the Slack API. You can select a Slack recipient defined in the System | Recipients page or type in the URL for the incoming webhook manually.


Email and Slack messages both include a summary of the event(s) that triggered the notification and a link back to the Stellar Cyber platform to a location that makes sense based on the type of notification that was generated. You can configure a rule with any combination of email and Slack messages, including multiple destinations.

In addition to performing any custom actions you configure, triggered notifications also always appear in the Notification Center, available under the icon in the main toolbar.

The contents of email and Slack messages are not yet configurable.

Consolidated or Individual Notifications 5.4.0


By default, the System Action Center sends *consolidated* notifications, grouping all triggered instances for a given rule in the same time interval into a single message. This gives you a useful summary of all events matching a given rule without overwhelming your inbox or Slack feed. For example, here's a consolidated email showing multiple matching events from a **No data from connector(s)** rule:




In some situations, however, you may want a rule to send individual notifications for each individual event. This can be useful in situations where you want to use an automated system to

perform individual actions based on individual System Action Center events (for example, sending System Action Center emails to a designated Support inbox used by a tool such as Jira Service Management to generate separate tickets automatically).

In these cases, you can configure your rules to send *individual* notifications for each event. You do this by checking the **Send individual...** box for a Notification in the **Actions** step. Here's how that appears for an email notification. A similar option appears for Slack notifications:



A rule configured with the **Send individual option...** enabled sends separate notifications for each separate event matching the rule's conditions. For example, here's one of the individual emails sent by the same rule from our first example when it's been reconfigured with **Send individual...** enabled.




Creating a Case Management Notification Rule

Case Management rules notify you when specified case-related events take place. You can create rules that notify you when the following events related to cases take place:

- Case assigned
- Case closed
- Case escalated
- Case meets threshold
- Case updated
- New case created


The mechanics for creating a case management notification rule are mostly the same regardless of the specific type of rule you are creating. The differences are summarized in the procedure below:

1. Click the **Create** button at the top of the System Action Center and select **Case Management** from the dropdown that appears.
2. Select the type of Case Management notification rule you want to create.



The Create Notification wizard starts with the **Category** set to **Case Management** and the **Type** set to the rule type you selected.

3. Supply a name for your notification rule in the **Name** field.
4. Select the **Tenant** to which the rule applies. By default, **All Tenants** are selected. Click anywhere in the **Tenant** field to display a pick list including all tenants available on the system where you can select the tenant to which this rule applies.
5. You can either accept the system-provided **Description** or supply your own. The description supplied here appears in the System Action Center's table of rules.




6. Click **Next**.
7. Use the **Advanced** step to specify details related to the type of case management rule you selected. The options are different for each rule type and are summarized in the table below:

Case Management Rule Type	Description	Configuration Options
Case assigned	Generates a notification when a case's **Assigned to** field in the Case Details page changes.	Check the **Send to case assignee** box to send an email notification to the case's assignee. This email is sent in addition to any other email or Slack actions you specify in the **Actions** step.
Case closed	Generates a notification when a case's **Status** is changed to **Resolved** in the in the Case Details page.	
Case escalated	Generates a notification when a case's **Status** is changed to **Escalated**in the in the Case Details page.	

Case Management Rule Type	Description	Configuration Options
Case meets threshold	Generates a notification when a case's score meets a threshold you specify.	Use the **Score Threshold** option to specify the case score at which this notification is generated.
Case updated	Generates a notification any time an update is made to a case.	Check the **Send to case assignee** box to send an email notification to the case's assignee. This email is sent in addition to any other email or Slack actions you specify in the **Actions** step.
New case created	Generates a notification when a new case is created.	Use the **Score Threshold** option to set a minimum score threshold at which new case notifications generate notifications. This lets you tune the noise level for the rule; a higher minimum threshold generates fewer notifications.

8. Click **Next** when you are ready to continue.
9. Use the **Actions** step to specify how this rule notifies you when it is triggered:
    - All rules have **In Platform** enabled so that triggered instances appear in the Notification Center.
    - Click the **Add Configuration** button and choose whether to add an **Email** or **Slack** action, as illustrated below.




    - Set the following options for an **Email** action in the **Notification Type: Email** section:
        - Check the **Send individual email for each notification** option if you would like to send separate emails for each triggered instance of the rule. If you do not check this option, the System Action Center sends a consolidated email listing all matching events.

          Refer to **Consolidated or Individual Notifications** for details.
        - Use the **Recipients** field to specify who will receive a notification email when the rule is triggered. Click to display a pick list containing all email recipients configured in the System | Recipients page. If you want to send an email to someone who is not already configured in the **Recipients** page, you can also type addresses in manually.
        - Use the **Subject** field to specify the subject line of the email. If you want to use different subject lines for different recipients, you can click

the **Add Configuration** button and add a second **Email** notification with a different subject line and set of addressees.

The figure below shows a configured Email notification:




- Set the following options for a **Slack** action in the **Notification Type: Slack** section:
    - Check the **Send individual Slack messages for each notification** option if you would like to send separate Slack messages for each triggered instance of the rule. If you do not check this option, the System Action Center sends a consolidated Slack message listing all matching events.

      Refer to **Consolidated or Individual Notifications** for details.
    - Use the **Recipients** field to specify the Slack channel or user that will receive a message when the rule is triggered.

      You can click to display a pick list containing all Slack recipients configured in the System | Recipients page. You can also manually type in the URL for an incoming webhook that you create in the Slack API.

    The figure below shows a configured Slack notification:



    Email and Slack messages both include a summary of the event(s) that triggered the notification and a link back to the Stellar Cyber platform to a location that makes sense based on the type of notification that was generated. You can configure a rule with any combination of email and Slack messages, including multiple destinations.

10. Click **Next** and review the settings for your notification rule. Use the **Back** button to go back and correct anything that's not quite right. When you are satisfied, click **Submit** to add your rule to the list.

    The rule appears in the System Action Center's list and is automatically **Enabled**.

Links in Case Notification Emails

Notification emails sent from the System Action Center for Case Management events include a link to the case in the user interface. Refer to **Using the System Action Center** for important configuration instructions to ensure that these links work correctly.

Preventing Duplicate Case Notification Emails

If you configure multiple **Case assigned** rules, you can prevent duplicate emails by make sure that only one of them has the **Send to case assignee** option enabled. Stellar Cyber helps you with this by disabling the option in cloned Case Management rules.


Creating a Connector Monitoring Notification Rule 6.4.0

Connector Monitoring rules help you keep tabs on the status of your connectors. You can create the following types of Connector Monitoring rules:

- **Connector status change** – Get notified when the status of a connector changes from healthy to one of the unhealthy states (**Error**, **Warning**, or **Unavailable**). New notifications are sent every five minutes for this rule type.
- **No data from connector(s)** – Get notified when specified connectors have not sent traffic over the time interval you configure.


Use the following procedure to create a Connector Monitoring rule:

1. Click the **Create** button at the top of the System Action Center and select **Connector Monitoring** from the dropdown that appears.
2. Select the type of Connector Monitoring rule you want to create.



   The Create Notification wizard starts with the **Category** set to **Connector Monitoring** and the **Type** set to the rule type you selected.

3. Supply a name for your notification rule in the **Name** field.
4. Select the **Tenant** to which the rule applies. By default, **All Tenants** are selected. Click anywhere in the **Tenant** field to display a pick list including all tenants available on the system where you can select the tenant to which this rule applies.
5. You can either accept the system-provided **Description** or supply your own. The description supplied here appears in the System Action Center's table of rules.



6. Click **Next**.


7. Check the **Include All Connector Types** field if you would like to apply this rule to both all current and future connector types.

   When this box is checked, new connector types are automatically added to the notification rule as they are added to the Stellar Cyber platform. If this option is not enabled, you will need to add new connector types to the rule as they become available in the platform for the rule to trigger on them.

8. Use the **Connector Type(s)** field to specify the types of connectors for this rule.


   Note that this field is not active if you checked **Include All Connector Types**.

   By default, all connector types are selected. You can remove a specific connector type by clicking the **x** in its entry in the field. You can also click anywhere in the field to display a pick list (shown below) that lets you check the boxes for the connector types you want to include in the rule. The pick list also includes a **Select All** option that lets you add all connector types back to the list if you have removed some.



9. The entries in the **Connector Type(s)** field are broad **types** of connectors and not **specific** connectors themselves. You use the **Excluded Connector(s)** field to exclude specific connectors from the types selected in the **Connector Type(s)** field from the inactivity rule. The **Excluded Connector(s)** pick list shows you just the specific connectors belonging to the Types that are part of the rule you are creating.


   For example, in the figure below, we have only selected the Active Directory connector type. As you can see, the **Excluded Connector(s)** pick list shows us all of the specific Active Directory connectors defined on the system. You can use the pick list to check the boxes of any specific connectors you want to exclude from inactivity notifications in this rule.




10. You can use the **Excluded Tenant(s)** dropdown to exclude specified tenants from notifications for this rule.

    This option only appears when **All Tenants** is selected in the first step of the rule's configuration. It gives you a handy way to omit a few tenants whom you don't want to notify with a particular rule.

11. For a **No data from connector(s)** rule, you can use the **Interval** fields to specify the time window for the rule. You may be concerned if some connectors have not sent data in a manner of minutes, while others may not give you cause for concern over a period of days. The **Interval** controls let you specify both the units (**Minutes**, **Hours**, or **Days**) and the size of the time window. For example, we have specified an interval of 12 hours in the figure below:




12. Click **Next** when you are ready to continue.
13. Use the **Actions** step to specify how this rule notifies you when it is triggered:
    - All rules have **In Platform** enabled so that triggered instances appear in the Notification Center.
    - Click the **Add Configuration** button and choose whether to add an **Email** or **Slack** action, as illustrated below.



    - Set the following options for an **Email** action in the **Notification Type: Email** section:
        - Check the **Send individual email for each notification** option if you would like to send separate emails for each triggered instance of the rule. If you do not check this option, the System Action Center sends a consolidated email listing all matching events.

          Refer to **Consolidated or Individual Notifications** for details.
        - Use the **Recipients** field to specify who will receive a notification email when the rule is triggered. Click to display a pick list containing all email recipients configured in the System | Recipients page. If you want to send an email to someone who is not already configured in the **Recipients** page, you can also type addresses in manually.
        - Use the **Subject** field to specify the subject line of the email. If you want to use different subject lines for different recipients, you can click the **Add Configuration** button and add a second **Email** notification with a different subject line and set of addressees.

The figure below shows a configured Email notification:




- Set the following options for a **Slack** action in the **Notification Type: Slack** section:
    - Check the **Send individual Slack messages for each notification** option if you would like to send separate Slack messages for each triggered instance of the rule. If you do not check this option, the System Action Center sends a consolidated Slack message listing all matching events.

      Refer to **Consolidated or Individual Notifications** for details.
    - Use the **Recipients** field to specify the Slack channel or user that will receive a message when the rule is triggered.

      You can click to display a pick list containing all Slack recipients configured in the System | Recipients page. You can also manually type in the URL for an incoming webhook that you create in the Slack API.

  The figure below shows a configured Slack notification:



  Email and Slack messages both include a summary of the event(s) that triggered the notification and a link back to the Stellar Cyber platform to a location that makes sense based on the type of notification that was generated. You can configure a rule with any combination of email and Slack messages, including multiple destinations.

14. Click **Next** and review the settings for your notification rule. Use the **Back** button to go back and correct anything that's not quite right. When you are satisfied, click **Submit** to add your rule to the list.

    The rule appears in the System Action Center's list and is automatically **Enabled**.

Creating a Device Sensor Monitoring Rule 6.4.0

Device Sensor Monitoring rules help you monitor the health of your device sensors, notifying you when they are either offline or haven't sent data within a specified amount of time.



Device Sensor Monitoring rules only work for device sensors. They are not supported for Server Sensors (agents).

You can create the following types of Device Sensor Monitoring rules:

- **Device sensor feedback** –This rule is triggered when the feedback from a Device Sensor indicates that it has been upgraded. Stellar Cyber checks every five minutes for changes in upgrade feedback.
- **Device sensor ingestion change** – This rule is triggered when a Device Sensor's daily ingestion deviates more than a specified percentage from its average daily ingestion over the last seven days. Stellar Cyber compares these values once per day at 03:00 AM UTC.
- **Device sensor status change** – This rule is triggered when a Device Sensor's status is either **yellow** or **red**, as defined below. A new notification is generated every five minutes the sensor remains in one of these states. You can investigate further in the Sensor list.
    - **Yellow** – At least one warning condition is affecting the sensor.

      Click here to see the possible warning conditions:
        - Sensor disk usage exceeds 90%
        - Sensor CPU usage exceeds 99%
        - Sensor feedback contains a `config mismatch` error message
        - Sensor has not updated its status in at least five minutes
        - Sensor feedback shows a failure to apply a profile with the Tenable Nessus feature enabled to a sensor running version 4.3.3 or lower (Tenable Nessus support was introduced in 4.3.4)
        - Sensor feedback contains at least one `warning` message
    - **Red** – At least one danger condition is affecting the sensor.

      Click there to see the possible danger conditions:
        - Sensor has an invalid Engine ID (`engid`)
        - Sensor has a conflicting Engine ID (`engid`)
        - Sensor configuration is out of sync (either the `ver_sent` does not match received `ver_ack` or one of the two messages is missing)
        - Sensor memory usage exceeds 95%
        - Sensor feedback contains a `config failure` message
        - Sensor feedback shows at least one failure during the application of a new sensor profile.
- **New sensor registration failed** – This rule is triggered when a new device sensor fails to register and cannot send data to the platform. Check your device connectivity and sensor configuration. 6.6.0

This feature is is only available as part of an Early Access Program and may not appear in your version of the Stellar Cyber Platform. Contact your account manager to inquire about taking part in an Early Access Program.


- **No data from device sensor(s)** – This rule is triggered when a sensor has not sent a record with traffic within a specified interval.
- **No heartbeat from device sensor(s)** – This rule is triggered when Stellar Cyber has not received a heartbeat message from a sensor within a specified interval.

Notice that the **No data** and **No heartbeat** rules monitor for different types of inactivity. When a **No data from device sensor(s)** notification is generated, Stellar Cyber may still have contact with the affected sensor but is not receiving records with traffic. In the case of the **No heartbeat from device sensor(s)** notification, Stellar Cyber is not receiving heartbeats from affected sensors and has not had contact within the specified monitoring interval.

For all rule types, you can also specify a **Mute Interval** that specifies a window within which a repeated instance of the same notification will not be generated.

. Use the following procedure to create a Device Sensor Monitoring rule:


1. Click the **Create** button at the top of the System Action Center and select **Device Sensor Monitoring** from the dropdown that appears.



2. Select the type of rule you want to create. See the start of this section for a description of the rule types.

   The Create Notification wizard starts with the **Category** set to **Device Sensor Monitoring** and the **Type** set to the selected rule type.

3. Supply a name for your notification rule in the **Name** field.
4. Select the **Tenant** to which the rule applies. By default, **All Tenants** are selected. Click anywhere in the **Tenant**) field to display a pick list including all tenants available on the system where you can select the tenant to which this rule applies.
5. You can either accept the system-provided **Description** or supply your own. The description supplied here appears in the System Action Center's table of rules.




6. Click **Next**.
7. Set **Advanced** options for the rule, as described below:
    - All rules include the **Excluded Sensors** option, with a dropdown that lets you exclude specified sensors from monitoring. The list includes all sensors available to the tenant selected in the first step of the wizard.
    - Rules with **All Tenants** selected in the first step include the **Excluded Tenants** option, with a dropdown that lets you exclude sensors assigned to a specified tenant from monitoring. This gives you a handy way to assign a rule to all but a few excluded tenants.
    - Some of the rules include additional options, as summarized in the table below:


Device Sensor Monitoring Rule Type	Advanced Options	Description	Default Value
Device sensor ingestion change	**Ingestion Change Percent**	Specify the percentage differential in daily ingestion (up or down) from the average of the previous seven days at which this rule is triggered.	20%
No data from device sensor(s)	**No Data Threshold**	Specify the amount of time that can pass without a device sensor sending a record with traffic before this rule is triggered.	1 hour
	Mute Threshold	Use these options to temporarily silence notifications from the rule for a specified amount of time. Once the rule is triggered, no new notifications will be generated from the same rule until the **Mute Threshold** has passed. Stellar Cyber still monitors the rule for signs of activity from the sensor until the mute threshold passes and restarts the monitoring interval if they are detected. A new alert is only generated when the Mute Threshold is passed if no activity has been seen during the monitoring interval.	1 hour
No heartbeat from device sensor(s)	**No Heartbeat Threshold**	Specify the amount of time that can pass without a device sensor sending a heartbeat before this rule is triggered.	4 hours

Device Sensor Monitoring Rule Type	Advanced Options	Description	Default Value
	Mute Threshold	Use these options to temporarily silence notifications from the rule for a specified amount of time. Once the rule is triggered, no new notifications will be generated from the same rule until the **Mute Threshold** has passed. Stellar Cyber still monitors the rule for heartbeats from the sensor until the mute threshold passes and restarts the monitoring interval if they are detected. A new alert is only generated when the Mute Threshold is passed if no heartbeats have been seen during the monitoring interval.	24 hours

The image below shows the **Advanced** step for a **No data from device sensor(s)** rule:



8. Use the **Actions** step to specify how this rule notifies you when it is triggered:
    - All rules have **In Platform** enabled so that triggered instances appear in the Notification Center.
    - Click the **Add Configuration** button and choose whether to add an **Email** or **Slack** action, as illustrated below.




    - Set the following options for an **Email** action in the **Notification Type: Email** section:
        - Check the **Send individual email for each notification** option if you would like to send separate emails for each triggered instance of the rule. If you do not check this option, the System Action Center sends a consolidated email listing all matching events.

          Refer to **Consolidated or Individual Notifications** for details.
        - Use the **Recipients** field to specify who will receive a notification email when the rule is triggered. Click to display a pick list

containing all email recipients configured in the System | Recipients page. If you want to send an email to someone who is not already configured in the **Recipients** page, you can also type addresses in manually.

- Use the **Subject** field to specify the subject line of the email. If you want to use different subject lines for different recipients, you can click the **Add Configuration** button and add a second **Email** notification with a different subject line and set of addressees.

The figure below shows a configured Email notification:




- Set the following options for a **Slack** action in the **Notification Type: Slack** section:
  - Check the **Send individual Slack messages for each notification** option if you would like to send separate Slack messages for each triggered instance of the rule. If you do not check this option, the System Action Center sends a consolidated Slack message listing all matching events.

    Refer to **Consolidated or Individual Notifications** for details.
  - Use the **Recipients** field to specify the Slack channel or user that will receive a message when the rule is triggered.

    You can click to display a pick list containing all Slack recipients configured in the System | Recipients page. You can also manually type in the URL for an incoming webhook that you create in the Slack API.

The figure below shows a configured Slack notification:



Email and Slack messages both include a summary of the event(s) that triggered the notification and a link back to the Stellar Cyber platform to a location that makes sense based on the type of notification that was generated. You can configure a rule with any combination of email and Slack messages, including multiple destinations.

9. Click **Next** and review the settings for your notification rule. Use the **Back** button to go back and correct anything that's not quite right. When you are satisfied, click **Submit** to add your rule to the list.

   The rule appears in the System Action Center's list and is automatically **Enabled**.

Creating a License Enforcement Notification Rule


License Enforcement rules notify you about issues regarding your licenses. You can create the following types of License Enforcement rules:

- **License in undesirable state** – This rule is triggered when your license enters the warning, violation, or out-of-compliance state. Refer to .**Understanding License Compliance** for details on each of these license states.
- **License limit exceeded** – This rule is triggered when your license is exceeded on a given day, but remains below the 110% of usage that would put it in a warning state.

The system includes built-in **License in undesirable state** and **License limit exceeded** rules that can be neither disabled nor deleted. You can edit those rules to change who is notified by them or, alternatively, you can create additional License Enforcement rules using the procedure below to notify different sets of people with different emails.

. Use the following procedure to create a License Enforcement rule:


1. Click the **Create** button at the top of the System Action Center and select **License Enforcement** from the dropdown that appears.




2. Select either **License in undesirable state** or **License limit exceeded**, depending on the type of rule you want to create. See the start of this section for a description of the two rule types.

   The Create Notification wizard starts with the **Category** set to **License Enforcement** and the **Type** set to the selected rule type.

3. Supply a name for your notification rule in the **Name** field.
4. Select the **Tenant** to which the rule applies. By default, **All Tenants** are selected. Click anywhere in the **Tenant** field to display a pick list including all tenants available on the system where you can select the tenant to which this rule applies.
5. You can either accept the system-provided **Description** or supply your own. The description supplied here appears in the System Action Center's table of rules.




6. Click **Next**.
7. Use the **Actions** step to specify how this rule notifies you when it is triggered:
    - All rules have **In Platform** enabled so that triggered instances appear in the Notification Center.
    - Click the **Add Configuration** button and choose whether to add an **Email** or **Slack** action, as illustrated below.



    - Set the following options for an **Email** action in the **Notification Type: Email** section:
        - Check the **Send individual email for each notification** option if you would like to send separate emails for each triggered instance of the rule. If you do not check this option, the System Action Center sends a consolidated email listing all matching events.

          Refer to **Consolidated or Individual Notifications** for details.
        - Use the **Recipients** field to specify who will receive a notification email when the rule is triggered. Click to display a pick list containing all email recipients configured in the System | Recipients page. If you want to send an email to someone who is not already configured in the **Recipients** page, you can also type addresses in manually.
        - Use the **Subject** field to specify the subject line of the email. If you want to use different subject lines for different recipients, you can click the **Add Configuration** button and add a second **Email** notification with a different subject line and set of addressees.

      The figure below shows a configured Email notification:




- Set the following options for a **Slack** action in the **Notification Type: Slack** section:
    - Check the **Send individual Slack messages for each notification** option if you would like to send separate Slack messages for each triggered instance of the rule. If you do not check this option, the System Action Center sends a consolidated Slack message listing all matching events.

      Refer to **Consolidated or Individual Notifications** for details.
    - Use the **Recipients** field to specify the Slack channel or user that will receive a message when the rule is triggered.

      You can click to display a pick list containing all Slack recipients configured in the System | Recipients page. You can also manually type in the URL for an incoming webhook that you create in the Slack API.

  The figure below shows a configured Slack notification:



  Email and Slack messages both include a summary of the event(s) that triggered the notification and a link back to the Stellar Cyber platform to a location that makes sense based on the type of notification that was generated. You can configure a rule with any combination of email and Slack messages, including multiple destinations.

8. Click **Next** and review the settings for your notification rule. Use the **Back** button to go back and correct anything that's not quite right. When you are satisfied, click **Submit** to add your rule to the list.

   The rule appears in the System Action Center's list and is automatically **Enabled**.

Creating a License Usage Notification Rule

License Usage rules notify you about issues regarding your licenses. You can create the following types of License Usage rules:

- **Asset count dropped** – This rule is triggered when the counts of your V2 Devices, V2 Users, or V2 Total assets decrease by a configurable percentage threshold

between evaluation intervals. This rule polls every 15 minutes for asset counts to check for significant drops. When the drop exceeds the specified percentage threshold, the rule generates a notification.

Although Stellar Cyber evaluates this condition every 15 minutes, it sends this notification a maximum of once per day for the same condition.


"V2 assets" are also referred to as entity-based assets.

- **Asset threshold exceeded** – This rule is triggered when your license's asset threshold is exceeded on a given day.
- **Ingestion threshold exceeded** – This rule is triggered when your license's volume-based threshold is exceeded on a given day.

The system includes built-in **Asset count dropped**, **Asset threshold exceeded**, and **Ingestion threshold exceeded** rules that cannot be deleted. You can disable these rules or edit them to change who is notified by them. Alternatively, you can create additional License Usage rules using the procedure below to notify different sets of people with different emails.

. Use the following procedure to create a License Usage rule:


1. Click the **Create** button at the top of the System Action Center and select **License Usage** from the dropdown that appears.



2. Select the type of rule you want to create. See the start of this section for a description of the rule types.

   The Create Notification wizard starts with the **Category** set to **License Usage** and the **Type** set to the selected rule type.

3. Supply a name for your notification rule in the **Name** field.
4. Select the **Tenant** to which the rule applies. By default, **All Tenants** are selected. Click anywhere in the **Tenant** field to display a pick list including all tenants available on the system where you can select the tenant to which this rule applies.
5. You can either accept the system-provided **Description** or supply your own. The description supplied here appears in the System Action Center's table of rules.




6. Click **Next**.
7. Are you configuring an **Asset Drop** or **Asset/Ingestion Threshold Exceeded** rule?
    - **Asset Drop Rules:**
        a. Select the **Asset Type(s)** to monitor. You can select **V2 Devices**, **V2 Users**, or **V2 Total assets**.

        "V2 assets" are also referred to as entity-based assets.

        b. Specify the **Drop Threshold** percentage. This rule checks asset counts every 15 minutes to see if the selected type has dropped by more than the percentage specified here, generating a notification if it has.

        Although Stellar Cyber evaluates this condition every 15 minutes, it sends this notification a maximum of once per day for the same condition.

        c. Use the **Monitored Tenants** field to select the tenants whose assets will be monitored by this rule. Click anywhere in the **Monitored Tenant(s)** field to display a pick list including all tenants available on the system where you can select specific tenants to which this rule applies.


    - **Asset/Ingestion Threshold Exceeded Rules:**
        a. Select the **Tenant** to which the rule applies. By default, **All Tenants** are selected. Click anywhere in the **Tenant** field to display a pick list including all tenants available on the system where you can select the tenant to which this rule applies.

        b. Use the **Threshold** field to specify by how much the asset or ingestion threshold must be exceeded in order for this rule to be triggered:


            - **Asset threshold exceeded** – The threshold specifies the number of assets above the allowed threshold at which

this notification is triggered.

- **Ingestion threshold exceeded** – The threshold specifies the number of GB above the allowed threshold at which this notification is triggered.




8. Click **Next**.
9. Use the **Actions** step to specify how this rule notifies you when it is triggered:
    - All rules have **In Platform** enabled so that triggered instances appear in the Notification Center.
    - Click the **Add Configuration** button and choose whether to add an **Email** or **Slack** action, as illustrated below.



    - Set the following options for an **Email** action in the **Notification Type: Email** section:
        - Check the **Send individual email for each notification** option if you would like to send separate emails for each triggered instance of the rule. If you do not check this option, the System Action Center sends a consolidated email listing all matching events.

          Refer to **Consolidated or Individual Notifications** for details.
        - Use the **Recipients** field to specify who will receive a notification email when the rule is triggered. Click to display a pick list containing all email recipients configured in the System | Recipients page. If you want to send an email to someone who is not already configured in the **Recipients** page, you can also type addresses in manually.
        - Use the **Subject** field to specify the subject line of the email. If you want to use different subject lines for different recipients, you can click the **Add Configuration** button and add a second **Email** notification with a different subject line and set of addressees.

      The figure below shows a configured Email notification:




- Set the following options for a **Slack** action in the **Notification Type: Slack** section:
    - Check the **Send individual Slack messages for each notification** option if you would like to send separate Slack messages for each triggered instance of the rule. If you do not check this option, the System Action Center sends a consolidated Slack message listing all matching events.

      Refer to **Consolidated or Individual Notifications** for details.
    - Use the **Recipients** field to specify the Slack channel or user that will receive a message when the rule is triggered.

      You can click to display a pick list containing all Slack recipients configured in the System | Recipients page. You can also manually type in the URL for an incoming webhook that you create in the Slack API.

  The figure below shows a configured Slack notification:



  Email and Slack messages both include a summary of the event(s) that triggered the notification and a link back to the Stellar Cyber platform to a location that makes sense based on the type of notification that was generated. You can configure a rule with any combination of email and Slack messages, including multiple destinations.

10. Click **Next** and review the settings for your notification rule. Use the **Back** button to go back and correct anything that's not quite right. When you are satisfied, click **Submit** to add your rule to the list.

    The rule appears in the System Action Center's list and is automatically **Enabled**.

Creating a Log Source Monitoring Notification Rule 6.5.0

Log Source Monitoring rules help you keep tabs on the status of your log sources. You can create the following types of Log Source Monitoring rules:

- **No data from all log source(s)** – Get notified when no log sources send data over the time interval you configure.


- **No data from log source(s)** – Get notified when specified log sources have not sent data over the time interval you configure.

Log Source Monitoring rules only monitor log sources that have sent data within the last 30 days. To ensure consistent inactivity evaluation, retain Analytics Data Engine (ADE) data for at least 30 days.

Use the following procedure to create a Log Source Monitoring rule:

1. Click the **Create** button at the top of the System Action Center and select **Log Source Monitoring** from the dropdown that appears.
2. Select the type of Log Source Monitoring rule you want to create.

   The Create Notification wizard starts with the **Category** set to **Log Source Monitoring** and the **Type** set to the rule type you selected.
3. Supply a name for your notification rule in the **Name** field.
4. Select the **Tenant** to which the rule applies. By default, **All Tenants** are selected. Click anywhere in the **Tenant** field to display a pick list including all tenants available on the system where you can select the tenant to which this rule applies.
5. You can either accept the system-provided **Description** or supply your own. The description supplied here appears in the System Action Center's table of rules.



6. Click **Next**.
7. Set **Advanced** options for the rule, as described below:
   a. Set the rule-specific options described in the table below:

Device Sensor Monitoring Rule Type	Advanced Options	Description
No data from all log source(s)	**Excluded Log Source(s)**	By default, this rule is configured to trigger when **all** log sources for the specified tenant (or All Tenants) stop sending data. You can use the **Excluded Log Source(s)** controls to omit specified rules from the rule's checks.
No data from log source(s)	You can configure a **No data from log source(s)** rule as either a *whitelist* using the **Included Log Source(s)** option or as a *blacklist* using the **Excluded Log Source(s(** option:	
	Included Log Source(s)	*Alert me ONLY if these specific sources go silent.* Choose the log sources you care about; nothing else is monitored. This is useful when you have a handful of critical sources (for

Device Sensor Monitoring Rule Type	Advanced Options	Description
		example, three key firewalls). The dropdown includes all log sources available to the tenancy selected in the previous step.
	Excluded Log Source(s)	*Alert me if ANY source goes silent, EXCEPT these.* Monitors all sources globally but suppresses excluded log sources. The dropdown includes all log sources available to the tenancy selected in the previous step.


b. Use the **Excluded Tenant(s)** dropdown to exclude specified tenants from notifications for this rule.

This option only appears when **All Tenants** is selected in the first step of the rule's configuration. It gives you a handy way to omit a few tenants whom you don't want to notify with a particular rule.

c. Set the **No Data** and **Mute** thresholds for the rule:


No Data Threshold	Specify the amount of time that can pass without log sources sending data before this rule is triggered. Use these options to temporarily silence notifications from the rule for a specified amount of time. Once the rule is triggered, no new notifications will be generated from the same rule until the **Mute Threshold** has passed.
Mute Threshold	Stellar Cyber still monitors the rule for signs of log source activity until the mute threshold passes and restarts the monitoring interval if they are detected. A new alert is only generated when the Mute Threshold is passed if no activity has been seen during the monitoring interval.

The image below shows the **Advanced** step for a **No data from all log source(s)** rule:



8. Click **Next** when you are ready to continue.
9. Use the **Actions** step to specify how this rule notifies you when it is triggered:
    - All rules have **In Platform** enabled so that triggered instances appear in the Notification Center.


- Click the **Add Configuration** button and choose whether to add an **Email** or **Slack** action, as illustrated below.



- Set the following options for an **Email** action in the **Notification Type: Email** section:
    - Check the **Send individual email for each notification** option if you would like to send separate emails for each triggered instance of the rule. If you do not check this option, the System Action Center sends a consolidated email listing all matching events.

      Refer to **Consolidated or Individual Notifications** for details.
    - Use the **Recipients** field to specify who will receive a notification email when the rule is triggered. Click to display a pick list containing all email recipients configured in the System | Recipients page. If you want to send an email to someone who is not already configured in the **Recipients** page, you can also type addresses in manually.
    - Use the **Subject** field to specify the subject line of the email. If you want to use different subject lines for different recipients, you can click the **Add Configuration** button and add a second **Email** notification with a different subject line and set of addressees.

  The figure below shows a configured Email notification:




- Set the following options for a **Slack** action in the **Notification Type: Slack** section:
    - Check the **Send individual Slack messages for each notification** option if you would like to send separate Slack messages for each triggered instance of the rule. If you do not check this option, the System Action Center sends a consolidated Slack message listing all matching events.

      Refer to **Consolidated or Individual Notifications** for details.

- Use the **Recipients** field to specify the Slack channel or user that will receive a message when the rule is triggered.

  You can click to display a pick list containing all Slack recipients configured in the System | Recipients page. You can also manually type in the URL for an incoming webhook that you create in the Slack API.

The figure below shows a configured Slack notification:



Email and Slack messages both include a summary of the event(s) that triggered the notification and a link back to the Stellar Cyber platform to a location that makes sense based on the type of notification that was generated. You can configure a rule with any combination of email and Slack messages, including multiple destinations.

10. Click **Next** and review the settings for your notification rule. Use the **Back** button to go back and correct anything that's not quite right. When you are satisfied, click **Submit** to add your rule to the list.

    The rule appears in the System Action Center's list and is automatically **Enabled**.

Creating a Platform Health Rule 6.6.0

Platform Health rules help you monitor the health of your Stellar Cyber Platform, notifying you when there are health issues affecting data ingestion, storage, cluster performance, or UI availability.

Platform Health alerts are only available as part of an Early Access Program and may not appear in your version of the Stellar Cyber Platform. Contact your account manager to inquire about taking part in an Early Access Program.

You can create the following types of Platform Health rules:


Alert	Description	Severity	Firing Notification	Recovery Notification
Cluster node is down	Get notified when a cluster node goes down.	Critical	A cluster node is down – platform capacity is temporarily reduced and some operations may be interrupted or slower.	The cluster node has been restored and platform capacity is operating normally.
Data cluster health degraded	Get notified when the data cluster health	Critical	Search and recent data may be temporarily unavailable.	Data cluster health has been restored and search and recent

Alert	Description	Severity	Firing Notification	Recovery Notification
	degrades.			data are available.
Data ingestion decreased	Get notified when data ingestion has dropped significantly.	Critical	Data ingestion has dropped to near zero for at least one hour – recent events may not appear in the platform. Verify that your data sources and sensors are sending data as expected.	Data ingestion has recovered and events are appearing in the platform as expected.
Ingestion delay threshold exceeded	Get notified when data ingestion delay exceeds the configured threshold.	Warning	Data ingestion is delayed beyond the configured threshold – recent events may not yet be searchable.	Data ingestion delay has returned to within the configured threshold.
Ingress has high 4xx error rate	Get notified when the ingress 4xx error rate exceeds the threshold.	Warning	Platform access is experiencing a high rate of authentication errors. Verify client credentials and connectivity, then review the affected sources in the System Action Center.	The 4xx error rate has returned to within the acceptable threshold.
Ingress has high latency	Get notified when ingress latency exceeds the threshold.	Warning	The platform is experiencing high ingress latency and may be responding slowly.	Ingress latency has returned to within the acceptable threshold.
Message type ingestion decreased	Get notified when ingestion for a specific message type has dropped significantly.	Warning	Ingestion for the specified message type has dropped significantly — recent events of this type may not appear in the platform. Verify that your data sources are sending data as expected.	Ingestion for the specified message type has recovered and events are appearing in the platform as expected.
Receiver anomaly detected	Get notified when an anomaly is detected in the receiver pipeline.	Critical	An anomaly has been detected in the receiver pipeline – data ingestion may be delayed or incomplete.	The receiver pipeline anomaly has been resolved and data ingestion is operating normally.
Storage nearing capacity	Get notified when storage is nearing its capacity limit.	Warning	Storage is nearing capacity – data retention may be affected if unresolved.	Storage capacity is no longer near its limit and data retention is not at risk.
UI is unreachable	Get notified when the UI becomes unreachable.	Critical	The platform console may be temporarily unreachable.	The platform console is reachable.

For all rule types, you can also specify a **Mute Interval** that specifies a window within which a repeated instance of the same notification will not be generated.

. Use the following procedure to create a Platform Health rule:

1. Click the **Create** button at the top of the System Action Center and select **Platform Health** from the dropdown that appears.




2. Select the type of rule you want to create. See the start of this section for a description of the rule types.

   The Create Notification wizard starts with the **Category** set to **Platform Health** and the **Type** set to the selected rule type.

3. Supply a name for your notification rule in the **Name** field.

4. Select the **Tenant** to which the rule applies. By default, **All Tenants** are selected. Click anywhere in the **Tenant**) field to display a pick list including all tenants available on the system where you can select the tenant to which this rule applies.

5. You can either accept the system-provided **Description** or supply your own. The description supplied here appears in the System Action Center's table of rules.



6. Click **Next**.

7. Set **Advanced** options for the rule, as described below:

Mute Threshold	Use these options to temporarily silence notifications from the rule for a specified amount of time. Once the rule is triggered, no new notifications will be generated from the same rule until the **Mute Threshold** has passed.	24 hours

8. Use the **Suppression** step to set up a schedule of times during which notifications from the rule will not be displayed in the Notification Center or sent to configured recipients. This can be handy for suppressing notifications from sensors that you know are normally not seeing any data during specific hours.

   The times you configure for the Suppression schedule are specified in browser time.


   a. Use the **Mute Schedule** checkbox to enable or disable suppression for the rule. When **Mute Schedule** is checked, you can set up a schedule as follows:

b. Select a time zone for the schedule from the dropdown. By default, the time zone is set to your browser's time zone.

c. Use the **Start Day/Time** and **End Day/Time** fields to specify a window of time during which notifications from the rule are not sent.


d. Use the **+ Row** button to add an additional row to the schedule. Each row creates a new window of time during which notifications from the rule are not sent.

The figure below shows a sample **Suppression** schedule configured to exclude notifications during weekends and late evenings on Monday nights to Tuesday mornings:



9. Use the **Actions** step to specify how this rule notifies you when it is triggered:

- All rules have **In Platform** enabled so that triggered instances appear in the Notification Center.
- Click the **Add Configuration** button and choose whether to add an **Email** or **Slack** action, as illustrated below.




- Set the following options for an **Email** action in the **Notification Type: Email** section:
  - Check the **Send individual email for each notification** option if you would like to send separate emails for each triggered instance of the rule. If you do not check this option, the System Action Center sends a consolidated email listing all matching events.

    Refer to **Consolidated or Individual Notifications** for details.
  - Use the **Recipients** field to specify who will receive a notification email when the rule is triggered. Click to display a pick list containing all email recipients configured in the System | Recipients page. If you want to send an email to someone who is not already configured in the **Recipients** page, you can also type addresses in manually.

- Use the **Subject** field to specify the subject line of the email. If you want to use different subject lines for different recipients, you can click the **Add Configuration** button and add a second **Email** notification with a different subject line and set of addressees.

The figure below shows a configured Email notification:




- Set the following options for a **Slack** action in the **Notification Type: Slack** section:
    - Check the **Send individual Slack messages for each notification** option if you would like to send separate Slack messages for each triggered instance of the rule. If you do not check this option, the System Action Center sends a consolidated Slack message listing all matching events.

      Refer to **Consolidated or Individual Notifications** for details.
    - Use the **Recipients** field to specify the Slack channel or user that will receive a message when the rule is triggered.

      You can click to display a pick list containing all Slack recipients configured in the System | Recipients page. You can also manually type in the URL for an incoming webhook that you create in the Slack API.

The figure below shows a configured Slack notification:



Email and Slack messages both include a summary of the event(s) that triggered the notification and a link back to the Stellar Cyber platform to a location that makes sense based on the type of notification that was generated. You can configure a rule with any combination of email and Slack messages, including multiple destinations.

10. Click **Next** and review the settings for your notification rule. Use the **Back** button to go back and correct anything that's not quite right. When you are satisfied, click **Submit** to add your rule to the list.

    The rule appears in the System Action Center's list and is automatically **Enabled**.

Creating a Playbook Monitoring Notification Rule 6.4.0

Playbook Status Change rules help you keep tabs on the status of your ATH Playbooks. To avoid gaps in detection and ingestion, Playbook Monitoring rules alert you when any of the following status changes occur:


Playbook Status Change	Description
Initialization Failed	The playbook did not complete its startup process when it was created or enabled. Because initialization was unsuccessful, the playbook cannot run. This may occur if an error is encountered during setup or if required system records are not created properly. Until the underlying issue is resolved, the playbook will remain inactive and unable to execute.
Consecutive Failures	The playbook has failed multiple times in a row, indicating an ongoing issue rather than a one-time error. Repeated failures typically point to configuration problems, permission issues, integration failures, or logic errors that need investigation.
High Failure Rate	The playbook is failing at a high rate compared to its recent execution history. By default, this status is triggered when more than half of the most recent runs have failed. This signals reduced reliability and suggests that the playbook may be unstable or inconsistently executing.
Recovered (Informational)	A playbook that was previously failing has successfully completed its most recent run. This indicates that the issue affecting earlier executions has been resolved and the playbook is currently operating as expected.
Missed Scheduled Run (Error)	A scheduled playbook did not execute within its expected time window. By default, this status is triggered when execution is more than three minutes late. This may indicate scheduling delays, system performance issues, or interruptions that prevented the playbook from running on time.

Use the following procedure to create a Playbook Monitoring rule:


1. Click the **Create** button at the top of the System Action Center and select **Playbook Monitoring** from the dropdown that appears.
2. The only type of Playbook Monitoring rule is **Playbook Status Change**. Select that rule type.

The Create Notification wizard starts with the **Category** set to **Playbook Monitoring** and the **Type** set to **Playbook Status Change**.

3. Supply a name for your notification rule in the **Name** field.
4. Select the **Tenant** to which the rule applies. By default, **All Tenants** are selected. Click anywhere in the **Tenant** field to display a pick list including all tenants available on the system where you can select the tenant to which this rule applies.
5. You can either accept the system-provided **Description** or supply your own. The description supplied here appears in the System Action Center's table of rules.



6. Click **Next**.
7. Use the **Actions** step to specify how this rule notifies you when it is triggered:
    - All rules have **In Platform** enabled so that triggered instances appear in the Notification Center.
    - Click the **Add Configuration** button and choose whether to add an **Email** or **Slack** action, as illustrated below.




    - Set the following options for an **Email** action in the **Notification Type: Email** section:
        - Check the **Send individual email for each notification** option if you would like to send separate emails for each triggered instance of the rule. If you do not check this option, the System Action Center sends a consolidated email listing all matching events.

          Refer to **Consolidated or Individual Notifications** for details.
        - Use the **Recipients** field to specify who will receive a notification email when the rule is triggered. Click to display a pick list containing all email recipients configured in the System | Recipients page. If you want to send an email to someone who is not already configured in the **Recipients** page, you can also type addresses in manually.
        - Use the **Subject** field to specify the subject line of the email. If you want to use different subject lines for different recipients, you can

click the **Add Configuration** button and add a second **Email** notification with a different subject line and set of addressees.

The figure below shows a configured Email notification:




- Set the following options for a **Slack** action in the **Notification Type: Slack** section:
    - Check the **Send individual Slack messages for each notification** option if you would like to send separate Slack messages for each triggered instance of the rule. If you do not check this option, the System Action Center sends a consolidated Slack message listing all matching events.

      Refer to **Consolidated or Individual Notifications** for details.
    - Use the **Recipients** field to specify the Slack channel or user that will receive a message when the rule is triggered.

      You can click to display a pick list containing all Slack recipients configured in the System | Recipients page. You can also manually type in the URL for an incoming webhook that you create in the Slack API.

    The figure below shows a configured Slack notification:



    Email and Slack messages both include a summary of the event(s) that triggered the notification and a link back to the Stellar Cyber platform to a location that makes sense based on the type of notification that was generated. You can configure a rule with any combination of email and Slack messages, including multiple destinations.

8. Click **Next** and review the settings for your notification rule. Use the **Back** button to go back and correct anything that's not quite right. When you are satisfied, click **Submit** to add your rule to the list.


   The rule appears in the System Action Center's list and is automatically **Enabled**.

Creating a Scheduled Report Monitoring Rule 5.2.0

Scheduled Report Monitoring rules can notify you when a scheduled report has failed, helping you investigate report generation issues in real time. Scheduled Report Monitoring rules check for failed reports every five minutes.


. Use the following procedure to create a Scheduled Report Monitoring rule:

1. Click the **Create** button at the top of the System Action Center and select **Scheduled Report Monitoring | Scheduled report failed** from the dropdown that appears.




   The Create Notification wizard starts with the **Category** set to **Scheduled Report Monitoring** and the **Type** set to **Scheduled report failed**.

2. Supply a name for your notification rule in the **Name** field.
3. Select the **Tenant** to which the rule applies. By default, **All Tenants** are selected. Click anywhere in the **Tenant**) field to display a pick list including all tenants available on the system where you can select the tenant to which this rule applies.
4. You can either accept the system-provided **Description** or supply your own. The description supplied here appears in the System Action Center's table of rules.



5. Click **Next**.
6. Use the **Actions** step to specify how this rule notifies you when it is triggered:
   - All rules have **In Platform** enabled so that triggered instances appear in the Notification Center.
   - Click the **Add Configuration** button and choose whether to add an **Email** or **Slack** action, as illustrated below.



   - Set the following options for an **Email** action in the **Notification Type: Email** section:


- Check the **Send individual email for each notification** option if you would like to send separate emails for each triggered instance of the rule. If you do not check this option, the System Action Center sends a consolidated email listing all matching events.

  Refer to **Consolidated or Individual Notifications** for details.

- Use the **Recipients** field to specify who will receive a notification email when the rule is triggered. Click to display a pick list containing all email recipients configured in the System | Recipients page. If you want to send an email to someone who is not already configured in the **Recipients** page, you can also type addresses in manually.

- Use the **Subject** field to specify the subject line of the email. If you want to use different subject lines for different recipients, you can click the **Add Configuration** button and add a second **Email** notification with a different subject line and set of addressees.

The figure below shows a configured Email notification:



- Set the following options for a **Slack** action in the **Notification Type: Slack** section:


  - Check the **Send individual Slack messages for each notification** option if you would like to send separate Slack messages for each triggered instance of the rule. If you do not check this option, the System Action Center sends a consolidated Slack message listing all matching events.

    Refer to **Consolidated or Individual Notifications** for details.

  - Use the **Recipients** field to specify the Slack channel or user that will receive a message when the rule is triggered.

    You can click to display a pick list containing all Slack recipients configured in the System | Recipients page. You can also manually type in the URL for an incoming webhook that you create in the Slack API.

  The figure below shows a configured Slack notification:



Email and Slack messages both include a summary of the event(s) that triggered the notification and a link back to the Stellar Cyber platform to a location that makes sense based on the type of notification that was generated. You can configure a rule with any combination of email and Slack messages, including multiple destinations.

7. Click **Next** and review the settings for your notification rule. Use the **Back** button to go back and correct anything that's not quite right. When you are satisfied, click **Submit** to add your rule to the list.


   The rule appears in the System Action Center's list and is automatically **Enabled**.

Creating a Sensor Token Rule 5.3.0


Sensor Token rules notify you three days before a token is about to expire. Tokens are used to authorize sensor installations.

Use the following procedure to create a Sensor Token rule:


1. Click the **Create** button at the top of the System Action Center and select **Sensor Token** from the dropdown that appears.



2. The only rule available in the **Sensor Token** category is **Token is about to expire**. This rule notifies you when a token is three days from expiring.
3. Supply a name for your notification rule in the **Name** field.
4. Select the **Tenant** to which the rule applies. By default, **All Tenants** are selected. Click anywhere in the **Tenant**) field to display a pick list including all tenants available on the system where you can select the tenant to which this rule applies.
5. You can either accept the system-provided **Description** or supply your own. The description supplied here appears in the System Action Center's table of rules.




6. Click **Next**.
7. Use the **Actions** ste specify how this rule notifies you when it is triggered:
    - All rules have **In Platform** enabled so that triggered instances appear in the Notification Center.
    - Click the **Add Configuration** button and choose whether to add an **Email** or **Slack** action, as illustrated below.



    - Set the following options for an **Email** action in the **Notification Type: Email** section:
        - Check the **Send individual email for each notification** option if you would like to send separate emails for each triggered instance of the rule. If you do not check this option, the System Action Center sends a consolidated email listing all matching events.

          Refer to **Consolidated or Individual Notifications** for details.
        - Use the **Recipients** field to specify who will receive a notification email when the rule is triggered. Click to display a pick list containing all email recipients configured in the System | Recipients page. If you want to send an email to someone who is not already configured in the **Recipients** page, you can also type addresses in manually.
        - Use the **Subject** field to specify the subject line of the email. If you want to use different subject lines for different recipients, you can click the **Add Configuration** button and add a second **Email** notification with a different subject line and set of addressees.

      The figure below shows a configured Email notification:



    - Set the following options for a **Slack** action in the **Notification Type: Slack** section:
        - Check the **Send individual Slack messages for each notification** option if you would like to send separate Slack messages for each triggered instance of the rule. If you do not


check this option, the System Action Center sends a consolidated Slack message listing all matching events.

Refer to **Consolidated or Individual Notifications** for details.

- Use the **Recipients** field to specify the Slack channel or user that will receive a message when the rule is triggered.

  You can click to display a pick list containing all Slack recipients configured in the System | Recipients page. You can also manually type in the URL for an incoming webhook that you create in the Slack API.

The figure below shows a configured Slack notification:



Email and Slack messages both include a summary of the event(s) that triggered the notification and a link back to the Stellar Cyber platform to a location that makes sense based on the type of notification that was generated. You can configure a rule with any combination of email and Slack messages, including multiple destinations.

8. Click **Next** and review the settings for your notification rule. Use the **Back** button to go back and correct anything that's not quite right. When you are satisfied, click **Submit** to add your rule to the list.

   The rule appears in the System Action Center's list and is automatically **Enabled**.

Creating a Server Sensor Monitoring Rule 6.4.0

Server Sensor Monitoring rules help you monitor the health of your Server Sensors, notifying you when they are either offline or haven't sent data within a specified amount of time.

Server Sensor Monitoring rules only work for server sensors. They are not supported for Device Sensors (dedicated sensors).

You can create the following types of Server Sensor Monitoring rules:

- **No data from server sensor(s)** – This rule is triggered when a server sensor has not sent a record with traffic within a specified interval.
- **No heartbeat from server sensor(s)** – This rule is triggered when Stellar Cyber has not received a heartbeat message from a server sensor within a specified interval.

  Notice that these rules are monitoring for different types of inactivity. When a **No data from server sensor(s)** notification is generated, Stellar Cyber may still have

contact with the affected Server Sensor but is not receiving records with traffic. In the case of the **No heartbeat from server sensor(s)** notification, Stellar Cyber is not receiving heartbeats from affected Server Sensors and has not had contact within the specified monitoring interval.

For both the **No data** and **No heartbeat** rules, you can also specify a **Mute Interval**that specifies a window within which a repeated instance of the same notification will not be generated.

- **Server sensor status change** – This rule is triggered when the status of a Server Sensor is either **yellow** or **red**, as defined below. A new notification is generated every five minutes the sensor remains in one of these states. You can investigate further in the Sensor list.
    - **Yellow** – At least one warning condition is affecting the sensor.

      Click here to see the possible warning conditions:

        - Sensor disk usage exceeds 90%
        - Sensor CPU usage exceeds 99%
        - Sensor feedback contains a `config mismatch` error message
        - Sensor has not updated its status in at least five minutes
        - Sensor feedback shows a failure to apply a profile with the Tenable Nessus feature enabled to a sensor running version 4.3.3 or lower (Tenable Nessus support was introduced in 4.3.4)
        - Sensor feedback contains at least one `warning` message
    - **Red** – At least one danger condition is affecting the sensor.


      Click there to see the possible danger conditions:

        - Sensor has an invalid Engine ID (`engid`)
        - Sensor has a conflicting Engine ID (`engid`)
        - Sensor configuration is out of sync (either the `ver_sent` does not match received `ver_ack` or one of the two messages is missing)
        - Sensor memory usage exceeds 95%
        - Sensor feedback contains a `config failure` message
        - Sensor feedback shows at least one failure during the application of a new sensor profile.

          The exception to this is a failure to apply a modular sensor profile with the Tenable Nessus feature enabled to a sensor running 4.3.3 or lower. Those failures are reported as warnings and only display the yellow LED, as described above.

Use the following procedure to create a Server Sensor Monitoring rule:

1. Click the **Create** button at the top of the System Action Center and select **Server Sensor Monitoring** from the dropdown that appears.




2. Select the type of rule you want to create. See the start of this section for a description of the rule types.

   The Create Notification wizard starts with the **Category** set to **Server Sensor Monitoring** and the **Type** set to the selected rule type.

3. Supply a name for your notification rule in the **Name** field.

4. Select the **Tenant** to which the rule applies. By default, **All Tenants** are selected. Click anywhere in the **Tenant**) field to display a pick list including all tenants available on the system where you can select the tenant to which this rule applies.

5. You can either accept the system-provided **Description** or supply your own. The description supplied here appears in the System Action Center's table of rules.



6. Click **Next**.

7. Set **Advanced** options for the rule, as described below:


   - All rules include the **Excluded Sensors** option, with a dropdown that lets you exclude specified sensors from monitoring. The list includes all sensors available to the tenant selected in the first step of the wizard.
   - Rules with **All Tenants** selected in the first step include the **Excluded Tenants** option, with a dropdown that lets you exclude sensors assigned to a specified tenant from monitoring. This gives you a handy way to assign a rule to all but a few excluded tenants.
   - Some of the rules include additional options, as summarized in the table below:

Server Sensor Monitoring Rule Type	Advanced Options	Description	Default Value
No data from server sensor(s)	**No Data Threshold**	Specify the amount of time that can pass without a server sensor sending a record with traffic before this rule is triggered.	1 hour
	Mute Threshold	Use these options to temporarily silence notifications from the rule for a specified amount of time. Once the rule is triggered, no new notifications will be generated from the same rule until the **Mute Threshold** has passed. Stellar Cyber still monitors the rule for signs of activity from the sensor until the mute threshold passes and restarts the monitoring interval if they are detected. A new alert is only generated when the Mute Threshold is passed if no activity has been seen during the	1 hour

Server Sensor Monitoring Rule Type	Advanced Options	Description	Default Value
		monitoring interval.	
No heartbeat from server sensor(s)	**No Heartbeat Threshold**	Specify the amount of time that can pass without a server sensor sending a heartbeat before this rule is triggered.	4 hours
	Mute Threshold	Use these options to temporarily silence notifications from the rule for a specified amount of time. Once the rule is triggered, no new notifications will be generated from the same rule until the **Mute Threshold** has passed. Stellar Cyber still monitors the rule for heartbeats from the sensor until the mute threshold passes and restarts the monitoring interval if they are detected. A new alert is only generated when the Mute Threshold is passed if no heartbeats have	24 hours

Server Sensor Monitoring Rule Type	Advanced Options	Description	Default Value
		been seen during the monitoring interval.	

The image below shows the **Advanced** step for a **No data from server sensor(s)** rule:



8. Use the **Suppression** step to set up a schedule of times during which notifications from the rule will not be displayed in the Notification Center or sent to configured recipients. This can be handy for suppressing notifications from sensors that you know are normally not seeing any data during specific hours.

   The times you configure for the Suppression schedule are specified in browser time.


   a. Use the **Mute Schedule** checkbox to enable or disable suppression for the rule. When **Mute Schedule** is checked, you can set up a schedule as follows:

   b. Select a time zone for the schedule from the dropdown. By default, the time zone is set to your browser's time zone.


   c. Use the **Start Day/Time** and **End Day/Time** fields to specify a window of time during which notifications from the rule are not sent.

   d. Use the **+ Row** button to add an additional row to the schedule. Each row creates a new window of time during which notifications from the rule are not sent.

   The figure below shows a sample **Suppression** schedule configured to exclude notifications during weekends and late evenings on Monday nights to Tuesday mornings:




9. Use the **Actions** step to specify how this rule notifies you when it is triggered:
    - All rules have **In Platform** enabled so that triggered instances appear in the Notification Center.
    - Click the **Add Configuration** button and choose whether to add an **Email** or **Slack** action, as illustrated below.



    - Set the following options for an **Email** action in the **Notification Type: Email** section:
        - Check the **Send individual email for each notification** option if you would like to send separate emails for each triggered instance of the rule. If you do not check this option, the System Action Center sends a consolidated email listing all matching events.

          Refer to **Consolidated or Individual Notifications** for details.
        - Use the **Recipients** field to specify who will receive a notification email when the rule is triggered. Click to display a pick list containing all email recipients configured in the System | Recipients page. If you want to send an email to someone who is not already configured in the **Recipients** page, you can also type addresses in manually.
        - Use the **Subject** field to specify the subject line of the email. If you want to use different subject lines for different recipients, you can click the **Add Configuration** button and add a second **Email** notification with a different subject line and set of addressees.

      The figure below shows a configured Email notification:




- Set the following options for a **Slack** action in the **Notification Type: Slack** section:
    - Check the **Send individual Slack messages for each notification** option if you would like to send separate Slack messages for each triggered instance of the rule. If you do not check this option, the System Action Center sends a consolidated Slack message listing all matching events.

      Refer to **Consolidated or Individual Notifications** for details.
    - Use the **Recipients** field to specify the Slack channel or user that will receive a message when the rule is triggered.

      You can click to display a pick list containing all Slack recipients configured in the System | Recipients page. You can also manually type in the URL for an incoming webhook that you create in the Slack API.

  The figure below shows a configured Slack notification:



  Email and Slack messages both include a summary of the event(s) that triggered the notification and a link back to the Stellar Cyber platform to a location that makes sense based on the type of notification that was generated. You can configure a rule with any combination of email and Slack messages, including multiple destinations.

10. Click **Next** and review the settings for your notification rule. Use the **Back** button to go back and correct anything that's not quite right. When you are satisfied, click **Submit** to add your rule to the list.

    The rule appears in the System Action Center's list and is automatically **Enabled**.

Creating a TIP Feed Monitoring Notification Rule 6.4.0


TIP Feed Monitoring rules help you keep tabs on the status of your configured TIP feeds. You can create the following types of TIP Feed Monitoring rules:

- **No data from TIP feed** – Get notified when a TIP feed does not respond with new indicators of compromise across a configurable number of recent polls (default 4, range 1-24).
- **TIP feed received error** – Get notified when a TIP feed receives an error during a poll (error codes 401, 403, or 500).

Use the following procedure to create a TIP Feed Monitoring rule:

1. Click the **Create** button at the top of the System Action Center and select **TIP Feed Monitoring** from the dropdown that appears.
2. Select the type of TIP Feed Monitoring rule you want to create.


   The Create Notification wizard starts with the **Category** set to **TIP Feed Monitoring** and the **Type** set to the rule type you selected.
3. Supply a name for your notification rule in the **Name** field.
4. Select the **Tenant** to which the rule applies. By default, **All Tenants** are selected. Click anywhere in the **Tenant** field to display a pick list including all tenants available on the system where you can select the tenant to which this rule applies.
5. You can either accept the system-provided **Description** or supply your own. The description supplied here appears in the System Action Center's table of rules.



6. Set the options in the Advanced step corresponding to your selected rule type:

TIP Feed Monitoring Rule Type	Advanced Options	Description	Default Value
No data from TIP feed	**No Data Polls**	Specify the number of successive polls without receiving updated IOCs at which this rule will trigger a notification.	4
TIP feed received error	N/A	No configurable options. Rule triggers on error codes 401, 403, or 500.	N/A


7. Click **Next** when you are ready to continue.
8. Use the **Actions** step to specify how this rule notifies you when it is triggered:
   - All rules have **In Platform** enabled so that triggered instances appear in the Notification Center.
   - Click the **Add Configuration** button and choose whether to add an **Email** or **Slack** action, as illustrated below.



- Set the following options for an **Email** action in the **Notification Type: Email** section:
    - Check the **Send individual email for each notification** option if you would like to send separate emails for each triggered instance of the rule. If you do not check this option, the System Action Center sends a consolidated email listing all matching events.

      Refer to **Consolidated or Individual Notifications** for details.
    - Use the **Recipients** field to specify who will receive a notification email when the rule is triggered. Click to display a pick list containing all email recipients configured in the System | Recipients page. If you want to send an email to someone who is not already configured in the **Recipients** page, you can also type addresses in manually.
    - Use the **Subject** field to specify the subject line of the email. If you want to use different subject lines for different recipients, you can click the **Add Configuration** button and add a second **Email** notification with a different subject line and set of addressees.

  The figure below shows a configured Email notification:




- Set the following options for a **Slack** action in the **Notification Type: Slack** section:
    - Check the **Send individual Slack messages for each notification** option if you would like to send separate Slack messages for each triggered instance of the rule. If you do not check this option, the System Action Center sends a consolidated Slack message listing all matching events.

      Refer to **Consolidated or Individual Notifications** for details.
    - Use the **Recipients** field to specify the Slack channel or user that will receive a message when the rule is triggered.

You can click to display a pick list containing all Slack recipients configured in the System | Recipients page. You can also manually type in the URL for an incoming webhook that you create in the Slack API.

The figure below shows a configured Slack notification:



Email and Slack messages both include a summary of the event(s) that triggered the notification and a link back to the Stellar Cyber platform to a location that makes sense based on the type of notification that was generated. You can configure a rule with any combination of email and Slack messages, including multiple destinations.

9. Click **Next** and review the settings for your notification rule. Use the **Back** button to go back and correct anything that's not quite right. When you are satisfied, click **Submit** to add your rule to the list.

   The rule appears in the System Action Center's list and is automatically **Enabled**.

Creating a User Modifications Rule 5.2.0

User Modification rules help you monitor a wide variety of changes and events related to user accounts, giving you a powerful audit trail for identity management.

You can create the following types of User Modification rules:


- **Account lockout triggered** – This rule is triggered when a user's account is locked out due to excessive failed login attempts.
- **Account password change** – This rule is triggered when an account's password has been changed.
- **New RBAC profile created** – This rule is triggered when a new RBAC profile is created.
- **New user created** – This rule is triggered when a new user account is created.
- **RBAC profile deleted** – This rule is triggered when an RBAC profile is deleted.
- **User RBAC privilege escalation** – This rule is triggered when the a user's RBAC profile is changed to one with increased capabilities in the platform (for example, from **User** to **Platform Admin**).
- **User deleted** – This rule is triggered when a user account is deleted.
- **User has disabled 2FA** – This rule is triggered when two-factor authentication is disabled for a user account.

For all User Modification rules, new notifications are sent every five minutes.


. Use the following procedure to create a User Modifications rule:

1. Click the **Create** button at the top of the System Action Center and select **User Modifications** from the dropdown that appears.
2. Select the type of rule you want to create. See the start of this section for a description of the available rule types.

   The Create Notification wizard starts with the **Category** set to **User Modifications** and the **Type** set to the selected rule type.
3. Supply a name for your notification rule in the **Name** field.
4. Select the **Tenant** to which the rule applies. By default, **All Tenants** are selected. Click anywhere in the **Tenant**) field to display a pick list including all tenants available on the system where you can select the tenant to which this rule applies.
5. You can either accept the system-provided **Description** or supply your own. The description supplied here appears in the System Action Center's table of rules.



6. Click **Next**.
7. Use the **Actions** step to specify how this rule notifies you when it is triggered:
   - All rules have **In Platform** enabled so that triggered instances appear in the Notification Center.
   - Click the **Add Configuration** button and choose whether to add an **Email** or **Slack** action, as illustrated below.




   - Set the following options for an **Email** action in the **Notification Type: Email** section:
     - Check the **Send individual email for each notification** option if you would like to send separate emails for each triggered instance of the rule. If you do not check this option, the System Action Center sends a consolidated email listing all matching events.

       Refer to **Consolidated or Individual Notifications** for details.
     - Use the **Recipients** field to specify who will receive a notification email when the rule is triggered. Click to display a pick list

containing all email recipients configured in the System | Recipients page. If you want to send an email to someone who is not already configured in the **Recipients** page, you can also type addresses in manually.

- Use the **Subject** field to specify the subject line of the email. If you want to use different subject lines for different recipients, you can click the **Add Configuration** button and add a second **Email** notification with a different subject line and set of addressees.

The figure below shows a configured Email notification:




- Set the following options for a **Slack** action in the **Notification Type: Slack** section:
  - Check the **Send individual Slack messages for each notification** option if you would like to send separate Slack messages for each triggered instance of the rule. If you do not check this option, the System Action Center sends a consolidated Slack message listing all matching events.

    Refer to **Consolidated or Individual Notifications** for details.
  - Use the **Recipients** field to specify the Slack channel or user that will receive a message when the rule is triggered.

    You can click to display a pick list containing all Slack recipients configured in the System | Recipients page. You can also manually type in the URL for an incoming webhook that you create in the Slack API.

The figure below shows a configured Slack notification:



Email and Slack messages both include a summary of the event(s) that triggered the notification and a link back to the Stellar Cyber platform to a location that makes sense based on the type of notification that was generated. You can configure a rule with any combination of email and Slack messages, including multiple destinations.

8. Click **Next** and review the settings for your notification rule. Use the **Back** button to go back and correct anything that's not quite right. When you are satisfied, click **Submit** to add your rule to the list.

   The rule appears in the System Action Center's list and is automatically **Enabled**.

© 2026 Stellar Cyber . All rights reserved.