
Stellar Cyber 6.6.0s is now live! Discover all the updates in the release notes!

Working with Case Details 6.1.0

The Case Detail view provides an interactive, dynamically updated workspace for assessing, investigating, and responding to cases generated by Stellar Cyber. You can drill to the **Case Detail** view using any of the following techniques:

- Selecting the name of a case in the Case table.
- Selecting a case listed in the Top Cases panel in the XDR Kill Chain Page .
- Selecting an **Associated Case** in the Event Details display for an alert.

In response, the **Case Detail** view for the selected case appears.




The **Case Detail** view has the following main components:

- **Case Identification** – The **Case Identification** panel is at the top of the page and stays visible throughout all **Case Detail** views. It gives you the who, what, when, and where for a case, including the system-generated Case ID, the case name, the associated tenant and tenant group, and the case's score, color-coded to indicate its severity. Names for system-generated cases start out with a summary of the underlying alerts and date. You can click or tap in the name cell to edit the system-generated case name. If you do manually edit a case name, Stellar Cyber stops automatically updating it. As a result, any alert counts shown in the name might no longer reflect the current number of associated alerts.


  If the case is synchronized with a third-party application such as ServiceNow using an InSync, a status indicator for the InSync appears at the top of the panel with its name, status, time of last synchronization in browser time, and a ticket number link to the synchronized case in the third-party application.

From here, you can also associate tags, edit the status and priority of cases, as well as assign resources, share the case via email, or export the case to share it with others outside the Stellar Cyber Platform. The **Case Identification** panel is described in detail later on in this topic.



- **Case Workspace** – The **Case Workspace** is where you identify, assess, triage, and respond to cases. The Case Workspace provides the tabs summarized below. Click on any of the tabs listed below to see a detailed description of the corresponding tab.
    - Detection Tab – The **Detection** tab provides a high-level summary of the case, including a breakdown of what Stellar Cyber has seen and why it is scoring the case the way it is. You can also see a summary of the XDR Kill Chain stages involved, and a table of Associated Alerts.
    - Analysis Tab – The **Analysis** tab is where you investigate the case. You can rearrange the associated entities, select them to drill to further details, and hover your mouse over links to see contextual pop-ups. Separate **Observables** and **Timeline** panels at the right of the tab let you view either a summary of the entities associated with the case or a sortable timeline showing the elapsed time between each of the case's events. Both views let you drill to further details on the underlying evidence for the case.
    - Response Tab – The **Response** tab is where you take action on the case. Stellar Cyber automatically suggests appropriate actions based on the alerts involved and the response actions available for the associated connectors, from blocking an IP address to disabling a user or disconnecting a host.
- **Case Activity** – The **Case Activity** panel provides an audit trail for the case, chronicling any changes made to its associated alerts, Score, Severity, Status, Resolution, Assignee, Tags, or Description, in addition to any synchronization events with third-party applications such as ServiceNow via a Stellar Cyber InSync. You can also add your own comments to the **Case Activity** panel, helping you annotate changes made during the investigation of a case. Comments are viewable by all users, but can only be edited or deleted by the user who created them. Changes to comments also correspondingly update the Last Modified date for the case.


  Open the **Case Activity** panel by selecting its button at the far right of the **Case Detail** view. The **Case Activity** panel is available in all **Case Detail** views, regardless of the currently displayed tab.



When you export a case, all relevant data from the **Case Activity** panel is included, including changes to its severity, status, assignee, and size (number of associated alerts). Timestamps are provided showing when each change occurred. Exported cases include AI-generated summaries, if enabled in Global Settings.

- Evidence Locker – The Evidence Locker (described in detail below) provides a handy spot for you to store and share items that help your team bolster its case, including emails, PDF files, CSV files, and links to other locations in the Stellar Cyber Platform.

  Open the Evidence Locker by selecting its button at the far right of the **Case Detail** view. Similar to the **Case Activity** panel, the Evidence Locker is available in all **Case Detail** views, regardless of the currently displayed tab.



AI Case Analysis 6.4.0

AI Case Analysis lets you run AI analysis on a case to add new AI-generated narratives, insights, and suggested incident responses to the Case Detail tabs. After running AI Analysis on a case, the following new information is available in the tabs in the Case Detail view:

- Case Detail view's **Detection** tab replaces the **Case Score Breakdown** with an AI-generated summary that provides a high-level narrative of the case, helping you understand the nature of the incident without reviewing every individual alert.
- Case Detail view's **Analysis** tab includes a new **Hypothesis** panel and adds AI-generated summaries to the existing **Timeline**, and **Observables** panels, helping summarize alerts into a case-level story, reconstructing timelines, and explaining relationships between entities.
- Case Detail view's **Response** tab provides tailored response recommendations, giving you clear context and next steps without manually stitching alerts together.

Exported cases include the same AI-generated additions, clearly identified as generated by the Stellar Cyber AI Agent. 6.4.0

Enabling AI Case Analysis

Platform administrator can use the **Enable AI Case Analysis & Summary** option in **System | ORGANIZATION MANAGEMENT | Settings** to toggle the availability of AI Case Analysis for all tenants.

Even if you previously used AI-assisted case analysis in the Early Access Program, after upgrading to 6.4.0s you must toggle on **Enable AI Case Analysis & Summary** to continue

using it in 6.4.0s.


Running AI Analysis on a Case

If AI Case Analysis is enabled in your Stellar Cyber Platform, the Case Identification panel includes a new button that lets you see whether AI Case Analysis has already been performed, and, if it has not, perform it now.

Use the following procedure to run AI Case Analysis:


1. Click a case's entry in the Current Cases table to see its detail display.
2. Look for the AI Case Analysis button at the top right of the Case Identification panel. The button has the following possible values:
    - **Run Analysis** – AI Case Analysis has not yet been run on this case.
    - **Analyzing** – AI Case Analysis is in progress.
    - **Case Analyzed** – AI Case Analysis has been run and the Case Detail tabs updated with new AI-generated details.


    In the figure below, the button reads **Run Analysis**, indicating that AI Case Analysis has not yet been run on the case. In addition, the **Detection** tab still shows the **Case Score Breakdown** instead of the AI-generated case Summary.




3. Click **Run Analysis** to start AI Case Analysis.

    A confirmation prompt appears, informing you of your organization's remaining daily AI analyses. Click the **Yes** button to begin AI Case Analysis.




    The AI Case Analysis button changes to read 

 while analysis is performed. While AI Case Analysis is in progress, the **Case Detail** page updates the analysis status in real time. If you refresh the page while analysis is running, the current in-progress status is preserved so you can continue to track it until the AI-generated case summary is available.



Processing time can vary based on alert volume and external dependencies. For more information, see **Understanding Alert Auto Triage Performance**.

When AI Case Analysis is complete, the button updates to read **Case Analyzed**. In addition, the **Case Score Breakdown** in the **Detection** tab is replaced by an AI-generated Case Summary, as shown in the figure below:



You can use the one-click copy button at the base of the Case Summary to copy the entire Case Summary for easy pasting elsewhere.

Using the Case Identification Panel

The **Case Identification** panel is available at the top of all **Case Detail** views. The **Case Identification** panel provides the following information on the case:

- **Case Name** – Stellar Cyber automatically assigns a name to each case it reports. You can either accept the default name or supply your own.
- **Score** – Stellar Cyber assigns scores to cases based on how critical they are. A case score updates in real time as events and entities are added to or removed from the case. Scores are color-coded to indicate the seriousness of the case.
- **Who** – The users and hosts associated with the case. You can find details on the observables for the case in the **Analysis** tab.
- **What** – The Tactic or Technique for the alert with the highest severity associated with this case.
    - **Tags** – Use this field to assign custom tags to a case that are meaningful to you (for example, **AWS** or **Internal**). You can use **Tags** as filters in the Case table, giving you a way to group cases based on criteria that are meaningful to your deployment.
- **When** – The time at which the case was first created.
- **Where** – The geographic locations associated with the case, if known. You can drill down on the observables listed in the Analysis tab to see which entities were seen where.

- **Severity** – The severity of the case (**Critical**, **High**, **Medium**, or **Low**). Severity automatically changes with a case score until it's changed manually here. Once you manually edit the severity of a case, it no longer updates automatically based on the case score. Severity indicators are color coded to direct your attention to more serious cases.
- **Status** – All cases start out with a **Status** of **New**. You can use this field to measure your progress as you address the case, changing the **Status** to **In Progress**, **Resolved**, or **Cancelled**. Filters in the Case table let you view just those cases of a particular status, giving you a handy way to maintain visibility on case status across the enterprise.


  All changes to the **Status** field are logged to the **Case Activity panel**.

  Once a case's status has been changed to either **Resolved** or **Cancelled**, Stellar Cyber no longer associates new alerts with the resolved or cancelled case. Instead, new alerts are either used to create a new case or associated with a different open case. In addition, a dialog box appears providing the following options for resolved or cancelled Cases:

Status Action	Available Options
Case Resolved	◦ Select a tag describing the case's resolution (**None**, **False Positive**, **Benign**, or **True Positive**). ◦ Set a comment for the case's resolution. ◦ Update the case's associated alerts to **Closed**. This option is enabled or disabled according to the setting of the **Close all related alerts** option in Global Case Settings. 5.5.0
Case Cancelled	◦ Set a comment for the case's cancellation. ◦ Update the case's associated alerts to **Ignored** .

  Note that cancelling a case does not delete the case but it does remove it from the Current Cases table under the default display filters. If you want to see cancelled cases in the Current Cases table, you can set the display filters to include **Cancelled** cases.

  When you set the **Status** of a case as **Resolved**, a dialog box appears that lets you select a tag describing how the case was resolved. Once applied, the tag appears as a special graphic indicator in the **Case Identification** panel. The figure below summarizes this:



  You can change the resolution tag for a case as often as you like. All changes are logged to the **Case Activity** panel.

Suggested Usage for the Case Resolution Tags

In general, Case Resolution tags are arranged in a hierarchy according to how you perceive the accuracy and threat level of a given case, ascending from **None** (the least accurate and the lowest threat) to **True Positive** (the most accurate and a real threat).

Broadly speaking, you can use the **Benign** and **True Positive** tags for cases whose underlying correlation you are satisfied with while reserving the **None** and **False Positive** tags for those with which you are not. Reserve the **Benign** tag for cases that are accurate but result from pen testing or other artificial events.

The table below provides some suggested usages for the available Case Resolution tags.

Case Resolution Tag	Perceived Case Accuracy/Threat Level	Suggested Usage
None	Somewhat accurate but not a threat.	This is the default Case Resolution tag. Leave resolved cases assigned to the None tag if you have judged them to be somewhat accurate but non-threatening.
False Positive	Not accurate and not a threat.	Assign the **False Positive** tag to cases you have evaluated and judged to be inaccurate and not a threat.
Benign	Accurate, but not a threat.	Assign the **Benign** tag to cases that are generated in response to artificial alerts (for example, those generated as the result of a pen test).
True Positive	Accurate and a threat.	Assign the **True Positive** tag to cases that are both accurate and a real threat..

- **Assigned To** – All cases start out as **Unassigned**. You can use this field to assign a case to any user currently defined in the Stellar Cyber system, providing a degree of traceability. You can sort the Case table by assignee, as well as use the **Assignee** filters to see different filtered views of cases by assignee.


  The users available for assignment depend on the scope of the account you are logged in with. For example, If you are logged in as a user with Tenant scope, you can only assign a case to users associated with the same tenant. Similarly, a user with Partner scope can assign cases to any user associated with a tenant belonging to that partner. In addition, if you don't see assignee options at all, it's possible that a root user has hidden the options.

  All changes to the **Assignee** field are logged in the **Case Activity panel**.

InSync Indicators in the Case Identification Panel 6.1.0

Cases synchronized with a third-party application such as ServiceNow using a Stellar Cyber InSync include a status indicator for the InSync at the top of the Case Identification panel, as illustrated below.

If the case could not be synchronized automatically to an active InSync configuration, the **Sync to ServiceNow** button appears instead and can be used for manual synchronization.




The InSync indicator includes the following information:

- **Name** – The name of the InSync, as configured in the InSyncs page. You can select the InSync name to navigate to the InSyncs page.
- **InSync Status** – The status of the InSync is indicated both with text and the color of the circle around the NOW icon:
    - A green circle indicates a **Synced** status.
    - A gray circle indicates a **Paused** status.
    - A red circle indicates an **Error** status.
- **Ticket Number Link to ServiceNow** – The ticket number of the synchronized case in ServiceNow. You can select the ticket number to drill to the synchronized case in ServiceNow.
- **Timestamp** – Each indicator displays a timestamp of the last synchronization, expressed in the time zone of the browser.

See Using InSyncs for more information on working with InSyncs.

Manually Pushing a Case to ServiceNow

In the **Case Detail** page, the **Sync to ServiceNow** button is visible and can be used for manual synchronization when an alert cannot be automatically synchronized to any InSync configuration.




After a successful manual synchronization, the **Sync to ServiceNow** button is replaced by the ServiceNow icon in the same area of the Case Detail view.


Either a **Sync to ServiceNow** button or a ServiceNow icon displays on the **Case Details** page, but not both at the same time.

Sharing or Exporting Cases

Case Detail views provide both **Share** and **Export** buttons in the **Case Identification** panel, as illustrated below:



- Select the **Share** button to open a dialog box where you can share the case by email:

  Supply the destination address, an optional reply-to address, and any message you'd like to include. The recipient will see the name of the case and your message, along with a link to the case itself.

  All shares are saved to the Case Activity log.

- Click the **Export** button to export the case to PDF. Exported cases include AI-generated summaries, if enabled in Global Settings.


About Case IDs in the Case Views

The Case IDs you see in the **Case** views are unique for a given tenant – a given tenant will never have multiple cases with the same visible Case ID. Behind the scenes, however, Case IDs are composed of a Tenant ID and a Case ID. Because of this, if you have privileges that let you see cases from multiple tenants, you might notice that the visible Case IDs can repeat for different tenants. That happens because the Case ID portion of the total Case ID is not visible in the Case pages – only the Case ID portion is.

Adding Alerts to a Case Manually

You can add alerts to a case manually from the Alert Details page. Select **Detections | Alerts | View** for an alert type, select one or more alerts in the table, and then select **Add to Case** to either create a new case or fadd them to an existing case.

After adding an alert to case manually, it appears in the Associated Alerts table in the Detection tab of the Case's Detail display.




Using the Evidence Locker

The Evidence Locker lets you store items that help your team bolster its case. You can store any of the following:

- **Text** – No limit on quantity. If you find yourself adding long text messages, use the maximize button for easier reading later on.
- **Emails** – Must be in .eml format. Maximum file size is 1 MB.
- **PDF files** – Maximum file size is 1 MB.
- **CSV files** – For use in spreadsheets. Maximum file size is 1 MB.
- **Links** – Links can be to other locations in the Stellar Cyber Platform or external links as well. Clicking or tapping a link stored in the Evidence Locker opens a new browser tab for the link.

Open the Evidence Locker by selecting its button at the far right of the **Case Detail** view. Then use the panel controls to add your evidence as illustrated below:



Keep in mind the following guidance when using the Evidence Locker:

- URLs added as text to the Evidence Locker can be clicked or tapped to open in new browser tabs.
- Use the pin button to pin a particular piece of evidence to the top of the Evidence Locker's list. Once evidence has been pinned, its pin icon changes color. Select the pin button again to unpin the piece of evidence. Pinned evidence is sorted by the time at which it was pinned, with the most recently pinned evidence at the top.
- Unpinned evidence is sorted by modification date.
- There is no limit on the number of entries that can be added to the Evidence Locker.
- Evidence can be opened and downloaded, making it easy to share evidence across multiple team members.
- Changes to the Evidence Locker are logged to the Case Activity panel.
- Changes to the Evidence Locker also update the Last Modified date for the case.
- The Evidence Locker does not support drag and drop.

© 2026 Stellar Cyber . All rights reserved.

