

SOC Assessment Bootcamp – Practical Report

Name: Amer Ahmed Mohamed Ashoush

Group: Group1


Date: 28/08/2025

1. SIEM (Winlogbeat → Elastic)

1.1 Hostname Change

The Windows Server hostname was updated to match the required format:

GROUP1-Amer-Ashoush




1.2 Local Audit Policies

Local audit policies were enabled to capture relevant security events, including:

- Logon and Logoff events
- Account management
- Object access

- Policy change
- Privilege use
- System events



1.3 Log Generation

Test events were generated to produce logs, including:

- Creating and deleting users
- Changing passwords
- Logging in and out
- Adding and removing users from groups

```
Administrator: Windows PowerShell
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Windows\system32>
PS C:\Windows\system32> net user AmerWE Password123 /add
The command completed successfully.
PS C:\Windows\system32> net user AmerWE /delete
The command completed successfully.
```

```
PS C:\Windows\system32> net user AmerWE Password123 /add
The command completed successfully.

PS C:\Windows\system32> net localgroup administrators AmerWE /add
The command completed successfully.
```

1.4 Log Transmission

Winlogbeat was configured and installed as a Windows service. Logs were successfully transmitted to the Elastic instance.

Winlogbeat.yml:

```
winlogbeat.event_logs:
- name: Application
  ignore_older: 72h

- name: System

- name: Security
  event_id: 4688, 4624, 4625
- name: Microsoft-Windows-Sysmon/Operational

- name: Windows PowerShell
  event_id: 400, 403, 600, 800

- name: Microsoft-Windows-PowerShell/Operational
  event_id: 4103, 4104, 4105, 4106, 4688, 1

- name: ForwardedEvents
  tags: [forwarded]
```

Elasticsearch Output:

```
# ----- Elasticsearch Output -----
output.elasticsearch:
  # Array of hosts to connect to.
  hosts: ["198.96.95.202:9200"]

  # Protocol - either `http` (default) or `https`.
  protocol: "https"

  # Authentication credentials - either API key or username/password.
  #api_key: "id:api_key"
  username: "we-innovate-quiz"
  password: "dT%t9(YaKCpWwh*D"

  # Pipeline to route events to security, sysmon, or powershell ;
  pipeline: "winlogbeat-%{[agent.version]}-routing"
  ssl_verification_mode: none
```

Kibana Settings:

```
# Kibana Host
# Scheme and port can be left out and
# In case you specify an additional
# IPv6 addresses should always be def:
host: "http://198.96.95.202:5601"
```

Winlogbeat installation steps:

```
Administrator: Windows PowerShell

PS C:\Users\vboxuser\Downloads\winlogbeat-9.1.2-windows-x86_64> powershell.exe -ExecutionPolicy Unrestricted -File .\install-service-winlogbeat.ps1

Security warning
Run only scripts that you trust. While scripts from the internet can be useful, this script can potentially harm your computer. If you trust this script, use the Unblock-File cmdlet to allow the script to run without this warning message. Do you want to run C:\Users\vboxuser\Downloads\winlogbeat-9.1.2-windows-x86_64\install-service-winlogbeat.ps1?
[D] Do not run [R] Run once [S] Suspend [?] Help (default is "D"): R

Status  Name      DisplayName
-----
Stopped winlogbeat    winlogbeat
```

```
PS C:\Users\vboxuser\Downloads\winlogbeat-9.1.2-windows-x86_64> Start-Service winlogbeat
PS C:\Users\vboxuser\Downloads\winlogbeat-9.1.2-windows-x86_64> Get-Service winlogbeat

Status  Name      DisplayName
-----
Running winlogbeat    winlogbeat
```

```
PS C:\Users\vboxuser\Downloads\winlogbeat-9.1.2-windows-x86_64> .\winlogbeat.exe setup -e
{"log.level":"info","@timestamp":"2025-08-28T10:26:38.815+0200","log.origin":{"function":"github.com/elastic/beats/v7/libbeat/cmd/instance.(*Beat).configure","file.name":"instance/beat.go","file.line":826},"message":"Home path: [C:\\Users\\vboxuser\\Downloads\\winlogbeat-9.1.2-windows-x86_64] Config path: [C:\\Users\\vboxuser\\Downloads\\winlogbeat-9.1.2-windows-x86_64] Data path: [C:\\Users\\vboxuser\\Downloads\\winlogbeat-9.1.2-windows-x86_64\\data] Logs path: [C:\\Users\\vboxuser\\Downloads\\winlogbeat-9.1.2-windows-x86_64\\logs]","service.name":"winlogbeat","ecs.version":"1.6.0"}
{"log.level":"info","@timestamp":"2025-08-28T10:26:38.832+0200","log.origin":{"function":"github.com/elastic/beats/v7/libbeat/cmd/instance.(*Beat).configure","file.name":"instance/beat.go","file.line":834},"message":"Beat ID: 4581371d-7bc742a6-a916-6c135c8f7668","service.name":"winlogbeat","ecs.version":"1.6.0"}
{"log.level":"info","@timestamp":"2025-08-28T10:26:38.857+0200","log.logger":"beat","log.origin":{"function":"github.com/elastic/beats/v7/libbeat/cmd/instance.(*Beat).loadDashboards","file.name":"instance/beat.go","file.line":1070},"message":"Kibana dashboards successfully loaded.","service.name":"winlogbeat","ecs.version":"1.6.0"}
Loaded dashboards
{"log.level":"info","@timestamp":"2025-08-28T10:41:04.038+0200","log.logger":"esclientleg","log.origin":{"function":"github.com/elastic/beats/v7/libbeat/esleg/eslegclient.NewConnection","file.name":"eslegclient/connection.go","file.line":132},"message":"elasticsearch url: https://198.96.95.202:9200","service.name":"winlogbeat","ecs.version":"1.6.0"}
{"log.level":"warn","@timestamp":"2025-08-28T10:41:04.049+0200","log.logger":"tls","log.origin":{"function":"github.com/elastic/elastic-agent-libs/transport/tlscommon.(*TLSConfig).ToConfig","file.name":"tlscommon/tls_config.go","file.line":107},"message":"SSL/TLS verifications disabled.","service.name":"winlogbeat","ecs.version":"1.6.0"}
{"log.level":"warn","@timestamp":"2025-08-28T10:41:04.049+0200","log.logger":"tls","log.origin":{"function":"github.com/elastic/elastic-agent-libs/transport/tlscommon.(*TLSConfig).ToConfig","file.name":"tlscommon/tls_config.go","file.line":107},"message":"SSL/TLS verifications disabled.","service.name":"winlogbeat","ecs.version":"1.6.0"}
{"log.level":"info","@timestamp":"2025-08-28T10:41:04.511+0200","log.logger":"esclientleg","log.origin":{"function":"github.com/elastic/beats/v7/libbeat/esleg/eslegclient.NewConnection","file.name":"eslegclient/connection.go","file.line":132},"message":"elasticsearch url: https://198.96.95.202:9200","service.name":"winlogbeat","ecs.version":"1.6.0"}
{"log.level":"warn","@timestamp":"2025-08-28T10:41:04.049+0200","log.logger":"tls","log.origin":{"function":"github.com/elastic/elastic-agent-libs/transport/tlscommon.(*TLSConfig).ToConfig","file.name":"tlscommon/tls_config.go","file.line":107},"message":"SSL/TLS verifications disabled.","service.name":"winlogbeat","ecs.version":"1.6.0"}
{"log.level":"warn","@timestamp":"2025-08-28T10:41:04.049+0200","log.logger":"tls","log.origin":{"function":"github.com/elastic/elastic-agent-libs/transport/tlscommon.(*TLSConfig).ToConfig","file.name":"tlscommon/tls_config.go","file.line":107},"message":"SSL/TLS verifications disabled.","service.name":"winlogbeat","ecs.version":"1.6.0"}
```

Evidence of events being forwarded:

Documents (9,083) Field statistics

Sort fields 1

@timestamp

Aug 28, 2025 @ 11:40:05.387

message A privileged service was called. Subject: Security ID: S-1-5-21-3187231977-155423...

```
["GROUP1-Amer-Ashoush"],
"process.pid": [
  3124
],
"winlog.computer_name": [
  "GROUP1-Amer-Ashoush"
],
"host.mac": [
  "aa aa 07 10 00 05"
]
```

```
["log.level":"info","@timestamp":"2025-08-28T10:40:38.510+0200","log.logger":"processors.add_cloud_metadata","log.origin":{"function":"github.com/elastic/beats/v7/libbeat/processors/add_cloud_metadata.(*addCloudMetadata).init.func1","file.name":"add_cloud_metadata/add_cloud_metadata.go","file.line":100},"message":"add_cloud_metadata: hosting provider type not detected.","service.name":"winlogbeat","ecs.version":"1.6.0"}
{"log.level":"info","@timestamp":"2025-08-28T10:41:04.023+0200","log.origin":{"function":"github.com/elastic/beats/v7/libbeat/cmd/instance.(*Beat).loadDashboards","file.name":"instance/beat.go","file.line":1070},"message":"Kibana dashboards successfully loaded.","service.name":"winlogbeat","ecs.version":"1.6.0"}
Loaded dashboards
{"log.level":"info","@timestamp":"2025-08-28T10:41:04.038+0200","log.logger":"esclientleg","log.origin":{"function":"github.com/elastic/beats/v7/libbeat/esleg/eslegclient.NewConnection","file.name":"eslegclient/connection.go","file.line":132},"message":"elasticsearch url: https://198.96.95.202:9200","service.name":"winlogbeat","ecs.version":"1.6.0"}
{"log.level":"warn","@timestamp":"2025-08-28T10:41:04.049+0200","log.logger":"tls","log.origin":{"function":"github.com/elastic/elastic-agent-libs/transport/tlscommon.(*TLSConfig).ToConfig","file.name":"tlscommon/tls_config.go","file.line":107},"message":"SSL/TLS verifications disabled.","service.name":"winlogbeat","ecs.version":"1.6.0"}
{"log.level":"warn","@timestamp":"2025-08-28T10:41:04.049+0200","log.logger":"tls","log.origin":{"function":"github.com/elastic/elastic-agent-libs/transport/tlscommon.(*TLSConfig).ToConfig","file.name":"tlscommon/tls_config.go","file.line":107},"message":"SSL/TLS verifications disabled.","service.name":"winlogbeat","ecs.version":"1.6.0"}
{"log.level":"info","@timestamp":"2025-08-28T10:41:04.511+0200","log.logger":"esclientleg","log.origin":{"function":"github.com/elastic/beats/v7/libbeat/esleg/eslegclient.NewConnection","file.name":"eslegclient/connection.go","file.line":132},"message":"elasticsearch url: https://198.96.95.202:9200","service.name":"winlogbeat","ecs.version":"1.6.0"}
{"log.level":"warn","@timestamp":"2025-08-28T10:41:04.049+0200","log.logger":"tls","log.origin":{"function":"github.com/elastic/elastic-agent-libs/transport/tlscommon.(*TLSConfig).ToConfig","file.name":"tlscommon/tls_config.go","file.line":107},"message":"SSL/TLS verifications disabled.","service.name":"winlogbeat","ecs.version":"1.6.0"}
{"log.level":"warn","@timestamp":"2025-08-28T10:41:04.049+0200","log.logger":"tls","log.origin":{"function":"github.com/elastic/elastic-agent-libs/transport/tlscommon.(*TLSConfig).ToConfig","file.name":"tlscommon/tls_config.go","file.line":107},"message":"SSL/TLS verifications disabled.","service.name":"winlogbeat","ecs.version":"1.6.0"}
```

2. Fluent Bit (Firewall Logs)

2.1 Regex Parser

A custom Fluent Bit parser was created to extract key fields from FortiGate firewall logs. The following fields were captured:

- date, time
- devname, devid, logid, type, subtype, eventtype
- srcip, srcport, dstip, dstport
- srcintf, dstintf, service, hostname
- profile, direction, virusname, action, msg

Regex:

```
^date=(?<date>\S+)\s+time=(?<time>\S+)\s+devname="(?(devname>[^\s]+)" \s+devid="(?(devid>[^\s]+)" \s+logid="(?(logid>\d+)\s+type="(?(type>[^\s]+)" \s+subtype="(?(subtype>[^\s]+)" \s+eventtype="(?(eventtype>[^\s]+)" \s+level="(?(level>[^\s]+)" \s+vd="(?(vd>[^\s]+)" \s+policyid=(?(policyid>\d+)\s+sessionid=(?(sessionid>\d+)\s+srcip=(?(srcip>\d+\.\d+\.\d+\.\d+)\s+srcport=(?(srcport>\d+)\s+dstip=(?(dstip>\d+\.\d+\.\d+\.\d+)\s+dstport=(?(dstport>\d+)\s+srcintf="(?(srcintf>[^\s]+)" \s+dstintf="(?(dstintf>[^\s]+)" \s+service="(?(service>[^\s]+)" \s+hostname="(?(hostname>[^\s]+)" \s+profile="(?(profile>[^\s]+)" \s+direction="(?(direction>[^\s]+)" \s+virusname="(?(virusname>[^\s]+)" \s+action="(?(action>[^\s]+)" \s+msg="(?(msg>[^\s]+)"
```

Your regular expression:

```
^date=(?<date>\S+)\s+time=(?<time>\S+)\s+devname="(?(devname>[^\s]+)" \s+devid="(?(devid>[^\s]+)" \s+logid="(?(logid>\d+)\s+type="(?(type>[^\s]+)" \s+subtype="(?(subtype>[^\s]+)" \s+eventtype="(?(eventtype>[^\s]+)" \s+level="(?(level>[^\s]+)" \s+vd="(?(vd>[^\s]+)" \s+policyid=(?(policyid>\d+)\s+sessionid=(?(sessionid>\d+)\s+srcip=(?(srcip>\d+\.\d+\.\d+\.\d+)\s+srcport=(?(srcport>\d+)\s+dstip=(?(dstip>\d+\.\d+\.\d+\.\d+)\s+dstport=(?(dstport>\d+)\s+srcintf="(?(srcintf>[^\s]+)" \s+dstintf="(?(dstintf>[^\s]+)" \s+service="(?(service>[^\s]+)" \s+hostname="(?(hostname>[^\s]+)" \s+profile="(?(profile>[^\s]+)" \s+direction="(?(direction>[^\s]+)" \s+virusname="(?(virusname>[^\s]+)" \s+action="(?(action>[^\s]+)" \s+msg="(?(msg>[^\s]+)"
```

Your test string:

```
date=2025-02-24 time=14:47:05 devname="FORTIGATE-02" devid="FGT90D4H56789012" logid="0210000000" type="utm" subtype="virus" eventtype="infected" level="critical" vd="root" policyid=18 sessionid=5632789 srcip=192.168.8.20 srcport=50123 dstip=103.143.230.162 dstport=80 srcintf="internal" dstintf="wan1" service="HTTP" hostname="suspicious-files.net" profile="AV-High-Security" direction="outgoing" virusname="Trojan.GenericKD.45321" action="blocked" msg="Malware detected and blocked"
```

Match result:

```
date=2025-02-24 time=14:47:05 devname="FORTIGATE-02" devid="FGT90D4H56789012" logid="0210000000" type="utm" subtype="virus" eventtype="infected" level="critical" vd="root" policyid=18 sessionid=5632789 srcip=192.168.8.20 srcport=50123 dstip=103.143.230.162 dstport=80 srcintf="internal" dstintf="wan1" service="HTTP" hostname="suspicious-files.net" profile="AV-High-Security" direction="outgoing" virusname="Trojan.GenericKD.45321" action="blocked" msg="Malware detected and blocked"
```

Match groups:

date	2025-02-24
time	14:47:05
devname	FORTIGATE-02
devid	FGT90D4H56789012
logid	0210000000
type	utm
subtype	virus
eventtype	infected
level	critical
vd	root
policyid	18
sessionid	5632789
srcip	192.168.8.20
srcport	50123
dstip	103.143.230.162
dstport	80
srcintf	internal
dstintf	wan1
service	HTTP
hostname	suspicious-files.net

```

GNU nano 7.2                                firewall_parser.conf
[Parser]
  Name firewall-amer
  Format regex
  Regex ^date=(?<date>\S+)\s+time=(?<time>\S+)\s+devname="( ?<devname>[^\s]+)" \s+devid

```

2.2 Log Indexing

Logs were shipped to Elasticsearch using the following index format:

group1amerashoushfluentbit

```

GNU nano 7.2                                fluent-bit.conf
[SERVICE]
  daemon off
  parsers_file /etc/fluent-bit/firewall_parser.conf
[INPUT]
  Path /etc/fluent-bit/firewall.log
  Name tail
  Tag firewall_tag
  Parser firewall-amer
[OUTPUT]
  Name es
  Host 198.96.95.202
  Port 9200
  Match firewall_tag
  HTTP_User we-innovate-quiz
  HTTP_Passwd dT%t9(YaKCpWwh*D
  tls On
  tls.verify Off
  trace_output On
  Suppress_Type_Name On
  Index group1amerashoushfluentbit

```

2.3 Verification

The index was created in Elastic and verified in Kibana using the Discover tab. Logs were parsed with the expected fields

Firewall logs:

```
GNU nano 7.2 firewall.log
date=2025-02-24 time=14:47:05 devname="FORTIGATE-02" devid="FGT90D4H56789012" logid="0"
date=2025-02-24 time=15:10:33 devname="FORTIGATE-01" devid="FGT90D3G12345678" logid="0"
date=2025-02-24 time=16:30:15 devname="FORTIGATE-01" devid="FGT90D3G12345678" logid="0"
date=2025-02-24 time=18:15:22 devname="FORTIGATE-04" devid="FGT1234567XYZ" logid="0210"
date=2025-02-24 time=18:15:22 devname="FORTIGATE-04" devid="FGT1234567XYZ" logid="0210"
date=2025-02-24 time=14:47:05 devname="FORTIGATE-02" devid="FGT90D4H56789012" logid="0"

date=2025-02-24 time=15:10:33 devname="FORTIGATE-01" devid="FGT90D3G12345678" logid="0"

date=2025-02-24 time=16:30:15 devname="FORTIGATE-01" devid="FGT90D3G12345678" logid="0"

date=2025-02-24 time=18:15:22 devname="FORTIGATE-04" devid="FGT1234567XYZ" logid="0210"

date=2025-02-24 time=14:47:05 devname="FORTIGATE-02" devid="FGT90D4H56789012" logid="0"

date=2025-02-24 time=15:10:33 devname="FORTIGATE-01" devid="FGT90D3G12345678" logid="0"

date=2025-02-24 time=15:10:33 devname="FORTIGATE-01" devid="FGT90D3G12345678" logid="0"

date=2025-02-24 time=16:30:15 devname="FORTIGATE-01" devid="FGT90D3G12345678" logid="0"

date=2025-02-24 time=18:15:22 devname="FORTIGATE-04" devid="FGT1234567XYZ" logid="0210"
```

Proof of logs being forwarded:

```
vboxuser@Ubuntu:/etc/Fluent-bit$ sudo /opt/fluent-bit/bin/fluent-bit -c /etc/Fluent-bit/Fluent-bit.conf
Fluent Bit v4.0.7
+ Copyright (C) 2015-2025 The Fluent Bit Authors
+ Fluent Bit is a CNCF sub-project under the umbrella of Fluentd
+ https://fluentbit.io

[2025/08/28 09:36:07] [ info] [fluent bit] version=4.0.7, commit=, pid=10271
[2025/08/28 09:36:07] [ info] [storage] ver=1.5.3, type=memory, sync=normal, checksum=off, max_chunks_up=128
[2025/08/28 09:36:07] [ info] [simd ] SSE2
[2025/08/28 09:36:07] [ info] [cmetrics] version=1.0.5
[2025/08/28 09:36:07] [ info] [ctraces ] version=0.6.6
[2025/08/28 09:36:07] [ info] [input:tail:tail.0] initializing
[2025/08/28 09:36:07] [ info] [input:tail:tail.0] storage_strategy='memory' (memory only)
[2025/08/28 09:36:07] [ info] [output:es:es.0] worker #0 started
[2025/08/28 09:36:07] [ info] [sp] stream processor started
[2025/08/28 09:36:07] [ info] [output:es:es.0] worker #1 started
[2025/08/28 09:36:07] [ info] [engine] Shutdown Grace Period=5, Shutdown Input Grace Period=2
[2025/08/28 09:36:07] [ info] [input:tail:tail.0] inotify_fs_add(): inode=1108752 watch_fd=1 name=/etc/Fluent-bit/firewall.log
{"create":{"_index":"group1amerashoushfluentbit"}}
{"@timestamp":"2025-08-28T09:36:24.127Z","log":""}
{"create":{"_index":"group1amerashoushfluentbit"}}
{"@timestamp":"2025-08-28T09:36:24.127Z","log":""}
{"create":{"_index":"group1amerashoushfluentbit"}}
{"@timestamp":"2025-08-28T09:36:24.127Z","date":"2025-02-24","time":"15:10:33","devname":"FORTIGATE-01","devid":"FGT90D3G12345678","logid":"00001","type":"utm","subtype":"virus","eventtype":"infected","level":"high","vd":"root","policyid":"22","sessionId":"8745123","srcip":"192.1645","srcport":"55122","dstip":"188.168.12.14","dstport":"443","srcintf":"internal","dstintf":"wan1","service":"HTTPS","hostname":"compromisedates.com","profile":"AV-Security","direction":"outgoing","virusname":"Backdoor.Win32.DarkKomet","action":"blocked","msg":"Malware download at t prevented"}}
{"create":{"_index":"group1amerashoushfluentbit"}}
{"@timestamp":"2025-08-28T10:05:51.258Z","log":""}
{"create":{"_index":"group1amerashoushfluentbit"}}
{"@timestamp":"2025-08-28T10:05:51.263Z","date":"2025-02-24","time":"16:30:15","devname":"FORTIGATE-01","devid":"FGT90D3G12345678","logid":"00004","type":"utm","subtype":"virus","eventtype":"infected","level":"high","vd":"root","policyid":"17","sessionId":"6458392","srcip":"192.1635","srcport":"59211","dstip":"192.0.2.55","dstport":"80","srcintf":"internal","dstintf":"wan1","service":"HTTP","hostname":"malicious-update","profile":"AV-Standard","direction":"outgoing","virusname":"Win.Trojan.Agent-9876","action":"detected","msg":"Malware detected but not blo"}}
{"create":{"_index":"group1amerashoushfluentbit"}}
{"@timestamp":"2025-08-28T10:05:51.264Z","log":""}
{"create":{"_index":"group1amerashoushfluentbit"}}
{"@timestamp":"2025-08-28T10:05:51.264Z","log":""}
{"create":{"_index":"group1amerashoushfluentbit"}}
{"@timestamp":"2025-08-28T10:05:51.264Z","date":"2025-02-24","time":"18:15:22","devname":"FORTIGATE-04","devid":"FGT1234567XYZ","logid":"021008","type":"utm","subtype":"virus","eventtype":"infected","level":"critical","vd":"root","policyid":"19","sessionId":"7856432","srcip":"10.505","srcport":"59987","dstip":"218.78.132.164","dstport":"80","srcintf":"internal","dstintf":"wan1","service":"HTTP","hostname":"officeupdatese.com","profile":"AV-Enterprise","direction":"outgoing","virusname":"Trojan.Macro.Dropper","action":"blocked","msg":"Malicious macro detected document"}
```

The screenshot shows the Elasticsearch Kibana interface. The search bar at the top contains the text "Filter your data using KQL syntax". The left sidebar shows the index "group1amerashoushfluentbit" and a list of available fields including "_id", "_score", and "_type". The main panel displays a list of documents with columns for timestamp, _id, and _score. The documents are sorted by timestamp in descending order.

timestamp	_id	_score
Aug 28, 2025 @ 13:05:51.264	log (empty) _id ZFIk8JgBIIdc91hAeSKQ _ignored - _index group1amerashoushfluentbit _score 1	1
Aug 28, 2025 @ 13:05:51.264	action blocked date Feb 24, 2025 @ 02:00:00.000 devid FGT1234567XYZ devname FORTIGATE-04 direction outgoing dstintf wan1 dstip 218.78.132.164 dstport 80 eventtype infected hostname officeupdates-fake.com level critical logid 0210000008 msg Malicious macro detected in document policyid 19 profile AV-Enterprise service HTTP sessionid 7856432 srcintf internal srcip 10.50.3.15 srcport 50987 subtype virus time 18:15:22 type utm vd ro...	1
Aug 28, 2025 @ 13:05:51.257	log (empty) _id ZFIk8JgBIIdc91hAeSKQ _ignored - _index group1amerashoushfluentbit _score 1	1
Aug 28, 2025 @ 13:05:51.263	action detected date Feb 24, 2025 @ 02:00:00.000 devid FGT9803G12345678 devname FORTIGATE-01 direction outgoing dstintf wan1 dstip 192.0.2.55 dstport 80 eventtype infected hostname malicious-updates.net level high logid 02100000084 msg Malware detected but not blocked policyid 17 profile AV-Standard service HTTP sessionid 6458392 srcintf internal srcip 192.168.1.35 srcport 50987 subtype virus time 18:15:22 type utm vd ro...	1
Aug 28, 2025 @ 13:05:51.264	log (empty) _id aFIk8JgBIIdc91hAeSKQ _ignored - _index group1amerashoushfluentbit _score 1	1
Aug 28, 2025 @ 13:05:51.264	log (empty) _id aVIk8JgBIIdc91hAeSKQ _ignored - _index group1amerashoushfluentbit _score 1	1
Aug 28, 2025 @ 13:05:51.264	action blocked date Feb 24, 2025 @ 02:00:00.000 devid FGT1234567XYZ devname FORTIGATE-04 direction outgoing dstintf wan1 dstip 218.78.132.164 dstport 80 eventtype infected hostname officeupdates-fake.com level critical logid 0210000008 msg Malicious macro detected in document policyid 19 profile AV-Enterprise service HTTP sessionid 7856432 srcintf internal srcip 10.50.3.15 srcport 50987 subtype virus time 18:15:22 type utm vd ro...	1

3. SOAR (n8n Workflow)

3.1 IP Extraction


A workflow was created in n8n to extract **dstip** values from the Fluent Bit index using the Elasticsearch API (Get an index + Get many documents).

The screenshot shows the n8n workflow editor. The step is named "Get an index" and is configured with the following parameters:

- Credential to connect with:** Elasticsearch account
- Resource:** Index
- Operation:** Get
- Index ID:** group1amerashoushfluentbit
- Additional Fields:** No properties


The output of the step is displayed as a JSON object:

```
{
  "id": "group1amerashoushfluentbit",
  "aliases": {
  },
  "mappings": {
    "properties": {
      "@timestamp": {
        "type": "date"
      },
      "action": {
        "type": "text",
        "fields": {
          "keyword": {
            "type": "keyword",
            "ignore_above": 256
          }
        }
      }
    }
  }
}
```


3.2 Splittling out data

The extracted IPs were split into groups in order to be analyzed by the threat intelligence tool:




3.3 Duplicates Removal

A duplicate removal process is then applied on the extracted IPs in order to avoid overload on the threat intelligence tool:



3.4 Threat Intelligence


The extracted IPs were sent to VirusTotal for reputation analysis using the VirusTotal v3 API (/ip_addresses/{ip}).



3.3 Email Notification


Malicious IPs identified by VirusTotal were compiled into an email and sent automatically to:

soc.weinnovate@gmail.com



The subject followed the required format:

GROUP1_AMER_ASHOUSH



4. Conclusion

All required tasks for the SOC Assessment Bootcamp were completed successfully:

- Logs were generated, collected, and transmitted via Winlogbeat.
- Firewall logs were parsed and indexed with Fluent Bit, and a Kibana dashboard was created.
- A SOAR workflow was built in n8n to extract IPs, enrich them with threat intelligence, and send an automated report via email.

The workflow demonstrates the ability to integrate SIEM, log parsing, and SOAR for security operations.