UNSUPERVISED CIPHER CRACKING USING DISCRETE GANS

Morten Munk

January 2026

AAU CPH - SW9

Contents

1. Introduction 2
2. Key Concepts 4
   2.1 Caesar Shift 5
   2.2 Vigenère 7
   2.3 GAN 11
3. Related Work 13
   3.1 CycleGAN 14
4. Ideas & Results 16
   4.1 CipherGAN 17
   4.2 Data 20
   4.3 Results 21
5. Criticism 23
6. Relevance to my project 25

1. Introduction

Premise of this paper

Can a neural network be trained to deduce withheld ciphers from unaligned text, without the supplementation of preexisting human knowledge?

Historical context

- Decryption was human-guided

Unsupervised learning

- Unpaired bank of ciphertext/plaintext
- No knowledge of vocab frequencies or cipher keys
- Large vocab (200 elements)

2. Key Concepts

2.1 Caesar Shift

PLAIN:	`a b c d e f g h i j k l m n o p q r s t u v w x y z`
3-SHIFTED:	`d e f g h i j k l m n o p q r s t u v w x y z a b c`

Example: hello world $\rightarrow$ khoor zruog

2.1 Caesar Shift

PLAIN:	`a b c d e f g h i j k l m n o p q r s t u v w x y z`
3-SHIFTED:	`d e f g h i j k l m n o p q r s t u v w x y z a b c`

Example: hello world $\rightarrow$ khoor zruog

Weakness

- Trivial to solve with frequency analysis

2.2 Vigenère

PLAIN: `hello world`

KEY: `soda`

KEYSTREAM: `sodas odaso`

ENCRYPTED: `zsolg krrdr`

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
A	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
B	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A
C	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B
D	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C
E	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D
F	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E
G	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F
H	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G
I	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H
J	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I
K	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J
L	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K
M	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L
N	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M
O	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N
P	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
Q	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
R	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q
S	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
T	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
U	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
V	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
W	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V
X	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W
Y	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X
Z	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y

2.2 Vigenère

PLAIN: `hello world`

KEY: `soda`

KEYSTREAM: `sodas odaso`

ENCRYPTED: `zsolg krrdr`

$(\mathrm{h}, \mathrm{s}) \rightarrow \mathrm{z}$

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
A	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
B	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A
C	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B
D	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C
E	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D
F	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E
G	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F
H	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G
I	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H
J	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I
K	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J
L	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K
M	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L
N	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M
O	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N
P	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
Q	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
R	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q
S	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
T	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
U	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
V	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
W	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V
X	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W
Y	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X
Z	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y

2.2 Vigenère

PLAIN: `hello world`

KEY: `soda`

KEYSTREAM: `sodas odaso`

ENCRYPTED: `zsolg krrdr`

$(\mathrm{h}, \mathrm{s}) \to \mathrm{z}$

$(\mathrm{e}, \mathrm{o}) \to \mathrm{s}$

And so on...

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
A	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
B	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A
C	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B
D	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C
E	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D
F	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E
G	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F
H	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G
I	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H
J	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I
K	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J
L	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K
M	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L
N	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M
O	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N
P	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
Q	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
R	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q
S	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
T	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
U	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
V	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
W	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V
X	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W
Y	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X
Z	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y

2.2 Vigenère

PLAIN: `hello world`

KEY: `soda`

KEYSTREAM: `sodas odaso`

ENCRYPTED: `zsolg krrdr`

$(\mathrm{h}, \mathrm{s}) \to \mathrm{z}$

$(\mathrm{e}, \mathrm{o}) \to \mathrm{s}$

And so on...

Increased difficulty

- Frequencies are scrambled

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
A	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
B	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A
C	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B
D	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C
E	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D
F	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E
G	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F
H	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G
I	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H
J	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I
K	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J
L	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K
M	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L
N	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M
O	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N
P	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
Q	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
R	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q
S	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
T	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
U	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
V	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
W	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V
X	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W
Y	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X
Z	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y

Generator (G)

- Generates fake samples from noise

Discriminator (D)

- Tries to classify real/fake

Minimax game

- D wants to be a good classifier (max)
- G Wants to fool D with fakes (min)

Convergence

- Similar distribution for real/fake
- D is maximally uncertain (50/50)



Generator (G)

- Generates fake samples from noise

Discriminator (D)

- Tries to classify real/fake

Minimax game

- D wants to be a good classifier (max)
- G Wants to fool D with fakes (min)

Convergence

- Similar distribution for real/fake
- D is maximally uncertain (50/50)



Vulnerable to mode collapse

- Generator loses diversity - distribution collapses



Figure 2: Discriminators trained on the toy example of recognizing the bottom-right corner of a simplex as true data. From left to right the discriminators were regularized using: nothing; WGAN Jacobian norm regularization; and, the relaxed sampling technique.

Original GAN can be too strict

- No helpful feedback

Used by this paper

- Wasserstein Jacobian norm
- Relaxation Sampling

3. Related Work

Two distributions

- $\mathcal{X}$ & $\mathcal{Y}$

Two generators

- $F : \mathcal{X} \rightarrow \mathcal{Y}$
- $G : \mathcal{Y} \rightarrow \mathcal{X}$

Two discriminators

- $D_{\mathcal{X}} : \mathcal{X} \rightarrow [0, 1]$
- $D_{\mathcal{Y}} : \mathcal{Y} \rightarrow [0, 1]$

Cycle loss

- L1 Norm - original text vs. round-trip text
- Forces model to be one-to-one

$$\mathcal{L}_{\mathrm{cyc}}(F, G, \mathcal{X}, \mathcal{Y}) =$$

$$E_{x \sim X}[\| G(F(x)) - x \; \|_1] + E_{y \sim Y}[\| F(G(y)) - y \; \|_1]$$

Consider the losses together

$$\mathcal{L}(F, G, D_{\mathcal{Y}}, D_{\mathcal{Y}}, \mathcal{X}, \mathcal{Y}) = \underbrace{\mathcal{L}_{\text{GAN}}(F, D_{\mathcal{Y}}, \mathcal{X}, \mathcal{Y})}_{\text{forward pass}} + \underbrace{L_{\text{GAN}}(G, D_{\mathcal{X}}, \mathcal{Y}, \mathcal{X})}_{\text{backward pass}} + \lambda * \mathcal{L}_{\text{cyc}}(F, G, \mathcal{X}, \mathcal{Y})$$

Forward pass

- Generator F: Plaintext to ciphertext for discriminator $D_{\mathcal{Y}}$

Backward pass

- Generator G: Ciphertext to plaintext for discriminator $D_{\mathcal{X}}$

λ

- Hyperparameter - good translator vs good detective

Cycle

- Ensures diversity - avoid mode collapse

4. Ideas & Results

Words in embedding space

- Discrete choices do not produce gradients



Figure 3: Left: Comparison of different timing techniques for Brown-C Vigenère. Right: Comparison of embedding vs. raw softmax on Brown-W with vocab size of 200.

WGAN-GP (Jacobian Norm)

- Limit learning rate of discriminator
- Smooth training signal for generator



Figure 3: Left: Comparison of different timing techniques for Brown-C Vigenère. Right: Comparison of embedding vs. raw softmax on Brown-W with vocab size of 200.

Positional embedding (Timing)

- Vigenère relies on positioning
- Tag each letter with position index



Figure 3: Left: Comparison of different timing techniques for Brown-C Vigenère. Right: Comparison of embedding vs. raw softmax on Brown-W with vocab size of 200.

Brown English text dataset

- 1st half as CycleGAN $\mathcal{X}$ distribution
- 2nd half as ciphers in $\mathcal{Y}$ distribution

Brown English-Language corpus

- Natural language plaintext
- Over 1 mil. words
- Both word-level and char-level

Brown-W

- Top 200 most frequent words
- Rest is blank

Data	Brown-W	Brown-W	Brown-C	Freq. Analysis (With Key)	
Vocab size	10	200	58	58	200
Cipher	**Shift/Permutation**				
Acc.	100%	98.7%	99.8%	80.9%	44.5%
Cipher	**Vigenère (Key: “345”)**				
Acc.	99.7%	75.7%	99.0%	9.6% (78.1%)	<0.1% (44.3%)

Table 2: Average proportion of characters correctly mapped in a given sequence. The “Freq. Analysis” column is simple frequency analysis applied to the same corpus our model observes. For Vigenère we also show the score if the key were known (note: the key is left unknown to our model).

Work	Ciphertext Length	Accuracy
Hasinoff (2003)	500	$\sim 97\%$
Forsyth & Safavi-Naini (1993)	5000	$\sim 100\%$
Ramesh et al. (1993)	160	$\sim 78.5\%$
Verma et al. (2007)	1000	$\sim 87\%$

Table 1: Previous results on automated shift cipher cracking with limited ciphertext length.

5. Criticism

Why not test on a real cipher?

- E.g. Civil War Vigenere cipher
- Real ciphers has typos, etc.

Sequence length bottleneck

- 200 chars is short!
- GANs are likely to become unstable

Missing other neural baselines

Missing related work section

5. Criticism

Why not test on a real cipher?

- E.g. Civil War Vigenere cipher
- Real ciphers has typos, etc.

Sequence length bottleneck

- 200 chars is short!
- GANs are likely to become unstable

Missing other neural baselines

Missing related work section

Current better models - (like CausalLM)

- We know this because we are from the future 😄

6. Relevance to my project

6. Relevance to my project

Homophonic Substitution Ciphers

- 1-to-many mappings
- English
- Only lowercase letters
- No spaces

Comparative Study

- Embeddings
- Heuristics
- Seq-2-Seq

Increase sequence length with CausalLM

- Linear attention?
- Flash attention?



Decipherment as Regression: Solving Historical Substitution Ciphers by Learning Symbol Recurrence Relations

Nishant Kambhatla **Logan Born** **Anoop Sarkar**
School of Computing Science, Simon Fraser University
8888 University Drive, Burnaby BC, Canada
`{nkambhat, loborn, anoop}@sfu.ca`

Abstract

Solving substitution ciphers involves mapping sequences of cipher symbols to fluent text in a target language. This has conventionally been formulated as a search problem, to find the decipherment key using a character-level language model to constrain the search space. This work instead frames decipherment as a sequence prediction task, using a Transformer-based causal language model to learn recurrences between

Figure 1: The homophonic substitution key for the *Simeone de Crema* written in Mantua in 1401 AD. The top line maps each character in the alphabet to its reversed-alphabet equivalent; each vowel is substituted by three additional symbols.