

UNSUPERVISED CIPHER CRACKING USING DISCRETE GANS

Aidan N. Gomez, Sicong Huang, Ivan Zhang, Bryan M. Li, Muhammad Osama, Lukasz Kaiser

January 2018

Presented by Morten Munk

Contents

1. Introduction	2
2. Key Concepts	4
2.1 Ciphers	5
2.2 GAN	11
3. Related Work	12
3.1 CycleGAN	13
4. Ideas & Results	14
4.1 CipherGAN	15
4.2 Data	19
4.3 Results	20
5. Contributions	21
6. Criticism	23
7. Relevance to my project	25

1. Introduction



1. Introduction

Premise of this paper

Can a neural network be trained to deduce withheld ciphers from unaligned text, without the supplementation of preexisting human knowledge?

Historical context

- Decryption was human-guided

Unsupervised learning

- Unpaired bank of ciphertext/plaintext
- No knowledge of vocab frequencies or cipher keys

2. Key Concepts

2.1 Ciphers

Caesar Shift

PLAIN: a b c d e f g h i j k l m n o p q r s t u v w x y z

3-SHIFTED: d e f g h i j k l m n o p q r s t u v w x y z a b c

Example: hello world → khoor zruog

2.1 Ciphers

Caesar Shift

PLAIN: a b c d e f g h i j k l m n o p q r s t u v w x y z

3-SHIFTED: d e f g h i j k l m n o p q r s t u v w x y z a b c

Example: hello world → khoor zruog

Weakness

- Trivial to solve with frequency analysis

2.1 Ciphers

Vigenère

PLAIN: hello world

KEY: soda

KEYSTREAM: sodas odaso

ENCRYPTED: zsolg krrdr

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
A	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
B	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A
C	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B
D	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C
E	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D
F	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E
G	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F
H	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G
I	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H
J	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I
K	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J
L	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K
M	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L
N	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M
O	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N
P	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
Q	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
R	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q
S	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
T	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
U	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
V	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
W	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V
X	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W
Y	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X
Z	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y

Src: Vigenere Cipher - Udacity, Youtube

2.1 Ciphers

Vigenère

PLAIN: hello world

KEY: soda

KEYSTREAM: sodas odaso

ENCRYPTED: zsolg krrdr

$(h, s) \rightarrow z$

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
A	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
B	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A
C	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B
D	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C
E	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D
F	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E
G	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F
H	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G
I	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H
J	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I
K	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J
L	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K
M	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L
N	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M
O	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N
P	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
Q	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
R	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q
S	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
T	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
U	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
V	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
W	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V
X	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W
Y	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X
Z	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y

Src: Vigenere Cipher - Udacity, Youtube

2.1 Ciphers

Vigenère

PLAIN: hello world

KEY: soda

KEYSTREAM: sodas odaso

ENCRYPTED: zsolg krrdr

$(h, s) \rightarrow z$

$(e, o) \rightarrow s$

And so on...

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
A	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
B	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A
C	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B
D	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C
E	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D
F	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E
G	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F
H	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G
I	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H
J	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I
K	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J
L	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K
M	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L
N	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M
O	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N
P	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
Q	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
R	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q
S	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
T	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
U	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
V	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
W	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V
X	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W
Y	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X
Z	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y

Src: Vigenere Cipher - Udacity, Youtube

2.1 Ciphers

Vigenère

PLAIN: hello world

KEY: soda

KEYSTREAM: sodas odaso

ENCRYPTED: zsolg krrdr

$(h, s) \rightarrow z$

$(e, o) \rightarrow s$

And so on...

Increased difficulty

- Frequencies are scrambled

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
A	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z
B	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A
C	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B
D	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C
E	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D
F	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E
G	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F
H	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G
I	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H
J	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I
K	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J
L	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K
M	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L
N	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M
O	O	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N
P	P	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O
Q	Q	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P
R	R	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q
S	S	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R
T	T	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
U	U	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
V	V	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U
W	W	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V
X	X	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W
Y	Y	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X
Z	Z	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y

Src: Vigenere Cipher - Udacity, Youtube

2.2 GAN

Generator (G)

- Generates fake samples from noise

Discriminator (D)


- Tries to classify real/fake

Minimax game

- D wants to be a good classifier (max)
- G Wants to fool D with fakes (min)

Convergence

- Similar distribution for real/fake
- D is maximally uncertain (50/50)



Inspired by Goodfellow et al. 2014

2.2 GAN

Generator (G)

- Generates fake samples from noise

Discriminator (D)


- Tries to classify real/fake

Minimax game

- D wants to be a good classifier (max)
- G Wants to fool D with fakes (min)

Convergence

- Similar distribution for real/fake
- D is maximally uncertain (50/50)




Inspired by Goodfellow et al. 2014

Vulnerable to mode collapse

- Generator loses diversity - distribution collapses

3. Related Work

3.1 CycleGAN



Inspired by: Zhu et al., 2017 & Yi et al., 2017 & Liu et al., 2017

4. Ideas & Results

4.1 CipherGAN



Figure 2: Discriminators trained on the toy example of recognizing the bottom-right corner of a simplex as true data. From left to right the discriminators were regularized using: nothing; WGAN Jacobian norm regularization; and, the relaxed sampling technique.

Gomez, et al. 2018

Original GAN can be too strict

- No helpful feedback

Used by this paper

- Wasserstein Jacobian norm (Arjovsky et al., 2017 & Gulrajani et al., 2017)
- Relaxation Sampling

4.1 CipherGAN

Words in embedding space

- Discrete choices do not produce gradients




Figure 3: Left: Comparison of different timing techniques for Brown-C Vigenère. Right: Comparison of embedding vs. raw softmax on Brown-W with vocab size of 200.

Gomez, et al. 2018

4.1 CipherGAN

Positional embedding (Timing)

- Vigenère relies on positioning
- Position is described using vector in embedding




Figure 3: Left: Comparison of different timing techniques for Brown-C Vigenère. Right: Comparison of embedding vs. raw softmax on Brown-W with vocab size of 200.

Gomez, et al. 2018

4.1 CipherGAN

Squared difference instead of log likelihood

- Provided stable gradient
- Determines distance from target




Figure 3: Left: Comparison of different timing techniques for Brown-C Vigenère. Right: Comparison of embedding vs. raw softmax on Brown-W with vocab size of 200.

Gomez, et al. 2018

Brown English text dataset

- 1st half as plaintext \mathcal{X} distribution
- 2nd half as ciphertext \mathcal{Y} distribution

Brown-W

- Top 200 most frequent words
- Rest is blank

Brown-C

- chars, special letters, punctuation
- 58 elements in vocab

4.3 Results

Data	Brown-W	Brown-W	Brown-C	Freq. Analysis (With Key)	
Vocab size	10	200	58	58	200
Cipher	Shift/Permutation				
Acc.	100%	98.7%	99.8%	80.9%	44.5%
Cipher	Vigenère (Key: “345”)				
Acc.	99.7%	75.7%	99.0%	9.6% (78.1%)	<0.1% (44.3%)

Table 2: Average proportion of characters correctly mapped in a given sequence. The “Freq. Analysis” column is simple frequency analysis applied to the same corpus our model observes. For Vigenère we also show the score if the key were known (note: the key is left unknown to our model).

Gomez, et al. 2018

5. Contributions

5. Contributions

CipherGAN Novelty

- First GAN for cryptanalysis
- Continuous relaxation
- WGAN jacobian
- Concat timing

Performance & scaling

- Accuracy
- Unsupervised
- Larger vocab

Work	Ciphertext Length	Accuracy
Hasinoff (2003)	500	~ 97%
Forsyth & Safavi-Naini (1993)	5000	~ 100%
Ramesh et al. (1993)	160	~ 78.5%
Verma et al. (2007)	1000	~ 87%

Table 1: Previous results on automated shift cipher cracking with limited ciphertext length.

6. Criticism

6. Criticism

Why not test on a real cipher?

- E.g. Civil War Vigenere cipher
- Real ciphers has typos, etc.

Cipher lengths

- No real stress testing

Missing other neural baselines

- LSTM or Transformers

Missing reflections

- Future Work

7. Relevance to my project

7. Relevance to my project

Homophonic Substitution Ciphers

- 1-to-many mappings
- English
- Only lowercase letters
- No spaces

Comparative Study

- Embeddings
- Heuristics
- Seq-2-Seq

Increase sequence length with CausalLM

- Linear attention?
- Flash attention?

Decipherment as Regression: Solving Historical Substitution Ciphers by Learning Symbol Recurrence Relations

Nishant Kambhatla Logan Born Anoop Sarkar
School of Computing Science, Simon Fraser University
8888 University Drive, Burnaby BC, Canada
{nkambhat, loborn, anoop}@sfu.ca

Abstract

Solving substitution ciphers involves mapping sequences of cipher symbols to fluent text in a target language. This has conventionally been formulated as a search problem, to find the decipherment key using a character-level language model to constrain the search space. This work instead frames decipherment as a sequence prediction task, using a Transformer-based causal language model to learn recurrences between




Figure 1: The homophonic substitution key for the *Simeone de Crema* written in Mantua in 1401 AD. The top line maps each character in the alphabet to its reversed-alphabet equivalent; each vowel is substituted by three additional symbols.

7. Relevance to my project

Transpositions

- Modern transformers scale better
- Concat is limited to the positions it was trained on

CipherGAN will likely struggle

- HSC is not uniquely invertible
- Maybe GAN is too unstable for HSC

Supervised learning

- We got best results this way
- GloVe & PPMI gave poor results