Copyright Notice

These slides are distributed under the Creative Commons License.

DeepLearning.AI makes these slides available for educational purposes. You may not use or distribute these slides for commercial purposes. You may make copies of these slides and use or distribute them for educational purposes as long as you cite DeepLearning.AI as the source of the slides.

For the rest of the details of the license, see https://creativecommons.org/licenses/by-sa/2.0/legalcode

DeepLearning.AI

Derivatives and Optimization

Machine learning motivation

Machine Learning Motivation

Machine Learning Motivation

Machine Learning Motivation

Number of Bedrooms

Machine Learning Motivation

1

2

Number of Bedrooms

Machine Learning Motivation

1

$150,000

2

$250,000

Number of Bedrooms

Machine Learning Motivation

Predict the price of a house using the number of bedrooms it has

1

$150,000

2

$250,000

Number of Bedrooms

Machine Learning Motivation

Predict the price of a house using the number of bedrooms it has

Machine Learning Motivation

Predict the price of a house using the number of bedrooms it has

Number of Bedrooms
1
2
3
5
6
7
8
9
10

Machine Learning Motivation

Predict the price of a house using the number of bedrooms it has

Number of Bedrooms	Price of House
1	$150,000
2	$250,000
3	$350,000
5	$600,000
6	$650,000
7	$750,000
8	$800,000
9	??
10	$1,050,000

Machine Learning Motivation

Predict the price of a house using the number of bedrooms it has

Number of Bedrooms	Price of House
1	$150,000
2	$250,000
3	$350,000
5	$600,000
6	$650,000
7	$750,000
8	$800,000
9	??
10	$1,050,000

9 ???

Machine Learning Motivation

Predict the price of a house using the number of bedrooms it has

Number of Bedrooms	Price of House
1	$150,000
2	$250,000
3	$350,000
5	$600,000
6	$650,000
7	$750,000
8	$800,000
9	??
10	$1,050,000

9 ???

Machine Learning Model

Machine Learning Motivation

Machine Learning Model

Machine Learning Motivation

Machine Learning Model

Machine Learning Motivation

Model Training

Machine Learning Model

Machine Learning Motivation

Model Training

Machine Learning Model

Machine Learning Motivation

Model Training

Machine Learning Model

Machine Learning Motivation

Model Training

Machine Learning Model

Machine Learning Motivation

Model Training

Machine Learning Model

Machine Learning Motivation

Model Training

Machine Learning Model

Machine Learning Motivation

Model Training

Machine Learning Model

Machine Learning Motivation

Linear Regression Problem

Model Training

Machine Learning Model

Machine Learning Motivation

Linear Regression Problem

Model Training

Machine Learning Model

Machine Learning Motivation

Machine Learning Motivation

Machine Learning Motivation

Machine Learning Motivation

Machine Learning Motivation

Machine Learning Motivation

Machine Learning Motivation

Machine Learning Motivation

Machine Learning Motivation

Machine Learning Motivation

Machine Learning Motivation

Machine Learning Motivation

Machine Learning Motivation

Machine Learning Motivation

Sentence
Aack aack aack!
Beep beep!
Aack beep aack!
Aack beep beep beep!

Machine Learning Motivation

Sentence	Aack	Beep
Aack aack aack!	3	0
Beep beep!	0	2
Aack beep aack!	2	1
Aack beep beep beep!	1	3

Machine Learning Motivation

Sentence	Aack	Beep	Mood
Aack aack aack!	*3*	*0*	😊
Beep beep!	*0*	*2*	😔
Aack beep aack!	*2*	*1*	😊
Aack beep beep beep!	*1*	*3*	😔

Machine Learning Motivation

Sentence	Aack	Beep	Mood
Aack aack aack!	*3*	*0*	😊
Beep beep!	*0*	*2*	😔
Aack beep aack!	*2*	*1*	😊
Aack beep beep beep!	*1*	*3*	😔

A classification problem

Machine Learning Motivation

Sentence	Aack	Beep	Mood
Aack aack aack!	*3*	*0*	😊
Beep beep!	*0*	*2*	😔
Aack beep aack!	*2*	*1*	😊
Aack beep beep beep!	*1*	*3*	😔

A classification problem

Sentiment analysis

Machine Learning Motivation

Model Training

Machine Learning Model

Machine Learning Motivation

Model Training

Machine Learning Model

Machine Learning Motivation

Model Training

Machine Learning Model

Machine Learning Motivation

Model Training

Machine Learning Model

Machine Learning Motivation

Model Training

Machine Learning Model

Machine Learning Motivation

Model Training

Machine Learning Model

Machine Learning Motivation

Model Training

Machine Learning Model

Machine Learning Motivation

Machine Learning
Model

Machine Learning Motivation

Maths concepts used in training a model

Machine Learning
Model

Machine Learning Motivation

Maths concepts used in training a model

Gradients

Derivatives

Optimization

Loss and Cost functions

Gradient Descent

Machine Learning Model

Machine Learning Motivation

Maths concepts used in training a model

Gradients

Derivatives

Optimization

Loss and Cost functions

Gradient Descent

Machine Learning Model

Linear Regression

Machine Learning Motivation

Maths concepts used in training a model

Gradients

Derivatives

Optimization

Loss and Cost functions

Gradient Descent

Machine Learning Model

Linear Regression

Classification

Machine Learning Motivation

Maths concepts used in training a model

Gradients

Derivatives

Optimization

Loss and Cost functions

Gradient Descent

Machine Learning Model

Linear Regression

Classification

Neural Networks

DeepLearning.AI

Derivatives and Optimization

Introduction to derivatives

Introduction to Derivatives

Introduction to Derivatives

Introduction to Derivatives

Introduction to Derivatives

Introduction to Derivatives

Introduction to Derivatives

Introduction to Derivatives

Introduction to Derivatives

Every 5 seconds

Introduction to Derivatives

Every 5 seconds

t (seconds)
0
5
10
15
20
25
30
35
40
45
50
55
60

Introduction to Derivatives

Every 5 seconds

t (seconds)	x (meters)
0	0
5	36
10	122
15	202
20	265
25	351
30	441
35	551
40	591
45	716
50	816
55	900
60	1000

Introduction to Derivatives

Every 5 seconds

t (seconds)	x (meters)
0	0
5	36
10	122
15	202
20	265
25	351
30	441
35	551
40	591
45	716
50	816
55	900
60	1000

Is the car moving at a constant speed?

Introduction to Derivatives

Every 5 seconds

t (seconds)	x (meters)
0	0
5	36
10	122
15	202
20	265
25	351
30	441
35	551
40	591
45	716
50	816
55	900
60	1000

Is the car moving at a constant speed?

Hint: Look at the distance values in the table

Introduction to Derivatives

t (seconds)	x (meters)
0	0
5	36
10	122
15	202
20	265
25	351
30	441
35	551
40	591
45	716
50	816
55	900
60	1000

Introduction to Derivatives

t (seconds)	x (meters)
0	0
5	36
10	122
15	202
20	265
25	351
30	441
35	551
40	591
45	716
50	816
55	900
60	1000

Introduction to Derivatives

t (seconds)	x (meters)
0	0
5	36
10	122
15	202
20	265
25	351
30	441
35	551
40	591
45	716
50	816
55	900
60	1000

10 - 15 seconds: 202 - 122 = **80 meters**

Introduction to Derivatives

t (seconds)	x (meters)
0	0
5	36
10	122
15	202
20	265
25	351
30	441
35	551
40	591
45	716
50	816
55	900
60	1000

10 - 15 seconds: 202 - 122 = **80 meters**

Introduction to Derivatives

t (seconds)	x (meters)
0	0
5	36
10	122
15	202
20	265
25	351
30	441
35	551
40	591
45	716
50	816
55	900
60	1000

10 - 15 seconds: 202 - 122 = **80 meters**

15 - 20 seconds: 265 - 202 = **63 meters**

Introduction to Derivatives

t (seconds)	x (meters)
0	0
5	36
10	122
15	202
20	265
25	351
30	441
35	551
40	591
45	716
50	816
55	900
60	1000

10 - 15 seconds: 202 - 122 = **80 meters**

15 - 20 seconds: 265 - 202 = **63 meters**

Not traveling at constant speed

Introduction to Derivatives

t (seconds)	x (meters)
0	0
5	36
10	122
15	202
20	265
25	351
30	441
35	551
40	591
45	716
50	816
55	900
60	1000

Introduction to Derivatives

t (seconds)	x (meters)
0	0
5	36
10	122
15	202
20	265
25	351
30	441
35	551
40	591
45	716
50	816
55	900
60	1000

Can you use the information presented to determine your velocity at exactly ***t = 12.5 seconds***?

Introduction to Derivatives

t (seconds)	x (meters)
0	0
5	36
10	122
15	202
20	265
25	351
30	441
35	551
40	591
45	716
50	816
55	900
60	1000

Can you use the information presented to determine your velocity at exactly ***t = 12.5 seconds***?

Hint: velocity = distance traveled / time taken

Introduction to Derivatives

t (seconds)	x (meters)
0	0
5	36
10	122
15	202
20	275
25	351
30	441
35	551
40	591
45	716
50	816
55	900
60	1000

Can you use the information presented to determine your velocity at exactly ***t = 12.5 seconds***?

Introduction to Derivatives

t (seconds)	x (meters)
0	0
5	36
10	122
15	202
20	275
25	351
30	441
35	551
40	591
45	716
50	816
55	900
60	1000

Can you use the information presented to determine your velocity at exactly ***t = 12.5 seconds***?

Quiz : Slope of a Line 1

t (seconds)	x (meters)
0	0
5	36
10	122
15	202
20	275
25	351
30	441
35	551
40	591
45	716
50	816
55	900
60	1000

Quiz : Slope of a Line 1

t (seconds)	x (meters)
0	0
5	36
10	122
15	202
20	275
25	351
30	441
35	551
40	591
45	716
50	816
55	900
60	1000

What was the average velocity of the car on the interval from 10 to 15 seconds?

Quiz : Slope of a Line 1 - Solution

t (seconds)	x (meters)
0	0
5	36
10	122
15	202
20	275
25	351
30	441
35	551
40	591
45	716
50	816
55	900
60	1000

What was the average velocity of the car on the interval from 10 to 15 seconds?

Calculating the Slope

Calculating the Slope

Calculating the Slope

Calculating the Slope

$$slope = \frac{rise}{run}$$

Calculating the Slope

$$slope = \frac{rise}{run}$$

Calculating the Slope

$$slope = \frac{rise}{run}$$

Calculating the Slope

$$slope = \frac{rise}{run}$$

$$slope = \frac{change\ in\ distance(\Delta x)}{change\ in\ time(\Delta t)}$$

Calculating the Slope

$$slope = \frac{rise}{run}$$

$$slope = \frac{change\ in\ distance(\Delta x)}{change\ in\ time(\Delta t)}$$

$$slope = \frac{x(15) - x(10)}{t(15) - t(10)}$$

Calculating the Slope

$$slope = \frac{rise}{run}$$

$$slope = \frac{change\ in\ distance(\Delta x)}{change\ in\ time(\Delta t)}$$

$$slope = \frac{x(15) - x(10)}{t(15) - t(10)}$$

Calculating the Slope

$$slope = \frac{rise}{run}$$

$$slope = \frac{change\ in\ distance(\Delta x)}{change\ in\ time(\Delta t)}$$

$$slope = \frac{x(15) - x(10)}{t(15) - t(10)}$$

$$slope = \frac{202m - 122m}{15s - 10s}$$

Calculating the Slope

$$slope = \frac{rise}{run}$$

$$slope = \frac{change\ in\ distance(\Delta x)}{change\ in\ time(\Delta t)}$$

$$slope = \frac{x(15) - x(10)}{t(15) - t(10)}$$

$$slope = \frac{202m - 122m}{15s - 10s}$$

Calculating the Slope

$$slope = \frac{rise}{run}$$

$$slope = \frac{change\ in\ distance(\Delta x)}{change\ in\ time(\Delta t)}$$

$$slope = \frac{x(15) - x(10)}{t(15) - t(10)}$$

$$slope = \frac{202m - 122m}{15s - 10s}$$

$$slope = \frac{80m}{5s} = 16m/s$$

Introduction to Derivatives

Can you find a good estimate of the velocity of the car at time t = 12.5 seconds using this data?

Introduction to Derivatives

Every second

Can you find a good estimate of the velocity of the car at time t = 12.5 seconds using this data?

Introduction to Derivatives

Every second

t (s)
10
11
12
13
14
15
16
17
18
19
20

Can you find a good estimate of the velocity of the car at time t = 12.5 seconds using this data?

Introduction to Derivatives

Every second

t (s)	x(m)
10	122
11	138
12	155
13	170
14	186
15	202
16	218
17	234
18	250
19	265
20	265

Can you find a good estimate of the velocity of the car at time t = 12.5 seconds using this data?

Quiz : Slope of a Line 2

t (s)	x (m)
10	122
11	138
12	155
13	170
14	186
15	202
16	218
17	234
18	250
19	265
20	265

Can you find a good estimate of the velocity of the car at time t = 12.5 seconds using this data?

Quiz : Slope of a Line 2

t (s)	x (m)
10	122
11	138
12	155
13	170
14	186
15	202
16	218
17	234
18	250
19	265
20	265

Can you find a good estimate of the velocity of the car at time t = 12.5 seconds using this data?

$$slope = \frac{\Delta x}{\Delta t}$$

Quiz : Slope of a Line 2

t (s)	x (m)
10	122
11	138
12	155
13	170
14	186
15	202
16	218
17	234
18	250
19	265
20	265

Can you find a good estimate of the velocity of the car at time t = 12.5 seconds using this data?

$$slope = \frac{\Delta x}{\Delta t}$$

$$slope = \frac{x(13) - x(12)}{13s - 12s}$$

Quiz : Slope of a Line 2

t (s)	x (m)
10	122
11	138
12	155
13	170
14	186
15	202
16	218
17	234
18	250
19	265
20	265

Can you find a good estimate of the velocity of the car at time t = 12.5 seconds using this data?

$$slope = \frac{\Delta x}{\Delta t}$$

$$slope = \frac{x(13) - x(12)}{13s - 12s}$$

$$slope = \frac{170m - 155m}{1s}$$

Quiz : Slope of a Line 2

t (s)	x (m)
10	122
11	138
12	155
13	170
14	186
15	202
16	218
17	234
18	250
19	265
20	265

Can you find a good estimate of the velocity of the car at time t = 12.5 seconds using this data?

$$slope = \frac{\Delta x}{\Delta t}$$

$$slope = \frac{x(13) - x(12)}{13s - 12s}$$

$$slope = \frac{170m - 155m}{1s}$$

$$slope = 15m/s$$

DeepLearning.AI

Derivatives and Optimization

Derivatives and tangents

The derivative

The derivative

The derivative

The derivative

$$\frac{\Delta x}{\Delta t}$$

The derivative

$$\frac{\Delta x}{\Delta t} \quad \frac{\Delta x}{\Delta t}$$

The derivative

$$\frac{\Delta x}{\Delta t} \quad \frac{\Delta x}{\Delta t} \quad \frac{\Delta x}{\Delta t}$$

The derivative

$$\frac{\Delta x}{\Delta t} \quad \frac{\Delta x}{\Delta t} \quad \frac{\Delta x}{\Delta t} \quad \frac{\Delta x}{\Delta t}$$

The derivative

$$\frac{\Delta x}{\Delta t} \quad \frac{\Delta x}{\Delta t} \quad \frac{\Delta x}{\Delta t} \quad \frac{\Delta x}{\Delta t} \longrightarrow \frac{dx}{dt}$$

The derivative

$$\frac{\Delta x}{\Delta t} \quad \frac{\Delta x}{\Delta t} \quad \frac{\Delta x}{\Delta t} \quad \frac{\Delta x}{\Delta t} \longrightarrow \frac{dx}{dt}$$

The derivative

$$\frac{\Delta x}{\Delta t} \quad \frac{\Delta x}{\Delta t} \quad \frac{\Delta x}{\Delta t} \quad \frac{\Delta x}{\Delta t} \longrightarrow \frac{dx}{dt}$$

The derivative

$$\frac{\Delta x}{\Delta t} \quad \frac{\Delta x}{\Delta t} \quad \frac{\Delta x}{\Delta t} \quad \frac{\Delta x}{\Delta t} \longrightarrow \frac{dx}{dt}$$

Derivative

DeepLearning.AI

Derivatives and Optimization

Slopes, maxima, and minima

Zero Slope

t (s)	x (m)
19	265
20	265

Zero Slope

t (s)	x (m)
19	265
20	265

Zero Slope

t (s)	x (m)
19	265
20	265

Zero Slope

t (s)	x (m)
19	265
20	265

Zero Slope

t (s)	x (m)
19	265
20	265

$$slope = \frac{\Delta x}{\Delta t}$$

Zero Slope

t (s)	x (m)
19	265
20	265

$$slope = \frac{\Delta x}{\Delta t}$$

$$slope = \frac{x(20) - x(19)}{20 - 19}$$

Zero Slope

t (s)	x (m)
19	265
20	265

$$slope = \frac{\Delta x}{\Delta t}$$

$$slope = \frac{x(20) - x(19)}{20 - 19}$$

$$slope = \frac{265m - 265m}{1s}$$

Zero Slope

t (s)	x (m)
19	265
20	265

$$slope = \frac{\Delta x}{\Delta t}$$

$$slope = \frac{x(20) - x(19)}{20 - 19}$$

$$slope = \frac{265m - 265m}{1s}$$

$$slope = \frac{0}{1}$$

Zero Slope

t (s)	x (m)
19	265
20	265

$$slope = \frac{\Delta x}{\Delta t}$$

$$slope = \frac{x(20) - x(19)}{20 - 19}$$

$$slope = \frac{265m - 265m}{1s}$$

$$slope = \frac{0}{1}$$

No rise in distance

Zero Slope

t (s)	x (m)
19	265
20	265

$$slope = \frac{\Delta x}{\Delta t}$$

$$slope = \frac{x(20) - x(19)}{20 - 19}$$

$$slope = \frac{265m - 265m}{1s}$$

$$slope = \frac{0}{1}$$

No rise in distance

$$slope = 0\ m/s$$

Minima and Maxima

Minima and Maxima

Quiz : Minima and Maxima 1

Where was the velocity of your car zero?

Quiz : Minima and Maxima 1 - Solution

Quiz : Minima and Maxima 1 - Solution

Quiz : Minima and Maxima 1 - Solution

Quiz : Minima and Maxima 1 - Solution

Quiz : Minima and Maxima 1 - Solution

Quiz : Minima and Maxima 1 - Solution

Quiz : Minima and Maxima 1 - Solution

Quiz : Minima and Maxima 1 - Solution

Quiz : Minima and Maxima 1 - Solution

Quiz : Minima and Maxima 1 - Solution

Quiz : Minima and Maxima 1 - Solution

Quiz : Concept of Derivatives 3

At what time was the car farthest from its starting point?

Quiz : Maxima & Minima - Solution

Quiz : Maxima & Minima - Solution

Quiz : Maxima & Minima - Solution

DeepLearning.AI

Derivatives and Optimization

Derivative notation

Derivatives

Derivatives

$$\text{slope} = \frac{\text{change in distance}}{\text{change in time}}$$

Derivatives

$$\text{slope} = \frac{\text{change in distance}}{\text{change in time}}$$

$$\text{slope} = \frac{\Delta x}{\Delta t}$$

Derivatives

$$\text{slope} = \frac{\text{change in distance}}{\text{change in time}}$$

$$\text{slope} = \frac{\Delta x}{\Delta t}$$

$$\text{slope at a point} = \frac{dx}{dt}$$

Derivatives

$$\text{slope} = \frac{\text{change in distance}}{\text{change in time}}$$

$$\text{slope} = \frac{\Delta x}{\Delta t}$$

$$\text{slope at a point} = \frac{dx}{dt}$$

Derivatives

$$\text{slope} = \frac{\text{change in distance}}{\text{change in time}}$$

$$\text{slope} = \frac{\Delta x}{\Delta t}$$

$$\text{slope at a point} = \frac{dx}{dt}$$

Derivatives

$$\text{slope} = \frac{\text{change in distance}}{\text{change in time}}$$

$$\text{slope} = \frac{\Delta x}{\Delta t}$$

$$\text{slope at a point} = \frac{dx}{dt}$$

Derivatives

$$\text{slope} = \frac{\text{change in distance}}{\text{change in time}}$$

$$\text{slope} = \frac{\Delta x}{\Delta t}$$

$$\text{slope at a point} = \frac{dx}{dt}$$

Derivatives

$$\text{slope} = \frac{\text{change in distance}}{\text{change in time}}$$

$$\text{slope} = \frac{\Delta x}{\Delta t}$$

$$\text{slope at a point} = \frac{dx}{dt}$$

Derivatives

$$\text{slope} = \frac{\text{change in distance}}{\text{change in time}}$$

$$\text{slope} = \frac{\Delta x}{\Delta t}$$

$$\text{slope at a point} = \frac{dx}{dt}$$

Derivatives

$$\text{slope} = \frac{\text{change in distance}}{\text{change in time}}$$

$$\text{slope} = \frac{\Delta x}{\Delta t}$$

$$\text{slope at a point} = \frac{dx}{dt}$$

Derivatives

$$\text{slope} = \frac{\text{change in distance}}{\text{change in time}}$$

$$\text{slope} = \frac{\Delta x}{\Delta t}$$

$$\text{slope at a point} = \frac{dx}{dt}$$

Derivatives

$$\text{slope} = \frac{\text{vertical change}}{\text{horizontal change}}$$

$$\text{slope} = \frac{\Delta y}{\Delta x}$$

$$\text{slope at a point} = \frac{dy}{dx}$$

Derivatives

Derivatives

$$y = f(x)$$

Derivatives

$$y = f(x)$$

Derivative of f is expressed as:

Derivatives

$$y = f(x)$$

Derivative of f is expressed as:

$$\frac{d}{dx} f(x)$$

Derivatives

$$y = f(x)$$

Derivative of f is expressed as:

$$\frac{d}{dx} f(x) = \frac{dy}{dx}$$

Derivatives: Lagrange's and Leibniz's Notation

Derivatives: Lagrange's and Leibniz's Notation

$y = f(x)$

Derivatives: Lagrange's and Leibniz's Notation

$$y = f(x)$$

Derivative of f is expressed as:

Derivatives: Lagrange's and Leibniz's Notation

$$y = f(x)$$

Derivative of f is expressed as:

$$f'(x)$$

Derivatives: Lagrange's and Leibniz's Notation

$$y = f(x)$$

Derivative of f is expressed as:

$f'(x)$ **Lagrange's notation**

Derivatives: Lagrange's and Leibniz's Notation

$$y = f(x)$$

Derivative of f is expressed as:

$f'(x)$ **Lagrange's notation**

$$\frac{dy}{dx}$$

Derivatives: Lagrange's and Leibniz's Notation

$$y = f(x)$$

Derivative of f is expressed as:

$f'(x)$ **Lagrange's notation**

$$\frac{dy}{dx} = \frac{d}{dx} f(x)$$

Derivatives: Lagrange's and Leibniz's Notation

$$y = f(x)$$

Derivative of f is expressed as:

$f'(x)$ **Lagrange's notation**

$$\frac{dy}{dx} = \frac{d}{dx} f(x)$$ **Leibniz's notation**

DeepLearning.AI

Derivatives and Optimization

Some common derivatives: Lines

Derivative of a Constant

Derivative of a Constant

Derivative of a Constant

Derivative of a Constant

$$y = f(x) = c$$

Derivative of a Constant

$$y = f(x) = c$$

Derivative of a Constant

$$y = f(x) = c$$

Slope?

Derivative of a Constant

$$y = f(x) = c$$

Slope?

$$\frac{\Delta y}{\Delta x}$$

Derivative of a Constant

$$y = f(x) = c$$

Slope?

$$\frac{\Delta y}{\Delta x} = \frac{c - c}{x_1 - x_0} = 0$$

Derivative of a Constant

$$y = f(x) = c$$

Slope?

$$\frac{\Delta y}{\Delta x} = \frac{c - c}{x_1 - x_0} = 0 \rightarrow \boxed{f'(x) = 0}$$

Derivative of a Line

Derivative of a Line

Derivative of a Line

$$f(x) = ax + b$$

Derivative of a Line

$$f(x) = ax + b$$

Derivative of a Line

$$f(x) = ax + b$$

Derivative of a Line

$$f(x) = ax + b$$

Derivative of a Line

$$f(x) = ax + b$$

Derivative of a Line

$$f(x) = ax + b$$

$$\frac{\Delta y}{\Delta x}$$

Derivative of a Line

$$f(x) = ax + b$$

$$\frac{\Delta y}{\Delta x} = \frac{\text{rise}}{\text{run}}$$

Derivative of a Line

$$f(x) = ax + b$$

$$\frac{\Delta y}{\Delta x} = \frac{\text{rise}}{\text{run}} = a$$

Derivative of a Line

$$f(x) = ax + b$$

$$\frac{\Delta y}{\Delta x} = \frac{\text{rise}}{\text{run}} = a$$

Derivative of a Line

$$f(x) = ax + b \quad \Rightarrow \quad f'(x) = a$$

$$\frac{\Delta y}{\Delta x} = \frac{\text{rise}}{\text{run}} = a$$

Derivative of a Line

$$f(x) = ax + b \quad \Rightarrow \quad f'(x) = a$$

$$\frac{\Delta y}{\Delta x} = \frac{\text{rise}}{\text{run}} = a$$

Derivative of a Line

$$f(x) = ax + b \quad \Rightarrow \quad f'(x) = a$$

$$\frac{\Delta y}{\Delta x} = \frac{\text{rise}}{\text{run}} = a$$

Derivative of a Line

$$f(x) = ax + b \quad \Rightarrow \quad f'(x) = a$$

$$\frac{\Delta y}{\Delta x} = \frac{\text{rise}}{\text{run}} = a$$

Derivative of a Line

$$f(x) = ax + b \quad \Rightarrow \quad f'(x) = a$$

$$\frac{\Delta y}{\Delta x} = \frac{\text{rise}}{\text{run}} = a$$

$$\frac{\Delta y}{\Delta x}$$

Derivative of a Line

$$f(x) = ax + b \quad \Rightarrow \quad f'(x) = a$$

$$\frac{\Delta y}{\Delta x} = \frac{\text{rise}}{\text{run}} = a$$

$$\frac{\Delta y}{\Delta x}$$

Derivative of a Line

$$f(x) = ax + b \quad \Rightarrow \quad f'(x) = a$$

$$\frac{\Delta y}{\Delta x} = \frac{\text{rise}}{\text{run}} = a$$

$$\frac{\Delta y}{\Delta x}$$

Derivative of a Line

$$f(x) = ax + b \quad \Rightarrow \quad f'(x) = a$$

$$\frac{\Delta y}{\Delta x} = \frac{\text{rise}}{\text{run}} = a$$

$$\frac{\Delta y}{\Delta x} = \frac{a(x + \Delta x) + b - (ax + b)}{\Delta x}$$

Derivative of a Line

$$f(x) = ax + b \quad \Rightarrow \quad f'(x) = a$$

$$\frac{\Delta y}{\Delta x} = \frac{\text{rise}}{\text{run}} = a$$

$$\frac{\Delta y}{\Delta x} = \frac{a(\cancel{x} + \Delta x) + b - (\cancel{ax} + b)}{\Delta x}$$

Derivative of a Line

$$f(x) = ax + b \quad \Rightarrow \quad f'(x) = a$$

$$\frac{\Delta y}{\Delta x} = \frac{\text{rise}}{\text{run}} = a$$

$$\frac{\Delta y}{\Delta x} = \frac{a(\cancel{x} + \Delta x) + \cancel{b} - (\cancel{ax} + \cancel{b})}{\Delta x}$$

Derivative of a Line

$$f(x) = ax + b \quad \Rightarrow \quad f'(x) = a$$

$$\frac{\Delta y}{\Delta x} = \frac{\text{rise}}{\text{run}} = a$$

$$\frac{\Delta y}{\Delta x} = \frac{a(\cancel{x} + \Delta x) + \cancel{b} - (\cancel{ax} + \cancel{b})}{\Delta x}$$

$$= a\frac{\Delta x}{\Delta x}$$

Derivative of a Line

$$f(x) = ax + b \quad \Rightarrow \quad f'(x) = a$$

$$\frac{\Delta y}{\Delta x} = \frac{\text{rise}}{\text{run}} = a$$

$$\frac{\Delta y}{\Delta x} = \frac{a(\cancel{x} + \Delta x) + \cancel{b} - (\cancel{ax} + \cancel{b})}{\Delta x}$$

$$= a\frac{\cancel{\Delta x}}{\cancel{\Delta x}}$$

Derivative of a Line

$$f(x) = ax + b \quad \Rightarrow \quad f'(x) = a$$

$$\frac{\Delta y}{\Delta x} = \frac{\text{rise}}{\text{run}} = a$$

$$\frac{\Delta y}{\Delta x} = \frac{a(\cancel{x} + \Delta x) + \cancel{b} - (\cancel{ax} + \cancel{b})}{\Delta x}$$

$$= a\frac{\cancel{\Delta x}}{\cancel{\Delta x}} = a$$

Derivative of a Line

$$f(x) = ax + b \quad \Rightarrow \quad f'(x) = a$$

$$\frac{\Delta y}{\Delta x} = \frac{\text{rise}}{\text{run}} = a$$

$$\frac{df}{dx} \quad \boxed{\frac{\Delta y}{\Delta x}} = \frac{a(\cancel{x} + \Delta x) + \cancel{b} - (\cancel{ax} + \cancel{b})}{\Delta x}$$

$$= a\frac{\cancel{\Delta x}}{\cancel{\Delta x}} = \boxed{a}$$

DeepLearning.AI

Derivatives and Optimization

Some common derivatives: Quadratics

Derivative of Quadratic Functions

Derivative of Quadratic Functions

Quadratics: $y = f(x) = x^2$

Derivative of Quadratic Functions

Quadratics: $y = f(x) = x^2$

Slope: $\frac{\Delta f}{\Delta x}$

Derivative of Quadratic Functions

Quadratics: $y = f(x) = x^2$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^2 - (x)^2}{\Delta x}$

Derivative of Quadratic Functions

$x = 1$

Quadratics: $y = f(x) = x^2$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^2 - (x)^2}{\Delta x}$

Derivative of Quadratic Functions

Quadratics: $y = f(x) = x^2$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^2 - (x)^2}{\Delta x}$

$x = 1$

Δx	1.0

Derivative of Quadratic Functions

Quadratics: $y = f(x) = x^2$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^2 - (x)^2}{\Delta x}$

$x = 1$

Δx	1.0
Δf	3

$$(1 + 1)^2 - 1^2 = 4 - 1$$

Derivative of Quadratic Functions

Quadratics: $y = f(x) = x^2$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^2 - (x)^2}{\Delta x}$

$x = 1$

Δx	1.0
Δf	3
Slope	3

$$(1 + 1)^2 - 1^2 = 4 - 1$$

$$\frac{3}{1}$$

Derivative of Quadratic Functions

Quadratics: $y = f(x) = x^2$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^2 - (x)^2}{\Delta x}$

Δx	1.0	1/2
Δf	3	
Slope	3	

Derivative of Quadratic Functions

$x = 1$

Quadratics: $y = f(x) = x^2$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^2 - (x)^2}{\Delta x}$

Δx	1.0	1/2
Δf	3	1.25
Slope	3	

$$(1 + 0.5)^2 - 1^2 = 2.25 - 1$$

Derivative of Quadratic Functions

$x = 1$

Quadratics: $y = f(x) = x^2$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^2 - (x)^2}{\Delta x}$

Δx	1.0	1/2
Δf	3	1.25
Slope	3	2.5

$$(1 + 0.5)^2 - 1^2 = 2.25 - 1$$

$$\frac{1.25}{0.5}$$

Derivative of Quadratic Functions

$x = 1$

Quadratics: $y = f(x) = x^2$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^2 - (x)^2}{\Delta x}$

Δx	1.0	1/2	1/4
Δf	3	1.25	
Slope	3	2.5	

Derivative of Quadratic Functions

Quadratics: $y = f(x) = x^2$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^2 - (x)^2}{\Delta x}$

$x = 1$

Δx	1.0	1/2	1/4
Δf	3	1.25	0.562
Slope	3	2.5	

$$(1 + 0.25)^2 - 1^2 = 1.56 - 1$$

Derivative of Quadratic Functions

$x = 1$

Quadratics: $y = f(x) = x^2$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^2 - (x)^2}{\Delta x}$

Δx	1.0	1/2	1/4
Δf	3	1.25	0.562
Slope	3	2.5	2.25

$$(1 + 0.25)^2 - 1^2 = 1.56 - 1$$

$$\frac{0.56}{0.25}$$

Derivative of Quadratic Functions

$x = 1$

Quadratics: $y = f(x) = x^2$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^2 - (x)^2}{\Delta x}$

Δx	1.0	1/2	1/4
Δf	3	1.25	0.562
Slope	3	2.5	2.25

Derivative of Quadratic Functions

$x = 1$

Quadratics: $y = f(x) = x^2$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^2 - (x)^2}{\Delta x}$

Δx	1.0	1/2	1/4	1/8	1/16
Δf	3	1.25	0.562	0.265	
Slope	3	2.5	2.25	2.125	

Derivative of Quadratic Functions

$x = 1$

Quadratics: $y = f(x) = x^2$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^2 - (x)^2}{\Delta x}$

Δx	1.0	1/2	1/4	1/8	1/16
Δf	3	1.25	0.562	0.265	0.128
Slope	3	2.5	2.25	2.125	

Derivative of Quadratic Functions

$x = 1$

Quadratics: $y = f(x) = x^2$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^2 - (x)^2}{\Delta x}$

Δx	1.0	1/2	1/4	1/8	1/16
Δf	3	1.25	0.562	0.265	0.128
Slope	3	2.5	2.25	2.125	2.065

Derivative of Quadratic Functions

$x = 1$

Quadratics: $y = f(x) = x^2$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^2 - (x)^2}{\Delta x}$

Δx	1.0	1/2	1/4	1/8	1/16	1/1000
Δf	3	1.25	0.562	0.265	0.128	
Slope	3	2.5	2.25	2.125	2.065	

Derivative of Quadratic Functions

$x = 1$

Quadratics: $y = f(x) = x^2$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^2 - (x)^2}{\Delta x}$

Δx	1.0	1/2	1/4	1/8	1/16	1/1000
Δf	3	1.25	0.562	0.265	0.128	0.002
Slope	3	2.5	2.25	2.125	2.065	

Derivative of Quadratic Functions

$x = 1$

Quadratics: $y = f(x) = x^2$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^2 - (x)^2}{\Delta x}$

Δx	1.0	1/2	1/4	1/8	1/16	1/1000
Δf	3	1.25	0.562	0.265	0.128	0.002
Slope	3	2.5	2.25	2.125	2.065	2.001

Derivative of Quadratic Functions

$x = 1$

Quadratics: $y = f(x) = x^2$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^2 - (x)^2}{\Delta x}$

Δx	1.0	1/2	1/4	1/8	1/16	1/1000
Δf	3	1.25	0.562	0.265	0.128	0.002
Slope	3	2.5	2.25	2.125	2.065	2.001

$$f'(1) = \frac{d}{dx} f(1) = 2$$

Derivative of Quadratic Functions

$x = 1$

Quadratics: $y = f(x) = x^2$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^2 - (x)^2}{\Delta x}$

Δx	1.0	1/2	1/4	1/8	1/16	1/1000
Δf	3	1.25	0.562	0.265	0.128	0.002
Slope	3	2.5	2.25	2.125	2.065	2.001

$$f'(1) = \frac{d}{dx} f(1) = 2 = 2 \times 1$$

Derivative of Quadratic Functions

Quadratics: $y = f(x) = x^2$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{f(x + \Delta x) - f(x)}{\Delta x}$

Derivative of Quadratic Functions

Quadratics: $y = f(x) = x^2$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{f(x + \Delta x) - f(x)}{\Delta x}$

$$\frac{\Delta f}{\Delta x}$$

Derivative of Quadratic Functions

Quadratics: $y = f(x) = x^2$

Slope: $$\frac{\Delta f}{\Delta x} = \frac{f(x + \Delta x) - f(x)}{\Delta x}$$

$$\frac{\Delta f}{\Delta x} = \frac{(x + \Delta x)^2 - x^2}{\Delta x}$$

Derivative of Quadratic Functions

Quadratics: $y = f(x) = x^2$

Slope: $$\frac{\Delta f}{\Delta x} = \frac{f(x + \Delta x) - f(x)}{\Delta x}$$

$$\frac{\Delta f}{\Delta x} = \frac{(x + \Delta x)^2 - x^2}{\Delta x}$$

$$= \frac{x^2 + 2x\Delta x + (\Delta x)^2 - x^2}{\Delta x}$$

Derivative of Quadratic Functions

Quadratics: $y = f(x) = x^2$

Slope: $$\frac{\Delta f}{\Delta x} = \frac{f(x + \Delta x) - f(x)}{\Delta x}$$

$$\frac{\Delta f}{\Delta x} = \frac{(x + \Delta x)^2 - x^2}{\Delta x}$$

$$= \frac{\cancel{x^2} + 2x\Delta x + (\Delta x)^2 - \cancel{x^2}}{\Delta x}$$

Derivative of Quadratic Functions

Quadratics: $y = f(x) = x^2$

Slope: $$\frac{\Delta f}{\Delta x} = \frac{f(x + \Delta x) - f(x)}{\Delta x}$$

$$\frac{\Delta f}{\Delta x} = \frac{(x + \Delta x)^2 - x^2}{\Delta x}$$

$$= \frac{\cancel{x^2} + 2x\cancel{\Delta x} + (\Delta x)^{\cancel{2}} - \cancel{x^2}}{\cancel{\Delta x}}$$

Derivative of Quadratic Functions

Quadratics: $y = f(x) = x^2$

Slope: $$\frac{\Delta f}{\Delta x} = \frac{f(x + \Delta x) - f(x)}{\Delta x}$$

$$\frac{\Delta f}{\Delta x} = \frac{(x + \Delta x)^2 - x^2}{\Delta x}$$

$$= \frac{\cancel{x^2} + 2x\cancel{\Delta x} + (\Delta x)^{\cancel{2}} - \cancel{x^2}}{\cancel{\Delta x}}$$

$$= 2x + \Delta x$$

Derivative of Quadratic Functions

as $\Delta x \longrightarrow 0$

Quadratics: $y = f(x) = x^2$

Slope: $$\frac{\Delta f}{\Delta x} = \frac{f(x+\Delta x) - f(x)}{\Delta x}$$

$$\frac{\Delta f}{\Delta x} = \frac{(x+\Delta x)^2 - x^2}{\Delta x}$$

$$= \frac{\cancel{x^2} + 2x\cancel{\Delta x} + (\Delta x)^{\cancel{2}} - \cancel{x^2}}{\cancel{\Delta x}}$$

$$= 2x + \Delta x$$

Derivative of Quadratic Functions

as $\Delta x \longrightarrow 0$

Quadratics: $y = f(x) = x^2$

Slope: $$\frac{\Delta f}{\Delta x} = \frac{f(x+\Delta x) - f(x)}{\Delta x}$$

$$\frac{\Delta f}{\Delta x} = \frac{(x+\Delta x)^2 - x^2}{\Delta x}$$

$$= \frac{\cancel{x^2} + 2x\cancel{\Delta x} + (\Delta x)^{\cancel{2}} - \cancel{x^2}}{\cancel{\Delta x}}$$

$$= 2x + \boxed{\Delta x}$$

0

Derivative of Quadratic Functions

as $\Delta x \longrightarrow 0$

Quadratics: $y = f(x) = x^2$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{f(x+\Delta x) - f(x)}{\Delta x}$

$$\boxed{\frac{\Delta f}{\Delta x}} = \frac{(x+\Delta x)^2 - x^2}{\Delta x}$$

$$= \frac{\cancel{x^2} + 2x\cancel{\Delta x} + (\Delta x)^{\cancel{2}} - \cancel{x^2}}{\cancel{\Delta x}}$$

$$= 2x + \boxed{\Delta x}$$

0

Derivative of Quadratic Functions

as $\Delta x \longrightarrow 0$

Quadratics: $y = f(x) = x^2$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{f(x+\Delta x) - f(x)}{\Delta x}$

$$\frac{df}{dx} \quad \boxed{\frac{\Delta f}{\Delta x}} = \frac{(x+\Delta x)^2 - x^2}{\Delta x}$$

$$= \frac{\cancel{x^2} + 2x\cancel{\Delta x} + (\Delta x)^{\cancel{2}} - \cancel{x^2}}{\cancel{\Delta x}}$$

$$= 2x + \boxed{\Delta x}$$

0

Derivative of Quadratic Functions

as $\Delta x \longrightarrow 0$

Quadratics: $y = f(x) = x^2$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{f(x+\Delta x) - f(x)}{\Delta x}$

$$\frac{df}{dx} \quad \boxed{\frac{\Delta f}{\Delta x}} = \frac{(x+\Delta x)^2 - x^2}{\Delta x}$$

$$= \frac{\cancel{x^2} + 2x\cancel{\Delta x} + (\Delta x)^{\cancel{2}} - \cancel{x^2}}{\cancel{\Delta x}}$$

$$= 2x + \boxed{\Delta x}$$

0

$$f(x) = x^2 \Rightarrow f'(x) = 2x$$

DeepLearning.AI

Derivatives and Optimization

Some common derivatives: Higher degree polynomials

Derivative of Cubic Functions

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\frac{\Delta f}{\Delta x}$

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\frac{\Delta f}{\Delta x}$

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^3 - (x)^3}{\Delta x}$

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^3 - (x)^3}{\Delta x}$

Derivative of Cubic Functions

$x = 0.5$

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^3 - (x)^3}{\Delta x}$

Δx	1.0

Derivative of Cubic Functions

$x = 0.5$

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^3 - (x)^3}{\Delta x}$

Δx	1.0
Δf	3.25

$$\left(\frac{1}{2} + 1\right)^3 - \left(\frac{1}{2}\right)^3 = \frac{27}{8} - \frac{1}{8}$$

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^3 - (x)^3}{\Delta x}$

$x = 0.5$

Δx	1.0
Δf	3.25
Slope	

$$\left(\frac{1}{2} + 1\right)^3 - \left(\frac{1}{2}\right)^3 = \frac{27}{8} - \frac{1}{8}$$

Derivative of Cubic Functions

$x = 0.5$

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^3 - (x)^3}{\Delta x}$

Δx	1.0
Δf	3.25
Slope	3.25

$$\left(\frac{1}{2} + 1\right)^3 - \left(\frac{1}{2}\right)^3 = \frac{27}{8} - \frac{1}{8}$$

$$\frac{3.25}{1}$$

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^3 - (x)^3}{\Delta x}$

Δx	1.0
Δf	3.25
Slope	3.25

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^3 - (x)^3}{\Delta x}$

$x = 0.5$

Δx	1.0	1/2
Δf	3.25	
Slope	3.25	

Derivative of Cubic Functions

$x = 0.5$

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^3 - (x)^3}{\Delta x}$

Δx	1.0	1/2
Δf	3.25	0.86
Slope	3.25	

$$\left(\frac{1}{2} + \frac{1}{2}\right)^3 - \left(\frac{1}{2}\right)^3 = 1 - \frac{1}{8}$$

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^3 - (x)^3}{\Delta x}$

$x = 0.5$

Δx	1.0	1/2
Δf	3.25	0.86
Slope	3.25	1.75

$$\left(\frac{1}{2} + \frac{1}{2}\right)^3 - \left(\frac{1}{2}\right)^3 = 1 - \frac{1}{8}$$

$$\frac{0.86}{0.5}$$

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^3 - (x)^3}{\Delta x}$

Δx	1.0	1/2
Δf	3.25	0.86
Slope	3.25	1.75

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^3 - (x)^3}{\Delta x}$

Δx	1.0	1/2	1/4
Δf	3.25	0.86	
Slope	3.25	1.75	

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^3 - (x)^3}{\Delta x}$

Δx	1.0	1/2	1/4
Δf	3.25	0.86	0.30
Slope	3.25	1.75	

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^3 - (x)^3}{\Delta x}$

Δx	1.0	1/2	1/4
Δf	3.25	0.86	0.30
Slope	3.25	1.75	1.188

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^3 - (x)^3}{\Delta x}$

$x = 0.5$

Δx	1.0	1/2	1/4	1/8
Δf	3.25	0.86	0.30	
Slope	3.25	1.75	1.188	

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^3 - (x)^3}{\Delta x}$

Δx	1.0	1/2	1/4	1/8
Δf	3.25	0.86	0.30	0.12
Slope	3.25	1.75	1.188	

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^3 - (x)^3}{\Delta x}$

Δx	1.0	1/2	1/4	1/8
Δf	3.25	0.86	0.30	0.12
Slope	3.25	1.75	1.188	0.95

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^3 - (x)^3}{\Delta x}$

$x = 0.5$

Δx	1.0	1/2	1/4	1/8	1/16
Δf	3.25	0.86	0.30	0.12	
Slope	3.25	1.75	1.188	0.95	

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^3 - (x)^3}{\Delta x}$

Δx	1.0	1/2	1/4	1/8	1/16
Δf	3.25	0.86	0.30	0.12	0.05
Slope	3.25	1.75	1.188	0.95	

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^3 - (x)^3}{\Delta x}$

Δx	1.0	1/2	1/4	1/8	1/16
Δf	3.25	0.86	0.30	0.12	0.05
Slope	3.25	1.75	1.188	0.95	0.85

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^3 - (x)^3}{\Delta x}$

$x = 0.5$

Δx	1.0	1/2	1/4	1/8	1/16	1/1000
Δf	3.25	0.86	0.30	0.12	0.05	
Slope	3.25	1.75	1.188	0.95	0.85	

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^3 - (x)^3}{\Delta x}$

Δx	1.0	1/2	1/4	1/8	1/16	1/1000
Δf	3.25	0.86	0.30	0.12	0.05	0.0008
Slope	3.25	1.75	1.188	0.95	0.85	

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^3 - (x)^3}{\Delta x}$

Δx	1.0	1/2	1/4	1/8	1/16	1/1000
Δf	3.25	0.86	0.30	0.12	0.05	0.0008
Slope	3.25	1.75	1.188	0.95	0.85	0.752

Derivative of Cubic Functions

$x = 0.5$

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^3 - (x)^3}{\Delta x}$

Δx	1.0	1/2	1/4	1/8	1/16	1/1000
Δf	3.25	0.86	0.30	0.12	0.05	0.0008
Slope	3.25	1.75	1.188	0.95	0.85	0.752

$$f'(0.5) = \frac{d}{dx} f(0.5) = 0.75 = 3 \times 0.5^2$$

Derivative of Cubic Functions

$x = 0.5$

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{(x + \Delta x)^3 - (x)^3}{\Delta x}$

Δx	1.0	1/2	1/4	1/8	1/16	1/1000
Δf	3.25	0.86	0.30	0.12	0.05	0.0008
Slope	3.25	1.75	1.188	0.95	0.85	0.752

$$f'(0.5) = \frac{d}{dx} f(0.5) = 0.75 = 3 \times 0.5^2 = 3 \times 0.5^2$$

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{f(x + \Delta x) - f(x)}{\Delta x}$

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{f(x + \Delta x) - f(x)}{\Delta x}$

$$\frac{\Delta f}{\Delta x}$$

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{f(x + \Delta x) - f(x)}{\Delta x}$

$$\frac{\Delta f}{\Delta x} \qquad (x + \Delta x)^3 - x^3$$

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{f(x + \Delta x) - f(x)}{\Delta x}$

$$\frac{\Delta f}{\Delta x} = \frac{(x + \Delta x)^3 - x^3}{\Delta x}$$

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{f(x + \Delta x) - f(x)}{\Delta x}$

$$\frac{\Delta f}{\Delta x} = \frac{(x + \Delta x)^3 - x^3}{\Delta x}$$

$$= \frac{x^3 + 3x(\Delta x)^2 + 3x^2\Delta x + (\Delta x)^3 - x^3}{\Delta x}$$

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{f(x+\Delta x) - f(x)}{\Delta x}$

$$\frac{\Delta f}{\Delta x} = \frac{(x+\Delta x)^3 - x^3}{\Delta x}$$

$$= \frac{\cancel{x^3} + 3x(\Delta x)^2 + 3x^2\Delta x + (\Delta x)^3 - \cancel{x^3}}{\Delta x}$$

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{f(x+\Delta x) - f(x)}{\Delta x}$

$$\frac{\Delta f}{\Delta x} = \frac{(x+\Delta x)^3 - x^3}{\Delta x}$$

$$= \frac{\cancel{x^3} + 3x(\Delta x)^2 + 3x^2\cancel{\Delta x} + (\Delta x)^{\cancel{3}\,2} - \cancel{x^3}}{\cancel{\Delta x}}$$

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{f(x+\Delta x) - f(x)}{\Delta x}$

$$\frac{\Delta f}{\Delta x} = \frac{(x+\Delta x)^3 - x^3}{\Delta x}$$

$$= \frac{\cancel{x^3} + 3x(\Delta x)^2 + 3x^2\cancel{\Delta x} + (\Delta x)^{\cancel{3}\,2} - \cancel{x^3}}{\cancel{\Delta x}}$$

$$= 3x\Delta x + 3x^2 + \Delta x^2$$

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{f(x+\Delta x) - f(x)}{\Delta x}$

$$\boxed{\frac{\Delta f}{\Delta x}} = \frac{(x+\Delta x)^3 - x^3}{\Delta x}$$

$$= \frac{\cancel{x^3} + 3x(\Delta x)^2 + 3x^2\cancel{\Delta x} + (\Delta x)^{\cancel{3}\,2} - \cancel{x^3}}{\cancel{\Delta x}}$$

$$= 3\boxed{x\Delta x}^{0} + 3x^2 + \boxed{\Delta x^2}^{0}$$

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{f(x+\Delta x) - f(x)}{\Delta x}$

$$\frac{df}{dx} \quad \boxed{\frac{\Delta f}{\Delta x}} = \frac{(x+\Delta x)^3 - x^3}{\Delta x}$$

$$= \frac{\cancel{x^3} + 3x(\Delta x)^2 + 3x^2\cancel{\Delta x} + (\Delta x)^{\cancel{3}\,2} - \cancel{x^3}}{\cancel{\Delta x}}$$

$$= 3\boxed{x\Delta x}^{0} + 3x^2 + \boxed{\Delta x^2}^{0}$$

Derivative of Cubic Functions

Cubic: $y = f(x) = x^3$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{f(x+\Delta x) - f(x)}{\Delta x}$

$$\frac{df}{dx} \quad \boxed{\frac{\Delta f}{\Delta x}} = \frac{(x+\Delta x)^3 - x^3}{\Delta x}$$

$$= \frac{\cancel{x^3} + 3x(\Delta x)^2 + 3x^2\cancel{\Delta x} + (\Delta x)^{\cancel{3}\,2} - \cancel{x^3}}{\cancel{\Delta x}}$$

$$= 3\boxed{x\Delta x}^{0} + 3x^2 + \boxed{\Delta x^2}^{0}$$

$$f(x) = x^3 \Rightarrow f'(x) = 3x^2$$

DeepLearning.AI

Derivatives and Optimization

Some common derivatives: Other power functions

Derivative of $\frac{1}{x}$

Derivative of $\frac{1}{x}$

$$y = f(x) = x^{-1} = \frac{1}{x}$$

Derivative of $\frac{1}{x}$

$$y = f(x) = x^{-1} = \frac{1}{x}$$

Slope: $\frac{\Delta f}{\Delta x}$

Derivative of $\frac{1}{x}$

$$y = f(x) = x^{-1} = \frac{1}{x}$$

Slope: $$\frac{\Delta f}{\Delta x} = \frac{(x + \Delta x)^{-1} - (x)^{-1}}{\Delta x}$$

Derivative of $\frac{1}{x}$

$$y = f(x) = x^{-1} = \frac{1}{x}$$

Slope: $$\frac{\Delta f}{\Delta x} = \frac{(x + \Delta x)^{-1} - (x)^{-1}}{\Delta x}$$

Derivative of $\frac{1}{x}$

$$y = f(x) = x^{-1} = \frac{1}{x}$$

Slope: $$\frac{\Delta f}{\Delta x} = \frac{(x + \Delta x)^{-1} - (x)^{-1}}{\Delta x}$$

Δx	1.0

Derivative of $\frac{1}{x}$

$$y = f(x) = x^{-1} = \frac{1}{x}$$

Slope: $$\frac{\Delta f}{\Delta x} = \frac{(x + \Delta x)^{-1} - (x)^{-1}}{\Delta x}$$

Δx	1.0
Δf	

Derivative of $\frac{1}{x}$

$$y = f(x) = x^{-1} = \frac{1}{x}$$

Slope: $$\frac{\Delta f}{\Delta x} = \frac{(x + \Delta x)^{-1} - (x)^{-1}}{\Delta x}$$

Δx	1.0
Δf	-0.5

$$(1 + 1)^{-1} - 1^{-1} = \frac{1}{2} - 1$$

Derivative of $\frac{1}{x}$

$$y = f(x) = x^{-1} = \frac{1}{x}$$

Slope: $$\frac{\Delta f}{\Delta x} = \frac{(x + \Delta x)^{-1} - (x)^{-1}}{\Delta x}$$

Δx	1.0
Δf	-0.5
Slope	-0.5

$$(1 + 1)^{-1} - 1^{-1} = \frac{1}{2} - 1$$

$$\frac{-0.5}{1}$$

Derivative of $\frac{1}{x}$

Inverse: $y = f(x) = x^{-1} = \frac{1}{x}$

Slope: $\frac{\Delta f}{\Delta x} = \frac{(x + \Delta x)^{-1} - (x)^{-1}}{\Delta x}$

Δx	1.0
Δf	-0.5
Slope	-0.5

Derivative of $\frac{1}{x}$

Inverse: $y = f(x) = x^{-1} = \frac{1}{x}$

Slope: $\frac{\Delta f}{\Delta x} = \frac{(x + \Delta x)^{-1} - (x)^{-1}}{\Delta x}$

Δx	1.0	1/2
Δf	-0.5	
Slope	-0.5	

Derivative of $\frac{1}{x}$

Inverse: $y = f(x) = x^{-1} = \frac{1}{x}$

Slope: $\frac{\Delta f}{\Delta x} = \frac{(x + \Delta x)^{-1} - (x)^{-1}}{\Delta x}$

Δx	1.0	1/2
Δf	-0.5	-0.33
Slope	-0.5	

$$(1 + 0.5)^{-1} - 1^{-1} = \frac{2}{3} - 1$$

Derivative of $\frac{1}{x}$

Inverse: $y = f(x) = x^{-1} = \frac{1}{x}$

Slope: $\frac{\Delta f}{\Delta x} = \frac{(x + \Delta x)^{-1} - (x)^{-1}}{\Delta x}$

Δx	1.0	1/2
Δf	-0.5	-0.33
Slope	-0.5	-0.67

$$(1 + 0.5)^{-1} - 1^{-1} = \frac{2}{3} - 1$$

$$\frac{0.33}{0.5}$$

Derivative of $\frac{1}{x}$

Inverse: $y = f(x) = x^{-1} = \frac{1}{x}$

Slope: $\frac{\Delta f}{\Delta x} = \frac{(x + \Delta x)^{-1} - (x)^{-1}}{\Delta x}$

Δx	1.0	1/2
Δf	-0.5	-0.33
Slope	-0.5	-0.67

Derivative of $\frac{1}{x}$

Inverse: $y = f(x) = x^{-1} = \frac{1}{x}$

Slope: $\frac{\Delta f}{\Delta x} = \frac{(x + \Delta x)^{-1} - (x)^{-1}}{\Delta x}$

Δx	1.0	1/2	1/4	1/8	1/16	1/1000
Δf	-0.5	-0.33	-0.2	-0.11	-0.06	-0.001
Slope	-0.5	-0.67	-0.8	-0.89	-0.94	-0.999

Derivative of $\frac{1}{x}$

Inverse: $y = f(x) = x^{-1} = \frac{1}{x}$

Slope: $\frac{\Delta f}{\Delta x} = \frac{(x + \Delta x)^{-1} - (x)^{-1}}{\Delta x}$

Δx	1.0	1/2	1/4	1/8	1/16	1/1000
Δf	-0.5	-0.33	-0.2	-0.11	-0.06	-0.001
Slope	-0.5	-0.67	-0.8	-0.89	-0.94	-0.999

$$f'(1) = \frac{d}{dx} f(1) = -1$$

Derivative of $\frac{1}{x}$

Inverse: $y = f(x) = x^{-1} = \frac{1}{x}$

Slope: $\frac{\Delta f}{\Delta x} = \frac{(x + \Delta x)^{-1} - (x)^{-1}}{\Delta x}$

Δx	1.0	1/2	1/4	1/8	1/16	1/1000
Δf	-0.5	-0.33	-0.2	-0.11	-0.06	-0.001
Slope	-0.5	-0.67	-0.8	-0.89	-0.94	-0.999

$$f'(1) = \frac{d}{dx} f(1) = -1 = -1 \times 1^2$$

Derivative of $\frac{1}{x}$

Inverse: $y = f(x) = x^{-1} = \frac{1}{x}$

Slope: $\frac{\Delta f}{\Delta x} = \frac{f(x + \Delta x) - f(x)}{\Delta x}$

Derivative of $\frac{1}{x}$

Inverse: $y = f(x) = x^{-1} = \frac{1}{x}$

Slope: $\frac{\Delta f}{\Delta x} = \frac{f(x + \Delta x) - f(x)}{\Delta x}$

$\frac{\Delta f}{\Delta x}$

Derivative of $\frac{1}{x}$

Inverse: $y = f(x) = x^{-1} = \frac{1}{x}$

Slope: $\frac{\Delta f}{\Delta x} = \frac{f(x + \Delta x) - f(x)}{\Delta x}$

$$\frac{\Delta f}{\Delta x} = \frac{(x + \Delta x)^{-1} - x^{-1}}{\Delta x}$$

Derivative of $\frac{1}{x}$

Inverse: $y = f(x) = x^{-1} = \frac{1}{x}$

Slope: $\frac{\Delta f}{\Delta x} = \frac{f(x + \Delta x) - f(x)}{\Delta x}$

$$\frac{\Delta f}{\Delta x} = \frac{(x + \Delta x)^{-1} - x^{-1}}{\Delta x}$$

$$= \frac{\frac{1}{x + \Delta x} - \frac{1}{x}}{\Delta x}$$

Derivative of $\frac{1}{x}$

Inverse: $y = f(x) = x^{-1} = \frac{1}{x}$

Slope: $\frac{\Delta f}{\Delta x} = \frac{f(x + \Delta x) - f(x)}{\Delta x}$

$$\frac{\Delta f}{\Delta x} = \frac{(x + \Delta x)^{-1} - x^{-1}}{\Delta x}$$

$$= \frac{\frac{1}{x + \Delta x} - \frac{1}{x}}{\Delta x} = \frac{\frac{x - (x + \Delta x)}{(x + \Delta x)x}}{\Delta x}$$

Derivative of $\frac{1}{x}$

Inverse: $y = f(x) = x^{-1} = \frac{1}{x}$

Slope: $\frac{\Delta f}{\Delta x} = \frac{f(x + \Delta x) - f(x)}{\Delta x}$

$$\frac{\Delta f}{\Delta x} = \frac{(x + \Delta x)^{-1} - x^{-1}}{\Delta x}$$

$$= \frac{\frac{1}{x + \Delta x} - \frac{1}{x}}{\Delta x} = \frac{\frac{\cancel{x} - (\cancel{x} + \Delta x)}{(x + \Delta x)x}}{\Delta x}$$

Derivative of $\frac{1}{x}$

Inverse: $y = f(x) = x^{-1} = \frac{1}{x}$

Slope: $\frac{\Delta f}{\Delta x} = \frac{f(x+\Delta x) - f(x)}{\Delta x}$

$$\frac{\Delta f}{\Delta x} = \frac{(x+\Delta x)^{-1} - x^{-1}}{\Delta x}$$

$$= \frac{\frac{1}{x+\Delta x} - \frac{1}{x}}{\Delta x} = \frac{\frac{\cancel{x} - (\cancel{x} + \cancel{\Delta x})}{(x+\Delta x)x}}{\cancel{\Delta x}}$$

Derivative of $\frac{1}{x}$

Inverse: $y = f(x) = x^{-1} = \frac{1}{x}$

Slope: $\frac{\Delta f}{\Delta x} = \frac{f(x+\Delta x) - f(x)}{\Delta x}$

$$\frac{\Delta f}{\Delta x} = \frac{(x+\Delta x)^{-1} - x^{-1}}{\Delta x}$$

$$= \frac{\frac{1}{x+\Delta x} - \frac{1}{x}}{\Delta x} = \frac{\frac{\cancel{x} - (\cancel{x} + \cancel{\Delta x})}{(x+\Delta x)x}}{\cancel{\Delta x}}$$

$$= -\frac{1}{x^2 + x\Delta x}$$

Derivative of $\frac{1}{x}$

Inverse: $y = f(x) = x^{-1} = \frac{1}{x}$

Slope: $\frac{\Delta f}{\Delta x} = \frac{f(x+\Delta x) - f(x)}{\Delta x}$

$$\frac{\Delta f}{\Delta x} = \frac{(x+\Delta x)^{-1} - x^{-1}}{\Delta x}$$

$$= \frac{\frac{1}{x+\Delta x} - \frac{1}{x}}{\Delta x} = \frac{\frac{\cancel{x} - (\cancel{x} + \cancel{\Delta x})}{(x+\Delta x)x}}{\cancel{\Delta x}}$$

$$= -\frac{1}{x^2 + x\Delta x}$$

Derivative of $\frac{1}{x}$

Inverse: $y = f(x) = x^{-1} = \frac{1}{x}$

Slope: $\frac{\Delta f}{\Delta x} = \frac{f(x+\Delta x) - f(x)}{\Delta x}$

$$\frac{df}{dx} \quad \boxed{\frac{\Delta f}{\Delta x}} = \frac{(x+\Delta x)^{-1} - x^{-1}}{\Delta x}$$

$$= \frac{\frac{1}{x+\Delta x} - \frac{1}{x}}{\Delta x} = \frac{\frac{\cancel{x} - (\cancel{x} + \cancel{\Delta x})}{(x+\Delta x)x}}{\cancel{\Delta x}}$$

$$= -\frac{1}{x^2 + x\boxed{\Delta x}} \quad 0$$

Derivative of $\frac{1}{x}$

Inverse: $y = f(x) = x^{-1} = \frac{1}{x}$

Slope: $\frac{\Delta f}{\Delta x} = \frac{f(x+\Delta x) - f(x)}{\Delta x}$

$$\frac{df}{dx} \quad \boxed{\frac{\Delta f}{\Delta x}} = \frac{(x+\Delta x)^{-1} - x^{-1}}{\Delta x}$$

$$= \frac{\frac{1}{x+\Delta x} - \frac{1}{x}}{\Delta x} = \frac{\frac{\cancel{x} - (\cancel{x} + \cancel{\Delta x})}{(x+\Delta x)x}}{\cancel{\Delta x}}$$

$$= -\frac{1}{x^2 + x\boxed{\Delta x}} \quad 0$$

$$f(x) = x^{-1} \Rightarrow f'(x) = -x^{-2}$$

Derivative of Power Functions

Derivative of Power Functions

$f(x) = x^2$

$f(x) = x^3$

$f(x) = x^{-1}$

Derivative of Power Functions

$$f(x) = x^2 \qquad f(x) = x^3 \qquad f(x) = x^{-1}$$

$$f'(x) = 2x^1 \qquad f'(x) = 3x^2 \qquad f'(x) = (-1)x^{-2}$$

Derivative of Power Functions

Can you spot the pattern?

$$f(x) = x^2 \qquad f(x) = x^3 \qquad f(x) = x^{-1}$$

$$f'(x) = 2x^1 \qquad f'(x) = 3x^2 \qquad f'(x) = (-1)x^{-2}$$

Derivative of Power Functions

Can you spot the pattern?

$f(x) = x^{\boxed{2}}$ $\quad$ $f(x) = x^{\boxed{3}}$ $\quad$ $f(x) = x^{\boxed{-1}}$

$f'(x) = 2x^1$ $\quad$ $f'(x) = 3x^2$ $\quad$ $f'(x) = (-1)x^{-2}$

Derivative of Power Functions

Can you spot the pattern?

$$f(x) = x^{\boxed{2}} \qquad f(x) = x^{\boxed{3}} \qquad f(x) = x^{\boxed{-1}}$$

$$f'(x) = 2x^1 \qquad f'(x) = 3x^2 \qquad f'(x) = (-1)x^{-2}$$

Derivative of Power Functions

Can you spot the pattern?

$$f(x) = x^{\boxed{2}} \qquad f(x) = x^{\boxed{3}} \qquad f(x) = x^{\boxed{-1}}$$

-1

$$f'(x) = 2x^1 \qquad f'(x) = 3x^2 \qquad f'(x) = (-1)x^{-2}$$

Derivative of Power Functions

Can you spot the pattern?

$$f(x) = x^{\boxed{2}} \qquad f(x) = x^{\boxed{3}} \qquad f(x) = x^{\boxed{-1}}$$

-1

$$f'(x) = 2x^1 \qquad f'(x) = 3x^2 \qquad f'(x) = (-1)x^{-2}$$

Derivative of Power Functions

Can you spot the pattern?

$$f(x) = x^{\boxed{2}} \qquad f(x) = x^{\boxed{3}} \qquad f(x) = x^{\boxed{-1}}$$

-1 -1

$$f'(x) = 2x^1 \qquad f'(x) = 3x^2 \qquad f'(x) = (-1)x^{-2}$$

Derivative of Power Functions

Can you spot the pattern?

$$f(x) = x^{\boxed{2}} \qquad f(x) = x^{\boxed{3}} \qquad f(x) = x^{\boxed{-1}}$$

-1 -1

$$f'(x) = 2x^1 \qquad f'(x) = 3x^2 \qquad f'(x) = (-1)x^{-2}$$

Derivative of Power Functions

Can you spot the pattern?

$$f(x) = x^{\boxed{2}} \qquad f(x) = x^{\boxed{3}} \qquad f(x) = x^{\boxed{-1}}$$

-1 -1 -1

$$f'(x) = 2x^{1} \qquad f'(x) = 3x^{2} \qquad f'(x) = (-1)x^{-2}$$

Derivative of Power Functions

Can you spot the pattern?

$$f(x) = x^{\boxed{2}} \xrightarrow{-1} f'(x) = 2x^1$$

$$f(x) = x^{\boxed{3}} \xrightarrow{-1} f'(x) = 3x^2$$

$$f(x) = x^{\boxed{-1}} \xrightarrow{-1} f'(x) = (-1)x^{-2}$$

$$f(x) = x^n \quad \Rightarrow \quad f'(x) = \frac{d}{dx} f(x) = n x^{n-1}$$

DeepLearning.AI

Derivatives and Optimization

The inverse function and its derivative

Inverse Function

What’s an inverse?

Inverse Function

What's an inverse?

Inverse Function

What's an inverse?

Inverse Function

What's an inverse?

Inverse Function

What's an inverse?

Inverse Function

What's an inverse?

x

Inverse Function

What's an inverse?

$$x \xrightarrow{f} x^2$$

Inverse Function

What's an inverse?

$$x \xrightarrow{f} x^2 \xrightarrow{g} x$$

Inverse Function

What's an inverse?

$$x \xrightarrow{f} x^2 \xrightarrow{g} x$$

$g(x)$ and $f(x)$ are inverses

Inverse Function

What's an inverse?

$$x \xrightarrow{f} x^2 \xrightarrow{g} x$$

$g(x)$ and $f(x)$ are inverses

$$g(x) = f^{-1}(x)$$

Inverse Function

What's an inverse?

$$x \xrightarrow{f} x^2 \xrightarrow{g} x$$

$g(x)$ and $f(x)$ are inverses

$$g(x) = f^{-1}(x)$$

$$g(f(x)) = x$$

Inverse Function

What's an inverse?

$$x \xrightarrow[\substack{f(x) \\ x^2}]{f} x^2 \xrightarrow{g} x$$

$g(x)$ and $f(x)$ are inverses

$$g(x) = f^{-1}(x)$$

$$g(f(x)) = x$$

Inverse Function

What's an inverse?

$$x \xrightarrow[\substack{f(x) \\ x^2}]{f} x^2 \xrightarrow[\substack{g(x) \\ \sqrt{x}}]{g} x$$

$g(x)$ and $f(x)$ are inverses

$$g(x) = f^{-1}(x)$$

$$g(f(x)) = x$$

Inverse Function

What's an inverse?

$$x \xrightarrow[\substack{f(x) \\ x^2}]{f} x^2 \xrightarrow[\substack{g(x) \\ \sqrt{x}}]{g} x$$

$g(x)$ and $f(x)$ are inverses

$$g(x) = f^{-1}(x)$$

$$g(f(x)) = x$$

$$\sqrt{x^2}$$

Inverse Function

What's an inverse?

$$x \xrightarrow[\substack{f(x) \\ x^2}]{f} x^2 \xrightarrow[\substack{g(x) \\ \sqrt{x}}]{g} x$$

$g(x)$ and $f(x)$ are inverses

$$g(x) = f^{-1}(x)$$

$$g(f(x)) = x$$

$$\sqrt{x^2} = x$$

Inverse Function

What's an inverse?

$$x \xrightarrow[\substack{f(x) \\ x^2}]{f} x^2 \xrightarrow[\substack{g(x) \\ \sqrt{x}}]{g} x$$

$g(x)$ and $f(x)$ are inverses

$$g(x) = f^{-1}(x)$$

$$g(f(x)) = x$$

$\sqrt{x^2} = x$ for $x > 0$

Derivative of the Inverse

Derivative of the Inverse

Derivative of the Inverse

Derivative of the Inverse

Derivative of the Inverse

$$f(1/2) = 1/4$$

$$g\left(f(1/2)\right) = g(1/4)$$

$$= 1/2$$

Derivative of the Inverse

$$f(1/2) = 1/4$$

$$g\left(f(1/2)\right) = g(1/4)$$

$$= 1/2$$

Derivative of the Inverse

$$f(1/2) = 1/4$$

$$g\left(f(1/2)\right) = g(1/4)$$

$$= 1/2$$

$$f(1) = 1$$

$$g\left(f(1)\right) = g(1)$$

$$= 1$$

Derivative of the Inverse

$$f(1/2) = 1/4$$

$$g\left(f(1/2)\right) = g(1/4)$$

$$= 1/2$$

$$f(1) = 1$$

$$g\left(f(1)\right) = g(1)$$

$$= 1$$

Derivative of the Inverse

$$f(1/2) = 1/4$$

$$g\left(f(1/2)\right) = g(1/4)$$

$$= 1/2$$

$$f(1) = 1$$

$$g\left(f(1)\right) = g(1)$$

$$= 1$$

Derivative of the Inverse

Derivative of the Inverse

Derivative of the Inverse

Derivative of the Inverse

Derivative of the Inverse

Derivative of the Inverse

Derivative of the Inverse

Derivative of the Inverse

Derivative of the Inverse

Derivative of the Inverse

Derivative of the Inverse

Derivative of the Inverse

Derivative of the Inverse

$$\frac{\Delta f}{\Delta x} = f'(x)$$

Derivative of the Inverse

$$\frac{\Delta f}{\Delta x} = f'(x)$$

$$\frac{\Delta g}{\Delta y} = g'(y)$$

Derivative of the Inverse

$$\frac{\Delta f}{\Delta x} = f'(x)$$

$$\frac{\Delta g}{\Delta y} = g'(y)$$

$$g'(y) = \frac{1}{f'(x)}$$

Derivative of the Inverse

$$f(x) = x^2$$

$$g(y) = \sqrt{y}$$

$$g'(y) = \frac{1}{f'(x)}$$

Derivative of the Inverse

$$f(x) = x^2$$

$$g(y) = \sqrt{y}$$

$$g'(y) = \frac{1}{f'(x)}$$

at the point $(1,1)$

$f(1) = 1$ $\qquad$ $g(1) = 1$

Derivative of the Inverse

$$f(x) = x^2$$

$$g(y) = \sqrt{y}$$

$$g'(y) = \frac{1}{f'(x)}$$

at the point $(1,1)$

$f(1) = 1$ $\qquad$ $g(1) = 1$

Derivative of the Inverse

$$f(x) = x^2$$

$$g(y) = \sqrt{y}$$

$$g'(y) = \frac{1}{f'(x)}$$

at the point $(1,1)$

$f(1) = 1$ $\qquad$ $g(1) = 1$

Derivative of the Inverse

$$f(x) = x^2$$

$$g(y) = \sqrt{y}$$

$$g'(y) = \frac{1}{f'(x)}$$

at the point $(1,1)$

$f(1) = 1$ $\qquad$ $g(1) = 1$

Derivative of the Inverse

$$f(x) = x^2$$

$$g(y) = \sqrt{y}$$

$$g'(y) = \frac{1}{f'(x)}$$

at the point $(1,1)$

$f(1) = 1$ $\qquad$ $g(1) = 1$

Derivative of the Inverse

$$f(x) = x^2$$

$$g(y) = \sqrt{y}$$

$$g'(y) = \frac{1}{f'(x)}$$

at the point $(1,1)$

$f(1) = 1$ $\qquad$ $g(1) = 1$

Derivative of the Inverse

$$f(x) = x^2$$

$$g(y) = \sqrt{y}$$

$$g'(y) = \frac{1}{f'(x)}$$

at the point $(1,1)$

$f(1) = 1$ $\qquad$ $g(1) = 1$

Derivative of the Inverse

$$f(x) = x^2$$

$$g(y) = \sqrt{y}$$

$$g'(y) = \frac{1}{f'(x)}$$

at the point $(1,1)$

$f(1) = 1$ $\qquad$ $g(1) = 1$

$$g'(1) = \frac{1}{f'(1)}$$

Derivative of the Inverse

$$f(x) = x^2$$

$$g(y) = \sqrt{y}$$

$$g'(y) = \frac{1}{f'(x)}$$

at the point $(1,1)$

$f(1) = 1$ $\qquad$ $g(1) = 1$

$$g'(1) = \frac{1}{f'(1)} = \frac{1}{2}$$

Derivative of the Inverse

$$f(x) = x^2$$

$$g(y) = \sqrt{y}$$

$$g'(y) = \frac{1}{f'(x)}$$

at the point $(1,1)$

$f(1) = 1$ $\qquad$ $g(1) = 1$

$$g'(1) = \frac{1}{f'(1)}$$

Derivative of the Inverse

$$f(x) = x^2$$

$$g(y) = \sqrt{y}$$

$$g'(y) = \frac{1}{f'(x)}$$

Derivative of the Inverse

$$f(x) = x^2$$

$$g(y) = \sqrt{y}$$

$$g'(y) = \frac{1}{f'(x)}$$

at the point $(2,4)$

$f(2) = 4$ $\qquad$ $g(4) = 2$

Derivative of the Inverse

$$f(x) = x^2$$

$$g(y) = \sqrt{y}$$

$$g'(y) = \frac{1}{f'(x)}$$

at the point $(2,4)$

$f(2) = 4$ $\qquad$ $g(4) = 2$

Derivative of the Inverse

$$f(x) = x^2$$

$$g(y) = \sqrt{y}$$

$$g'(y) = \frac{1}{f'(x)}$$

at the point $(2,4)$

$f(2) = 4$ $\qquad$ $g(4) = 2$

Derivative of the Inverse

$f(x) = x^2$

$g(y) = \sqrt{y}$

$$g'(y) = \frac{1}{f'(x)}$$

at the point $(2,4)$

$f(2) = 4$ $\qquad$ $g(4) = 2$

Derivative of the Inverse

$f(x) = x^2$

$f'(x) = 2x$

$f'(2) = 4$

$g(y) = \sqrt{y}$

$$g'(y) = \frac{1}{f'(x)}$$

at the point $(2,4)$

$f(2) = 4$ $\qquad$ $g(4) = 2$

Derivative of the Inverse

$f(x) = x^2$

$f'(x) = 2x$

$f'(2) = 4$

$g(y) = \sqrt{y}$

$$g'(y) = \frac{1}{f'(x)}$$

at the point $(2,4)$

$f(2) = 4$ $\quad$ $g(4) = 2$

Derivative of the Inverse

$f(x) = x^2$

$f'(x) = 2x$

$f'(2) = 4$

$g(y) = \sqrt{y}$

$g'(y)$

$$g'(y) = \frac{1}{f'(x)}$$

at the point $(2,4)$

$f(2) = 4$ $\quad$ $g(4) = 2$

Derivative of the Inverse

$f(x) = x^2$

$f'(x) = 2x$

$f'(2) = 4$

$g(y) = \sqrt{y}$

$g'(y)$

$$g'(y) = \frac{1}{f'(x)}$$

at the point $(2,4)$

$f(2) = 4$ $\quad$ $g(4) = 2$

$$g'(4) = \frac{1}{f'(2)}$$

Derivative of the Inverse

$f(x) = x^2$

$f'(x) = 2x$

$f'(2) = 4$

$g(y) = \sqrt{y}$

$g'(y)$

$$g'(y) = \frac{1}{f'(x)}$$

at the point $(2,4)$

$f(2) = 4$ $\quad$ $g(4) = 2$

$$g'(4) = \frac{1}{f'(2)} = \frac{1}{4}$$

Derivative of the Inverse

$f(x) = x^2$

$f'(x) = 2x$

$f'(2) = 4$

$g(y) = \sqrt{y}$

$g'(y) = \frac{1}{4}$

$$g'(y) = \frac{1}{f'(x)}$$

at the point $(2,4)$

$f(2) = 4$ $\quad$ $g(4) = 2$

$$g'(4) = \frac{1}{f'(2)}$$

DeepLearning.AI

Derivatives and Optimization

Derivative of trigonometric functions

Derivative of Trigonometric Functions

Derivative of Trigonometric Functions

Sine $y = f(x) = \sin(x)$

Derivative of Trigonometric Functions

Sine $y = f(x) = \sin(x)$

x	$\pi/2$	$-\pi/2$	0	$-\pi$

Derivative of Trigonometric Functions

Sine $y = f(x) = \sin(x)$

x	$\pi/2$	$-\pi/2$	0	$-\pi$
Slope	0			

Derivative of Trigonometric Functions

Sine $y = f(x) = \sin(x)$

x	$\pi/2$	$-\pi/2$	0	$-\pi$
Slope	0	0		

Derivative of Trigonometric Functions

Sine $y = f(x) = \sin(x)$

x	$\pi/2$	$-\pi/2$	0	$-\pi$
Slope	0	0	1	

Derivative of Trigonometric Functions

Sine $y = f(x) = \sin(x)$

x	$\pi/2$	$-\pi/2$	0	$-\pi$
Slope	0	0	1	-1

Derivative of Trigonometric Functions

Sine $y = f(x) = \sin(x)$

x	$\pi/2$	$-\pi/2$	0	$-\pi$
Slope	0	0	1	-1

Derivative of Trigonometric Functions

Sine $y = f(x) = \sin(x)$

x	$\pi/2$	$-\pi/2$	0	$-\pi$
Slope	0	0	1	-1
$\cos(x)$				

Derivative of Trigonometric Functions

Sine $y = f(x) = \sin(x)$

x	$\pi/2$	$-\pi/2$	0	$-\pi$
Slope	0	0	1	-1
$\cos(x)$	0			

Derivative of Trigonometric Functions

Sine $y = f(x) = \sin(x)$

x	$\pi/2$	$-\pi/2$	0	$-\pi$
Slope	0	0	1	-1
$\cos(x)$	0	0		

Derivative of Trigonometric Functions

Sine $y = f(x) = \sin(x)$

x	$\pi/2$	$-\pi/2$	0	$-\pi$
Slope	0	0	1	-1
$\cos(x)$	0	0	1	

Derivative of Trigonometric Functions

Sine $y = f(x) = \sin(x)$

x	$\pi/2$	$-\pi/2$	0	$-\pi$
Slope	0	0	1	-1
$\cos(x)$	0	0	1	-1

Derivative of Trigonometric Functions

Sine $y = f(x) = \sin(x)$

x	$\pi/2$	$-\pi/2$	0	$-\pi$
Slope	0	0	1	-1
$\cos(x)$	0	0	1	-1

$$f(x) = \sin(x) \Rightarrow f'(x) = \cos(x)$$

Derivative of Trigonometric Functions

Sine $y = f(x) = \sin(x)$

x	$\pi/2$	$-\pi/2$	0	$-\pi$
Slope	0	0	1	-1
$\cos(x)$	0	0	1	-1

$$f(x) = \sin(x) \overset{??}{\Longrightarrow} f'(x) = \cos(x)$$

Derivative of Trigonometric Functions

Derivative of Trigonometric Functions

Cosine $y = f(x) = \cos(x)$

Derivative of Trigonometric Functions

Cosine $y = f(x) = \cos(x)$

x	0	$-\pi$	$\pi/2$	$-\pi/2$

Derivative of Trigonometric Functions

Cosine $y = f(x) = \cos(x)$

x	0	$-\pi$	$\pi/2$	$-\pi/2$
Slope	0			

Derivative of Trigonometric Functions

Cosine $y = f(x) = \cos(x)$

x	0	$-\pi$	$\pi/2$	$-\pi/2$
Slope	0	0		

Derivative of Trigonometric Functions

Cosine $y = f(x) = \cos(x)$

x	0	$-\pi$	$\pi/2$	$-\pi/2$
Slope	0	0	-1	

Derivative of Trigonometric Functions

Cosine $y = f(x) = \cos(x)$

x	0	$-\pi$	$\pi/2$	$-\pi/2$
Slope	0	0	-1	1

Derivative of Trigonometric Functions

Cosine $y = f(x) = \cos(x)$

x	0	$-\pi$	$\pi/2$	$-\pi/2$
Slope	0	0	-1	1
$\sin(x)$				

Derivative of Trigonometric Functions

Cosine $y = f(x) = \cos(x)$

x	0	$-\pi$	$\pi/2$	$-\pi/2$
Slope	0	0	-1	1
$\sin(x)$	0			

Derivative of Trigonometric Functions

Cosine $y = f(x) = \cos(x)$

x	0	$-\pi$	$\pi/2$	$-\pi/2$
Slope	0	0	-1	1
$\sin(x)$	0	0		

Derivative of Trigonometric Functions

Cosine $y = f(x) = \cos(x)$

x	0	$-\pi$	$\pi/2$	$-\pi/2$
Slope	0	0	-1	1
$\sin(x)$	0	0	1	

Derivative of Trigonometric Functions

Cosine $y = f(x) = \cos(x)$

x	0	$-\pi$	$\pi/2$	$-\pi/2$
Slope	0	0	-1	1
$\sin(x)$	0	0	1	-1

Derivative of Trigonometric Functions

Cosine $y = f(x) = \cos(x)$

x	0	$-\pi$	$\pi/2$	$-\pi/2$
Slope	0	0	-1	1
$\sin(x)$	0	0	1	-1

$$f(x) = \cos(x) \Rightarrow f'(x) = -\sin(x)$$

Derivative of Trigonometric Functions

Cosine $y = f(x) = \cos(x)$

x	0	$-\pi$	$\pi/2$	$-\pi/2$
Slope	0	0	-1	1
$\sin(x)$	0	0	1	-1

$$f(x) = \cos(x) \xrightarrow{??} f'(x) = -\sin(x)$$

Derivative of Trigonometric Functions

Derivative of Trigonometric Functions

Derivative of Trigonometric Functions

Derivative of Trigonometric Functions

Derivative of Trigonometric Functions

Derivative of Trigonometric Functions

Derivative of Trigonometric Functions

Derivative of Trigonometric Functions

Derivative of Trigonometric Functions

$$\cos(\varphi) = \frac{adj}{hyp}$$

Derivative of Trigonometric Functions

$$\cos(\varphi) = \frac{adj}{hyp} = \frac{\Delta(\sin x)}{h}$$

Derivative of Trigonometric Functions

$$\Delta(\sin x) = h \cos(\varphi)$$

$$\cos(\varphi) = \frac{adj}{hyp} = \frac{\Delta(\sin x)}{h}$$

Derivative of Trigonometric Functions

$$\Delta(\sin x) = h \cos(\varphi)$$

$$\cos(\varphi) = \frac{adj}{hyp} = \frac{\Delta(\sin x)}{h}$$

$$\sin(\varphi) = \frac{opp}{hyp}$$

Derivative of Trigonometric Functions

$$\Delta(\sin x) = h\cos(\varphi)$$

$$\cos(\varphi) = \frac{adj}{hyp} = \frac{\Delta(\sin x)}{h}$$

$$\sin(\varphi) = \frac{opp}{hyp} = \frac{-\Delta(\cos x)}{h}$$

Derivative of Trigonometric Functions

$$\Delta(\sin x) = h\cos(\varphi)$$
$$-\Delta(\cos x) = h\sin(\varphi)$$

$$\cos(\varphi) = \frac{adj}{hyp} = \frac{\Delta(\sin x)}{h}$$
$$\sin(\varphi) = \frac{opp}{hyp} = \frac{-\Delta(\cos x)}{h}$$

Derivative of Trigonometric Functions

$$\Delta(\sin x) = h\cos(\varphi)$$
$$-\Delta(\cos x) = h\sin(\varphi)$$

Derivative of Trigonometric Functions

$$\Delta(\sin x) = h\cos(\varphi)$$
$$-\Delta(\cos x) = h\sin(\varphi)$$

Derivative of Trigonometric Functions

$$\Delta(\sin x) = h\cos(\varphi)$$
$$-\Delta(\cos x) = h\sin(\varphi)$$

Derivative of Trigonometric Functions

$$\Delta(\sin x) = h\cos(\varphi)$$
$$-\Delta(\cos x) = h\sin(\varphi)$$

Derivative of Trigonometric Functions

$$\Delta(\sin x) = \Delta x \cos(x)$$

$$-\Delta(\cos x) = h \sin(\varphi)$$

Derivative of Trigonometric Functions

$$\Delta(\sin x) = \Delta x \cos(x)$$
$$-\Delta(\cos x) = \Delta x \sin(x)$$

Derivative of Trigonometric Functions

$$\Delta(\sin x) = \Delta x \cos(x)$$
$$-\Delta(\cos x) = \Delta x \sin(x)$$

$$f(x) = \sin(x) \Rightarrow f'(x) = \cos(x)$$

Derivative of Trigonometric Functions

$$\Delta(\sin x) = \Delta x \cos(x)$$
$$-\Delta(\cos x) = \Delta x \sin(x)$$

$$f(x) = \sin(x) \Rightarrow f'(x) = \cos(x)$$

$$g(x) = \cos(x) \Rightarrow g'(x) = -\sin(x)$$

DeepLearning.AI

Derivatives and Optimization

Meaning of the exponential (e)

$$e = 2.71828182\ldots$$

e = 2.71828182…

n
$\left(1+\frac{1}{n}\right)^n$

e = 2.71828182…

n	1
$\left(1+\frac{1}{n}\right)^n$	2

$$\left(1+\frac{1}{1}\right)^1$$

e = 2.71828182…

n	1	10
$\left(1+\frac{1}{n}\right)^n$	2	2.594

$$\left(1+\frac{1}{10}\right)^{10}$$

e = 2.71828182…

n	1	10	100
$\left(1+\frac{1}{n}\right)^n$	2	2.594	2.705

$$\left(1+\frac{1}{100}\right)^{100}$$

e = 2.71828182…

n	1	10	100	1000
$\left(1+\frac{1}{n}\right)^n$	2	2.594	2.705	2.717

$$\left(1+\frac{1}{1000}\right)^{1000}$$

e = 2.71828182…

n	1	10	100	1000	∞
$\left(1+\frac{1}{n}\right)^n$	2	2.594	2.705	2.717	2.718

e = 2.71828182…

n	1	10	100	1000	∞
$\left(1+\frac{1}{n}\right)^n$	2	2.594	2.705	2.717	e

$$f(x) = e^x$$

$$f'(x) = e^x$$

e = 2.71828182…

Interest rates

n	1	10	100	1000	∞
$\left(1+\frac{1}{n}\right)^n$	2	2.594	2.705	2.717	e

$$f(x) = e^x$$

$$f'(x) = e^x$$

Choosing a Bank

Bank 1

Choosing a Bank

Bank 1

Interests
100% every year

Choosing a Bank

Bank 1

Interests
100% every year

(all your money once a year)

Choosing a Bank

Bank 1

Interests
100% every year

(all your money once a year)

Bank 2

Choosing a Bank

Bank 1

Interests
100% every year

(all your money once a year)

Bank 2

Interests
50% every 6 months

Choosing a Bank

Bank 1

Interests
100% every year

(all your money once a year)

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Choosing a Bank

Bank 1

Interests
100% every year

(all your money once a year)

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Bank 3

Choosing a Bank

Bank 1

Interests
100% every year

(all your money once a year)

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Bank 3

Interests
33.3% every 4 months

Choosing a Bank

Bank 1

Interests
100% every year

(all your money once a year)

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Bank 3

Interests
33.3% every 4 months

(A third of your money three times a year)

Which bank is better?

Bank 1

Interests
100% every year

(all your money once a year)

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Bank 3

Interests
33.3% every 4 months

(A third of your money three times a year)

Which bank is better?

Bank 1

Interests
100% every year

(all your money once a year)

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Bank 3

Interests
33.3% every 4 months

(A third of your money three times a year)

Which bank is better?

Bank 1

Interests
100% every year

(all your money once a year)

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Bank 3

Interests
33.3% every 4 months

(A third of your money three times a year)

You have $1

Bank 1

Interests
100% every year

(all your money once a year)

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Bank 3

Interests
33.3% every 4 months

(A third of your money three times a year)

You have $1

Bank 1

Interests
100% every year

(all your money once a year)

Now	US$1
In 1 year	US$2

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Bank 3

Interests
33.3% every 4 months

(A third of your money three times a year)

You have $1

Bank 1

Interests
100% every year

(all your money once a year)

Now	US$1
In 1 year	US$2

+100%

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Bank 3

Interests
33.3% every 4 months

(A third of your money three times a year)

You have $1

Bank 1

Interests
100% every year

(all your money once a year)

Now	US$1
In 1 year	US$2

+100%

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Now	US$1
In 1 year	?

Bank 3

Interests
33.3% every 4 months

(A third of your money three times a year)

You have $1

Bank 1

Interests
100% every year

(all your money once a year)

Now	US$1
In 1 year	US$2

+100%

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Now	US$1
In 1 year	?

Bank 3

Interests
33.3% every 4 months

(A third of your money three times a year)

Now	US$1
In 1 year	?

You have $1

Bank 1

Interests
100% every year

(all your money once a year)

Now	US$1
In 1 year	US$2

+100%

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Now	US$1
In 1 year	?

?

Bank 3

Interests
33.3% every 4 months

(A third of your money three times a year)

Now	US$1
In 1 year	?

You have $1

Bank 1

Interests
100% every year

(all your money once a year)

Now	US$1
In 1 year	US$2

+100%

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Now	US$1
In 1 year	?

Bank 3

Interests
33.3% every 4 months

(A third of your money three times a year)

Now	US$1
In 1 year	?

How Much Do I Have After 1 Year?

Bank 1

Interests
100% every year

Bank 2

Interests
50% every 6 months

How Much Do I Have After 1 Year?

Bank 1

Interests
100% every year

Bank 2

Interests
50% every 6 months

Now

How Much Do I Have After 1 Year?

Bank 1

Interests
100% every year

Bank 2

Interests
50% every 6 months

Now

1

How Much Do I Have After 1 Year?

Bank 1

Interests
100% every year

Bank 2

Interests
50% every 6 months

Now

1

In 1 year

How Much Do I Have After 1 Year?

Bank 1

Interests
100% every year

Bank 2

Interests
50% every 6 months

Now

1

In 1 year

How Much Do I Have After 1 Year?

Bank 1

Interests
100% every year

Bank 2

Interests
50% every 6 months

Now

1

In 1 year

2

How Much Do I Have After 1 Year?

Bank 1

Interests
100% every year

Bank 2

Interests
50% every 6 months

Now

1

In 1 year

2

$$(1+1)^1$$

How Much Do I Have After 1 Year?

Bank 1

Interests
100% every year

Now

1

In 1 year

2

$$(1+1)^1$$

Bank 2

Interests
50% every 6 months

Now

How Much Do I Have After 1 Year?

Bank 1

Interests
100% every year

Now

1

In 1 year

2

$$(1+1)^1$$

Bank 2

Interests
50% every 6 months

Now

1

How Much Do I Have After 1 Year?

Bank 1

Interests
100% every year

Now

1

In 1 year

2

$$(1+1)^1$$

Bank 2

Interests
50% every 6 months

Now

1

In 6 months

How Much Do I Have After 1 Year?

Bank 1

Interests
100% every year

Now

1

In 1 year

2

$$(1+1)^1$$

Bank 2

Interests
50% every 6 months

Now

1

In 6 months

How Much Do I Have After 1 Year?

Bank 1

Interests
100% every year

Now

1

In 1 year

2

$$(1+1)^1$$

Bank 2

Interests
50% every 6 months

Now

1

In 6 months

1.5

How Much Do I Have After 1 Year?

Bank 1

Interests
100% every year

Now

1

In 1 year

2

$$(1+1)^1$$

Bank 2

Interests
50% every 6 months

Now

1

In 6 months

1.5

$$1+\frac{1}{2}$$

How Much Do I Have After 1 Year?

Bank 1

Interests
100% every year

Now

1

In 1 year

2

$$(1+1)^1$$

Bank 2

Interests
50% every 6 months

Now

1

In 6 months

1.5

$$1+\frac{1}{2}$$

In 1 year

How Much Do I Have After 1 Year?

Bank 1

Interests
100% every year

Now

1

In 1 year

2

$$(1+1)^1$$

Bank 2

Interests
50% every 6 months

Now

1

In 6 months

1.5

$$1+\frac{1}{2}$$

In 1 year

How Much Do I Have After 1 Year?

Bank 1

Interests
100% every year

Now

1

In 1 year

2

$$(1+1)^1$$

Bank 2

Interests
50% every 6 months

Now

1

In 6 months

1.5

$$1+\frac{1}{2}$$

In 1 year

How Much Do I Have After 1 Year?

Bank 1

Interests
100% every year

Now

1

In 1 year

2

$$(1+1)^1$$

Bank 2

Interests
50% every 6 months

Now

1

In 6 months

1.5

$$1+\frac{1}{2}$$

In 1 year

How Much Do I Have After 1 Year?

Bank 1

Interests
100% every year

Now

1

In 1 year

2

$$(1+1)^1$$

Bank 2

Interests
50% every 6 months

Now

1

In 6 months

1.5

$$1+\frac{1}{2}$$

In 1 year

2.25

How Much Do I Have After 1 Year?

Bank 1

Interests
100% every year

Now

1

In 1 year

2

$$(1+1)^1$$

Bank 2

Interests
50% every 6 months

Now

1

In 6 months

1.5

$$1+\frac{1}{2}$$

In 1 year

2.25

$$\left(1+\frac{1}{2}\right)^2$$

How Much Do I Have After 1 Year?

Bank 1

Interests
100% every year

Now

1

In 1 year

2

$$(1+1)^1$$

Bank 2

Interests
50% every 6 months

Now

1

In 6 months

1.5

$$1+\frac{1}{2}$$

In 1 year

2.25

$$\left(1+\frac{1}{2}\right)^2$$

Compound interest

Bank 1

Interests
100% every year

Now

1

In 1 year

2

$$(1+1)^1$$

Bank 2

Interests
50% every 6 months

Now

1

In 6 months

1.5

$$1+\frac{1}{2}$$

In 1 year

2.25

$$\left(1+\frac{1}{2}\right)^2$$

How Much Do I Have After 1 Year?

Bank 3

Interests
33.3% every 4 months

Now | **In 4 months** | **In 8 months** | **In 1 year**

How Much Do I Have After 1 Year?

Bank 3

Interests
33.3% every 4 months

Now	In 4 months	In 8 months	In 1 year
1			

How Much Do I Have After 1 Year?

Interests
33.3% every 4 months

Now

1

In 4 months

In 8 months

In 1 year

How Much Do I Have After 1 Year?

Interests
33.3% every 4 months

Now

1

In 4 months

In 8 months

In 1 year

How Much Do I Have After 1 Year?

Bank 3

Interests
33.3% every 4 months

Now	In 4 months	In 8 months	In 1 year
1	1.33		

How Much Do I Have After 1 Year?

Interests
33.3% every 4 months

Now

1

In 4 months

1.33

In 8 months

In 1 year

How Much Do I Have After 1 Year?

Interests
33.3% every 4 months

Now

1

In 4 months

1.33

In 8 months

In 1 year

How Much Do I Have After 1 Year?

Interests
33.3% every 4 months

Now	In 4 months	In 8 months	In 1 year
1	1.33	1.77	

How Much Do I Have After 1 Year?

Interests
33.3% every 4 months

Now

1

In 4 months

1.33

In 8 months

1.77

In 1 year

How Much Do I Have After 1 Year?

Bank 3

Interests
33.3% every 4 months

Now

1

In 4 months

1.33

In 8 months

1.77

In 1 year

How Much Do I Have After 1 Year?

Bank 3

Interests
33.3% every 4 months

Now

1

In 4 months

1.33

In 8 months

1.77

In 1 year

2.37

How Much Do I Have After 1 Year?

Bank 3

Interests
33.3% every 4 months

How Much Do I Have After 1 Year?

Bank 3

Interests
33.3% every 4 months

How Much Do I Have After 1 Year?

Bank 3

Interests
33.3% every 4 months

1

Original money

How Much Do I Have After 1 Year?

Bank 3

Interests
33.3% every 4 months

$$1$$

Original money

$$1 + \frac{1}{3}$$

Add 1/3 of the money

How Much Do I Have After 1 Year?

Bank 3

Interests
33.3% every 4 months

Now	In 4 months	In 8 months	In 1 year
1	1.33	1.77	2.37
1	$1+\frac{1}{3}$	$\left(1+\frac{1}{3}\right)^2$	
Original money	Add 1/3 of the money	Add 1/3 of the money	

How Much Do I Have After 1 Year?

Bank 3

Interests
33.3% every 4 months

Now	In 4 months	In 8 months	In 1 year
1	**1.33**	**1.77**	**2.37**
1	$1+\frac{1}{3}$	$\left(1+\frac{1}{3}\right)^2$	$\left(1+\frac{1}{3}\right)^3$
Original money	Add 1/3 of the money	Add 1/3 of the money	Add 1/3 of the money

Which Bank Is Better?

Bank 1

Interests
100% every year

(all your money once a year)

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Bank 3

Interests
33.3% every 4 months

(A third of your money three times a year)

Which Bank Is Better?

Bank 1

Interests
100% every year

(all your money once a year)

Now	$1
In 1 year	$2

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Bank 3

Interests
33.3% every 4 months

(A third of your money three times a year)

Which Bank Is Better?

Bank 1

Interests
100% every year

(all your money once a year)

Now	$1
In 1 year	$2

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Now	$1
In 1 year	$2.25

Bank 3

Interests
33.3% every 4 months

(A third of your money three times a year)

Which Bank Is Better?

Bank 1

Interests
100% every year

(all your money once a year)

Now	$1
In 1 year	$2

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Now	$1
In 1 year	$2.25

Bank 3

Interests
33.3% every 4 months

(A third of your money three times a year)

Now	$1
In 1 year	$2.37

Which Bank Is Better?

Bank 1

Interests
100% every year

(all your money once a year)

Now	$1
In 1 year	$2

+100%

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Now	$1
In 1 year	$2.25

Bank 3

Interests
33.3% every 4 months

(A third of your money three times a year)

Now	$1
In 1 year	$2.37

Which Bank Is Better?

Bank 1

Interests
100% every year

(all your money once a year)

Now	$1	
In 1 year	$2	+100%
In 2	$4	+100%
In 3	$8	+100%
In 4	$16	+100%

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Now	$1
In 1 year	$2.25

Bank 3

Interests
33.3% every 4 months

(A third of your money three times a year)

Now	$1
In 1 year	$2.37

Which Bank Is Better?

Bank 1

Interests
100% every year

(all your money once a year)

Now	$1	
In 1 year	$2	+100%
In 2	$4	+100%
In 3	$8	+100%
In 4	$16	+100%

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Now	$1	
In 1 year	$2.25	+125%

Bank 3

Interests
33.3% every 4 months

(A third of your money three times a year)

Now	$1
In 1 year	$2.37

Which Bank Is Better?

Bank 1

Interests
100% every year

(all your money once a year)

Now	$1	
In 1 year	$2	+100%
In 2	$4	+100%
In 3	$8	+100%
In 4	$16	+100%

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Now	$1	
In 1 year	$2.25	+125%
In 2	$5.06	+125%
In 3	$11.39	+125%
In 4	$25.63	+125%

Bank 3

Interests
33.3% every 4 months

(A third of your money three times a year)

Now	$1
In 1 year	$2.37

Which Bank Is Better?

Bank 1

Interests
100% every year

(all your money once a year)

Now	$1	
In 1 year	$2	+100%
In 2	$4	+100%
In 3	$8	+100%
In 4	$16	+100%

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Now	$1	
In 1 year	$2.25	+125%
In 2	$5.06	+125%
In 3	$11.39	+125%
In 4	$25.63	+125%

Bank 3

Interests
33.3% every 4 months

(A third of your money three times a year)

Now	$1	
In 1 year	$2.37	+137%

Which Bank Is Better?

Bank 1

Interests
100% every year

(all your money once a year)

Now	$1	
In 1 year	$2	+100%
In 2	$4	+100%
In 3	$8	+100%
In 4	$16	+100%

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Now	$1	
In 1 year	$2.25	+125%
In 2	$5.06	+125%
In 3	$11.39	+125%
In 4	$25.63	+125%

Bank 3

Interests
33.3% every 4 months

(A third of your money three times a year)

Now	$1	
In 1 year	$2.37	+137%
In 2	$5.62	+137%
In 3	$13.32	+137%
In 4	$31.57	+137%

Which Bank Is Better?

Bank 1

Interests
100% every year

(all your money once a year)

Now	$1

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Now	$1

Bank 3

Interests
33.3% every 4 months

(A third of your money three times a year)

Now	$1

Which Bank Is Better?

Bank 1

Interests
100% every year

(all your money once a year)

Now	$1

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Now	$1

Bank 3

Interests
33.3% every 4 months

(A third of your money three times a year)

Now	$1

$$(1+1)^1 = 2$$

Which Bank Is Better?

Bank 1

Interests
100% every year

(all your money once a year)

Now	$1

$$(1+1)^1 = 2$$

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Now	$1

$$\left(1+\frac{1}{2}\right)^2 = 2.25$$

Bank 3

Interests
33.3% every 4 months

(A third of your money three times a year)

Now	$1

Which Bank Is Better?

Bank 1

Interests
100% every year

(all your money once a year)

Now	$1

$$(1+1)^1 = 2$$

Bank 2

Interests
50% every 6 months

(half of your money twice a year)

Now	$1

$$\left(1+\frac{1}{2}\right)^2 = 2.25$$

Bank 3

Interests
33.3% every 4 months

(A third of your money three times a year)

Now	$1

$$\left(1+\frac{1}{3}\right)^3 = 2.37$$

How Much Do I Have After 1 Year?

Bank 12

Interests
1/12 every month

Now **In 1 month** **In 2 months** **...** **In 12 months**

How Much Do I Have After 1 Year?

Bank 12

Interests
1/12 every month

Now	In 1 month	In 2 months	…	In 12 months
1				

Original money

How Much Do I Have After 1 Year?

Bank 12

Interests
1/12 every month

Now	In 1 month	In 2 months	…	In 12 months
1	$1 + \frac{1}{12}$			
Original money	Add 1/12 of the money			

How Much Do I Have After 1 Year?

Bank 12

Interests
1/12 every month

Now	In 1 month	In 2 months	…	In 12 months
1	$1 + \frac{1}{12}$	$\left(1 + \frac{1}{12}\right)^2$		
Original money	Add 1/12 of the money	Add 1/12 of the money		

How Much Do I Have After 1 Year?

Bank 12

Interests
1/12 every month

Now	In 1 month	In 2 months	...	In 12 months
1	$1 + \frac{1}{12}$	$\left(1 + \frac{1}{12}\right)^2$	$\cdots$	
Original money	Add 1/12 of the money	Add 1/12 of the money		

How Much Do I Have After 1 Year?

Bank 12

Interests
1/12 every month

Now	**In 1 month**	**In 2 months**	**...**	**In 12 months**
1	$1 + \frac{1}{12}$	$\left(1 + \frac{1}{12}\right)^2$	$\cdots$	$\left(1 + \frac{1}{12}\right)^{12}$
Original money	Add 1/12 of the money	Add 1/12 of the money		Add 1/12 of the money

At the end of the year:

How Much Do I Have After 1 Year?

Bank 12

Interests
1/12 every month

Now	In 1 month	In 2 months	...	In 12 months
1	$1+\frac{1}{12}$	$\left(1+\frac{1}{12}\right)^2$	$\cdots$	$\left(1+\frac{1}{12}\right)^{12}$
Original money	Add 1/12 of the money	Add 1/12 of the money		Add 1/12 of the money

At the end of the year: 2.61

In General

Bank n

Interests
1/n every interval

In General

Bank n

1	2	3	.	.	.	.	.	.	k	.	.	.	.	.	.	n-2	n-1	n

Interests
1/n every interval

In General

Bank n

Interests
1/n every interval

In General

Bank n

1 year

1	2	3	.	.	.	.	.	.	k	.	.	.	.	.	.	n-2	n-1	n

Interests
1/n every interval

Now

1

In General

Bank n

1 year

1	2	3	.	.	.	.	.	.	k	.	.	.	.	.	.	n-2	n-1	n

Interests
1/n every interval

Now	**In 1 interval**
1	$1+\frac{1}{n}$

In General

Bank n

1 year

1	2	3	.	.	.	.	.	.	k	.	.	.	.	.	.	n-2	n-1	n

Interests
1/n every interval

Now	**In 1 interval**	**In 2 intervals**
1	$1+\frac{1}{n}$	$\left(1+\frac{1}{n}\right)^2$

In General

Bank n

1 year

1	2	3	.	.	.	.	.	.	k	.	.	.	.	.	.	n-2	n-1	n

Interests
1/n every interval

Now	**In 1 interval**	**In 2 intervals**
1	$1+\frac{1}{n}$	$\left(1+\frac{1}{n}\right)^2$

$$\left(1+\frac{1}{n}\right)+\frac{1}{n}\left(1+\frac{1}{n}\right)$$

In General

Bank n

1 year

1	2	3	.	.	.	.	.	.	k	.	.	.	.	.	.	n-2	n-1	n

Interests
1/n every interval

Now	**In 1 interval**	**In 2 intervals**
1	$1+\frac{1}{n}$	$\left(1+\frac{1}{n}\right)^2$

$$\left(1+\frac{1}{n}\right)+\frac{1}{n}\left(1+\frac{1}{n}\right)$$

Money

In General

Bank n

1 year

1	2	3	.	.	.	.	.	.	k	.	.	.	.	.	.	n-2	n-1	n

Interests
1/n every interval

Now	**In 1 interval**	**In 2 intervals**
1	$1+\frac{1}{n}$	$\left(1+\frac{1}{n}\right)^2$

$$\underbrace{\left(1+\frac{1}{n}\right)}_{\text{Money}}+\underbrace{\frac{1}{n}\left(1+\frac{1}{n}\right)}_{\text{Interest}}$$

In General

Bank n

1 year

1	2	3	.	.	.	.	.	.	k	.	.	.	.	.	.	n-2	n-1	n

Interests
1/n every interval

Now	**In 1 interval**	**In 2 intervals**
1	$1+\frac{1}{n}$	$\left(1+\frac{1}{n}\right)^2$

$$\underbrace{\left(1+\frac{1}{n}\right)}_{\text{Money}}+\underbrace{\frac{1}{n}\left(1+\frac{1}{n}\right)}_{\text{Interest}}$$

In General

Bank n

1 year

1	2	3	.	.	.	.	.	.	k	.	.	.	.	.	.	n-2	n-1	n

Interests
1/n every interval

Now	**In 1 interval**	**In 2 intervals**	**In 3 intervals**
1	$1+\frac{1}{n}$	$\left(1+\frac{1}{n}\right)^2$	$\left(1+\frac{1}{n}\right)^3$

$$\underbrace{\left(1+\frac{1}{n}\right)}_{\text{Money}}+\underbrace{\frac{1}{n}\left(1+\frac{1}{n}\right)}_{\text{Interest}}$$

In General

Bank n

1 year

1	2	3	.	.	.	.	.	.	k	.	.	.	.	.	.	n-2	n-1	n

Interests
1/n every interval

Now	**In 1 interval**	**In 2 intervals**	**In 3 intervals**	**…**
1	$1+\frac{1}{n}$	$\left(1+\frac{1}{n}\right)^2$	$\left(1+\frac{1}{n}\right)^3$	

$$\underbrace{\left(1+\frac{1}{n}\right)}_{\text{Money}}+\underbrace{\frac{1}{n}\left(1+\frac{1}{n}\right)}_{\text{Interest}}$$

In General

Bank n

1 year

1	2	3	.	.	.	.	.	.	k	.	.	.	.	.	.	n-2	n-1	n

Interests
1/n every interval

Now	In 1 interval	In 2 intervals	In 3 intervals	…	In k intervals
1	$1+\frac{1}{n}$	$\left(1+\frac{1}{n}\right)^2$	$\left(1+\frac{1}{n}\right)^3$		$\left(1+\frac{1}{n}\right)^k$

$$\underbrace{\left(1+\frac{1}{n}\right)}_{\text{Money}}+\underbrace{\frac{1}{n}\left(1+\frac{1}{n}\right)}_{\text{Interest}}$$

In General

Bank n

1 year

1	2	3	.	.	.	.	.	.	k	.	.	.	.	.	.	n-2	n-1	n

Interests
1/n every interval

Now	In 1 interval	In 2 intervals	In 3 intervals	…	In k intervals	…
1	$1+\frac{1}{n}$	$\left(1+\frac{1}{n}\right)^2$	$\left(1+\frac{1}{n}\right)^3$		$\left(1+\frac{1}{n}\right)^k$	

$$\underbrace{\left(1+\frac{1}{n}\right)}_{\text{Money}}+\underbrace{\frac{1}{n}\left(1+\frac{1}{n}\right)}_{\text{Interest}}$$

In General

Bank n

1 year

1	2	3	.	.	.	.	.	.	k	.	.	.	.	.	.	n-2	n-1	n

Interests
1/n every interval

Now	**In 1 interval**	**In 2 intervals**	**In 3 intervals**	…	**In k intervals**	…	**In 1 year (n intervals)**
1	$1+\frac{1}{n}$	$\left(1+\frac{1}{n}\right)^2$	$\left(1+\frac{1}{n}\right)^3$		$\left(1+\frac{1}{n}\right)^k$		$\left(1+\frac{1}{n}\right)^n$

$$\underbrace{\left(1+\frac{1}{n}\right)}_{\text{Money}}+\underbrace{\frac{1}{n}\left(1+\frac{1}{n}\right)}_{\text{Interest}}$$

In General

Bank n

Interests
1/n every interval

In General

Bank n

Interests
1/n every interval

In 1 year

$$\left(1+\frac{1}{n}\right)^{n}$$

In General

Interests
1/n every interval

In 1 year

$$\left(1 + \frac{1}{n}\right)^n$$

1/n of your money

In General

Bank n

Interests
1/n every interval

In 1 year

$$\left(1 + \frac{1}{n}\right)^{n}$$

n times

1/n of your money

A Lot of Banks

A Lot of Banks

A Lot of Banks

A Lot of Banks

A Lot of Banks

A Lot of Banks

A Lot of Banks

A Lot of Banks

A Lot of Banks

A Lot of Banks

Bank at the end of the universe

Bank at the End of the Universe

Bank at the End of the Universe

$$(1+1)^1$$

$$2$$

Bank at the End of the Universe

$$(1+1)^1 \qquad \left(1+\frac{1}{2}\right)^2$$

$$2 \qquad 2.25$$

Bank at the End of the Universe

$$(1+1)^1 \qquad \left(1+\frac{1}{2}\right)^2 \qquad \left(1+\frac{1}{3}\right)^3$$

$$2 \qquad 2.25 \qquad 2.37$$

Bank at the End of the Universe

$$(1+1)^1 \qquad \left(1+\frac{1}{2}\right)^2 \qquad \left(1+\frac{1}{3}\right)^3 \qquad \left(1+\frac{1}{12}\right)^{12}$$

2 2.25 2.37 2.613

Bank at the End of the Universe

$(1+1)^1$	$\left(1+\frac{1}{2}\right)^2$	$\left(1+\frac{1}{3}\right)^3$	$\left(1+\frac{1}{12}\right)^{12}$	$\left(1+\frac{1}{365}\right)^{365}$
2	2.25	2.37	2.613	2.7145

Bank at the End of the Universe

$(1+1)^1$	$\left(1+\frac{1}{2}\right)^2$	$\left(1+\frac{1}{3}\right)^3$	$\left(1+\frac{1}{12}\right)^{12}$	$\left(1+\frac{1}{365}\right)^{365}$	$\left(1+\frac{1}{\infty}\right)^{\infty}$
2	2.25	2.37	2.613	2.7145	

Bank at the End of the Universe

$(1+1)^1$	$\left(1+\frac{1}{2}\right)^2$	$\left(1+\frac{1}{3}\right)^3$	$\left(1+\frac{1}{12}\right)^{12}$	$\left(1+\frac{1}{365}\right)^{365}$
2	2.25	2.37	2.613	2.7145

Bank at the End of the Universe

$(1+1)^1$	$\left(1+\frac{1}{2}\right)^2$	$\left(1+\frac{1}{3}\right)^3$	$\left(1+\frac{1}{12}\right)^{12}$	$\left(1+\frac{1}{365}\right)^{365}$	
2	2.25	2.37	2.613	2.7145	2.71828182...

Bank at the End of the Universe

$(1+1)^1$ $\left(1+\frac{1}{2}\right)^2$ $\left(1+\frac{1}{3}\right)^3$ $\left(1+\frac{1}{12}\right)^{12}$ $\left(1+\frac{1}{365}\right)^{365}$

2 2.25 2.37 2.613 2.7145 $e = 2.71828182...$

DeepLearning.AI

Derivatives and Optimization

The derivative of e^x

The Derivative of e^x Is Also e^x

The Derivative of e^x Is Also e^x

The Derivative of e^x Is Also e^x

The Derivative of e^x Is Also e^x

The Derivative of e^x Is Also e^x

Slope = $\dfrac{e^x}{1}$

The Derivative of e^x Is Also e^x

Derivative of e^x

Derivative of e^x

Exponential: $y = f(x) = e^x$

Derivative of e^x

Exponential: $y = f(x) = e^x$

Slope: $\frac{\Delta f}{\Delta x} = \frac{e^{x+\Delta x} - e^x}{\Delta x}$

Derivative of e^x

Exponential: $y = f(x) = e^x$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{e^{x+\Delta x} - e^x}{\Delta x}$

$x = 2$

Derivative of e^x

Exponential: $y = f(x) = e^x$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{e^{x+\Delta x} - e^x}{\Delta x}$

$x = 2$

Δx	1.0

Derivative of e^x

Exponential: $y = f(x) = e^x$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{e^{x+\Delta x} - e^x}{\Delta x}$

$x = 2$

Δx	1.0
Δf	12.70

$e^{2+1} - e^2 = 20.09 - 7.39$

Derivative of e^x

Exponential: $y = f(x) = e^x$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{e^{x+\Delta x} - e^x}{\Delta x}$

$x = 2$

Δx	1.0
Δf	12.70
Slope	12.70

$e^{2+1} - e^2 = 20.09 - 7.39$

$$\frac{12.70}{1}$$

Derivative of e^x

Exponential: $y = f(x) = e^x$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{e^{x+\Delta x} - e^x}{\Delta x}$

$x = 2$

Δx	1.0	1/2
Δf	12.70	
Slope	12.70	

Derivative of e^x

Exponential: $y = f(x) = e^x$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{e^{x+\Delta x} - e^x}{\Delta x}$

$x = 2$

Δx	1.0	1/2
Δf	12.70	4.79
Slope	12.70	

$$e^{2+0.5} - e^2 = 12.18 - 7.39$$

Derivative of e^x

Exponential: $y = f(x) = e^x$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{e^{x+\Delta x} - e^x}{\Delta x}$

$x = 2$

Δx	1.0	1/2
Δf	12.70	4.79
Slope	12.70	9.59

$$e^{2+0.5} - e^2 = 12.18 - 7.39$$

$$\frac{4.79}{0.5}$$

Derivative of e^x

Exponential: $y = f(x) = e^x$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{e^{x+\Delta x} - e^x}{\Delta x}$

$x = 2$

Δx	1.0	1/2	1/4
Δf	12.70	4.79	
Slope	12.70	9.59	

Derivative of e^x

Exponential: $y = f(x) = e^x$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{e^{x+\Delta x} - e^x}{\Delta x}$

$x = 2$

Δx	1.0	1/2	1/4
Δf	12.70	4.79	2.10
Slope	12.70	9.59	

Derivative of e^x

Exponential: $y = f(x) = e^x$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{e^{x+\Delta x} - e^x}{\Delta x}$

$x = 2$

Δx	1.0	1/2	1/4
Δf	12.70	4.79	2.10
Slope	12.70	9.59	8.39

Derivative of e^x

Exponential: $y = f(x) = e^x$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{e^{x+\Delta x} - e^x}{\Delta x}$

$x = 2$

Δx	1.0	1/2	1/4	1/8
Δf	12.70	4.79	2.10	
Slope	12.70	9.59	8.39	

Derivative of e^x

Exponential: $y = f(x) = e^x$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{e^{x+\Delta x} - e^x}{\Delta x}$

$x = 2$

Δx	1.0	1/2	1/4	1/8
Δf	12.70	4.79	2.10	0.98
Slope	12.70	9.59	8.39	

Derivative of e^x

Exponential: $y = f(x) = e^x$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{e^{x+\Delta x} - e^x}{\Delta x}$

$x = 2$

Δx	1.0	1/2	1/4	1/8
Δf	12.70	4.79	2.10	0.98
Slope	12.70	9.59	8.39	7.87

Derivative of e^x

Exponential: $y = f(x) = e^x$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{e^{x+\Delta x} - e^x}{\Delta x}$

$x = 2$

Δx	1.0	1/2	1/4	1/8	1/16
Δf	12.70	4.79	2.10	0.98	
Slope	12.70	9.59	8.39	7.87	

Derivative of e^x

Exponential: $y = f(x) = e^x$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{e^{x+\Delta x} - e^x}{\Delta x}$

$x = 2$

Δx	1.0	1/2	1/4	1/8	1/16
Δf	12.70	4.79	2.10	0.98	0.48
Slope	12.70	9.59	8.39	7.87	

Derivative of e^x

Exponential: $y = f(x) = e^x$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{e^{x+\Delta x} - e^x}{\Delta x}$

$x = 2$

Δx	1.0	1/2	1/4	1/8	1/16
Δf	12.70	4.79	2.10	0.98	0.48
Slope	12.70	9.59	8.39	7.87	7.62

Derivative of e^x

Exponential: $y = f(x) = e^x$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{e^{x+\Delta x} - e^x}{\Delta x}$

$x = 2$

Δx	1.0	1/2	1/4	1/8	1/16	1/1000
Δf	12.70	4.79	2.10	0.98	0.48	
Slope	12.70	9.59	8.39	7.87	7.62	

Derivative of e^x

Exponential: $y = f(x) = e^x$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{e^{x+\Delta x} - e^x}{\Delta x}$

$x = 2$

Δx	1.0	1/2	1/4	1/8	1/16	1/1000
Δf	12.70	4.79	2.10	0.98	0.48	0.007
Slope	12.70	9.59	8.39	7.87	7.62	

Derivative of e^x

Exponential: $y = f(x) = e^x$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{e^{x+\Delta x} - e^x}{\Delta x}$

$x = 2$

Δx	1.0	1/2	1/4	1/8	1/16	1/1000
Δf	12.70	4.79	2.10	0.98	0.48	0.007
Slope	12.70	9.59	8.39	7.87	7.62	7.39

Derivative of e^x

Exponential: $y = f(x) = e^x$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{e^{x+\Delta x} - e^x}{\Delta x}$

Δx	1.0	1/2	1/4	1/8	1/16	1/1000
Δf	12.70	4.79	2.10	0.98	0.48	0.007
Slope	12.70	9.59	8.39	7.87	7.62	7.39

Derivative of e^x

Exponential: $y = f(x) = e^x$

Slope: $\dfrac{\Delta f}{\Delta x} = \dfrac{e^{x+\Delta x} - e^x}{\Delta x}$

Δx	1.0	1/2	1/4	1/8	1/16	1/1000
Δf	12.70	4.79	2.10	0.98	0.48	0.007
Slope	12.70	9.59	8.39	7.87	7.62	7.39

e^2

(Reading Item) Derivative of a^x

$$a^x = e^{x\log(a)}$$

$$\frac{d}{dx}a^x = \log(a)e^{x\log(a)} = \log(a)a^x$$

DeepLearning.AI

Derivatives and Optimization

The derivative of $\log(x)$

Logarithm

Logarithm

$$e^{?} = 3$$

Logarithm

$$\log(3)$$

$$e^{?} = 3$$

Logarithm

$\log(3)$

$e^{?} = 3$

$e^{?} = x$

Logarithm

$$\log(3) \qquad\qquad \log(x)$$

$$e^{?} = 3 \qquad\qquad e^{?} = x$$

Logarithm

$$\log(3) \qquad\qquad \log(x)$$

$$e^{?} = 3 \qquad\qquad e^{?} = x$$

$$f(x) = e^{x}$$

Logarithm

$$\log(3)$$

$$e^{?} = 3$$

$$\log(x)$$

$$e^{?} = x$$

$$f(x) = e^{x}$$

$$f^{-1}(y) = \log(y)$$

Logarithm

$$\log(3)$$

$$e^{?} = 3$$

$$\log(x)$$

$$e^{?} = x$$

$$f(x) = e^{x}$$

$$f^{-1}(y) = \log(y)$$

$$e^{\log(x)} = x$$

Logarithm

$\log(3)$ $\qquad$ $\log(x)$

$e^{?} = 3$ $\qquad$ $e^{?} = x$

$f(x) = e^{x}$ $\qquad$ $f^{-1}(y) = \log(y)$

$e^{\log(x)} = x$ $\qquad$ $\log(e^{y}) = y$

Logarithm

$$f(x) = e^x$$

$$f^{-1}(y) = \log(y)$$

Logarithm

$$f(x) = e^x$$

$$f^{-1}(y) = \log(y)$$

Logarithm

$$f(x) = e^x$$

$$f^{-1}(y) = \log(y)$$

Logarithm

$$f(x) = e^x$$

$$f^{-1}(y) = \log(y)$$

Logarithm

$$f(x) = e^x$$

$$f^{-1}(y) = \log(y)$$

Logarithm

$$f(x) = e^x$$

$$f^{-1}(y) = \log(y)$$

Logarithm

$$f(x) = e^x$$

$$f^{-1}(y) = \log(y)$$

Logarithm

$f(x) = e^x$

$f^{-1}(y) = \log(y)$

$\log(x)$ is the inverse of e^x

Logarithm

$$f(x) = e^x$$

$$f^{-1}(y) = \log(y)$$

Logarithm

$$f(x) = e^x$$

$$f^{-1}(y) = \log(y)$$

Using the result for inverses

Logarithm

Using the result for inverses

Logarithm

Using the result for inverses

Logarithm

Using the result for inverses

Logarithm

Using the result for inverses

Logarithm

Using the result for inverses

Logarithm

Using the result for inverses

Logarithm

Using the result for inverses

Logarithm

Using the result for inverses

Logarithm

Using the result for inverses

Logarithm

Using the result for inverses

Logarithm

Using the result for inverses

$$\frac{d}{dy} f^{-1}(y) = \frac{1}{f'(x)}$$

Logarithm

Using the result for inverses

$$\frac{d}{dy} f^{-1}(y) = \frac{1}{f'\left(f^{-1}(y)\right)}$$

Logarithm

$f(x) = e^x$

$f^{-1}(y) = \log(y)$

Using the result for inverses

$$\frac{d}{dy} f^{-1}(y) = \frac{1}{f'\left(f^{-1}(y)\right)}$$

$\log(y)$

Logarithm

$f(x) = e^x$

$f^{-1}(y) = \log(y)$

Using the result for inverses

$$\frac{d}{dy} f^{-1}(y) = \frac{1}{f'\left(f^{-1}(y)\right)}$$

$$\frac{d}{dy} \log(y)$$

Logarithm

$f(x) = e^x$

$f^{-1}(y) = \log(y)$

Using the result for inverses

$$\frac{d}{dy} f^{-1}(y) = \frac{1}{f'\left(f^{-1}(y)\right)}$$

$$\frac{d}{dy} \log(y) = \frac{1}{\quad}$$

Logarithm

Using the result for inverses

$$\frac{d}{dy} f^{-1}(y) = \frac{1}{f'\left(f^{-1}(y)\right)}$$

$$\frac{d}{dy} \log(y) = \frac{1}{e^{\log(y)}}$$

Logarithm

Using the result for inverses

$$\frac{d}{dy} f^{-1}(y) = \frac{1}{f'\left(f^{-1}(y)\right)}$$

$$\frac{d}{dy} \log(y) = \frac{1}{e^{\log(y)}}$$

$$= \frac{1}{y}$$

Logarithm

$f(x) = e^x$

$f^{-1}(y) = \log(y)$

Using the result for inverses

$$\frac{d}{dy} f^{-1}(y) = \frac{1}{f'\left(f^{-1}(y)\right)}$$

$$\frac{d}{dy} \log(y) = \frac{1}{e^{\log(y)}}$$

$$= \frac{1}{y}$$

$$\frac{d}{dy} \log(y) = \frac{1}{y}$$

DeepLearning.AI

Derivatives and Optimization

Existence of the derivative

Differentiable Function

Differentiable Function

Differentiable Function

Differentiable Function

Differentiable Function

For a function to be differentiable at a point:

The derivative has to exist for that point

Differentiable Function

For a function to be differentiable at a point:

The derivative has to exist for that point

Differentiable Function

For a function to be differentiable at a point:

The derivative has to exist for that point

Differentiable Function

For a function to be differentiable at a point:

The derivative has to exist for that point

Differentiable Function

For a function to be differentiable at a point:

The derivative has to exist for that point

Differentiable Function

For a function to be differentiable at a point:

The derivative has to exist for that point

Differentiable Function

For a function to be differentiable at a point:

The derivative has to exist for that point

For a function to be differentiable at an interval:

The derivative has to exist for *every* point in the interval

Non Differentiable Functions

Non Differentiable Functions

Non Differentiable Functions

Non Differentiable Functions

The absolute value function.

$$f(x) = \begin{cases} x, & \textit{if } x \geq 0 \\ -x, & \textit{if } x < 0 \end{cases}$$

Non Differentiable Functions

The absolute value function.

$$f(x) = \begin{cases} x, & \text{if } x \geq 0 \\ -x, & \text{if } x < 0 \end{cases}$$

Non Differentiable Functions

The absolute value function.

$$f(x) = \begin{cases} x, & \text{if } x \geq 0 \\ -x, & \text{if } x < 0 \end{cases}$$

Non Differentiable Functions

The absolute value function.

$$f(x) = \begin{cases} x, & \text{if } x \geq 0 \\ -x, & \text{if } x < 0 \end{cases}$$

Non Differentiable Functions

The absolute value function.

Non Differentiable Functions

The absolute value function.

Non Differentiable Functions

The absolute value function.

At x = 0, the derivative does not exist

Non Differentiable Functions

The absolute value function.

$$f(x) = \begin{cases} x, & \text{if } x \geq 0 \\ -x, & \text{if } x < 0 \end{cases}$$

At x = 0, the derivative does not exist

Generally, when a function has a corner or a cusp, the function is not differentiable at that point.

Non Differentiable Functions - Quiz 1

Non Differentiable Functions - Quiz 1

Non Differentiable Functions - Quiz 1

Non Differentiable Functions - Quiz 1

At which point in this function does the derivative not exist?

Non Differentiable Functions - Quiz 1

At which point in this function does the derivative not exist?

Non Differentiable Functions - Quiz 1

At which point in this function does the derivative not exist?

Non Differentiable Functions - Quiz 1

At which point in this function does the derivative not exist?

The entire function is non-differentiable because a derivative does not exist for all points in the domain.

Non Differentiable Functions - Quiz 1

At which point in this function does the derivative not exist?

The entire function is non-differentiable because a derivative does not exist for all points in the domain.

Non Differentiable Functions - Quiz 1

At which point in this function does the derivative not exist?

The entire function is non-differentiable because a derivative does not exist for all points in the domain.

Non Differentiable Functions - Quiz 1

At which point in this function does the derivative not exist?

The entire function is non-differentiable because a derivative does not exist for all points in the domain.

Non Differentiable Functions - Quiz 2

Non Differentiable Functions - Quiz 2

Non Differentiable Functions - Quiz 2

Non Differentiable Functions - Quiz 2

At which point in this function does the derivative not exist?

Non Differentiable Functions

Non Differentiable Functions

Non Differentiable Functions

Non Differentiable Functions

This is a piece-wise function.

$$f(x) = \begin{cases} 2, & \text{if } x < -1 \\ x+1, & \text{if } x \geq -1 \end{cases}$$

Non Differentiable Functions

This is a piece-wise function.

$$f(x) = \begin{cases} 2, & \text{if } x < -1 \\ x+1, & \text{if } x \geq -1 \end{cases}$$

Jump Discontinuity

Non Differentiable Functions

This is a piece-wise function.

$$f(x) = \begin{cases} 2, & \text{if } x < -1 \\ x+1, & \text{if } x \geq -1 \end{cases}$$

Jump Discontinuity

Non Differentiable Functions

This is a piece-wise function.

$$f(x) = \begin{cases} 2, & \text{if } x < -1 \\ x+1, & \text{if } x \geq -1 \end{cases}$$

Jump Discontinuity

The graph of the function does not appear to be continuous

Non Differentiable Functions

This is a piece-wise function.

$$f(x) = \begin{cases} 2, & \text{if } x < -1 \\ x+1, & \text{if } x \geq -1 \end{cases}$$

Jump Discontinuity

The graph of the function does not appear to be continuous

Non Differentiable Functions

This is a piece-wise function.

$$f(x) = \begin{cases} 2, & \text{if } x < -1 \\ x+1, & \text{if } x \geq -1 \end{cases}$$

Jump Discontinuity

The graph of the function does not appear to be continuous

Non Differentiable Functions

This is a piece-wise function.

$$f(x) = \begin{cases} 2, & \text{if } x < -1 \\ x+1, & \text{if } x \geq -1 \end{cases}$$

Jump Discontinuity

The graph of the function does not appear to be continuous

Non Differentiable Functions

This is a piece-wise function.

$$f(x) = \begin{cases} 2, & \text{if } x < -1 \\ x+1, & \text{if } x \geq -1 \end{cases}$$

Jump Discontinuity

The graph of the function does not appear to be continuous

Non Differentiable Functions

This is a piece-wise function.

$$f(x) = \begin{cases} 2, & \text{if } x < -1 \\ x+1, & \text{if } x \geq -1 \end{cases}$$

Jump Discontinuity

The graph of the function does not appear to be continuous

Non Differentiable Functions

Non Differentiable Functions

Non Differentiable Functions

Non Differentiable Functions

Non Differentiable Functions

Vertical tangents

Non Differentiable Functions

Vertical tangents

At x = 0, this graph has a tangent line that runs straight up parallel to the y-axis

Recap: Non-Differentiable Functions

Recap: Non-Differentiable Functions

Recap: Non-Differentiable Functions

Recap: Non-Differentiable Functions

Recap: Non-Differentiable Functions

Corners/Cusps

Recap: Non-Differentiable Functions

Corners/Cusps

Jump Discontinuity

Recap: Non-Differentiable Functions

Corners/Cusps

Jump Discontinuity

Vertical tangents

DeepLearning.AI

Derivatives and Optimization

Properties of the derivative: Multiplication by scalars

The Sum Rule

$$f = 4g$$

The Sum Rule

$$f' = 4g$$

The Sum Rule

$$f' = 4g'$$

The Sum Rule

$$f' = c\,g'$$

Multiplication by a Scalar

Multiplication by a Scalar

Multiplication by a Scalar

Multiplication by a Scalar

Multiplication by a Scalar

Multiplication by a Scalar

Function multiplies by 2

Multiplication by a Scalar

Function multiplies by 2

Multiplication by a Scalar

Function multiplies by 2

Multiplication by a Scalar

Function multiplies by 2

Multiplication by a Scalar

Function multiplies by 2

Multiplication by a Scalar

Function multiplies by 2

Multiplication by a Scalar

Function multiplies by 2

Multiplication by a Scalar

Function multiplies by 2

Multiplication by a Scalar

Function multiplies by 2

Multiplication by a Scalar

Function multiplies by 2
Slope multiplies by 2

Multiplication by a Scalar

Function multiplies by 2
Derivative multiplies by 2

Multiplication by a Scalar

Function multiplies by 2
Derivative multiplies by 2

Multiplication by a Scalar

Function multiplies by 2
Derivative multiplies by 2

Multiplication by a Scalar

Function multiplies by c
Derivative multiplies by c

Multiplication by a Scalar

Function multiplies by c
Derivative multiplies by c

Multiplication by a Scalar

Function multiplies by c
Derivative multiplies by c

Multiplication by a Scalar

Function multiplies by c
Derivative multiplies by c

Multiplication by a Scalar

Function multiplies by c
Derivative multiplies by c

Multiplication by a Scalar

Function multiplies by c
Derivative multiplies by c

Multiplication by a Scalar

Function multiplies by c
Derivative multiplies by c

DeepLearning.AI

Derivatives and Optimization

Properties of the derivative: The sum rule

The Sum Rule

$$f = g + h$$

The Sum Rule

$$f' = g + h$$

The Sum Rule

$$f' = g' + h$$

The Sum Rule

$$f' = g' + h'$$

Sum Rule

Sum Rule

Sum Rule

Sum Rule

Sum Rule

Sum Rule

Sum Rule

Sum Rule

Sum Rule

$\Delta x_C = 2$
x
$\Delta x_B = 10$
$\Delta x_{Total} = 12$
$\Delta x_{Total} = \Delta x_B + \Delta x_C$

Quiz:

- Speed of the boat: 0.6 m/s
- Speed of the child inside the boat: 0.05 m/s
- Both travel in the same direction.

What is the speed of the child with respect to the earth?

Quiz:

- Speed of the boat: 0.6 m/s
- Speed of the child inside the boat: 0.05 m/s
- Both travel in the same direction.

What is the speed of the child with respect to the earth?

Quiz:

- Speed of the boat: 0.6 m/s
- Speed of the child inside the boat: 0.05 m/s
- Both travel in the same direction.

What is the speed of the child with respect to the earth?

Quiz:

- Speed of the boat: 0.6 m/s
- Speed of the child inside the boat: 0.05 m/s
- Both travel in the same direction.

What is the speed of the child with respect to the earth?

Solution:

- Speed of the boat: 0.6 m/s
- Speed of the child inside the boat: 0.05 m/s
- Both travel in the same direction.

What is the speed of the child with respect to the earth?

Solution:

- Speed of the boat: 0.6 m/s
- Speed of the child inside the boat: 0.05 m/s
- Both travel in the same direction.

What is the speed of the child with respect to the earth?

Solution:

- Speed of the boat: 0.6 m/s
- Speed of the child inside the boat: 0.05 m/s
- Both travel in the same direction.

What is the speed of the child with respect to the earth?

Solution:

- Speed of the boat: 0.6 m/s
- Speed of the child inside the boat: 0.05 m/s
- Both travel in the same direction.

What is the speed of the child with respect to the earth?

Sum Rule

Sum Rule

Sum Rule

Sum Rule

Sum Rule

Sum Rule

Sum Rule

Sum Rule

Sum Rule

Sum Rule

Sum Rule

Sum Rule

Sum Rule

Sum Rule

Sum Rule

$$x_{Total} = x_B + x_C$$

Sum Rule

$$x_{Total} = x_B + x_C$$

Sum Rule

$$x_{Total} = x_B + x_C$$

$$\Downarrow$$

$$\frac{x_{Total}}{\Delta t} = \frac{x_B}{\Delta t} + \frac{x_C}{\Delta t}$$

Sum Rule

$$x_{Total} = x_B + x_C$$

$$\Downarrow$$

$$\frac{x_{Total}}{\Delta t} = \frac{x_B}{\Delta t} + \frac{x_C}{\Delta t}$$

$$\Downarrow$$

Sum Rule

$$x_{Total} = x_B + x_C$$

$$\frac{x_{Total}}{\Delta t} = \frac{x_B}{\Delta t} + \frac{x_C}{\Delta t}$$

$$v_{Total} = v_B + v_C$$

Sum Rule

Sum Rule

Sum Rule

Sum Rule

Sum Rule

$$f = f_1 + f_2$$

Sum Rule

$$f = f_1 + f_2$$

$$\Downarrow$$

Sum Rule

$$f = f_1 + f_2$$

$$\Downarrow$$

$$f' = f_1' + f_2'$$

Sum Rule

$$f = f_1 + f_2$$

$$\Downarrow$$

$$f' = f_1' + f_2'$$

DeepLearning.AI

Derivatives and Optimization

Properties of the derivative: The product rule

The Product Rule

$$f = gh$$

The Product Rule

$$f = gh$$

The Product Rule

$$f = gh$$

The Product Rule

$$f = gh$$

The Product Rule

$$f = gh$$

$$f'$$

The Product Rule

$$f = gh$$

$$f' = g'h$$

The Product Rule

$$f = gh$$

$$f' = g'h + gh'$$

The Product Rule

$$f = gh$$

$$f' = g'h + gh'$$

Product Rule

Product Rule

Product Rule

Product Rule

Product Rule

Product Rule

Product Rule

Product Rule

$$f(t) = g(t)h(t)$$

Product Rule

Product Rule

$$y = f(t) = g(t)h(t)$$

Product Rule

$$y = f(t) = g(t)h(t)$$

Product Rule

$$y = f(t) = g(t)h(t)$$

Product Rule

$$y = f(t) = g(t)h(t)$$

Product Rule

$$y = f(t) = g(t)h(t)$$

Product Rule

$$y = f(t) = g(t)h(t)$$

Product Rule

$$y = f(t) = g(t)h(t)$$

Product Rule

$$y = f(t) = g(t)h(t)$$

Product Rule

$$y = f(t) = g(t)h(t)$$

Product Rule

$$y = f(t) = g(t)h(t)$$

$$\frac{\Delta f(t)}{\Delta t}$$

Product Rule

$$y = f(t) = g(t)h(t)$$

$$\frac{\Delta f(t)}{\Delta t} = \frac{\Delta g(t)h(t) + g(t)\Delta h(t) + \Delta g(t)\Delta h(t)}{\Delta t}$$

Product Rule

$$y = f(t) = g(t)h(t)$$

$$\frac{\Delta f(t)}{\Delta t} = \frac{\Delta g(t)h(t) + g(t)\Delta h(t) + \Delta g(t)\Delta h(t)}{\Delta t}$$

$$= \frac{\Delta g(t)}{\Delta t}h(t) + g(t)\frac{\Delta h(t)}{\Delta t} + \frac{\Delta g(t)\Delta h(t)}{\Delta t}$$

Product Rule

$$y = f(t) = g(t)h(t)$$

$$\frac{\Delta f(t)}{\Delta t} = \frac{\Delta g(t)h(t) + g(t)\Delta h(t) + \Delta g(t)\Delta h(t)}{\Delta t}$$

$$= \frac{\Delta g(t)}{\Delta t}h(t) + g(t)\frac{\Delta h(t)}{\Delta t} + \frac{\Delta g(t)\Delta h(t)}{\Delta t}$$

as $\Delta t \longrightarrow 0$

Product Rule

$$y = f(t) = g(t)h(t)$$

$$\overset{f'(t)}{\frac{\Delta f(t)}{\Delta t}} = \frac{\Delta g(t)h(t) + g(t)\Delta h(t) + \Delta g(t)\Delta h(t)}{\Delta t}$$

$$= \frac{\Delta g(t)}{\Delta t}h(t) + g(t)\frac{\Delta h(t)}{\Delta t} + \frac{\Delta g(t)\Delta h(t)}{\Delta t}$$

as $\Delta t \longrightarrow 0$

Product Rule

$$y = f(t) = g(t)h(t)$$

$$\overbrace{\frac{\Delta f(t)}{\Delta t}}^{f'(t)} = \frac{\Delta g(t)h(t) + g(t)\Delta h(t) + \Delta g(t)\Delta h(t)}{\Delta t}$$

$$= \overbrace{\frac{\Delta g(t)}{\Delta t}h(t) + g(t)\frac{\Delta h(t)}{\Delta t}}^{g'(t)h(t)} + \frac{\Delta g(t)\Delta h(t)}{\Delta t}$$

as $\Delta t \longrightarrow 0$

Product Rule

$$y = f(t) = g(t)h(t)$$

$$\overbrace{\frac{\Delta f(t)}{\Delta t}}^{f'(t)} = \frac{\Delta g(t)h(t) + g(t)\Delta h(t) + \Delta g(t)\Delta h(t)}{\Delta t}$$

$$= \overbrace{\frac{\Delta g(t)}{\Delta t}h(t)}^{g'(t)h(t)} + \overbrace{g(t)\frac{\Delta h(t)}{\Delta t}}^{g(t)h'(t)} + \frac{\Delta g(t)\Delta h(t)}{\Delta t}$$

as $\Delta t \longrightarrow 0$

Product Rule

$$y = f(t) = g(t)h(t)$$

$$\overbrace{\frac{\Delta f(t)}{\Delta t}}^{f'(t)} = \frac{\Delta g(t)h(t) + g(t)\Delta h(t) + \Delta g(t)\Delta h(t)}{\Delta t}$$

$$= \overbrace{\frac{\Delta g(t)}{\Delta t}h(t)}^{g'(t)h(t)} + \overbrace{g(t)\frac{\Delta h(t)}{\Delta t}}^{g(t)h'(t)} + \overbrace{\frac{\Delta g(t)\Delta h(t)}{\Delta t}}^{0}$$

as $\Delta t \longrightarrow 0$

Product Rule

$$y = f(t) = g(t)h(t)$$

$$\overset{f'(t)}{\frac{\Delta f(t)}{\Delta t}} = \frac{\Delta g(t)h(t) + g(t)\Delta h(t) + \Delta g(t)\Delta h(t)}{\Delta t}$$

$$= \overset{g'(t)h(t)}{\frac{\Delta g(t)}{\Delta t}h(t)} + \overset{g(t)h'(t)}{g(t)\frac{\Delta h(t)}{\Delta t}} + \overset{0}{\frac{\Delta g(t)\Delta h(t)}{\Delta t}}$$

as $\Delta t \longrightarrow 0$

$$f'(t) = g'(t)h(t) + g(t)h'(t)$$

DeepLearning.AI

Derivatives and Optimization

Properties of the derivative: The chain rule

The Chain Rule

The Chain Rule

$$h(t)$$

The Chain Rule

$$g(h(t))$$

The Chain Rule

$$\frac{d}{dt} g(h(t))$$

The Chain Rule

$$\frac{d}{dt} g(h(t))$$

$$\frac{dh}{dt}$$

The Chain Rule

$$\frac{d}{dt} g(h(t))$$

$$\frac{dg}{dh} \quad \frac{dh}{dt}$$

The Chain Rule

$$\frac{d}{dt} g(h(t))$$

$$= \frac{dg}{dh} \cdot \frac{dh}{dt}$$

The Chain Rule

$$g(h(t))$$

$$\frac{dg}{dh} \quad \frac{dh}{dt}$$

The Chain Rule

$$f(g(h(t)))$$

$$\frac{dg}{dh} \quad \frac{dh}{dt}$$

The Chain Rule

$$\frac{d}{dt} f(g(h(t)))$$

$$\frac{dg}{dh} \quad \frac{dh}{dt}$$

The Chain Rule

$$\frac{d}{dt} f(g(h(t)))$$

$$\frac{df}{dg} \quad \frac{dg}{dh} \quad \frac{dh}{dt}$$

The Chain Rule

$$\frac{d}{dt} f(g(h(t)))$$

$$= \frac{df}{dg} \cdot \frac{dg}{dh} \cdot \frac{dh}{dt}$$

The Chain Rule

$$\frac{d}{dt} g(h(t)) = \frac{dg}{dh} \cdot \frac{dh}{dt}$$

The Chain Rule

$$\frac{d}{dt} g(h(t)) = \frac{dg}{dh} \cdot \frac{dh}{dt}$$

$$=$$

The Chain Rule

$$\frac{d}{dt} g(h(t)) = \frac{dg}{dh} \cdot \frac{dh}{dt}$$

$$= h'(t)$$

The Chain Rule

$$\frac{d}{dt} g(h(t)) = \frac{dg}{dh} \cdot \frac{dh}{dt}$$

$$= g'(h(t)) \cdot h'(t)$$

The Chain Rule

$$\frac{d}{dt} f(g(h(t))) = \frac{df}{dg} \cdot \frac{dg}{dh} \cdot \frac{dh}{dt}$$

The Chain Rule

$$\frac{d}{dt} f(g(h(t))) = \frac{df}{dg} \cdot \frac{dg}{dh} \cdot \frac{dh}{dt}$$

$$=$$

The Chain Rule

$$\frac{d}{dt} f(g(h(t))) = \frac{df}{dg} \cdot \frac{dg}{dh} \cdot \frac{dh}{dt}$$

$$= \qquad h'(t)$$

The Chain Rule

$$\frac{d}{dt} f(g(h(t))) = \frac{df}{dg} \cdot \frac{dg}{dh} \cdot \frac{dh}{dt}$$

$$= g'(h(t)) \cdot h'(t)$$

The Chain Rule

$$\frac{d}{dt} f(g(h(t))) = \frac{df}{dg} \cdot \frac{dg}{dh} \cdot \frac{dh}{dt}$$

$$= f'(g(h(t))) \cdot g'(h(t)) \cdot h'(t)$$

Idea of Chain Rule

Idea of Chain Rule

Idea of Chain Rule

Idea of Chain Rule

Idea of Chain Rule

Temperature changes w.r.t. height $\frac{dT}{dh}$

Idea of Chain Rule

Temperature changes w.r.t. height $\frac{dT}{dh}$

height changes w.r.t. time $\frac{dh}{dt}$

Idea of Chain Rule

Temperature changes w.r.t. height $\frac{dT}{dh}$

height changes w.r.t. time $\frac{dh}{dt}$

Temperature changes w.r.t. time $\frac{dT}{dt}$

Idea of Chain Rule

Temperature changes w.r.t. height $\frac{dT}{dh}$

height changes w.r.t. time $\frac{dh}{dt}$

Temperature changes w.r.t. time $\frac{dT}{dt}$

$$\frac{dT}{dt} = \frac{dT}{dh}\frac{dh}{dt}$$

Chain Rule

Chain Rule

Chain Rule

Chain Rule

$$\Delta t \rightarrow \Delta h \rightarrow \Delta T$$

Chain Rule

$$\Delta t \rightarrow \Delta h \rightarrow \Delta T$$

Chain Rule

$$\Delta t \rightarrow \Delta h \rightarrow \Delta T$$

Chain Rule

$$\Delta t \rightarrow \Delta h \rightarrow \Delta T$$

Chain Rule

$$\Delta t \rightarrow \Delta h \rightarrow \Delta T$$

Chain Rule

$$\Delta t \rightarrow \Delta h \rightarrow \Delta T$$

Chain Rule

$$\Delta t \rightarrow \Delta h \rightarrow \Delta T$$

Chain Rule

$$\Delta t \rightarrow \Delta h \rightarrow \Delta T$$

Chain Rule

$$\Delta t \rightarrow \Delta h \rightarrow \Delta T$$

Chain Rule

$$\Delta t \rightarrow \Delta h \rightarrow \Delta T$$

$$\frac{\Delta T}{\Delta t} =$$

Chain Rule

$$\Delta t \rightarrow \Delta h \rightarrow \Delta T$$

$$\frac{\Delta T}{\Delta t} = \frac{\Delta h}{\Delta t}$$

Chain Rule

$$\Delta t \rightarrow \Delta h \rightarrow \Delta T$$

$$\frac{\Delta T}{\Delta t} = \frac{\Delta T}{\Delta h} \frac{\Delta h}{\Delta t}$$

Chain Rule

$$\Delta t \rightarrow \Delta h \rightarrow \Delta T$$

$$\frac{\Delta T}{\Delta t} = \frac{\Delta T}{\Delta h}\,\frac{\Delta h}{\Delta t}$$

Chain Rule

$$\Delta t \rightarrow \Delta h \rightarrow \Delta T$$

$$\frac{\Delta T}{\Delta t} = \frac{\Delta T}{\Delta h}\,\frac{\Delta h}{\Delta t}$$

$$\frac{dT}{dt}$$

Chain Rule

$$\Delta t \rightarrow \Delta h \rightarrow \Delta T$$

$$\frac{\Delta T}{\Delta t} = \frac{\Delta T}{\Delta h}\frac{\Delta h}{\Delta t}$$

$$\frac{dT}{dt} = \frac{dT}{dh}$$

Chain Rule

$$\Delta t \rightarrow \Delta h \rightarrow \Delta T$$

$$\frac{\Delta T}{\Delta t} = \frac{\Delta T}{\Delta h}\,\frac{\Delta h}{\Delta t}$$

$$\frac{dT}{dt} = \frac{dT}{dh}\,\frac{dh}{dt}$$

DeepLearning.AI

Derivatives and Optimization

Introduction to optimization

Motivation for Optimization

Motivation for Optimization

Motivation for Optimization

Motivation for Optimization

Motivation for Optimization

Motivation for Optimization

Motivation for Optimization

Motivation for Optimization

Motivation for Optimization

Motivation for Optimization

Motivation for Optimization

Motivation for Optimization

Motivation for Optimization

Motivation for Optimization

Motivation for Optimization

Motivation for Optimization

Motivation for Optimization

Motivation for Optimization

Motivation for Optimization

Motivation for Optimization

Motivation for Optimization

Motivation for Optimization

Motivation for Optimization

Motivation for Optimization

Multiple Minima

Multiple Minima

Multiple Minima

Multiple Minima

Candidates for the minimum are at the points of zero slope

Multiple Minima

Candidates for the minimum are at the points of zero slope

Multiple Minima

Candidates for the minimum are at the points of zero slope

DeepLearning.AI

Derivatives and Optimization

Optimization of squared loss: The one powerline problem

Cost Function Motivation

Cost Function Motivation

Cost Function Motivation

Cost Function Motivation

Cost Function Motivation

Cost Function Motivation

Cost Function Motivation

Cost Function Motivation

Cost Function Motivation

Cost Function Motivation

Cost Function Motivation

Cost Function Motivation

One Power Line Problem

One Power Line Problem

One Power Line Problem

One Power Line Problem

One Power Line Problem

One Power Line Problem

DeepLearning.AI

Derivatives and Optimization

Optimization of squared loss: The two powerline problem

Two Power Line Problem

Two Power Line Problem

Two Power Line Problem

Two Power Line Problem

Two Power Line Problem

Two Power Line Problem

Two Power Line Problem

Two Power Line Problem

Two Power Line Problem

Two Power Line Problem

Two Power Line Problem

Two Power Line Problem

Two Power Line Problem

Two Power Line Problem

Two Power Line Problem

Two Power Line Problem

Two Power Line Problem

Two Power Line Problem

Two Power Line Problem

Two Power Line Problem

Two Power Line Problem

Two Power Line Problem

Two Power Line Problem

Two Power Line Problem

Two Power Line Problem

Two Power Line Problem

Total cost of connecting to both power lines:

$$(x-a)^2 + (x-b)^2$$

Two Power Line Problem

Total cost of connecting to both power lines:

$$(x-a)^2 + (x-b)^2$$

Two Power Line Problem

Total cost of connecting to both power lines:

$$(x-a)^2 + (x-b)^2$$

Two Power Line Problem

Total cost of connecting to both power lines:

$$(x-a)^2 + (x-b)^2$$

Two Power Line Problem

Two Power Line Problem

Two Power Line Problem

Total cost of connecting to both power lines:

$$(x-a)^2 + (x-b)^2$$

Two Power Line Problem

Total cost of connecting to both power lines:

$$(x-a)^2 + (x-b)^2$$

Two Power Line Problem - Square Analogy

Two Power Line Problem - Square Analogy

Two Power Line Problem - Square Analogy

Two Power Line Problem - Square Analogy

Two Power Line Problem - Square Analogy

Two Power Line Problem - Square Analogy

Two Power Line Problem - Square Analogy

Two Power Line Problem - Square Analogy

Two Power Line Problem - Square Analogy

Two Power Line Problem - Square Analogy

Two Power Line Problem - Square Analogy

Two Power Line Problem - Square Analogy

Two Power Line Problem - Square Analogy

Two Power Line Problem - Square Analogy

Two Power Line Problem - Square Analogy

Goal: Minimize the total area of the squares

Minimize the Total Area of Squares

Minimize the Total Area of Squares

Minimize the Total Area of Squares

Minimize the Total Area of Squares

Two Power Line Problem

Two Power Line Problem

$$(x-a)^2 + (x-b)^2$$

Two Power Line Problem

$$(x-a)^2 + (x-b)^2$$

Two Power Line Problem

$$(x-a)^2 + (x-b)^2$$

Two Power Line Problem

$$(x-a)^2 + (x-b)^2$$

Two Power Line Problem

Two Power Line Problem

$$(x-a)^2 + (x-b)^2$$

$$\frac{d}{dx}\left[(x-a)^2 + (x-b)^2\right] = 0$$

Two Power Line Problem

$$\frac{d}{dx}\left[(x-a)^2 + (x-b)^2\right] = 0$$

$$2(x-a) + 2(x-b) = 0$$

Two Power Line Problem

$$\frac{d}{dx}\left[(x-a)^2 + (x-b)^2\right] = 0$$

$$2(x-a) + 2(x-b) = 0$$

$$(x-a) + (x-b) = 0$$

Two Power Line Problem

$$\frac{d}{dx}\left[(x-a)^2 + (x-b)^2\right] = 0$$

$$2(x-a) + 2(x-b) = 0$$

$$(x-a) + (x-b) = 0$$

$$2x - a - b = 0$$

Two Power Line Problem

$$\frac{d}{dx}\left[(x-a)^2 + (x-b)^2\right] = 0$$

$$2(x-a) + 2(x-b) = 0$$

$$(x-a) + (x-b) = 0$$

$$2x - a - b = 0$$

$$2x = a + b$$

Two Power Line Problem

$$\frac{d}{dx}\left[(x-a)^2 + (x-b)^2\right] = 0$$

$$2(x-a) + 2(x-b) = 0$$

$$(x-a) + (x-b) = 0$$

$$2x - a - b = 0$$

$$2x = a + b$$

$$x = \frac{a+b}{2}$$

DeepLearning.AI

Derivatives and Optimization

Optimization of squared loss: The three powerline problem

Three Power Line Problem

Three Power Line Problem

Three Power Line Problem

Three Power Line Problem

Three Power Line Problem

Three Power Line Problem

Three Power Line Problem

Three Power Line Problem

Three Power Line Problem

Three Power Line Problem

Three Power Line Problem

Three Power Line Problem

Three Power Line Problem

Three Power Line Problem

Three Power Line Problem

Three Power Line Problem

Three Power Line Problem

Three Power Line Problem

Three Power Line Problem

$(x - a)^2$

cost of connecting to
the blue power line

Three Power Line Problem

$(x - a)^2$

cost of connecting to
the blue power line

Three Power Line Problem

Three Power Line Problem

Three Power Line Problem

Three Power Line Problem

Three Power Line Problem

Three Power Line Problem

Three Power Line Problem

Three Power Line Problem

origin

$(x-c)^2$

cost of connecting to the green power line

Goal:

$(x-a)^2$

cost of connecting to the blue power line

$(x-b)^2$

cost of connecting to the orange power line

Three Power Line Problem

$(x-c)^2$

cost of connecting to the green power line

Goal:

Minimize the cost of connecting to all power lines

$(x-a)^2$

cost of connecting to the blue power line

$(x-b)^2$

cost of connecting to the orange power line

Three Power Line Problem

$(x-c)^2$

cost of connecting to the green power line

Goal:

Minimize the cost of connecting to all power lines

$(x-a)^2$

cost of connecting to the blue power line

$(x-b)^2$

cost of connecting to the orange power line

What is the cost function of this problem?

Three Power Line Problem

$(x-a)^2$ $(x-b)^2$ $(x-c)^2$

Goal:

Minimize the cost of connecting all power lines

Three Power Line Problem

Goal:

Minimize the cost of connecting all power lines

$$(x-a)^2 + (x-b)^2 + (x-c)^2$$

Three Power Line Problem

Goal:

Minimize the cost of connecting all power lines

Cost function = $(x-a)^2 + (x-b)^2 + (x-c)^2$

Three Power Line Problem

Goal:

Minimize the cost of connecting all power lines

Cost function = $(x-a)^2 + (x-b)^2 + (x-c)^2$

Total area of squares

Three Power Line Problem

Goal:

Minimize the cost of connecting all power lines

Cost function = $(x-a)^2 + (x-b)^2 + (x-c)^2$

Total area of squares

Three Power Line Problem

Goal:

Minimize the cost of connecting all power lines

Cost function = $(x-a)^2 + (x-b)^2 + (x-c)^2$

Total area of squares

Where should you put the house to minimize the cost?

Three Power Line Problem

Goal:

Minimize the cost of connecting all power lines

Cost function = $(x-a)^2 + (x-b)^2 + (x-c)^2$ ← **Minimize this cost function**

Solution:

Three Power Line Problem

Goal:

Minimize the cost of connecting all power lines

Cost function = $(x-a)^2 + (x-b)^2 + (x-c)^2$ ← **Minimize this cost function**

Solution: $x = \dfrac{a+b+c}{3}$

Three Power Line Problem

$$(x-a)^2 + (x-b)^2 + (x-c)^2$$

Three Power Line Problem

$$(x-a)^2 + (x-b)^2 + (x-c)^2$$

Three Power Line Problem

$$(x-a)^2 \quad + \quad (x-b)^2 \quad + \quad (x-c)^2$$

Three Power Line Problem

$$(x-a)^2 + (x-b)^2 + (x-c)^2$$

Three Power Line Problem

$$(x-a)^2 + (x-b)^2 + (x-c)^2$$

Three Power Line Problem

$$(x-a)^2 + (x-b)^2 + (x-c)^2$$

Three Power Line Problem

$$(x-a)^2 + (x-b)^2 + (x-c)^2$$

Three Power Line Problem

$$(x-a)^2 + (x-b)^2 + (x-c)^2$$

Three Power Line Problem

$$(x-a)^2 + (x-b)^2 + (x-c)^2$$

Three Power Line Problem

$$(x-a)^2 + (x-b)^2 + (x-c)^2$$

Three Power Line Problem

$$(x-a)^2 + (x-b)^2 + (x-c)^2$$

$$\frac{d}{dx}\left[(x-a)^2 + (x-b)^2 + (x-c)^2\right] = 0$$

Three Power Line Problem

$$(x-a)^2 + (x-b)^2 + (x-c)^2$$

$$\frac{d}{dx}\left[(x-a)^2 + (x-b)^2 + (x-c)^2\right] = 0$$

$$2(x-a) + 2(x-b) + 2(x-c) = 0$$

Three Power Line Problem

$$(x-a)^2 + (x-b)^2 + (x-c)^2$$

$$\frac{d}{dx}\left[(x-a)^2 + (x-b)^2 + (x-c)^2\right] = 0$$

$$2(x-a) + 2(x-b) + 2(x-c) = 0$$

$$(x-a) + (x-b) + (x-c) = 0$$

Three Power Line Problem

$$(x-a)^2 + (x-b)^2 + (x-c)^2$$

$$\frac{d}{dx}\left[(x-a)^2 + (x-b)^2 + (x-c)^2\right] = 0$$

$$2(x-a) + 2(x-b) + 2(x-c) = 0$$

$$(x-a) + (x-b) + (x-c) = 0$$

$$3x - a - b - c = 0$$

Three Power Line Problem

$$(x-a)^2 + (x-b)^2 + (x-c)^2$$

$$\frac{d}{dx}\left[(x-a)^2 + (x-b)^2 + (x-c)^2\right] = 0$$

$$2(x-a) + 2(x-b) + 2(x-c) = 0$$

$$(x-a) + (x-b) + (x-c) = 0$$

$$3x - a - b - c = 0$$

$$3x = a + b + c$$

Three Power Line Problem

$$(x-a)^2 + (x-b)^2 + (x-c)^2$$

$$\frac{d}{dx}\left[(x-a)^2 + (x-b)^2 + (x-c)^2\right] = 0$$

$$2(x-a) + 2(x-b) + 2(x-c) = 0$$

$$(x-a) + (x-b) + (x-c) = 0$$

$$3x - a - b - c = 0$$

$$3x = a + b + c$$

$$x = \frac{a+b+c}{3}$$

Three Power Line Problem: Square Analogy

Problem: Minimize total area of the squares

Three Power Line Problem: Square Analogy

Problem: Minimize total area of the squares

Three Power Line Problem: Square Analogy

Problem: Minimize total area of the squares

Three Power Line Problem: Square Analogy

Problem: Minimize total area of the squares

The Square Loss

Minimize $(x - a_1)^2 + (x - a_2)^2 + \cdots + (x - a_n)^2$

The Square Loss

Minimize $(x - a_1)^2 + (x - a_2)^2 + \cdots + (x - a_n)^2$

Solution: $x = \dfrac{a_1 + a_2 + \cdots + a_n}{n}$

DeepLearning.AI

Derivatives and Optimization

Optimization of log-loss
Part 1

Coin Toss

Coin Toss

Coin Toss

Coin Toss

Coin 1

70% 30%

Coin Toss

Coin 1

70% 30%

Coin 2

50% 50%

Coin Toss

Coin 1

70% 30%

Coin 2

50% 50%

Coin 3

30% 70%

Quiz

- Which of the three coins would you choose to maximize your chances of winning?

Coin 1

70% 30%

Coin 2

50% 50%

Coin 3

30% 70%

Coins Toss

Coins Toss

Coin 1 $0.7 \times 0.7 \times 0.7 \times 0.7 \times 0.7 \times 0.7 \times 0.7 \times 0.3 \times 0.3 \times 0.3 = 0.7^7 0.3^3$

$= 0.00222$

Coins Toss

Coin 1 $0.7 \times 0.7 \times 0.7 \times 0.7 \times 0.7 \times 0.7 \times 0.7 \times 0.3 \times 0.3 \times 0.3 = 0.7^7 0.3^3$

$= 0.00222$

Coin 2 $0.5 \times 0.5 \times 0.5 \times 0.5 \times 0.5 \times 0.5 \times 0.5 \times 0.5 \times 0.5 \times 0.5 = 0.5^7 0.5^3$

$= 0.00097$

Coins Toss

Coin 1 $0.7 \times 0.7 \times 0.7 \times 0.7 \times 0.7 \times 0.7 \times 0.7 \times 0.3 \times 0.3 \times 0.3 = 0.7^7 0.3^3$

$= 0.00222$

Coin 2 $0.5 \times 0.5 \times 0.5 \times 0.5 \times 0.5 \times 0.5 \times 0.5 \times 0.5 \times 0.5 \times 0.5 = 0.5^7 0.5^3$

$= 0.00097$

Coin 3 $0.3 \times 0.3 \times 0.3 \times 0.3 \times 0.3 \times 0.3 \times 0.3 \times 0.7 \times 0.7 \times 0.7 = 0.3^7 0.7^3$

$= 0.00008$

Coins Toss

Coin 1 $0.7 \times 0.7 \times 0.7 \times 0.7 \times 0.7 \times 0.7 \times 0.7 \times 0.3 \times 0.3 \times 0.3 = 0.7^7 0.3^3$

$= 0.00222$

Coin 2 $0.5 \times 0.5 \times 0.5 \times 0.5 \times 0.5 \times 0.5 \times 0.5 \times 0.5 \times 0.5 \times 0.5 = 0.5^7 0.5^3$

$= 0.00097$

Coin 3 $0.3 \times 0.3 \times 0.3 \times 0.3 \times 0.3 \times 0.3 \times 0.3 \times 0.7 \times 0.7 \times 0.7 = 0.3^7 0.7^3$

$= 0.00008$

Coin Toss

Coin Toss

p

Coin Toss

p $\quad$ $(1 - p)$

Coin Toss

p $(1-p)$

Chances of winning: $p^7(1-p)^3 = g(p)$

Coin Toss

p $(1-p)$

Chances of winning: $p^7(1-p)^3 = g(p)$

Goal: maximize $g(p)$

Coin Toss

Coin Toss

$$\frac{dg}{dp} = \frac{d}{dp}(p^7(1-p)^3)$$

Coin Toss

Product rule

$$\frac{dg}{dp} = \frac{d}{dp}(p^7(1-p)^3) = \frac{d(p^7)}{dp}(1-p)^3 + p^7\frac{d\left((1-p)^3\right)}{dp}$$

Coin Toss

Product rule

$$\frac{dg}{dp} = \frac{d}{dp}(p^7(1-p)^3) = \frac{d(p^7)}{dp}(1-p)^3 + p^7\boxed{\frac{d\left((1-p)^3\right)}{dp}}$$

Chain rule

$$= 7p^6(1-p)^3 + p^7\boxed{3(1-p)^2(-1)}$$

Coin Toss

Product rule

$$\frac{dg}{dp} = \frac{d}{dp}(p^7(1-p)^3) = \frac{d(p^7)}{dp}(1-p)^3 + p^7 \boxed{\frac{d\left((1-p)^3\right)}{dp}}$$

Chain rule

$$= 7p^6(1-p)^3 + p^7 \boxed{3(1-p)^2(-1)}$$

$$= p^6(1-p)^2\left[7(1-p) - 3p\right]$$

Coin Toss

Product rule

$$\frac{dg}{dp} = \frac{d}{dp}(p^7(1-p)^3) = \frac{d(p^7)}{dp}(1-p)^3 + p^7 \boxed{\frac{d\left((1-p)^3\right)}{dp}}$$

Chain rule

$$= 7p^6(1-p)^3 + p^7 \boxed{3(1-p)^2(-1)}$$

$$= p^6(1-p)^2\left[7(1-p) - 3p\right]$$

$$= p^6(1-p)^2(7-10p)$$

Coin Toss

Product rule

$$\frac{dg}{dp} = \frac{d}{dp}(p^7(1-p)^3) = \frac{d(p^7)}{dp}(1-p)^3 + p^7 \boxed{\frac{d\left((1-p)^3\right)}{dp}}$$

Chain rule

$$= 7p^6(1-p)^3 + p^7 \boxed{3(1-p)^2(-1)}$$

$$= p^6(1-p)^2\left[7(1-p) - 3p\right]$$

$$= p^6(1-p)^2(7-10p) = 0$$

Coin Toss

Product rule

$$\frac{dg}{dp} = \frac{d}{dp}(p^7(1-p)^3) = \frac{d(p^7)}{dp}(1-p)^3 + p^7\boxed{\frac{d\left((1-p)^3\right)}{dp}}$$

Chain rule

$$= 7p^6(1-p)^3 + p^7\boxed{3(1-p)^2(-1)}$$

$$= p^6(1-p)^2\left[7(1-p) - 3p\right]$$

$$= \boxed{p^6}(1-p)^2(7-10p) = 0$$

$$p = 0$$

Coin Toss

Product rule

$$\frac{dg}{dp} = \frac{d}{dp}(p^7(1-p)^3) = \frac{d(p^7)}{dp}(1-p)^3 + p^7\boxed{\frac{d\left((1-p)^3\right)}{dp}}$$

Chain rule

$$= 7p^6(1-p)^3 + p^7\boxed{3(1-p)^2(-1)}$$

$$= p^6(1-p)^2\left[7(1-p) - 3p\right]$$

$$= \boxed{p^6}\boxed{(1-p)^2}(7-10p) = 0$$

$p = 0$

$p = 1$

Coin Toss

Product rule

$$\frac{dg}{dp} = \frac{d}{dp}(p^7(1-p)^3) = \frac{d(p^7)}{dp}(1-p)^3 + p^7\boxed{\frac{d\left((1-p)^3\right)}{dp}}$$

Chain rule

$$= 7p^6(1-p)^3 + p^7\boxed{3(1-p)^2(-1)}$$

$$= p^6(1-p)^2\left[7(1-p) - 3p\right]$$

$$= \boxed{p^6}\boxed{(1-p)^2}\boxed{(7-10p)} = 0$$

$p = 0$

$p = 1$

$p = 0.7$

Coin Toss

Product rule

$$\frac{dg}{dp} = \frac{d}{dp}(p^7(1-p)^3) = \frac{d(p^7)}{dp}(1-p)^3 + p^7\boxed{\frac{d\left((1-p)^3\right)}{dp}}$$

Chain rule

$$= 7p^6(1-p)^3 + p^7\boxed{3(1-p)^2(-1)}$$

$$= p^6(1-p)^2\left[7(1-p) - 3p\right]$$

$$= \boxed{p^6}\boxed{(1-p)^2}\boxed{(7-10p)} = 0$$

$$\cancel{p = 0}$$

$$p = 1$$

$$p = 0.7$$

Coin Toss

Product rule

$$\frac{dg}{dp} = \frac{d}{dp}(p^7(1-p)^3) = \frac{d(p^7)}{dp}(1-p)^3 + p^7\boxed{\frac{d\left((1-p)^3\right)}{dp}}$$

Chain rule

$$= 7p^6(1-p)^3 + p^7\boxed{3(1-p)^2(-1)}$$

$$= p^6(1-p)^2\left[7(1-p) - 3p\right]$$

$$= \boxed{p^6}\boxed{(1-p)^2}\boxed{(7-10p)} = 0$$

$$\cancel{p = 0}$$

$$\cancel{p = 1}$$

$$p = 0.7$$

Coin Toss

Product rule

$$\frac{dg}{dp} = \frac{d}{dp}(p^7(1-p)^3) = \frac{d(p^7)}{dp}(1-p)^3 + p^7\boxed{\frac{d\left((1-p)^3\right)}{dp}}$$

Chain rule

$$= 7p^6(1-p)^3 + p^7\boxed{3(1-p)^2(-1)}$$

$$= p^6(1-p)^2\left[7(1-p) - 3p\right]$$

$$= \boxed{p^6}\boxed{(1-p)^2}\boxed{(7-10p)} = 0$$

$\cancel{p = 0}$

$\cancel{p = 1}$

$p = 0.7$

Coin Toss

Coin Toss

$$\log(g(p))$$

Coin Toss

$$\log(g(p)) \quad = \log(p^7(1-p)^3)$$

Coin Toss

$$\log(g(p)) \;= \log(p^7(1-p)^3) \;= \log\left(p^7\right) + \log\left((1-p)^3\right)$$

Coin Toss

$$\log(g(p)) = \log(p^7(1-p)^3) = \log\left(p^7\right) + \log\left((1-p)^3\right)$$

$$= 7\log(p) + 3\log(1-p)$$

Coin Toss

$$\log(g(p)) = \log(p^7(1-p)^3) = \log\left(p^7\right) + \log\left((1-p)^3\right)$$

$$= 7\log(p) + 3\log(1-p) = G(p)$$

Coin Toss

$$\log(g(p)) = \log(p^7(1-p)^3) = \log\left(p^7\right) + \log\left((1-p)^3\right)$$

$$= 7\log(p) + 3\log(1-p) = G(p)$$

$$\frac{dG(p)}{dp} = \frac{d}{dp}(7\log(p) + 3\log(1-p))$$

Coin Toss

$$\log(g(p)) = \log(p^7(1-p)^3) = \log\left(p^7\right) + \log\left((1-p)^3\right)$$

$$= 7\log(p) + 3\log(1-p) = G(p)$$

$$\frac{dG(p)}{dp} = \frac{d}{dp}(7\log(p) + 3\log(1-p)) = 7\frac{1}{p} + 3\frac{1}{1-p}(-1)$$

Coin Toss

$$\log(g(p)) = \log(p^7(1-p)^3) = \log\left(p^7\right) + \log\left((1-p)^3\right)$$

$$= 7\log(p) + 3\log(1-p) = G(p)$$

$$\frac{dG(p)}{dp} = \frac{d}{dp}(7\log(p) + 3\log(1-p)) = 7\frac{1}{p} + 3\frac{1}{1-p}(-1)$$

$$= \frac{7(1-p) - 3p}{p(1-p)}$$

Coin Toss

$$\log(g(p)) = \log(p^7(1-p)^3) = \log\left(p^7\right) + \log\left((1-p)^3\right)$$

$$= 7\log(p) + 3\log(1-p) = G(p)$$

$$\frac{dG(p)}{dp} = \frac{d}{dp}(7\log(p) + 3\log(1-p)) = 7\frac{1}{p} + 3\frac{1}{1-p}(-1)$$

$$= \frac{7(1-p) - 3p}{p(1-p)} = 0$$

Coin Toss

$$\log(g(p)) = \log(p^7(1-p)^3) = \log\left(p^7\right) + \log\left((1-p)^3\right)$$

$$= 7\log(p) + 3\log(1-p) = G(p)$$

$$\frac{dG(p)}{dp} = \frac{d}{dp}(7\log(p) + 3\log(1-p)) = 7\frac{1}{p} + 3\frac{1}{1-p}(-1)$$

$$= \frac{7(1-p) - 3p}{p(1-p)} = 0$$

$$7(1-p) - 3p = 0$$

Coin Toss

$$\log(g(p)) = \log(p^7(1-p)^3) = \log\left(p^7\right) + \log\left((1-p)^3\right)$$

$$= 7\log(p) + 3\log(1-p) = G(p)$$

$$\frac{dG(p)}{dp} = \frac{d}{dp}(7\log(p) + 3\log(1-p)) = 7\frac{1}{p} + 3\frac{1}{1-p}(-1)$$

$$= \frac{7(1-p) - 3p}{p(1-p)} = 0$$

$$7(1-p) - 3p = 0 \qquad p = 0.7$$

Coin Toss

$$\log(g(p)) = \log(p^7(1-p)^3) = \log\left(p^7\right) + \log\left((1-p)^3\right)$$

$$= 7\log(p) + 3\log(1-p) = G(p)$$

$$\frac{dG(p)}{dp} = \frac{d}{dp}(7\log(p) + 3\log(1-p)) = 7\frac{1}{p} + 3\frac{1}{1-p}(-1)$$

$$= \frac{7(1-p) - 3p}{p(1-p)} = 0$$

$$7(1-p) - 3p = 0 \quad p = 0.7$$

Coin Toss

$$\log(g(p)) = \log(p^7(1-p)^3) = \log\left(p^7\right) + \log\left((1-p)^3\right)$$

$$= \boxed{7\log(p) + 3\log(1-p) = G(p)}$$

$-G(p)$ is the logloss

$$\frac{dG(p)}{dp} = \frac{d}{dp}(7\log(p) + 3\log(1-p)) = 7\frac{1}{p} + 3\frac{1}{1-p}(-1)$$

$$= \frac{7(1-p) - 3p}{p(1-p)} = 0$$

$$7(1-p) - 3p = 0$$

$p = 0.7$

DeepLearning.AI

Derivatives and Optimization

Optimization of log-loss
Part 2

Relationship With ML

Relationship With ML

Relationship With ML

Data

Relationship With ML

Data

Relationship With ML

Data

p

Relationship With ML

Data

p

Relationship With ML

Data

p $(1 - p)$

Relationship With ML

Data

Model

Relationship With ML

Data

p $(1 - p)$

Model

Minimized log-loss

Relationship With ML

Data

p $(1 - p)$

Model

Minimized log-loss

$p = 0.7$

Why the Logarithm?

Why the Logarithm?

1. Derivative of products is hard, derivative of sums is easy

Why the Logarithm?

1. Derivative of products is hard, derivative of sums is easy

$$f(p) = p^6(1-p)^2(3-p)^9(p-4)^{13}(10-p)^{500}$$

Why the Logarithm?

1. Derivative of products is hard, derivative of sums is easy

$$f(p) = p^6(1-p)^2(3-p)^9(p-4)^{13}(10-p)^{500}$$

$$\frac{df}{dp}$$

$$\begin{aligned}
&\left[6p^5\right](1-p)^2(3-p)^9(p-4)^{13}(10-p)^{500}+\\
&p^6\left[2(1-p)\right](3-p)^9(p-4)^{13}(10-p)^{500}(-1)+\\
&p^6(1-p)^2\left[9(3-p)^8\right](p-4)^{13}(10-p)^{500}(-1)+\\
&p^6(1-p)^2(3-p)^9\left[13(p-4)^{12}\right](10-p)^{500}+\\
&p^6(1-p)^2(3-p)^9(p-4)^{13}\left[500(10-p)^{499}\right](-1)
\end{aligned}$$

Why the Logarithm?

1. Derivative of products is hard, derivative of sums is easy

$$f(p) = p^6(1-p)^2(3-p)^9(p-4)^{13}(10-p)^{500}$$

$$\frac{df}{dp}$$

$$\begin{aligned}
&[6p^5](1-p)^2(3-p)^9(p-4)^{13}(10-p)^{500}+\\
&p^6\left[2(1-p)\right](3-p)^9(p-4)^{13}(10-p)^{500}(-1)+\\
&p^6(1-p)^2\left[9(3-p)^8\right](p-4)^{13}(10-p)^{500}(-1)+\\
&p^6(1-p)^2(3-p)^9\left[13(p-4)^{12}\right](10-p)^{500}+\\
&p^6(1-p)^2(3-p)^9(p-4)^{13}\left[500(10-p)^{499}\right](-1)
\end{aligned}$$

$$\frac{d}{dp}\log(f)$$

$$\begin{aligned}
&\frac{6}{p}+\frac{2}{1-p}(-1)+\frac{9}{3-p}(-1)+\\
&\frac{13}{p-4}+\frac{500}{10-p}(-1)
\end{aligned}$$

Why the Logarithm?

1. Derivative of products is hard, derivative if sums is easy

$$f(p) = p^6(1-p)^2(3-p)^9(p-4)^{13}(10-p)^{500}$$

$$\frac{df}{dp}$$

$$\frac{d}{dp}\log(f)$$

Why the Logarithm?

1. Derivative of products is hard, derivative if sums is easy

$$f(p) = p^6(1-p)^2(3-p)^9(p-4)^{13}(10-p)^{500}$$

$$\frac{df}{dp}$$

$$\frac{d}{dp}\log(f)$$

2. Product of lots of tiny things is tiny!

DeepLearning.AI

Derivatives and Optimization

Conclusion