

Fig_2_all_versions

Claire Morton


2026-06-12

Functions


```
#### CONSTANTS ####
wt_fml <- as.formula("~ pop")
model_fml <- as.formula(
  paste0("ratio ~ i(window, region, ref = -1, ref2 = 'EUCA') | region + window")
)

pois_model_fml <- as.formula(
  paste0("n_arrests ~ i(window, region, ref = -1, ref2 = 'EUCA') | region + window")
)
offset_fml <- as.formula("~log_pop")


## Rows: 231336 Columns: 10
## -- Column specification -----
## Delimiter: ","
## chr (4): state, region, method, alt_method
## dbl (6): window, convicted, threat_level, n_arrests, pop_ACS, pop_MPI
##
## i Use `spec()` to retrieve the full column specification for this data.
## i Specify the column types or set `show_col_types = FALSE` to quiet this message.
```



n & Status — EUCA, Non-Convicted — EUCA, Convicted — Non-EUCA, Non-Convicted — Non-EL



n & Status — EUCA, Non-Convicted — EUCA, Convicted — Non-EUCA, Non-Convicted — Non-EL



1 & Status — EUCA, Non-Convicted — EUCA, Convicted — Non-EUCA, Non-Convicted — Non-EUCA, Convicted

Test for significance

```
## Rows: 231336 Columns: 10
## -- Column specification -----
## Delimiter: ","
## chr (4): state, region, method, alt_method
## dbl (6): window, convicted, threat_level, n_arrests, pop_ACS, pop_MPI
##
## i Use `spec()` to retrieve the full column specification for this data.
## i Specify the column types or set `show_col_types = FALSE` to quiet this message.
## `summarise()` has regrouped the output.

## [1] "LEA conv:"
## [1] 4.825619 1.750099 7.901140
## [1] "LEA nonconv:"
## [1] 6.474736 2.103729 10.845742
## [1] "CA conv:"
## [1] 2.488158 1.924381 3.051934
## [1] "CA nonconv:"
## [1] 8.771127 4.676005 12.866250
```