



uform-gen2-qwen-500m

Beta

Image-to-Text • unum

@cf/unum/uform-gen2-qwen-500m

UForm-Gen is a small generative vision-language model primarily designed for Image Captioning and Visual Question Answering. The model was pre-trained on the internal image captioning dataset and fine-tuned on public instructions datasets: SVIT, LVIS, VQAs datasets.

Model Info

More information [link ↗](#)

Beta

Yes

Usage

✓ Workers - TypeScript

TypeScript

```
export interface Env {  
  AI: Ai;  
}  
  
export default {  
  async fetch(request: Request, env: Env):  
    Promise<Response> {  
    const res = await  
    fetch("https://cataas.com/cat");  
    const blob = await res.arrayBuffer();  
    const input = {  
      image: [...new Uint8Array(blob)],  
      prompt: "Generate a caption for this  
image",  
      max_tokens: 512,  
    };  
    const response = await env.AI.run(  
      "@cf/unum/uform-gen2-qwen-500m",  
      input  
    );  
    return new  
    Response(JSON.stringify(response));  
  },  
}
```

```
} satisfies ExportedHandler<Env>;
```

Parameters

* indicates a required field

Input

- 0 **string**

Binary string representing the image contents.

- 1 **object**

- **prompt** **string**

The input text prompt for the model to generate a response.

- **raw** **boolean**

If true, a chat template is not applied and you must adhere to the specific model's expected formatting.

- **top_p** **number**

Controls the creativity of the AI's responses by adjusting how many possible words it considers. Lower values make outputs more predictable; higher values allow for more varied and creative responses.

- `top_k` **number**

Limits the AI to choose from the top 'k' most probable words. Lower values make responses more focused; higher values introduce more variety and potential surprises.

- `seed` **number**

Random seed for reproducibility of the generation.

- `repetition_penalty` **number**

Penalty for repeated tokens; higher values discourage repetition.

- `frequency_penalty` **number**

Decreases the likelihood of the model repeating the same lines verbatim.

- `presence_penalty` **number**

Increases the likelihood of the model introducing new topics.

- `image` **one of** required

- `0` **array**

An array of integers that represent the image data constrained to 8-bit unsigned integer values

- `items` **number**

A value between 0 and 255

- `1` **string**

Binary string representing the image contents.

- `max_tokens` **integer** default 512

The maximum number of tokens to generate in the response.

Output

- description **string**

API Schemas

The following schemas are based on JSON Schema

Input

Output

```
{  
  "oneOf": [  
    {  
      "type": "string",  
      "format": "binary",  
      "description": "Binary string  
representing the image contents."  
    },  
    {  
      "type": "object",  
      "properties": {  
        "prompt": {  
          "type": "string",  
          "description": "The input  
text prompt for the model to generate a  
response."  
        },  
        "raw": {  
          "type": "boolean",  
          "default": false,  
          "description": "If true, a  
chat template is not applied and you must  
adhere to the specific model's expected  
formatting."  
        }  
      }  
    }  
  ]  
}
```

```
},  
  "top_p": {  
    "type": "number",  
    "description": "Controls
```

the creativity of the AI's responses by adjusting how many possible words it considers. Lower values make outputs more predictable; higher values allow for more varied and creative responses."

```
},  
  "top_k": {  
    "type": "number",  
    "description": "Limits the
```

AI to choose from the top 'k' most probable words. Lower values make responses more focused; higher values introduce more variety and potential surprises."

```
},  
  "seed": {  
    "type": "number",  
    "description": "Random  
seed for reproducibility of the generation."
```

```
},  
  "repetition_penalty": {  
    "type": "number",
```

```
      "description": "Penalty
for repeated tokens; higher values discourage
repetition."
    },
    "frequency_penalty": {
      "type": "number",
      "description": "Decreases
the likelihood of the model repeating the same
lines verbatim."
    },
    "presence_penalty": {
      "type": "number",
      "description": "Increases
the likelihood of the model introducing new
topics."
    },
    "image": {
      "oneOf": [
        {
          "type": "array",
          "description": "An
array of integers that represent the image
data constrained to 8-bit unsigned integer
values",
          "items": {
```

```
        "type":  
        "number",  
        "description":  
        "A value between 0 and 255"  
    },  
    {  
        "type": "string",  
        "format":  
        "binary",  
        "description":  
        "Binary string representing the image  
        contents."  
    }  
]  
,  
"max_tokens": {  
    "type": "integer",  
    "default": 512,  
    "description": "The  
maximum number of tokens to generate in the  
response."  
}  
,  
"required": [  

```

"image"

]

}

]

}

Was this helpful?



Previous

← Dashboard

Next

Workers Bindings →

Resources

API

New to Cloudflare?

Directory

Sponsorships

Open Source

Support

Help Center

System Status

Compliance

GDPR

Company

[cloudflare.com](#)

[Our team](#)

[Careers](#)

Tools

[Cloudflare Radar](#)

[Speed Test](#)

[Is BGP Safe Yet?](#)

[RPKI Toolkit](#)

[Certificate Transparency](#)

Community

 [X](#)

 [Discord](#)

 [YouTube](#)

 [GitHub](#)

© 2025 Cloudflare, Inc. • [Privacy Policy](#) • [Terms of Use](#)

• [Report Security Issues](#) • [Trademark](#) •  [Cookie Preferences](#)