



embeddinggemma-300m

Text Embeddings • Google

@cf/google/embeddinggemma-300m

EmbeddingGemma is a 300M parameter, state-of-the-art for its size, open embedding model from Google, built from Gemma 3 (with T5Gemma initialization) and the same research and technology used to create Gemini models. EmbeddingGemma produces vector representations of text, making it well-suited for search and retrieval tasks, including classification, clustering, and semantic similarity search. This model was trained with data in 100+ spoken languages.

Usage

✓ Workers - TypeScript

TypeScript

```
export interface Env {  
  AI: Ai;  
}  
  
export default {  
  async fetch(request, env):  
    Promise<Response> {  
  
    // Can be a string or array of strings  
    const stories = [  
      "This is a story about an orange  
cloud",  
      "This is a story about a llama",  
      "This is a story about a hugging  
emoji",  
    ];  
  
    const embeddings = await env.AI.run(  
      "@cf/google/embeddinggemma-300m",  
      {  
        text: stories,  
      }  
    );  
  }  
};
```

```
    return Response.json(embeddings);  
  },  
} satisfies ExportedHandler<Env>;
```

▼ Python

Python

```
import os
import requests

ACCOUNT_ID = "your-account-id"
AUTH_TOKEN = os.environ.get("CLOUDFLARE_AUTH_TOKEN")

stories = [
    'This is a story about an orange cloud',
    'This is a story about a llama',
    'This is a story about a hugging emoji'
]

response = requests.post(
    f"https://api.cloudflare.com/client/v4/accounts/{ACCOUNT_ID}/ai/embeddings/gemma-300m",
    headers={"Authorization": f"Bearer {AUTH_TOKEN}"},
    json={"text": stories}
)

print(response.json())
```

▼ curl

```
curl
https://api.cloudflare.com/client/v4/accounts/300m \
-X POST \
-H "Authorization: Bearer $CLOUDFLARE_API_TOKEN" \
-d '{ "text": ["This is a story about an orange story about a hugging emoji"] }'
```

① OpenAI compatible endpoints

Workers AI also supports OpenAI compatible API endpoints for `/v1/chat/completions` and `/v1/embeddings`. For more details, refer to [Configurations](#).

Parameters

* indicates a required field

Input

- **text** **one of** required

- 0 **string**

Input text to embed. Can be a single string or a list of strings.

- 1 **array**

Input text to embed. Can be a single string or a list of strings.

- **items** **string**

Output

- **data** **array** required

Embedding vectors, where each vector is a list of floats.

- **items** **array**

- **items** **number**

- **shape** **array** required

Shape of the embedding data as
[number_of_embeddings, embedding_dimension].

- items **integer**

API Schemas

The following schemas are based on JSON Schema

Input

Output

```
{  
  "type": "object",  
  "properties": {  
    "text": {  
      "oneOf": [  
        {  
          "type": "string"  
        },  
        {  
          "type": "array",  
          "items": {  
            "type": "string"  
          }  
        }  
      ],  
      "description": "Input text to  
embed. Can be a single string or a list of  
strings."  
    }  
  },  
  "required": [  
    "text"  
  ]  
}
```

Was this helpful?



Previous

← [Dashboard](#)

Next

[Workers Bindings](#) →

Resources

[API](#)

[New to Cloudflare?](#)

[Directory](#)

[Sponsorships](#)

[Open Source](#)

Support

[Help Center](#)

[System Status](#)

[Compliance](#)

[GDPR](#)

Company

[cloudflare.com](#)

[Our team](#)

[Careers](#)

Tools

[Cloudflare Radar](#)

[Speed Test](#)

[Is BGP Safe Yet?](#)

[RPKI Toolkit](#)

Certificate Transparency

Community



© 2025 Cloudflare, Inc. • [Privacy Policy](#) • [Terms of Use](#)

• [Report Security Issues](#) • [Trademark](#) •  [Cookie Preferences](#)