



smart-turn-v2

Voice Activity Detection • pipecat-ai

@cf/pipecat-ai/smart-turn-v2

An open source, community-driven, native audio turn detection model in 2nd version

Model Info

Batch	Yes
Real-time	Yes
Unit Pricing	\$0.00034 per audio minute

Parameters

* indicates a required field

Input

- ▶ 0 **object**
 - **audio** **object** required
readable stream with audio data and content-type specified for that data
 - **body** **object** required
 - **contentType** **string** required
 - **dtype** **string**
type of data PCM data that's sent to the inference server as raw array
- ▶ 1 **object**
 - **audio** **string** required
base64 encoded audio data

- dtype **string**

type of data PCM data that's sent to the inference server as raw array

Output

- is_complete **boolean**

if true, end-of-turn was detected

- probability **number**

probability of the end-of-turn detection

API Schemas

The following schemas are based on JSON Schema

Input

Output

```
{  
  "type": "object",  
  "oneOf": [  
    {  
      "properties": {  
        "audio": {  
          "type": "object",  
          "description": "readable  
stream with audio data and content-type  
specified for that data",  
          "properties": {  
            "body": {  
              "type": "object"  
            },  
            "contentType": {  
              "type": "string"  
            }  
          },  
          "required": [  
            "body",  
            "contentType"  
          ]  
        },  
        "dtype": {
```

```
        "type": "string",
        "description": "type of
data PCM data that's sent to the inference
server as raw array",
        "enum": [
            "uint8",
            "float32",
            "float64"
        ]
    },
    "required": [
        "audio"
    ]
},
{
    "properties": {
        "audio": {
            "type": "string",
            "description": "base64
encoded audio data"
        },
        "dtype": {
            "type": "string",
```

```
      "description": "type of
data PCM data that's sent to the inference
server as raw array",
      "enum": [
        "uint8",
        "float32",
        "float64"
      ]
    },
    "required": [
      "audio"
    ]
  }
]
```

Was this helpful?



[Previous](#)

[← Dashboard](#)

[Next](#)

[Workers Bindings →](#)

Resources

[API](#)

[New to Cloudflare?](#)

[Directory](#)

[Sponsorships](#)

[Open Source](#)

Company

[cloudflare.com](#)

[Our team](#)

[Careers](#)

Support

[Help Center](#)

[System Status](#)

[Compliance](#)

[GDPR](#)

Tools

[Cloudflare Radar](#)

[Speed Test](#)

[Is BGP Safe Yet?](#)

[RPKI Toolkit](#)

[Certificate Transparency](#)

Community

 [X](#)

 [Discord](#)

 [YouTube](#)



© 2025 Cloudflare, Inc. • [Privacy Policy](#) • [Terms of Use](#)

• [Report Security Issues](#) • [Trademark](#) •  [Cookie Preferences](#)