





Harnessing synergies and opportunities between TB and Primary Health Care - Kenya


*Dr Immaculate Kathure
NTP Manager - Kenya*



Evolution of PHC in Kenya



Policies & Guidelines promoting PHC in Kenya



Primary Health Care Networks – Kenya


- <https://www.youtube.com/watch?v=yGE22ULdfSY>
- The **Primary Health Care Network** (PCN) is defined as an administrative health region comprising of a primary health care referral facility (hub) and several other primary health care facilities (spokes) established to deliver access to primary health care services for patients and communities, as well as coordinate with other hospitals in order to improve the overall operational efficiency of the network
- The PCNs aims to achieve universal access to health care in Kenya by:
 - Availing **person-centred** services closer to communities in need and assure quality, continuity and sustainability of healthcare
 - PCNs are responsible for providing PHC services while utilizing resources available within its geographical region. These will include:
 - Reorganization of human resource, infrastructure, health products and technologies, finance, and governance structures in order to be responsive to the healthcare needs of the community;
 - Ensure efficient, rational and equitable allocation of supplies, while avoiding wastage and minimizing shortages/stock outs.



Primary Health Care Networks


The following components are provided Kenya Essential Package for Health (KEPH) package will be provide:

- a) **Promotive:** advocacy, communication and social mobilization
- b) **Preventive:** primary, secondary and tertiary preventive measures including screening, immunization, chemoprophylaxis and adherence monitoring
- c) **Ambulance and Acute ambulatory care:** This is the health care given to 'walk-in' patients
- d) **Chronic disease and conditions care**
- e) **Palliative care:** This will include care that improves the quality of life
- f) **Rehabilitative care:** improve the quality of life, and to prevent disabilities where possible





Country Profile



Indicator	Performance
Estimated incidence	124,000 (223/100000pop)
TB Treatment coverage	77%
TB patients facing catastrophic costs	27% (survey 2017)
TB/HIV co-infection	24%
TB Case fatality ratio	20%
%HH contacts of B+ TB cases on TPT	38%
Cases attributable to risk factors	
Alcohol	9,000
Diabetes	3,100
HIV	26,000
Smoking	48000
Undernourishment	11,000


Current TB Landscape in Kenya



Counties 47, Sub-counties 256 with 300 TB control zones

Population

55 million



	Total
Total no. of health facilities	14,408
Number of TB treatment sites	5,646
Number of microscopy diagnostic sites	2,670
Gene-xpert/TruNat sites	211
TB LAMP	26
Digital X-ray +AI (portable and retrofits)	189
Molecular labs (LPA/LPA flurotype)	5
Central culture and DST	2
IGRA sites	2

Objectives

1. To expand access to TB services for all Kenyan citizens
2. To strengthen early detection and diagnosis of TB cases
3. To improve the quality of TB treatment and care
4. To reduce TB-related stigma and discrimination
5. To enhance collaboration between health facilities, communities, and other stakeholders

Strategies for Integration of TB & Lung Health services in PHC in Kenya

I. Capacity Building

- a. Train healthcare providers at the PHC levels in TB detection, diagnosis, and treatment
- b. Develop and implement continuous medical education programs

II. Integration of TB Services

- a. Implement standardized TB screening protocols for all patients
- b. Provide standardized TB screening protocols for use at community level

III. Community Engagement

- a. Conduct awareness campaigns to reduce TB stigma and promote early case detection
- b. Establish community-based contact tracing and identification of LTFU

IV. Information Systems

- a. Incorporate TB into the Electronic Community Health Information System (eCHIS)

V. Supply Chain Management

- a. Ensure consistent availability of commodities for community diagnosis and treatment support

Impact for TB Control



Early detection and diagnosis through timely contact tracing and case finding



Strengthened TB prevention through enhanced awareness and improved infection control measures



Improved quality of care through medication adherence support, co-morbidity management and psychosocial support



Thank You



MINISTRY OF HEALTH



NATIONAL TUBERCULOSIS, LEPROSY
AND LUNG DISEASE PROGRAM