

Bootstrap Interactivity and Animation Guide

We will use JavaScript

Link to the following CSS Files

```
<link rel="stylesheet" href="css/font-awesome.css">
```

```
<link rel="stylesheet" href="css/animate.css">
```

Link to the following JS Files

```
<script src="js/jquery-2.1.1.min.js"></script>
```

```
<script src="js/bootstrap.min.js"></script>
```

```
<script src="js/parallax.min.js"></script>
```

```
<script src="js/wow.min.js"></script>
```

```
<script src="js/jquery.easing.min.js"></script>
```

```
<script src="js/fliplightbox.min.js"></script>
```

```
<script src="js/functions.js"></script>
```

NB: The files should be acquired/ downloaded online. They should be pasted in respective folders

Once the linking its done!

The following should work automatically

- Link should work properly in small screens
- Page scroll are now working

if you need to animate your <div> content , give your <div> these classes.

- wow fadeInUp
- wow fadeInRight
- wow fadeInLeft

- wow fadeInDown
- wow bounceIn
- wow bounceInDown

You can also add the attribute to handle delays

- data-wow-delay="0.6s"

Here is an example of how to apply to an example <div> columns

```
<div class="col-md-4 wow fadeInDown" data-wow-delay="0.6s">  
  <h1>About Us</h1>  
  
  <hr>  
  
  <p>Lorem ipsum dolor sit amet, consectetur adipisicing  
    proident, sunt </p>  
  
  <br><br>  
</div>
```

