



# American International University- Bangladesh

## CSC 3215: Web Technologies

### CO2 and CO4 Evaluation Finished Project Report Fall 2019-2020

**Project Title: Content Portal**  
**Section: J**

Student Name	Student Id
Hossain,Mosharaf	17-35617-3
Chowdhury, Ullas	17-35528-3
Umme Maria	17-35409-3
Shafiqul Islam	17-35504-3

# Content portal

## Project Description:

As an online content portal, an entryway permits clients to interfere with each other and discover content that is important effortlessly and straight forwardness. It consolidates data from various sources into a solitary UI.

So now we are going to talk about the user scenario of our content portal. A user can visit our site or portal and they can see the post titles and click them to view the post. They can explore many more related posts and posts they like.

Now the user wants to share their own content but first they have to signup as a user in the content portal to sign up the user's first need to click the login & signup button on top of the home page. Then after clicking the button the page will go to signup and login page. After landing on the page the user will see a custom slider that contains the signup and login form and button if the user wants to signup, he or she must fill up the required form and also email field must be unique.

If the user wants to login he or she must fill up the 'EMAIL and Password' note that both fields are required and the password must match for the corresponding email.

After login the user is greeted with the dash board. The dashboard contains 'add new, show content, search content and logout' the user can delete their content on the Show content section the user can also edit any of their previous content and they can view their content and also add a new content.

After clicking the logout button the user is dropped on the home page once again.

Note: The users of the system are not controlled by any common admin so the users can enjoy full freedom.

## Project Folder Structure:

assets->brand,dist,instagram

bootstrap

config

css

fontawesome

fonts

images

jquery

js

sql

tinymce  
webfonts

## Core Modules of the Project:

### signlog.php

```
<?php require_once('signup.php')?>
<!DOCTYPE html>
<html>
<head>
    <title>SignUp and Login</title>
    <link rel="stylesheet" type="text/css" href="style.css">
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.
min.css">
</head>
<body>

<div class="container" id="container">
<div class="form-container sign-up-container">

<form method="POST" action="signlog.php">
    <h1>Create Account</h1>
    <input type="text" name="name" placeholder="Name" required>
    <input type="email" name="email" placeholder="Email" required>
    <input type="password" name="password" placeholder="Password" required>
    <button type="submit" name="submit">SignUp</button>
</form>
</div>
<div class="form-container sign-in-container">
    <form method="POST" action="signin.php">
        <h1>Sign In</h1>

        <!-- new section -->
    <table>
```

```

        <tr>

            <td><input type="email" name="email" placeholder="Email"
required></td>

        </tr>
        <tr>

            <td><input type="password" name="password" placeholder="Password"
required></td>

        </tr>
        <tr>

            <td><button type="submit" name="login" >Login</button></td>

        </tr>
        <!-- hidden input for authentication-->
        <tr>
            <td><input type="hidden" name="id" value="<?= $row['id']
?>"></td>
        </tr>
    </table>
    <!-- new section -->

    <!-- <a href="#">Forgot Your Password</a> -->

</form>
</div>
<div class="overlay-container">
    <div class="overlay">
        <div class="overlay-panel overlay-left">
            <h1>Welcome Back!</h1>
            <button class="ghost" id="signIn">Sign In</button>
        </div>
        <div class="overlay-panel overlay-right">
            <h1>Hello, Friend!</h1>
            <button class="ghost" id="signUp">Sign Up</button>

```

```
        </div>
    </div>
</div>
</div>

<script type="text/javascript">
    const signUpButton = document.getElementById('signUp');
    const signInButton = document.getElementById('signIn');
    const container = document.getElementById('container');

    signUpButton.addEventListener('click', () => {
        container.classList.add("right-panel-active");
    });
    signInButton.addEventListener('click', () => {
        container.classList.remove("right-panel-active");
    });
</script>

</body>
</html>
```

*index.php*

```
<?php
session_start();
```

```
?>
<!DOCTYPE html>
<html Lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <meta http-equiv="X-UA-Compatible" content="ie=edge" />
    <title>Content-Portal</title>

    <!-- Font Awesome Icons -->
    <link rel="stylesheet" href="./css/all.css" />

    <!-- ----- Owl-Carousel ----->
    <link rel="stylesheet" href="./css/owl.carousel.min.css" />
    <link rel="stylesheet" href="./css/owl.theme.default.min.css" />

    <!-- ----- AOS Library ----- -->
    <link rel="stylesheet" href="./css/aos.css" />

    <!-- Custom Style -->
    <link rel="stylesheet" href="css/sStyle.css" />
    <link rel="stylesheet" type="text/css"
href="bootstrap/css/bootstrap.min.css">

  </head>

  <body>
    <!-- ----- Navigation ----- -->

    <nav class="nav" >
      <div class="nav-menu flex-row ">
        <div class="nav-brand">
          <!-- <a href="#" class="text-gray"></a> -->
          
        </div>
        <div class="toggle-collapse">
          <div class="toggle-icons">
            <i class="fas fa-bars"></i>
          </div>
        </div>
      </div>
    </nav>
  </body>
</html>
```

```

    </div>
    <div>
        <ul class="nav-items">
            <li class="nav-link">
                <a href="#">Home</a>
            </li>
            <li class="nav-link">
                <a href="#">Category</a>
            </li>
            <li class="nav-link">
                <a href="#">Archive</a>
            </li>
            <li class="nav-link">
                <a href="#">Pages</a>
            </li>
            <li class="nav-link">
                <a href="signlog.php">Login & SignUp</a>
            </li>
        </ul>
    </div>

    </div>
    <!-- <div class="site-background btn1" data-aos="fade-up"
data-aos-delay="100">
        <span id="btn1"> <a href="signlog.php">Login & SignUp</a> </span>
    </div> -->
</nav>

<!-- -----X----- Navigation
-----X----- -->

<!------- Main Site Section
----->

<main>
    <!------- Site Title ----->

```

```

<section class="site-title">
  <div class="site-background" data-aos="fade-up" data-aos-delay="100">
    <h3>Tours & Travels</h3>
    <h1>Amazing Place on Earth</h1>
    <button class="btn">Explore</button>
  </div>
</section>

```

```

<!-------x----- Site Title -----x----->

```

```

<!-- ----- Blog Carousel ----- -->

```

```

<section>
  <div class="blog">
    <div class="container">
      <div class="owl-carousel owl-theme blog-post">
        <div
          class="blog-content"
          data-aos="fade-right"
          data-aos-delay="200"
        >
          
          <div class="blog-title">
            <h3>London Fashion week's continued the evolution</h3>
            <button class="btn btn-blog">Fashion</button>
            <span>2 minutes</span>
          </div>
        </div>
        <div class="blog-content" data-aos="fade-in" data-aos-delay="200">
          
          <div class="blog-title">
            <h3>London Fashion week's continued the evolution</h3>
            <button class="btn btn-blog">Fashion</button>
            <span>2 minutes</span>
          </div>
        </div>
        <div
          class="blog-content"

```



```

        data-aos="fade-left"
        data-aos-delay="200"
    >
        
        <div class="blog-title">
            <h3>London Fashion week's continued the evolution</h3>
            <button class="btn btn-blog">Fashion</button>
            <span>2 minutes</span>
        </div>
    </div>
    <div
        class="blog-content"
        data-aos="fade-right"
        data-aos-delay="200"
    >
        
        <div class="blog-title">
            <h3>London Fashion week's continued the evolution</h3>
            <button class="btn btn-blog">Fashion</button>
            <span>2 minutes</span>
        </div>
    </div>
</div>
<div class="owl-navigation">
    <span class="owl-nav-prev">
        ><i class="fas fa-long-arrow-alt-left"></i>
    </span>
    <span class="owl-nav-next">
        ><i class="fas fa-long-arrow-alt-right"></i>
    </span>
</div>
</div>
</div>
</section>

<!-- -----x----- Blog Carousel -----x----- -->

<!-- ----- Site Content ----->
<!-- Header File navebar _included. -->

```

```
<?php
include('config/config.php');
include('content1.validation.php');
?>

</div>
</div>

</table>

</div>
</div>

<!-- End side -->

<!-- article end -->

<!-- -----x----- Site Content -----x----->
</main>

<!-------x----- Main Site Section
-----x----->

<!-- ----- Footer
----- -->
```

```
<footer class="footer">
  <div class="container">
    <div class="about-us" data-aos="fade-right" data-aos-delay="200">
      <h2>About us</h2>
      <p>
        Lorem ipsum dolor sit amet consectetur adipisicing elit. Accusantium
        quia atque nemo ad modi officiis iure, autem nulla tenetur
        repellendus.
      </p>
    </div>
    <div class="newsletter" data-aos="fade-right" data-aos-delay="200">
      <h2>Newsletter</h2>
      <p>Stay update with our latest</p>
      <div class="form-element">
        <input type="text" placeholder="Email" /><span
          ><i class="fas fa-chevron-right"></i>
        </span>
      </div>
    </div>
    <div class="instagram" data-aos="fade-left" data-aos-delay="200">
      <h2>Instagram</h2>
      <div class="flex-row">
        
        
        
      </div>
      <div class="flex-row">
        
        
        
      </div>
    </div>
    <div class="follow" data-aos="fade-left" data-aos-delay="200">
      <h2>Follow us</h2>
      <p>Let us be Social</p>
      <div>
        <i class="fab fa-facebook-f"></i>
        <i class="fab fa-twitter"></i>
        <i class="fab fa-instagram"></i>
      </div>
    </div>
  </div>
</footer>
```

```

        <i class="fab fa-youtube"></i>
    </div>
</div>
</div>
<div class="rights flex-row">
    <h4 class="text-gray">Copyright ©2020 All rights reserved</h4>
</div>
<div class="move-up">
    <span><i class="fas fa-arrow-circle-up fa-2x"></i></span>
</div>
</footer>

<!-- -----x----- Footer
-----x----- -->

<!-- JQuery Library file -->
<script src="./js/Jquery3.4.1.min.js"></script>

<!-- ----- Owl-Carousel js ----->
<script src="./js/owl.carousel.min.js"></script>

<!-- ----- AOS js Library ----- -->
<script src="./js/aos.js"></script>

<!-- Custom Javascript file -->
<script src="./js/main.js"></script>
</body>
</html>

```

### showcontent.php

```

<!-- Header File navebar _included. -->
<?php
include('header.php');

```

```

include('config/config.php');

// session_start();
// if( isset($_SESSION['email']) && isset($_SESSION['id']) ){

//     echo "<br><a href='logout.php'>Logout</a>";

// }
// else{
//     header('location: signlog.php');
//     return;
// }
?>

<div id="container">
    <?php
        // form deleting windows
        if(isset($_GET['deleteID'])){
            echo '<div class="alert alert-danger alert-dismissible fade show"
role="alert">
                <strong>Are you want delete this?</strong>
                <button type="button" class="close" data-dismiss="alert"
aria-label="Close">
                    <span aria-hidden="true">&times;</span>
                </button>
                <form target="" method="post">
                    <br>
                    <input type="hidden" name="delId" value="'. $_GET['deleteID'] .'">
                    <button type="submit" name="delete" class="btn btn-danger">Yes</button>

                    <button type="button" class="btn btn-info" data-dismiss="alert">
                        <span aria-hidden="true"> No! </span>
                    </button>
                </form>
            </div>';

        }

        if(isset($_POST['delId'])){
            $bID= $_POST['delId'];

```

```

//
$sql = "DELETE FROM `content` WHERE `content`.`con-id` = $bID";
if(mysqli_query($con,$sql)){
    header("Location: showcontent.php?success=1");
}
else{
    echo "Data not deleted".mysqli_error($con);
}
}
if(isset($_GET['success'])){
    if($_GET['success']==1){
        echo '<div class="alert alert-success alert-dismissible fade show"
role="alert">
        <strong>Deleted successfully.</strong>
        <button type="button" class="close" data-dismiss="alert"
aria-label="Close">
        <span aria-hidden="true">&times;</span>
        </button>
        </div>';

    }
    if($_GET['success']==2){
        echo '<div class="alert alert-success alert-dismissible fade show"
role="alert">
        <strong>Updated successfully.</strong>
        <button type="button" class="close" data-dismiss="alert"
aria-label="Close">
        <span aria-hidden="true">&times;</span>
        </button>
        </div>';

    }

}

}
?>

```

```

<h4 class="text-center">Show Content</h4>
<table class="table table-striped">

    <tr>
        <th>POST_ID</th>
        <th>Title</th>
        <th>Added Date</th>
        <th>View</th>
        <th>Edit</th>
        <th>Delete</th>
    </tr>

    <tbody>
        <?php
        $user=$_SESSION['id'];
        $sql = "SELECT * FROM content WHERE user_id=$user";
        $result = mysqli_query($con,$sql);
        if(mysqli_num_rows($result)>0){
            while($row = mysqli_fetch_assoc($result)){
                echo ' <tr>
                    <td>' . $row['con-id'] . '</td>
                    <td>' . $row["title"] . '</td>
                    <td>' . $row["addedDate"] . '</td>
                    <td><a href="content.php?id=' . $row["con-id"] . '" class="btn
btn-success"><i class="fas fa-eye"></i></a></td>
                    <td><a href="update.php?updateID=' . $row["con-id"] . '" class="btn
btn-primary"><i class="fas fa-edit"></i></a></td>
                    <td><a href="showcontent.php?deleteID=' . $row['con-id'] . '"
class="btn btn-danger"><i class="fas fa-trash-alt"></i></a></td>
                </tr>';

            }
        }else{
            echo ' <tr><td>No post published yet.</td></tr>';
        }
        ?>

    </tbody>

```

```

    </table>
</div>

<!-- End side -->

<!-- Footer include. -->
<?php include('footer.php'); ?>

```

CO2 and CO4 Evaluation: Project Report Evaluation					
Completeness (5)	Validation (5)	Feature Implementation (5)	Concept Understanding (5)	Promptness (5)	Total (25)