ICC - General Requirements - Study Guide

References needed:

- **Special Inspection Manual (SIM)**
- **International Building Code (IBC) - Chapter 17**

TIPS

- Use dividers in your binder to reference important chapters and or sections, where the majority of the questions come from Chapters 1-6 and 10 within the SIM. Also, Chapter 17 of the IBC.

- Study the duties and responsibilities of: the special inspector, special inspection agency, owner, design professional, department official, and contractor. Most of this is within chapters 1-4 of the SIM. There are a lot of questions regarding this.

- The Building Official title is also used interchangeably and is the same as the: building department, building inspector, and conducting jurisdictional inspections.

- The Registered Design Professional title is also used interchangeably and is the same as the: RDP, design professional in charge, design professional, engineer in charge.

- Remember that the Building Official approves everything, any question that uses approve within the sentence, the answer is typically the Building Official.

- Study the Risk Category chart within Chapter 4 of the SIM.

- Study the contents of a standard inspection report and the final inspection report.

- Technical findings and or reports are used by the RDP and approved by the Building Official.

- Don't take too long to find an answer, if you cannot find it within twenty seconds, mark it and move on. You may have time to come back to it once you answer the rest of the questions.

- READ EACH QUESTION AND ANSWER CAREFULLY

1. **The duties of a special inspector include all of the following <u>except</u>:**

   a. review the approved plans and specifications for special inspection requirements
   b. inspect work for compliance with the building department approved plans
   c. notify, in writing, the building official and engineer of record of unresolved deviations
   d. issuing stop work notices

2. **When reporting non-conforming items, all of the following items must be in the report <u>except</u>:**

   a. Time of notification of the contractor
   b. Name and title of each individual notified
   c. Reference to applicable detail of approved plans, job specifications or code
   d. Resolution or corrective action taken

3. **Depending upon the jurisdiction, the special inspector is required to send their final report to the building official <u>and</u>**

   a. the design professional in responsible charge
   b. the building official only
   c. the general contractor, stating their work met compliance
   d. the architect of record

4. **The responsibility of <u>ensuring that day to day work is covered by inspections</u> falls on**

   a. The building official
   b. The contractor
   c. The special inspection agency
   d. The owner

5. **When the special inspector <u>arrives on-site</u>, they should notify the**

   a. owner or owner's designated representative
   b. the foreman responsible for reinforcing steel installation
   c. contractor
   d. building official

6. **The_____issues <u>final acceptance</u> of a building.**

   a. The building official
   b. The owner
   c. The special inspection agency
   d. The design professional

7. **It is the responsibility of the_____to <u>monitor</u> the <u>special inspection activities</u>.**

   a. The contractor
   b. The building official
   c. The design professional
   d. The owner

8. Special inspection reports should contain all of the following elements <u>except</u>:

a. location and the details of reinforcement inspections
b. relevant ASTMs
c. names of individuals notified on-site regarding areas of work
d. changes authorized by the design professional in responsible charge

9. The_____is responsible for <u>approving</u> the <u>special inspection program</u>.

a. The design professional
b. The building official
c. The owner
d. The special inspection agency

10. The responsibilities of the special inspection agency are all of the following <u>except</u>:

a. Review approved plans and specifications
b. Write daily reports
c. Report non-conforming items
d. Prepare special inspection program

11. Who does the special inspector <u>notify first</u> if there is a non-conforming item?

a. The contractor
b. The registered design professional
c. The inspection supervisor
d. The building official

12. How often does the special inspector submit reports to the building official?

a. As determined by the building official
b. As determined by the statement of special inspections
c. Daily
d. Weekly

13. Who <u>establishes</u> the <u>special inspection program</u>?

a. Special inspection agency
b. Special inspector
c. Building department
d. Registered Design Professional

14. Where are the required special inspections for a project found?

a. The special inspection program
b. The special inspection manual
c. The quality assurance manual
d. The statement of special inspections

15. The statement of special inspections is written by the:

a. The building department
b. The building official
c. Registered design professional
d. Inspection agency

16. What is one of the first duties of a special inspector after arriving on the job site?

a. Looking at plans and specifications
b. Identifying non-conforming items
c. Checking in with the contractor
d. Notifying his or her supervisor

17. At the end of a project, the special inspector:

a. Debriefs with the registered design professional, contractor, and building official
b. Submits a final signed report
c. Reviews the certificate of occupancy
d. Attends the grand opening, if one is held

18. What risk category poses the highest risk to life safety?

a. I
b. II
c. III
d. IV

19. Who submits the statement of responsibility?

a. Special inspector
b. Contractor
c. Special inspection agency
d. Registered design professional

20. If the special inspector observes a non-conformance that is about to be covered up, he or she should_____and_____:

a. Notify the building official, then issue a stop work notice
b. Issue a stop work notice, then notify his or her supervisor
c. Write a report, then notify his or her supervisor
d. Notify the contractor, then the building official and registered design professional

21. What item is not required to be listed in a non-conformance/discrepancy report?

a. Who was notified of the non-conformance and how?
b. How often this type of non-conformance occurs with the contractor
c. Description and location of non-conformance
d. Reference to the applicable detail in the plans

22. What does the special inspection agreement state?

a. The project's special inspections were completed in accordance with the plans and specifications
b. The owner or registered design professional hired an approved special inspection agency
c. The contractor and special inspector agree to resolve outstanding non-conformance items
d. The building official approves the special inspection agency's quality assurance manual

23. What risk category would an elementary school most likely belong to?

a. IV
b. III
c. II
d. I

24. Who provides the statement of responsibility?

a. Owner
b. Contractor
c. Special Inspector
d. Registered Design Professional

25. A preconstruction meeting is:

a. Required prior to the start of construction
b. Initiated by the general contractor
c. Usually held on the Friday before construction starts
d. A good time to bring up non-conforming items

26. A typical commercial building would likely fall under which risk category?

a. B
b. C
c. III
d. II

27. Who approves the special inspection agency?

a. The owner
b. The registered design professional
c. The building official
d. The contractor

28. What is one of the duties of a special inspector prior to arriving at the job site?

a. Pass the building official's practice test
b. Discuss reporting frequency with the building official
c. Conduct a preconstruction meeting
d. Prepare the statement of special inspections

29. Who <u>notifies</u> the special inspector of upcoming inspection tasks?

a. The registered design professional
b. The building official
c. The engineer
d. The contractor

30. What is something you would find in a statement of responsibility?

a. What party is responsible for approving special inspectors
b. Method and frequency of reporting as well as distribution of the reports
c. A signed statement from the inspector, stating that the projects inspections were performed
d. Acknowledgement from the special inspection agency that they are responsible for the project's special inspections

31. Special inspections are <u>performed by a special inspector</u> and <u>not a jurisdictional inspector</u> because:

a. Special inspections are for critical building elements and require special knowledge of the component
b. Jurisdictional inspectors typically aren't available
c. Jurisdictional inspectors don't have certifications
d. The owner usually would rather hire a special inspector rather than a jurisdictional inspector

32. Structural observations are:

a. Another term for special inspections
b. Performed by the registered design professional
c. Special inspections that have to do specifically with structural components
d. Performed on a random basis

33. The Special Inspection Manual (SIM) is primarily derived from:

a. The International Building Code (IBC)
b. A special inspection agency's quality assurance manual
c. The building official
d. The plans and specifications

34. If a structure is assigned a risk category I, then:

a. Special inspections should be performed in accordance with AISC 341
b. The building is likely infrequently occupied
c. The building has 1 or more seismic force resisting systems
d. The structure is likely near an area with historically high seismic activity

35. The <u>special inspection agreement</u> is <u>signed</u> by:

a. Building official and contractor
b. Registered design professional and special inspection agency
c. Building official and registered design professional
d. All of the above

36. Who has the authority to stop work?

a. Registered design professional
b. Building official
c. Special inspector
d. Special inspector's supervisor

37. What does the special inspector not need to include in an inspection report?

a. The frequency of inspection
b. A non-conforming item
c. His or her opinion of the contractor's performance
d. The inspection location

38. If the special inspector observes an apparent non-conformance, but the contractor says it has been approved by the engineer, what should the special inspector do?

a. Request to see written documentation of the approval
b. Inform the building official immediately
c. Issue a stop work notice until the engineer contacts the inspector
d. Call for an emergency meeting with all parties involved

39. Which one of the following duties does not apply to the registered design professional?

a. Review special inspection reports
b. Designate an "alternative" registered design professional
c. Approve the statement of special inspections
d. Conduct preconstruction meeting

40. Who must acknowledge awareness of special construction and inspection requirements for an SFRS system?

a. Contractor
b. Special inspector
c. A seismic engineer
d. The registered design professional

41. Special inspections are not required for a fabricator if:

a. The fabricator is located over 100 miles away from the project site
b. Written documentation of at least 10 years of experience on projects of similar complexity is provided
c. The fabricator has implemented an effective QC program
d. Approved by the building official

42. The special inspector shall demonstrate competence to the satisfaction of the

a. building official
b. design professional
c. architect
d. owner

43. The special inspector shall furnish inspection reports to the

a. owner
b. contractor
c. building official, engineer, and other designated persons
d. all of the above

44. The special inspector shall <u>first report all non-conforming items</u> in the field to the immediate attention of

a. the building official
b. the engineer of record
c. the owner
d. the contractor

45. The special inspector is responsible for all of the following <u>except</u>:

a. Retain special inspection records
b. Observe assigned work
c. Submit final report
d. Report non-conforming items

46. The building department holds all of the following responsibilities <u>except</u>:

a. Review inspection reports
b. Perform final inspection
c. Submit final report
d. Review submittal documents for compliance with SI requirements

47. The special inspection process

a. Is the entity with the legal authority to enforce the special-inspection provisions of the code.
b. Is in addition to inspections conducted by the building official.
c. Decides which items on any project require special inspection.
d. Is responsible for providing access to approved plans.

48. The <u>engineer of record</u>

a. lists items to be inspected by the special inspection agency
b. reviews submittal documents for compliance with special inspection requirements
c. funds special inspection services
d. holds the building permit

49. According to the International Building Code, all of the following are responsibilities of the special inspection agency <u>except</u>:

a. Testing representative samples of product or material
b. Submitting fabrication reports to the structural engineer
c. Maintaining a record of tests performed
d. Providing sufficiently detailed records to verify compliance with the test standard

50. Who shall the special inspector <u>first notify</u> when discrepancies are observed?

a. The contractor
b. The building official
c. The testing laboratory
d. The architect or engineer of record

51. Which of the following is <u>not</u> part of the special inspector's role?

a. Inform the contractor when arriving on site.
b. Instruct the contractor how to perform his work.
c. Discuss any non-conforming items with contractor.
d. Verify that structural plans are followed.

52. A special inspector does <u>not</u> need basic knowledge of:

a. Plan reading
b. How to perform required tests
c. Structural design
d. Code provisions

53. Which of the following tasks is <u>not required</u> of the special inspector <u>prior to arriving</u> at the job site?

a. Review statement of special inspections.
b. Discuss frequency of reporting with the building official.
c. Review plans and specifications.
d. Meet with contractor.

54. Which of the following circumstances warrants contacting the contractor immediately?

a. The maximum slump is 5 inches, but the slump measures 5 inches.
b. The minimum rebar lap splice is exceeded.
c. The maximum air content is 6%, and the air content measures 4%.
d. The concrete temperature is over 90 degrees F.

55. Which of the following circumstances warrants contacting the contractor immediately?

a. The maximum air content is 6%, and the air content measures 4%.
b. The minimum rebar lap splice is exceeded.
c. The maximum slump is 6 inches, but the slump measures 4 inches.
d. The concrete temperature is 80 degrees F.

56. Who is responsible for reviewing <u>and approving</u> special inspection reports?

a. The owner
b. The building official
c. The contractor
d. The RDP

57. The reports of a technical finding are approved by:

a. The building official
b. The RDP
c. The special inspector
d. The contractor

58. The statement of special inspections is prepared by_____and approved by_____.

a. The RDP; The building official
b. The building official; The building official
c. The contractor; The building official
d. The RDP; The special inspection agency

59. Who does the special inspector notify when arriving on site?

a. The building official
b. The contractor
c. The owner
d. The RDP

60. Which of the following is used to approve a building material not listed in the IBC?

a. Statement of special inspections
b. Statement of Responsibility
c. RFI
d. Technical Evaluation

61. Who performs structural observations?

a. RDP
b. Special inspector
c. Building inspector
d. Contractor quality control

62. When should the special inspector immediately notify the contractor?

a. When the slump is specified at 4 inches and reaches 3 inches
b. When the minimum lap splice is exceeded
c. When rebar is not tied correctly
d. When the concrete temperature is 80 degrees F

63. Who approves of the special inspector's qualifications?

a. RDP
b. Building official
c. Contractor
d. Special inspection agency

64. A preconstruction meeting is generally <u>conducted</u> by:

a. Contractor
b. RDP
c. Special inspection agency
d. Owner

65. Which of the following <u>does not</u> need to be put in a special inspection report?

a. Time of inspection
b. Location of inspection
c. Type of inspection
d. Changes to items made in the field

66. The <u>contractor</u> signs a statement of:

a. Special inspections
b. Intent to build
c. Intent to proceed
d. Responsibility

67. Who signs the <u>special inspection agreement</u>?

a. Owner
b. Special inspector
c. Contractor
d. All of the above

68. Who <u>hires</u> the contractor?

a. A subcontractor
b. A city
c. The owner
d. The RDP

69. When can inspection of fabricators be waived?

a. When the fabricator is approved by the building official
b. When the fabricator is located in a different state
c. When the fabricator works for the contractor
d. When deemed allowable by the special inspection agency

70. Who is <u>allowed to hire</u> the special inspector?

a. RDP
b. Contractor
c. Owner
d. A and C

71. Who administers the special inspection program?

a. Building department
b. Special inspection agency
c. Special inspector
d. RDP

72. Who performs jurisdictional inspections?

a. Special inspector
b. Building inspector
c. RDP
d. Structural engineer

73. When does the special inspector need to contact the RDP?

a. At the preconstruction meeting
b. Prior to visiting the site
c. When a non-conforming item is not being corrected adequately
d. When the final report is written

74. Which of the following tasks is not required of the contractor?

a. Submit the statement of special inspections.
b. Coordinate inspection schedule.
c. Provide safe access to inspectors.
d. Keep copies of special inspection reports at job site office.

75. Which of the following tasks is not required of the RDP?

a. Identify special inspection requirements.
b. Approve the statement of special inspections.
c. Specify testing frequencies.
d. Review special inspection reports.