




Tailwind CSS

Presented by: Kareem Mohamed



Day 3

13

Interactivity

13

Interactivity

accent-color: control the accent color of a form control.




Male

Female

caret-color: control the color of the text input cursor.

look at cursor color

scheme-color: control the color scheme of an element.



January 2010

Su	Mo	Tu	We	Th	Fr	Sa
27	28	29	30	31	1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30
31	1	2	3	4	5	6

Clear Today

01/20/2010

14 SVG

14

SVG

fill : for styling the fill of SVG elements.

stroke : for styling the stroke of SVG elements.

stroke width : for styling the stroke width of SVG elements.

Custom Components

You can use any of these methods, but the best is Option 2 (**@apply** inside **@layer** components).

```
1  @import "tailwindcss";
2
3  @layer components {
4    .btn-success {
5      background-color: green;
6      color: white;
7      border: 2px solid green;
8      cursor: pointer;
9      width: 100px;
10     height: 40px;
11     border-radius: 20px;
12     margin: 10px;
13   }
14 }
15 /* OR */
16 @layer components {
17   .btn-success {
18     @apply bg-green text-white border-2 border-black cursor-pointer w-24 h-10 rounded-[20px] m-2.5;
19   }
20 }
21 /* OR */
22 .btn-success {
23   @apply bg-green text-white border-2 border-black cursor-pointer w-24 h-10 rounded-[20px] m-2.5;
24 }
25
```

now you can use **btn-success** as an utility class in your html

Tasks

In the previous task, do the following:

- Convert all utility classes in the HTML into reusable components in your CSS file, and use these components instead.
- Add a **navigation bar** using **Tailwind UI**.
- Show a **registration form** inside a **modal** when the user clicks Sign in.



THANK YOU