



Tailwind CSS


Presented by: Kareem Mohamed



Day 1

Why css frameworks matter ?

- accelerate development with pre built styles and component
- enhance productivity by standardizing design systems



vs



01

What is Bootstrap ?

Overview

- A popular CSS framework introduced in 2011.
- Comes with prebuilt components and responsive utilities.

Key Features

- Component-based design (buttons, navbars, modals, etc.).
- Grid system for responsive design.
- Extensive documentation.



02

What is Tailwind CSS ?

Overview

- A utility-first CSS framework introduced in 2017.
- Enables developers to style elements directly in the HTML.

Key Features

- Uses a utility class-based approach.
- Highly customizable with a focus on flexibility.
- No prebuilt components; encourages design creativity

Choosing the Right Framework ✓

- **Choose Bootstrap** if you need a fast setup and prebuilt components.
- **Choose Tailwind CSS** if you prioritize flexibility and custom design.

Both frameworks are excellent for specific use cases.




Installation

Watch Script

package.json > ...

```
1  {  
    ▶ Debug  
2  "scripts": {  
3    "watch": "npx tailwindcss -i ./input.css -o ./output.css --watch"  
4  },  
5  "dependencies": {  
6    "@tailwindcss/cli": "^4.1.12",  
7    "tailwindcss": "^4.1.12"  
8  }  
9  }
```


Tools for Tailwind CSS



```
class="bg-teal-50 md:flex md:items-center md:justify-center"
<div class="flex flex-col items-center justify-center">
  <h2 class="text-2xl font-bold">Back End Development</h2>
</div>
<div class="mt-10">
  <span class="text-sm font-medium">
    <button type="button" class="text-white bg-teal-500 hover:bg-teal-600 focus:outline-none focus:ring-2 focus:ring-teal-500" data-cs=
      Edit
    </button>
  </span>
  <span class="text-sm font-medium">
    <button type="button" class="text-white bg-teal-500 hover:bg-teal-600 focus:outline-none focus:ring-2 focus:ring-teal-500" data-cs=
      Publish
    </button>
  </span>
</div>
```

- bg-teal-50
- bg-teal-100
- bg-teal-200
- bg-teal-300
- bg-teal-400
- bg-teal-500
- bg-teal-600
- bg-teal-700
- bg-teal-800
- bg-teal-900
- bg-transparent
- bg-top

Media Queries

Breakpoint prefix	Minimum width	CSS
`sm`	40rem (640px)	<code>`@media (width >= 40rem) { ... }`</code>
`md`	48rem (768px)	<code>`@media (width >= 48rem) { ... }`</code>
`lg`	64rem (1024px)	<code>`@media (width >= 64rem) { ... }`</code>
`xl`	80rem (1280px)	<code>`@media (width >= 80rem) { ... }`</code>
`2xl`	96rem (1536px)	<code>`@media (width >= 96rem) { ... }`</code>

Customization

1- Using theme

2- Using Variables

```
input.css > ...  
1  @import "tailwindcss";  
2  
3  /*first way*/  
4  
5  @theme {  
6    --width-big: 800px;  
7  }  
8  
9  /*second way*/  
10  
11  :root {  
12    --bigger: 1000px;  
13  }  
14
```

```
<div class="border-2 w-big">1</div>  
<div class="border-2 w-(--bigger)">2</div>
```


Content

01 **Layout**

02 **Flex Box & Grid**

03 **Spacing**

04 **Sizing**

05 **Typography**

06 **Backgrounds**

07 **Borders**

08 **Effects**

09 **Filters**

10 **Tables**

11 **Transitions & Animation**

12 **Transforms**

13 **Interactivity**

14 **SVG**

01


Layout

01

Layout

```
...<div class="columns-3 h-[300px] w-[700px] bg-blue-500">  
...  <div class="bg-amber-200 h-[200px]"></div>  
...  <div class="bg-amber-500 h-[200px]"></div>  
...  <div class="bg-amber-800 h-[200px]"></div>  
...</div>
```

Columns-`<number>`




01

Layout

box-border

box-content

```
<div class="bg-amber-950">  
  <div class="bg-amber-400 w-[300px] h-[300px] mx-auto box-border border-8 p-4">Box Border</div>  
  <br />  
  <div class="bg-amber-400 w-[300px] h-[300px] mx-auto box-content border-4 p-4">Box Content</div>  
</div>
```



01

Layout

isolate

isolate-auto

```
<div class="bg-red-400 h-[600px] w-[300px]">
  <div class="isolate w-[100px] h-[50px]">
    <p class="bg-red-400 mix-blend-difference">Isolated</p>
  </div>

  <div class="isolation-auto w-[100px] h-[50px]">
    <p class="bg-red-400 mix-blend-difference">not Isolated</p>
  </div>
</div>
```

Isolated

not Isolated

01

Layout

overscroll-behavior


https://www.w3schools.com/cssref/tryit.php?filename=trycss_overscroll-behavior

02

Flex Box & Grid

02

Flex Box & Grid



02

Flex Box & Grid

<https://css-tricks.com/snippets/css/a-guide-to-flexbox/>

<https://css-tricks.com/snippets/css/complete-guide-grid/>

<https://flexbox.help/>

<https://yoksel.github.io/grid-cheatsheet/>

<https://flexboxfroggy.com/>

<http://www.flexboxdefense.com/>

Flexbox cheatsheet

flex container

flex-direction

Sets how the flex items are placed inside the container



flex-wrap

Tells the container whether to wrap the items or not



justify-content

Tells the container how to align the items horizontally



*can also be set to space-around | space-evenly

align-content

Tells the container how to align the items vertically



*can also be set to space-between | space-around | space-evenly

terminology



flex items

Interactive examples:



flex-basis

Sets the main size of a flex item

250px



flex-grow

Sets how much space should be taken up by the flex item

1



*with a flex-grow set to 0 for the other items

flex-shrink

Sets how much should a flex item shrink relative to others


0



*with a flex-basis set to 250px


align-self

Sets how individual items should be aligned inside the container



order



Sets the ordering of the flex items



03


Spacing

03 Spacing

px		padding right & padding left
py		padding top & padding bottom
mx		margin right & margin left
my		margin top & margin bottom

03 Spacing

pr



padding right

pl



padding left

ps



padding inline start

pe




padding inline end

if the direction is ltr (left to right) (default) then
start = left & **end = right**

if the firection is rtl (right to left) then
start = right & **end = left**

03 Spacing

mr		margin right
ml		margin left
ms		margin inline start
me		margin inline end

if the direction is ltr (left to right) (default) then
start = left & **end = right**

if the firection is rtl (right to left) then
start = right & **end = left**



04 sizing

04 Sizing



05

Typography

05

Typography

TW Elements Responsive Typography

Tailwind Elements

Tailwind Elements

Tailwind Elements

Tailwind Elements

Tailwind Elements

Tailwind Elements

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer posuere erat a ante.

- Someone famous in *Source Title*

You can use the mark tag to **highlight** text.

~~This line of text is meant to be treated as deleted text.~~

~~This line of text is meant to be treated as no longer accurate.~~

This line of text is meant to be treated as an addition to the document.

This line of text will render as underlined

This line of text is meant to be treated as fine print.

This line rendered as bold text.

This line rendered as italicized text.

06

Backgrounds

06

Backgrounds



Backgrounds

Background Image

Utilities for controlling an element's background image.

07

Borders

07

Borders



Borders

Border Style

Utilities for controlling the style of an element's borders.

Tasks

Large Screen



You can work from anywhere.
Take advantage of it.

Workcation helps you find work-friendly rentals in beautiful locations so you can enjoy some nice weather even when you're not on vacation.

BOOK YOUR ESCAPE



Popular destinations

A selection of great work-friendly cities with lots to see and explore.



Toronto

\$120 / night average

[Explore 76 properties](#)



Malibu

\$215 / night average

[Explore 43 properties](#)



Chicago

\$130 / night average


[Explore 115 properties](#)



Seattle

\$135 / night average

[Explore 63 properties](#)



Colorado

\$85 / night average

[Explore 47 properties](#)



Miami

\$115 / night average

[Explore 86 properties](#)

Medium Screen



You can work from anywhere.
Take advantage of it.

Workcation helps you find work-friendly rentals in beautiful locations so you can enjoy some nice weather even when you're not on vacation.

[BOOK YOUR ESCAPE](#)



Popular destinations

A selection of great work-friendly cities with lots to see and explore.




Toronto
\$120 / night average
[Explore 76 properties](#)



Malibu
\$215 / night average
[Explore 43 properties](#)



Chicago
\$130 / night average
[Explore 115 properties](#)



Seattle
\$135 / night average
[Explore 63 properties](#)



Colorado
\$85 / night average
[Explore 47 properties](#)



Miami
\$115 / night average
[Explore 86 properties](#)

Small Screen



**You can work from
anywhere. Take advantage
of it.**

Workcation helps you find work-friendly rentals in beautiful locations so you can enjoy some nice weather even when you're not on vacation.

[BOOK YOUR ESCAPE](#)

Popular destinations

A selection of great work-friendly cities with lots to see and explore.



Toronto

\$120 / night average

[Explore 76 properties](#)



THANK YOU