

SD-01 — Patient Books an Appointment



Preliminary check is advisory only. Overlaps are prevented by re-validating inside the transaction and by the concurrency check (RowVersion) at save.

Notification is sent asynchronously after commit. A delivery failure does not undo the saved appointment.

SD-02 — Doctor Confirms or Rejects an Appointment




Patient information is returned only for a doctor who is assigned to the appointment (authorized access).

A Rejected appointment no longer occupies its time slot, so the slot is available for new bookings.

If another action changed the appointment first, the concurrency check fails and the request is treated as outdated (second operand).


SD-03 — Patient Cancels or Reschedules an Appointment




ASSUMPTION: only Pending and Confirmed appointments are modifiable; other statuses are 'not eligible'.

ASSUMPTION: the requirements do not say whether a rescheduled appointment must be re-confirmed by the doctor; status is left unchanged here (open question).

SD-04 — Doctor Creates a Medical Record and Prescription




SD-05 — Admin Approves or Rejects a Doctor



An Approved doctor becomes eligible for patient search and booking.

Rejection does not delete the account: the doctor record is kept but is not listed or bookable.

SD-06 — Automatic Expiration of Pending Appointments



ASSUMPTION: the 24 hours are counted from the time the request was made; the run interval is not specified.

If the doctor responds at the same moment, the concurrency check fails and the appointment is skipped.