



نفاذ

Nafath Authentication Service

Integration Guide

Version 3.0.1

15/12/2025

CONTENTS

OVERVIEW	4
NAFATH AUTHENTICATION SCENARIO	4
VULNERABILITIES	6
ENTITIES	6
PREREQUISITES	6
REQUEST HEADERS	6
JSON WEB TOKEN (JWT)	6
URLS	7
TESTING	7
PRE-PRODUCTION	7
PRODUCTION	7
IP FOR (PRODUCTION AND TESTING ENV)	7
API METHODS	7
RETRIEVE URL FOR NAFATH PAGE	8
REQUEST QUERY	8
VALIDATE JWT	8
HTTP REQUEST	8
REQUEST BODY	9
RETRIEVE JWT	10
HTTP REQUEST	10
REQUEST BODY	10
RETRIEVE JWK	11
HTTP REQUEST	12
RECEIVE CALLBACK	13
HTTP REQUEST	13
REQUEST BODY	13
RESPONSE	13
ERRORS	14
ERROR CODES	14
ERROR BODY	14
APPENDIX	15
USER TYPES	15
USER ATTRIBUTES (LOGGED IN BY NATIONAL ID)	15
USER ATTRIBUTES (LOGGED IN BY NATIONAL ID <Additional Info>)	18
USER ATTRIBUTES (LOGGED IN BY NATIONAL ID <DrivingLicense>)	19
USER ATTRIBUTES (LOGGED IN BY NATIONAL ID <HOH>)	19

USER ATTRIBUTES (LOGGED IN BY IQAMA NUMBER)	20
USER ATTRIBUTES (LOGGED IN BY IQAMA NUMBER<additional info>)	22
USER ATTRIBUTES (LOGGED IN BY IQAMA NUMBER<additional info>)	24
USER ATTRIBUTES (LOGGED IN BY IQAMA NUMBER<HOH>)	25
USER ATTRIBUTES (LOGGED IN BY IQAMA NUMBER<Premium Iqama>)	25
USER ATTRIBUTES (LOGGED IN BY VISA NUMBER).....	25
USER ATTRIBUTES (LOGGED IN BY BORDER NUMBER)	26
SOCIAL STATUS LOOKUP	29
NATIONALITY LOOKUPS	29
TEST USERS.....	38

OVERVIEW


Nafath comes to the picture to take away the burden of managing citizens' and residents' digital identity. It is the Saudi National Identity Provider, offering a secure method for online identification through a unique digital identity. IAM can assure electronic service providers of the identity of the individual seeking to obtain their services.

NAFATH AUTHENTICATION SCENARIO

In order to authenticate an end-user through the Nafath service, the client must request a session (create session API), which will return a signed URI. Then, the client will redirect the end user through the browser to the destination URI.


Nafath service will request Absher's username and password to verify the end-user credentials. After end-user authentication, the service will redirect the end-user with a state code to the client endpoint as below:

- The client (service provider) will do a **REST-API** call to Elm (the partner) through a server-to-server communication (back channel) to get the signed URI for the Nafath service as JSON.
- The client (service provider) will redirect the end-user through the browser toward the signed URI for the Nafath service.
- Nafath service will authenticate the end-user credentials (Absher's username and password). Only after a successful login will the user be redirected to Elm's (the partner's) callback endpoint.
- Elm (the partner) will receive the login information and generate a state code, then redirect the end-user's browser to the client callback with the generated state code.
- The client (service provider) will receive the state code through the client's callback REST API.
- After a Successful login, the Client should call the Retrieve JWT Service and use the state code to retrieve the JWT.
- If the state code is valid and unconsumed, ELM will provide a signed and enriched JWT with the end-user information.
- The state code is usable only for the first time.



The client MUST verify the token signature using JWK (JSON Web Key), which contains the public key, and each token has “kid” (Key identity) in the token’s header part that refers to the used JWK, so it needs to be matched:

- The client will receive a JWT and then extract the kid (key identity) value.
- If the kid cached in the client server, then skip this point. If it is a new kid, then call Elm’s JWK endpoint to get a list of used keys, and then cache the keys for future use.
- Get the needed JWK from the cached JWKs by the kid in the JWT header.
- Verify the JWT information using the JWK.



VULNERABILITIES

- **Modify JWT data:** To prevent data modification and ensure data integrity, validate the received JSON Web Token (JWT) using a JSON Web Key (JWK)

ENTITIES

Name	Description
ELM (Partner)	Elm is Nafath partner.
Client (Service provider)	Entity requires user identity verification.
End-user	Entity to be verified through Nafath service on behalf of the client.

PREREQUISITES

After registering with the Nafath service, you will receive **App-id** and **App-key** values. You will use these values when calling our APIs.

Additionally, you will need to create the callback API. This API will allow you to receive the request status and user information.

REQUEST HEADERS

Headers below are required for all requests.

Property Name	Value	Mandatory	Description
APP-ID	String	Yes	The consumer API access app id
APP-KEY	String	Yes	The consumer API access app key
X-Forwarded-For	String	Yes	The IP of the end-user and the IP of the client, separated by a comma. For example (10.1.8.13,9.8.7.6) the values should be sent without brackets.

JSON WEB TOKEN (JWT)

JSON Web Token (JWT) is a secure way to transmit information between parties as a compact and self-contained JSON object. It's trustworthy because it's digitally signed using a public/private key pair with RSA-SHA256.

- For more information about JWT, please check: <https://jwt.io/introduction>
- To integrate JWT with your technology, please check: <https://jwt.io/libraries>

URLS

TESTING

<https://rabet-nafath.api.elm.sa/nafath-sandbox>

PRE-PRODUCTION

<https://rabet-nafath.api.elm.sa/stg/>

PRODUCTION

<https://rabet-nafath.api.elm.sa/>

IP FOR (PRODUCTION AND TESTING ENV)

195.170.180.7

195.170.180.6

API METHODS

There are three APIs that will be provided by Elm, in addition to the callback APIs the client created.

API Name	Description
Retrieve URL for Nafath page API	Creates a signed Nafath URI to authenticate the end user by redirecting them to the generated page. A new URI is required for each session
Validate JWT API	Validates the authenticity and integrity of a JWT by verifying its signature using the corresponding JWK.
Retrieve JWT API	Retrieves a signed JSON Web Token (JWT) issued by ELM that corresponds to a specific JWK kid.
Retrieve JWK API	retrieves Elm's JSON Web Key (JWK) for token verification purposes.
Receive Callback API	receives the end-user information. *Note: This API endpoint is provided by the client to receive data. *Please refer to 'Receive Callback' API

RETRIEVE URL FOR NAFATH PAGE

This API is used to create a signed Nafath URI to verify the end-user by redirecting the end-user to the retrieved URI. For each session, you need to create a new URI. If the client needs to identify each session, the client might send an identity in the query parameters.

HTTP REQUEST

GET `https://{URL}/api/v2/oidc/session`

REQUEST QUERY

Property Name	Mandatory	Type	Description
locale	YES	String	“ar” or “en”, default “ar” if not provided, and used to specify the JWT information preferred language.
requestId	YES	String	Unique identifier to identify the callback request, created by the client, must be UUID format.

SUCCESS RESPONSE

STATUS CODE 200

```
{
  "id": "string",
  "url": "string",
  "hashedState": "string",
  "requestId": "string"
}
```

Property Name	Type	Description
url	String	URL session to authenticate end-user
hashedState	String	Unique identifier to identify the callback request, created by the service provider (ELM)
id	String	URI Unique identifier
requestId	String	Unique identifier to identify the callback request, created by the client

VALIDATE JWT

This API is used to verify the JWT

HTTP REQUEST

POST <https://{URL}/api/v2/oidc/jwt/valid>

REQUEST BODY

Property Name	Mandatory	Type	Description
Id_token	YES	String	Id token

```
{
  "id_token": "eyJhbGciOiJIUzUxMiJ9.eyJzdWUiOiJhZG1pbilzImV4cCI6MTY1OTU2NDAzNywiaXNzIjoiY29tLmVsbS5ueSIsImF1ZCI6ImdlYiIsImhdCI6MTY1OTI2NDAzNywidXNlci5pZCI6MSwicm9sZXMiOiSiSUFNX0FETUIOI0sInBhc3N3b3JkLmV4cGlyZWQiOmZhbHNlfQ.xNqytUKTmQnTddjA7SOO8CN4XW5L4XdpqtB-pYwCeVTbUTcFWRKuYPYCX6iWnWxbr6vY2Krk4fnkMjDiAzvzaQ"
}
```

SUCCESS RESPONSE

STATUS CODE 200

```
True
```

RETRIEVE JWT

This API is used to retrieve signed JWT that matches your JWK header 'kid', in the next API 'retrieve JW**K**' which you can then verify using the public key.

HTTP REQUEST

post <https://{URL}/api/v2/oidc/jwt/>

REQUEST BODY

Property Name	Mandatory	Type	Description
state	YES	String	State

```
{
  "state": "132b8a0c-66d3-4cc4-9099-039897f6eb9b"
}
```

RESPONSE

SUCCESS RESPONSE

STATUS CODE 200

```
{  
  "state": "132b8a0c-66d3-4cc4-9099-039897f6eb9b",  
  "token": "eyJhbGciOiJIUzUxMiJ9.eyJzdWwibGoiOiJhZG1pbilslmV4cCI6MTY1OTU2NDZlbnNpdjA7SOO8CN4XW5L4XdpqtbP-YwCeVTtUTcFWRKuYPYC6iWnW xbr6vY2Krk4fnkMjDiAzvzaQ"  
}
```

Property Name	Type	Description
State	String	-
token	String	-

RETRIEVE JWK

This API is used to retrieve the ELM JWK to use the key for token verification. Elm provides you with a signed JWT that matches your JWK header 'kid', which you can then verify using the public key.

*JSON Web Key (JWK) is a JavaScript Object Notation (JSON) data structure that represents a cryptographic key. This is used to verify the JSON Web Token (JWT) signature.

Reference: [RFC7517](#)




Figure 1: Retrieving the JWK

HTTP REQUEST

GET https://{URL}/api/v1/mfa/jwk

SUCCESS RESPONSE

STATUS CODE 200

```
{
  "keys": [
    {
      "kty": "RSA",
      "e": "AQAB",
      "use": "sig",
      "kid": "jwk-1234",
      "alg": "RS256",
      "n": " 4eOdMN7k2CkCOlwpo9_BZF9-fbLNfILRfRtMzzxUf9RDMhhoPCNC85cYqjt_60WmaqXqhuqa1rzFcp7AOIHx59
dFGSYxJ6WXZWgVpQBZZmPD-M9AjRC3t5xCWGHLPdO3BnRxWiYgDgRUjbq4-uGGCMdsVrsv1X7w0zYrpnsQ_2E49oqdX
3oVhxXGZOXGGTbAAmlMpr_JQ6uaER6gn6VfDsQFbwd4pZJGKtQ4bWWL2fHbnikll02cZjqLUSrmusgBXFGKYRa7Y851aq1
t71tu1QuPVUg49fHmS1ozJmoirhQFjroBZCudQxRGxNFjD-Unv4geaiWcJ2Gps-CfgEdOvw "
    }
  ]
}
```

Property Name	Type	Description
kty	String	Key type
kid	String	Key ID
alg	String	Algorithm
n	String	Public key

RECEIVE CALLBACK

This API Callback is provided by the Client; The Client will receive the request end-user information.

**Please refer to the APPENDIX to find the available user Information attributes*

** Please note that the callback must be hosted inside Saudi Arabia*

HTTP REQUEST

POST https://{CLIENT_CALLBACK_URI}

REQUEST BODY

Property Name	Mandatory	Type	Description
state	YES	String	Request Number sent to client upon creating the request.

```
{
  "state": "3765587f-9c7c-46b8-9332-35fab7a53f"
}
```

RESPONSE

SUCCESS RESPONSE

STATUS CODE 200

True

ERRORS

ERROR CODES

Error code	Description
1	Internal Error
500	Invalid or Missing Platform Key
1000	Invalid NIN or Iqama

ERROR BODY

```
{  
  "status": "422",  
  "timestamp": null,  
  "message": "Invalid Request",  
  "code": "422-031-046",  
  "reference": 1613  
}
```

APPENDIX

USER TYPES

#	Type	ID start with	User Attributes table
1	National ID "هوية مواطن"	1	1
2	Resident ID "هوية مقيم"	2	1
3	Visitor ID "هوية زائر"	3-6	2

USER ATTRIBUTES (LOGGED IN BY NATIONAL ID)

#	Attribute Name	Type	Description
1	nationalId	String	This is the user identifier represented by the National Id (Resident Id) SAML2 NameID or http://iam.gov.sa/claims/userid
2	lang	Enum	For Language Consistency/Preferred Language of the user (AR/EN) http://iam.gov.sa/claims/lang
3	arabicName	String	Arabic Full Name http://iam.gov.sa/claims/arabicName
4	englishName	String	English Full Name http://iam.gov.sa/claims/englishName
5	dobHijri	Date	Date Of Birth Hijri Example: 1487/06/12 http://iam.gov.sa/claims/dobHijri
6	dob	Date	Date Of Birth Gregorian Example: Tue Feb 30 03:00:00 AST 1987 http://iam.gov.sa/claims/dob
7	arabicNationality	String	Arabic Nationality http://iam.gov.sa/claims/arabicNationality
8	nationality	String	English Nationality http://iam.gov.sa/claims/nationality
9	nationalityCode	String	Nationality code, list of codes are in the Annex D . http://iam.gov.sa/claims/nationalityCode

10	gender	Enum	Male/Female http://iam.gov.sa/claims/gender
11	arabicFirstName	String	Arabic First Name http://iam.gov.sa/claims/arabicFirstName
12	englishFirstName	String	English First Name http://iam.gov.sa/claims/englishFirstName
13	arabicFamilyName	String	Arabic Family Name http://iam.gov.sa/claims/arabicFamilyName
14	englishFamilyName	String	English Family Name http://iam.gov.sa/claims/englishFamilyName
15	arabicFatherName	String	Arabic Father Name http://iam.gov.sa/claims/arabicFatherName
16	englishFatherName	String	English Father Name http://iam.gov.sa/claims/englishFatherName
17	arabicGrandFatherName	String	Arabic Grand Father Name http://iam.gov.sa/claims/arabicGrandFatherName
18	englishGrandFatherName	String	English Grand Father Name http://iam.gov.sa/claims/englishGrandFatherName
19	assuranceLevel	String (Optional)	Level of Assurance according to the authentication sequence and the status of the user registration http://iam.gov.sa/claims/assuranceLevel
20	cardIssueDateGregorian	Date	Gregorian Saudi Identity Card Issue Date or Iqama Issue Date Example: Tue Jan 20 03:00:00 AST 2015 http://iam.gov.sa/claims/cardIssueDateGregorian
21	cardIssueDateHijri	Date	Hijri Saudi Identity Card Issue Date or Iqama Issue Date Example: 1436/09/29 http://iam.gov.sa/claims/cardIssueDateHijri
22	IssueLocationAr	String	Card Issue Location, Example: الرياض http://iam.gov.sa/claims/issueLocationAr
23	IssueLocationEn	String	Card Issue Location,

			Example: Riyadh http://iam.gov.sa/claims/IssueLocationEn
24	iqamaExpiryDateHijri	Date	Hijri Iqama Expiration Date Example: 1436/09/29 http://iam.gov.sa/claims/iqamaExpirationDateH
25	iqamaExpiryDateGregorian	Date	Gregorian Iqama Expiration Date Example: 2017/09/29 http://iam.gov.sa/claims/iqamaExpirationDateH
26	idExpiryDateHijri	Date	Hijri Id Expiration Date Example: 1436/09/29 http://iam.gov.sa/claims/idExpirationDateH
27	idExpiryDateGregorian	Date	Gregorian Id Expiration Date Example: 2017/09/29 http://iam.gov.sa/claims/idExpirationDateH
28	versionNumber	String	Version of the identity Example: "2" http://iam.gov.sa/claims/versionNumber



USER ATTRIBUTES (LOGGED IN BY NATIONAL ID <Additional Info>)

#	Attribute Name	Type	Description
1	occupationDescAr	string	Occupation description in Arabic
2	entryDate	Date	Entry date to the kingdom of Saudi Arabia
3	maritalStatusDescAr	string	Marital status description in Arabic
4	birthCity	string	Birth city
5	maritalStatusCode	integer	Marital status code
6	occupationCode	integer	Occupation code
7	occupationDescEn	string	Occupation description in English
8	listOfDrivingLicense	List	List of person driving licenses
9	typeDescAr	string	License type in Arabic
10	typeCode	integer	License type code
11	expiryDate	Date	License expiry Date
12	dependentsCount	String	Total dependents number
13	passports	List	List of Passports
14	passportNumber	string	Passport number
15	microListPersonTravelRecordsOutputsList	List	List person travel records outputs list
16	exitDate	string	Exit date
17	entryDate	string	Entry date

USER ATTRIBUTES (LOGGED IN BY NATIONAL ID <DrivingLicense>)

#	Attribute Name	Type	Description
1	issueDateG	Date	Driving Issue Date Gregorian
2	listOfDrivingLicenses	List	List of person driving licenses
3	licenseIssueLocationDescA	string	License issue location in Arabic
4	licenseIssueLocationDescEn	string	License issue location in English
5	expiryDateG	Date	Driving Expiry Date Gregorian
6	statusCode	integer	License status code
7	issueDate	integer	License issue Date
8	typeCode	integer	License type code
9	statusDescEn	string	License status in English
10	typeDescAr	string	License type in Arabic
11	expiryDate	Date	License expiry Date
12	typeDescEn	string	License type in Englis
13	statusDescAr	string	License status in Arabic
14	licenseIssueLocationCode	integer	License issue location Code

USER ATTRIBUTES (LOGGED IN BY NATIONAL ID <HOH>)


#	Attribute Name	Type	Description
1	isMinor	Boolean	True if User is Minor
2	hohInfo	object	head of household information

2.1	id	String	HOH National ID
2.2	firstName	String	HOH First Name
2.3	fatherName	String	HOH Father Name
2.4	grandFatherName	String	HOH grand Father Name
2.5	familyName	String	HOH Family Name

USER ATTRIBUTES (LOGGED IN BY IQAMA NUMBER)

#	Attribute Name	Type	Description
1	nationalId	String	This is the user identifier represented by the National Id (Resident Id Visitor id) SAML2 NameID or http://iam.gov.sa/claims/userid
2	lang	Enum	For Language Consistency/Preferred Language of the user (AR/EN) http://iam.gov.sa/claims/lang
3	arabicName	String	Arabic Full Name http://iam.gov.sa/claims/arabicName
4	englishName	String	English Full Name
			http://iam.gov.sa/claims/englishName

5	dobHijri	Date	Date Of Birth Hijri Example: 1487/06/12 http://iam.gov.sa/claims/dobHijri
6	dob	Date	Date Of Birth Gregorian Example: Tue Feb 30 03:00:00 AST 1987 http://iam.gov.sa/claims/dob
7	arabicNationality	String	Arabic Nationality http://iam.gov.sa/claims/arabicNationality
8	nationality	String	English Nationality http://iam.gov.sa/claims/nationality
9	nationalityCode	String	Nationality code, list of codes are in the Annex D . http://iam.gov.sa/claims/nationalityCode
10	gender	Enum	Male/Female http://iam.gov.sa/claims/gender
11	arabicFirstName	String	Arabic First Name http://iam.gov.sa/claims/arabicFirstName
12	englishFirstName	String	English First Name http://iam.gov.sa/claims/englishFirstName
13	arabicFamilyName	String	Arabic Family Name http://iam.gov.sa/claims/arabicFamilyName
14	englishFamilyName	String	English Family Name http://iam.gov.sa/claims/englishFamilyName



15	arabicFatherName	String	Arabic Father Name http://iam.gov.sa/claims/arabicFatherName
16	englishFatherName	String	English Father Name http://iam.gov.sa/claims/englishFatherName
17	arabicGrandFatherName	String	Arabic Grand Father Name http://iam.gov.sa/claims/arabicGrandFatherName
18	englishGrandFatherName	String	English Grand Father Name http://iam.gov.sa/claims/englishGrandFatherName
19	assuranceLevel	String (Optional)	Level of Assurance according to the authentication sequence and the status of the user registration http://iam.gov.sa/claims/assuranceLevel

USER ATTRIBUTES (LOGGED IN BY IQAMA NUMBER<additional info>)

#	Attribute Name	Type	Description
1	sponsorID	integer	Sponsor ID
2	passports	List	List of Passports
3	passportNumber	string	Passport number
4	birthCountryDescAr	string	Birth country description in Arabic
5	occupationCode	integer	Occupation code
6	maritalStatusCode	integer	Marital status code
7	occupationDescAr	string	Occupation description in Arabic

8	sexCode	integer	Gender code
9	birthCountryCode	integer	Birth country code
10	statusCode	integer	Person's status code
11	maritalStatusDescAr	string	Marital status description in Arabic
12	firmName	string	Name of firm
13	familyName	string	Sponsor family Name
14	subTribeName	string	Sponsor sub tribe name
15	grandFatherNameT	string	translated grand Father Name
16	familyNameT	string	Person's translated family name
17	grandFatherName	string	Sponsor grand Father Name
18	fatherNameT	string	translated father Name
19	firstName	string	Sponsor first Name
20	firstNameT	string	translated first name
21	fatherName	string	Sponsor father Name
22	dependentsCount	String	Total dependents number
23	isOutsideKingdom	integer	Indicator if person outside the Kingdom of Saudi Arabia
24	isWantedFlag	integer	Is the person wanted.

USER ATTRIBUTES (LOGGED IN BY IQAMA NUMBER<additional info>)

#	Attribute Name	Type	Description
1	listOfDrivingLicenses	List	List of person driving licenses
2	licenseIssueLocationDescAr	string	License issue location in Arabic
3	typeCode	integer	License type code
4	expired	integer	License expiry indicator
5	expiryDate	Date	License expiry Date
6	expiryDateG	Date	Driving Expiry Date Gregorian
7	statusDescAr	string	License status in Arabic
8	licenseIssueLocationCode	integer	License issue location Code
9	statusDescEn	string	License status in English
10	typeDescEn	string	License type in English
11	licenseIssueLocationDescEn	string	License issue location in English
12	issueDate	integer	License issue Date
13	statusCode	integer	License status code
14	typeDescAr	string	License type in Arabic
15	issueDateG	Date	Driving Issue Date Gregorian

USER ATTRIBUTES (LOGGED IN BY IQAMA NUMBER<HOH>)

#	Attribute Name	Type	Description
1	isMinor	Boolean	True if User is Minor
2	hohInfo	object	head of household information
2.1	id	String	HOH National ID
2.2	firstName	String	HOH First Name
2.3	fatherName	String	HOH Father Name
2.4	grandFatherName	String	HOH grand Father Name
2.5	familyName	String	HOH Family Name

USER ATTRIBUTES (LOGGED IN BY IQAMA NUMBER<Premium Iqama>)

#	Attribute Name	Type	Description
1	isPremiumIqama	String	Premium Iqama Status

USER ATTRIBUTES (LOGGED IN BY VISA NUMBER)

#	Attribute Name	Type	Description
1	firstName	String	First Name
2	secondName	String	Second Name
3	thirdName	String	Third Name
4	lastName	String	Last Name
5	translatedFirstName	String	Translated First Name
6	translatedSecondName	String	Translated Second Name

7	translatedThirdName	String	Translated Third Name
8	translatedLastName	String	Translated Last Name
9	birthhDate	Date	Date Of Birth Hijri
10	birthgDate	Date	Date Of Birth Gregorian
11	gender	String	M/F
12	nationalityCode	String	Nationality code *Nationality Codes table below
13	nationalityDesc	String	Nationality Description
14	occupationCode	String	Occupation Code
15	occupationDescAr	String	Arabic occupation Description
16	occupationDescEn	String	English occupation Description
17	birthCountryDescAr	String	Arabic Birth Country
18	birthCountryDescEn	String	English Birth Country
19	visaNumber	String	Visa Number
20	duration	String	The allowed period of stay in the country after entry.
21	visaIssueDate	Date	The date on which the visa was issued.
22	visaExpiryDate	Date	The final date the visitor is permitted to enter Saudi Arabia.
23	finalDepartureDate	Date	The last day the visitor is legally allowed to remain in Saudi Arabia. extended if the visitor renews their visa.
24	numberOfEntriesCode	String	Indicates whether the visa allows a single or multiple entry (1 = Single Entry, 9 = Multiple Entry).
25	numberOfEntriesDescAr	String	Number of Entries Description
26	visaTypeCode	String	Visa Type Code
27	visaTypeDescAr	String	Visa Type Description (Arabic)
28	visaTypeDescEn	String	Visa Type Description (English)
29	passportNumber	String	Passport Number
30	passportIssueDate	String	Passport Issue Date
31	passportExpiryDate	String	Passport Expiry Date

USER ATTRIBUTES (LOGGED IN BY BORDER NUMBER)

#	Attribute Name	Type	Description
1	firstName	String	English First Name
2	secondName	String	English Second Name
3	thirdName	String	English Third Name
4	lastName	String	English Last Name
5	translatedFirstName	String	Translated First Name
6	translatedSecondName	String	Translated Second Name
7	translatedThirdName	String	Translated Third Name
8	translatedLastName	String	Translated Last Name
9	entryDate	Date	Date Of Entry
10	birthDateG	Date	Date Of Birth Gregorian
11	gender	String	M/F
12	nationalityCode	String	Nationality code <i>*Nationality Codes table below</i>
13	nationalityDesc	String	Nationality Description
14	duration	String	The allowed period of stay in the country after entry.
15	visaIssueDate	Date	The date on which the visa was issued.
16	visaExpiryDate	Date	The final date the visitor is permitted to enter Saudi Arabia.
17	finalDepartureDate	Date	The last day the visitor is legally allowed to remain in Saudi Arabia. extended if the visitor renews their visa.
18	numberOfEntriesCode	String	Indicates whether the visa allows a single or multiple entry (1 = Single Entry, 9 = Multiple Entry).
19	numberOfEntriesDescAr	String	Number of Entries Description
20	occupationCode	String	Occupation Code
21	occupationDescAr	String	Arabic occupation Description
22	occupationDescEn	String	English occupation Description
23	birthCountryDescAr	String	Arabic Birth Country
24	birthCountryDescEn	String	English Birth Country
25	visaNumber	String	Visa Number
26	visaTypeCode	String	Visa Type Code
27	visaTypeDescAr	String	Visa Type Description (Arabic)
28	visaTypeDescEn	String	Visa Type Description (English)

29	passportNumber	String	Passport Number
30	passportIssueDate	String	Passport Issue Date
31	passportExpiryDate	String	Passport Expiry Date

SOCIAL STATUS LOOKUP

Code	SEX Code	English Description	Arabic Description
0	M	SINGLE	أعزب
1	F	SINGLE	غير متزوجة
1	M	ONE WIFE	زوجة واحدة
2	F	MARRIED	متزوجة
2	M	TWO WIVES	زوجتين
3	F	DIVORCED	مطلقة
3	M	THREE WIVES	ثلاث زوجات
4	F	WIDOW	أرملة
4	M	FOUR WIVES	أربع زوجات
5	F	PENDING DIVORCED	مطلقة معلقة

NATIONALITY LOOKUPS

CODE	Nationality Name Arabic	Nationality Name English
101	الامارات العربية	Arab Emirates
102	الأردن	Jordan
103	البحرين	Bahrain
104	سوريا	Syria
105	العراق	Iraq

106	عمان	Oman
107	فلسطين	Palestine
108	قطر	Qatar
109	الكويت	Kuwait
110	لبنان	Lebanon
111	اليمن	Yemen
113	العربية السعودية	Saudi Arabia
201	تونس	Tunisia
202	الجزائر	Algeria
203	جيبوتي	Djibouti
204	السودان	Sudan
205	الصومال	Somalia
206	ليبيا	Libya
207	مصر	Egypt
208	المغرب	Morocco
209	موريتانيا	Mauritania
301	افغانستان	Afghanistan
302	اندونيسيا	Indonesia
303	ايران	Iran
304	باكستان	Pakistan
305	بنجلاديش	Bangladesh
306	بروني	Brunei
307	جمهورية ميانمار	Myanmar

308	تايلند	Thailand
309	تركيا	Turkey
310	جزر مالديف	Maldives
311	روسيا الاتحادية	Russia
312	سنغافورة	Singapore
313	سري لنكا	Sri Lanka
315	الفلبين	Philippines
316	فيتنام	Vietnam
317	كمبوديا	Cambodia
318	كوريا الجنوبية	South Korea
319	ماليزيا	Malaysia
320	نيبال	Nepal
321	الهند	India
322	هونغ كونج	Hong Kong
323	اليابان	Japan
324	بھوتان	Bhutan
325	الصين الشعبية	China
326	قبرص	Cyprus
328	كوريا الشمالية	North Korea
329	لاوس	Laos
330	منغوليا	Mongolia
331	مكاو	Macao
332	تركستان	Turkistan

335	القبائل النازحة	Tribes Emigrated
336	كازاخستان	Kazakhstan
337	ازبكستان	Uzbekistan
338	تركمانيستان	Turkmenistan
339	طاجيكستان	Tajikistan
340	قرغيزستان	kyrgyzstan
343	اذريجان	Azerbaijan
344	الشيشان	Chechnya
345	داغستان	Dagestan
346	انقوش	Anquosh
347	تتارستان	Tatarstan
349	تيمور الشرقية	East Timor
401	اثيوبيا	Ethiopia
402	او غنڊه	Uganda
403	بوتسوانا	Botswana
404	بورندي	Burundi
405	تشاد	Chad
406	تنزانيا	Tanzania
407	توجو	Togo
408	جابون	Answer
409	غامبيا	Gambia
410	جزر القمر	Comoros
411	جنوب افريقيا	South Africa

412	ناميبيا	Namibia
413	بنين	Benin
414	رواندا	Rwanda
415	زيمبابوي	Zimbabwe
416	زائير	Zaire
417	زامبيا	Zambia
418	ساحل العاج	Ivory Coast
419	السنغال	Senegal
420	سيراليون	Sierra Leone
421	غانا	Ghana
422	غينيا	Guinea
423	غينيا بيساو	Guinea Bissau
424	بوركينافاسو	Burkina Faso
425	الكاميرون	Cameroon
426	الكونغو	Congo
427	كينيا	Kenya
428	ليسوتو	Lesotho
429	ليبيريا	Liberia
430	مالي	Mali
432	ملاوي	Malawi
433	موريشيوس	Mauritius
434	موزمبيق	Mozambique
435	نيجيريا	Nigeria

436	النيجر	Niger
437	افريقيا الوسطى	Central Africa
438	انجولا	Angola
439	الراس الاخضر	Cape Verde
440	غينيا الاستوائية	Equatorial Guinea
441	ملاجاسي	Mlajasi
442	ساوتومي/برنسي	São Tomé and Príncipe
443	جزر سيشل	Seychelles Islands
444	سوزيلاند	Swaziland
449	ارتيريا	Eritrea
453	جمهورية جنوب السودان	Republic of South Sudan
454	كاب فيرد	Cape Verde
501	اسبانيا	Spain
502	البانيا	Albania
503	المانيا	Germany
504	ايرلندا	Ireland
505	ايطاليا	Italy
506	المملكة المتحدة	United Kingdom
507	البرتغال	Portugal
508	بلغاريا	Bulgaria
509	بلجيكا	Belgium
510	بولندا	Poland
512	الدانمارك	Denmark

513	رومانيا	Romania
514	السويد	Sweden
515	سويسرا	Switzerland
516	فرنسا	France
517	فنلندا	Finland
518	صربيا	Serbia
519	هولندا	Netherlands
521	اليونان	Greece
522	اندورا	Andorra
523	النمسا	Austria
524	الجبل الأسود	Montenegro
525	هنغاريا	Hungary
526	ايسلندا	Iceland
527	ليختنشتاين	Liechtenstein
528	لوكسمبورغ	Luxembourg
529	مالطا	Malta
530	موناكو	Monaco
531	النرويج	Norway
532	سان مارينو	San Marino
533	مدينة الفاتيكان	Vatican City
534	جبل طارق	Gibraltar
536	اوكرانيا	Ukraine
537	روسيا البيضاء	Byelorussia

539	ارمينيا	Armenia
540	مولدافيا	Moldova
541	جورجيا	Georgia
542	ليتوانيا	Lithuania
543	استونيا	Estonia
544	لاتفيا	Latvia
545	البوسنة والهرسك	Bosnia / Herzegovina
546	كرواتيا	Croatia
547	سلوفينيا	Slovenia
549	مقدونيا	Macedonia
552	تشيك	Czech Republic
553	سلوفاكيا	Slovakia
554	جزر فيرو	Faroe Islands
555	ميتروبوليتان فرنسية	France Metropolitan
601	الولايات المتحدة	United States
602	الارجنتين	Argentina
603	بربادوس	Barbados
604	البرازيل	Brazil
605	بنما	Panama
606	ترينداد وتوباغو	Trinidad and Tobago
607	جامايكا	Jamaica
608	جوانا	Joanna
609	فنزويلا	Venezuela

610	كندا	Canada
611	كولمبيا	Columbia
612	جزر البهاما	Bahamas
613	كوستاريكا	Costa Rica
614	كوبا	Cuba
615	دومينيكا	Dominica
616	جمهورية دمينكان	Republic Dominica
617	السلفادور	El Salvador
618	جرانادا	Granada
619	جواتيمالا	Guatemala
620	هايتي	Haiti
621	هوندوراس	Honduras
622	المكسيك	Mexico
623	نيكاراجوا	Nicaragua
624	سانت لوسيا	Saint Lucia
625	سان فينسنت	Saint Vincent
626	بوليفيا	Bolivia
627	شيلي	Chile
628	اكوادور	Ecuador
629	باراجواي	Paraguay
630	بيرو	Peru
701	استراليا	Australia
702	نيوزيلندا	New Zealand

TEST USERS

Test usernames

Password: Aa123456

Nationality	ID Number	Username
SA	1010056347	Elm39
SA	1010056396	Elm40
SA	1063804759	Elm41
SA	1001513850	Elm42
SA	1012131452	Elm43
PK	2434954828	Elm44
IN	2485340588	Elm45
SA	1090024520	Elm46
SA	1024679118	Elm47
SA	1067757938	Elm48
SA	1010056388	Elm49
SA	1071236473	Elm50
YE	2183794219	Elm51
SA	1070716103	Elm52