



```
<!-- HTML -->
<link href="styles.css" rel="stylesheet" />
<button
  class="navbar-burger"
  onclick="toggleMenu()">
</button>
<div class="menu">
  <nav>
    <a
     href="#"
      style="animation-delay: 0.2s">
      About
    </a>
    <a
     href="#"
      style="animation-delay: 0.3s">
      Portfolio
    </a>
    <!-- more links -->
  </nav>
</div>
<script type="text/javascript">
  const toggleMenu = () =>
    document.body.classList.toggle("open");
</script>
```

```
/* CSS */
body {
  font-family: Poppins;
  color: #f9f9f9;
  background-image:
    url("bg.webp");
  background-size: 400%;
  background-repeat:
    no-repeat:
  background-position: 0% 10%;
button {
  border: 0:
  padding: 0;
  background:
    transparent:
  cursor: pointer;
.burger {
  z-index: 3;
  top: 0;
  left: 0;
 display: grid;
  place-items: center;
  width: 88px;
  height: 88px;
  background-image:
    url("menu.svg");
  background-repeat:
    no-repeat;
  background-position:
    center;
```

```
.burger, .menu {
  position: fixed;
.menu {
  z-index: 2;
  top: 0;
  left: 0;
  display: grid;
  place-items: center;
  width: 400px;
  height: 100%;
  background: #07030a;
  translate: -100% 0;
  transition:
    translate 0.375s
    cubic-bezier(
      0.175,
      0.885,
      0.32,
      1
    );
}
.menu nav { opacity: 0; }
.menu nav:hover a {
  opacity: 0.25;
.menu nav a:hover {
  opacity: 1;
```

```
/* CSS */
.menu nav {
 display: flex;
 flex-direction: column;
 justify-content: center;
 align-items: center;
.menu a {
 position: relative;
 color: #f9f9f9;
 font-size: 32px;
 padding: 20px 0;
 width: 300px;
 text-decoration: none;
.menu a,
.menu a::before,
.menu a::after {
 transition: 0.4s;
.menu a::before,
.menu a::after {
 content: "";
 position: absolute;
 left: 0;
 bottom: 10px;
 width: 100%;
 height: 2px;
 border-radius: 2px;
```

```
.menu a::before {
  opacity: 0;
  background:
    rgb(255 255 255 / 20%);
.menu a::after {
  transform:
    scaleX(0);
  transform-origin:
    0% 50%;
  background: #f7f7f7;
.menu a:hover::before {
  opacity: 1;
.menu a:hover::after {
  transform:
    scaleX(1);
```

```
/* CSS */
body.open .menu {
  opacity: 1;
 visibility: visible;
  translate: 0;
  animation: menu-in 0.375s;
}
body.open .menu nav { opacity: 1; }
body.open .burger {
  background-image: url("close.svg");
}
body.open .menu a {
  animation: appear 0.25s backwards;
}
@keyframes menu-in {
  0% {
    clip-path:
      ellipse(60% 60% at 0% 50%);
  }
 100% {
    clip-path:
      ellipse(120% 120% at 0% 50%);
  }
}
@keyframes appear {
  0% { opacity: 0; translate: -30px 0; }
  100% { opacity: 1; }
```