

Software Requirements Specification (SRS)

Product/Project Name: Pepoltek Limited Web Platform
Organization: Pepoltek Limited
Document Version: 1.0
Document Status: Draft for Development Review
Prepared For: Pepoltek Development Team
Date: 17 August 2026
Primary Source of Truth: Pepoltek Limited - Comprehensive Master Web Architecture & Developer Blueprint
Intended Audience: Software Developers, Technical Leads, QA Engineers, DevOps Engineers, Business Analysts, Project Managers, Product Owners, Recruiters, Administrators

1. Document Control

Item	Value
Document Title	Software Requirements Specification - Pepoltek Limited Web Platform
Product	Pepoltek Limited Web Platform
Organization	Pepoltek Limited
Version	1.1
Status	Draft for Development Review
Prepared For	Pepoltek Development Team
Source Document	Comprehensive Master Web Architecture & Developer Blueprint
Date	25 August 2026
Classification	Internal Development Documentation

1.1 Document Purpose

This SRS converts the business, product, UI, workflow, navigation, talent ecosystem, AI-HRMS, case study, candidate intake, and commercial requirements contained in the Pepoltek master architecture document into an implementation-oriented software requirements specification.

The source document defines the website architecture, routes, user-facing modules, workflows, content, interactive components, and business positioning. It does not define every technical implementation detail. Therefore, this SRS distinguishes:

- **Source Requirement:** Explicitly defined in the supplied architecture document.
- **Derived Requirement:** Logically required to operate a source-defined feature but not explicitly specified.

- **Technical Recommendation:** Suggested implementation approach for the development team.
- **TBD:** Information requiring stakeholder or technical confirmation.

The source specifically instructs that missing technical information must not be fabricated and should instead be marked TBD.

2. Executive Summary

2.1 Product Overview

Pepoltek Limited Web Platform is a global IT and healthcare workforce solutions platform combining:

1. Public corporate website.
2. IT staff augmentation and engineering workforce solutions.
3. Healthcare and clinical staffing capabilities.
4. Engineering delivery and technical validation workflows.
5. Enterprise case-study and technical portfolio showcase.
6. AI-HRMS-based candidate search and matching.
7. Candidate CV/Resume intake and AI resume parsing.
8. Talent Academy and upskilling.
9. Referral and bounty marketplace.
10. Candidate dashboard.
11. Candidate-first reverse job search.
12. Client and internal workforce workflows.
13. Contact and lead-routing functionality.

The source architecture positions Pepoltek as a global IT and healthcare workforce solutions provider with an in-house delivery engine consisting of recruitment specialists, business analysts, and software engineers.

2.2 Business Purpose

The platform is intended to support two primary business tracks:

- Technology and SDLC workforce solutions.
- Healthcare and clinical workforce solutions.

It also provides a talent ecosystem allowing candidates to upload resumes, improve readiness, receive matches, participate in training, join project squads, and potentially be referred through a bounty network.

2.3 Primary Users

The system has the following primary user groups:

- Public visitors.
- Clients/employers.
- Candidates/talent.
- Recruiters.
- Business analysts.
- Technical validators/software engineers.
- Referral partners.
- Academy users.
- Administrators.
- Internal operations users.

Some of these roles are explicitly represented by the source. Others are **Derived Roles** required to operate the defined workflows.

2.4 Major Objectives

The platform should:

- Generate workforce solution leads.
- Present Pepoltek's technology and healthcare capabilities.
- Demonstrate technical credibility through case studies.
- Support candidate intake.
- Parse candidate resumes.
- Match candidates with appropriate roles.
- Support technical and behavioral vetting.
- Support candidate applications and interview workflows.
- Support talent upskilling.
- Support referrals and bounty tracking.
- Provide candidate dashboards.
- Enable candidate-first reverse matching.
- Provide a scalable foundation for future AI-HRMS capabilities.

3. Product Vision and Objectives

3.1 Business Goals

BG-001

Provide a unified digital platform for Pepoltek's IT and healthcare workforce business.

BG-002

Improve client conversion through clear service positioning, proof points, case studies, and hiring velocity visualization.

BG-003

Reduce manual candidate intake and screening effort through structured candidate data and AI-assisted resume parsing.

BG-004

Create a reusable talent ecosystem covering training, matching, referrals, applications, and project opportunities.

BG-005

Provide technical proof through architecture showcases, validation logs, benchmarks, and case studies.

3.2 Product Goals

- Provide a high-quality responsive corporate website.
- Provide structured candidate onboarding.
- Provide candidate and job matching capabilities.
- Provide internal workforce management functionality.
- Provide reusable data structures for talent, jobs, applications, courses, referrals, and case studies.
- Provide clear cross-linking between client and talent journeys.

3.3 Technical Goals

The technical architecture should support:

- Modular feature development.
- Secure role-based access.
- API-driven functionality.
- Background processing for resume parsing and matching.
- Search and filtering.
- Audit logging.
- Observability.
- Horizontal scalability where required.

Specific technologies are **TBD** unless selected through a separate technical architecture decision.

3.4 User Experience Goals

The system should provide:

- Clear navigation.
- Absolutely No Em Dashes
- Fast access to major business journeys.
- Consistent visual language.
- Responsive interfaces.
- Clear status indicators.
- Accessible forms.
- Guided candidate onboarding.
- Minimal friction during resume submission.

The source defines Inter or Plus Jakarta Sans as the primary typography and JetBrains Mono for code, stack tags, and audit logs. It also specifies a dark navy/cyan visual hierarchy.

4. Scope

4.1 In Scope

The following are explicitly in scope:

1. Global header and navigation.
2. Homepage.
3. Hero section.
4. Search metadata.
5. Hiring Velocity Calculator.
6. Technology and Healthcare quick toggles.
7. Integrated Delivery Engine presentation.
8. Five-step execution workflow.
9. Technical case studies.
10. Case-study filtering.
11. AI-HRMS client portal showcase.
12. Pricing and engagement information.
13. Talent Academy.
14. Refer & Earn marketplace.
15. Candidate dashboard.
16. Candidate reverse search.
17. Candidate CV/Resume upload.

18. AI resume parsing.
19. Contact page.
20. Global footer.
21. Authentication and authorization framework.
22. Candidate/job/application data structures.
23. API layer.
24. AI/ML integration layer.
25. Administrative operations.
26. QA and testing.
27. DevOps and deployment infrastructure.

4.2 Out of Scope

The following are not sufficiently specified by the source and must not be assumed as confirmed requirements:

- Exact payment gateway implementation.
- Exact payroll provider.
- Exact EOR provider.
- Exact AI model/provider.
- Exact database technology.
- Exact cloud provider.
- Exact hosting architecture.
- Exact authentication provider.
- Exact email/SMS/push notification provider.
- Exact search engine.
- Exact maximum resume file size.
- Exact retention periods.
- Exact SLA percentages.
- Exact backup frequency.
- Exact disaster recovery RPO/RTO.
- Exact pricing calculation formulas.
- Exact candidate ranking algorithm.
- Exact compensation calculation logic.

These are covered under TBD or Technical Recommendation sections.

5. Stakeholder and User Roles

Role	Type	Responsibilities	Main Interactions
Public Visitor	Source/Derived	Browse company/services	Website, case studies, contact

Role	Type	Responsibilities	Main Interactions
Client/Employer	Source	Request workforce solutions	Hiring journey, Specialty Track, AI Demos, Velocity Calculator, contact, candidate matching, refer & earn/bounty
Candidate/Talent	Source	Submit profile and seek opportunities	Talent academy, CV/Resume upload, dashboard, reverse search, Gig area, Refer & Earn
Recruiter	Derived	Source and manage candidates	Candidate pipeline, applications
Business Analyst	Source	Map requirements and workflows	Discovery, stack mapping
Technical Validator	Source	Validate technical capability	Code review, system design, repository evaluation
Administrator	Derived	Manage platform	Users, jobs, candidates, content
Referral Partner	Source	Submit candidate referrals	Referral marketplace
Academy User	Source	Complete courses	Academy, badges, readiness
QA Engineer	Derived	Validate system	Test execution
DevOps Engineer	Derived	Operate infrastructure	Deployment, monitoring
Project Manager	Derived	Manage delivery	Requirements, workflow, release management

6. System Overview

The platform shall be organized into the following major subsystems.

6.1 Public Website

Contains:

- Homepage.
- Services and solutions.
- Technology tracks.
- Healthcare/compliance.
- About/company information.
- Case studies.
- Contact.
- Talent ecosystem entry points.

6.2 Client-Facing System

Supports:

- Workforce solution inquiries.
- Technology/healthcare capability discovery.
- Hiring velocity estimation.
- Case-study review.
- Client-side candidate matching functionality where implemented.

6.3 Candidate-Facing System

Supports:

- Candidate registration.
- Resume upload.
- AI parsing.
- Profile review.
- Readiness scoring.
- Applications.
- Matched jobs.
- Gigs.
- Academy.
- Referrals.
- Reverse search.

6.4 AI-HRMS

The source describes an AI-HRMS supporting:

- Natural-language candidate search.
- Resume parsing.
- Candidate matching.
- Reverse matching.
- Candidate scoring.
- Candidate ranking.
- Technical validation information.

The source does not define the underlying AI models and algorithms.

6.5 Talent Ecosystem

Includes:

- Academy.
- Referral marketplace.
- Candidate dashboard.

- Reverse search.

6.6 Internal Operations

Derived internal functions include management of:

- Candidates.
 - Clients.
 - Jobs.
 - Applications.
 - Interviews.
 - Referrals.
 - Payouts.
 - Courses.
 - Badges.
 - Case studies.
 - Audit logs.
-

7. Functional Requirements

7.1 Global Header and Navigation

FR-001 - Global Header

Feature: Global Navigation

Actor: Public Visitor

Priority: P0

Description:

The system shall provide a sticky global navigation header.

Main Flow:

1. User opens a supported public page.
2. Header is displayed.
3. User can access navigation categories.
4. Dropdown menus display associated destinations.
5. User can access the primary Hire & Deploy CTA.

Business Rules:

- Header must remain available while navigating public pages.

- Header CTA is intended primarily for buyer conversion.

The source specifies a sticky navigation bar with transparent blur styling.

FR-002 - Services & Solutions Dropdown

The dropdown shall include:

- IT Staff Augmentation.
- Offshore Engineering Pods.
- Employer of Record Services.
- Direct Hire & Executive Search.
- Healthcare & Clinical Staffing.
- Training & Workforce Readiness.
- Past Work & Technical Case Studies.

FR-003 - Technology Tracks Dropdown (Skip)

The dropdown shall include:

- SDLC Stack Capabilities.
- US Contract Frameworks.
- Dedicated Engineering Pods.
- Global Timezone Overlap Matrix.

FR-004 - Healthcare & Compliance Dropdown

Include:

- Clinical Staffing.
- Non-Clinical Staffing.
- Health-Tech & Med-Tech Engineering.
- HIPAA & PCI DSS Remote Hiring Frameworks.

FR-005 - In-House Solutions Dropdown (Maybe)

Include:

- Proprietary AI-HRMS Search Bar Demo.
- System Design Audit Logs.
- Behavioral Video Scorecard Suite.
- Proven Systems & Architecture Showcase.

FR-006 - About Us

Include:

- Integrated Delivery Engine.
- Combined Leadership Track Record.
- Enterprise Portfolio.

FR-007 - Job Seeker Navigation

Include:

- Candidate Intake.
- Reverse Job Search.
- Talent Academy.
- Refer & Earn.

FR-008 - Employer Navigation

Include:

- Single click on I want to fire fast,
- forward to Form and Instant free 1-1 consultation

7.2 Homepage

FR-008 - Homepage Hero

The homepage shall display:

- Enterprise IT & Healthcare Workforce Solutions badge.
- Main H1.
- Subheadline.
- Primary CTA.
- Secondary CTA.
- Proof ribbon.

The source defines the headline as "Millisecond response, from a Human." and the primary CTA as "Deploy Talent in 2 to 7 Days."

FR-009 - Search Metadata

The homepage shall provide the specified SEO title and meta description.

SEO Title:

Pepoltek Limited | Global IT Workforce Solutions & Engineering Augmentation

Meta Description:

Scale tech and healthcare teams in 7-day sprints. Backed by an in-house execution pod, proprietary AI-ATS, and hard-coded technical validation. Reclaim 40+ hours per hire.

FR-010 - Proof Ribbon

The system shall display the source-defined proof metrics:

- 20+ Years Combined Operational Excellence.
 - Industry Specialist Delivery Engine.
 - 30+ Global Clients.
 - 98% Client Retention.
 - 40+ Hours Reclaimed Per Hire.
-

7.3 Hiring Velocity Calculator

FR-011 - Calculator Inputs

The calculator shall accept:

Seniority:

- Junior.
- Mid-Level.
- Senior.
- Architect.
- C-Level.

Region:

- North America.
- CEE/Europe.
- LATAM.
- South Asia/APAC.

Technology:

- FrontEnd.
- QA.
- Product.
- Project.
- BackEnd.
- AI.

- Cloud/DevOps.
- Specialized Tech.

Squad Size:

1 to 100 specialists.

These inputs are explicitly defined in the source.

FR-012 - Calculator Outputs

The calculator shall dynamically display:

- Legacy agency latency.
- Pepoltek deployment sprint.
- Engineering hours reclaimed.
- Dynamic investment estimate.

FR-013 - Calculation Engine

Status: TBD.

The exact investment-estimation formula is not specified in the source.

Technical Recommendation:

Implement the calculation engine as a versioned server-side service or configuration-driven calculation module so business rules can be updated without frontend redeployment.

FR-014 - Validation

The calculator shall prevent invalid squad sizes and incomplete mandatory selections.

7.4 Integrated Delivery Engine

FR-015 - Delivery Team Representation

The system shall present the delivery engine consisting of:

- Niche Recruitment specialists in Technology & Healthcare.
- Business analysts.
- Software engineers.

FR-016 - Technical Validation

The platform shall communicate that technical validation may include:

- Hard-coded technical validation.
- System design review.
- Repository evaluation.

The source explicitly describes engineers performing technical validation and repository evaluations before profiles reach hiring-manager panels.

7.5 Technology and Healthcare Tracks

FR-017 - Sector Toggle

The homepage shall provide:

- Technology & SDLC Capabilities.
- Healthcare & Clinical Capabilities.

FR-018 - Technology Track

The system shall present:

Frontend:

React, Vue, Angular, Next.js

Backend:

PHP/Laravel, Node, Python, Java, Go, .NET

Data & AI:

Data Engineering, AI/ML, MLOps, RAG

Cloud/DevOps:

AWS/Azure, Kubernetes, Cyber

FR-019 - Healthcare Track

The system shall present:

- Physicians.

- Registered Nurses.
- Emergency.
- Outpatient.
- Healthcare administrators.
- EMR/EHR operations.
- Medical billing/coding.
- Health-tech engineering.

FR-020 - Engagement Models

The system shall support presentation and filtering of:

- W2
- C2C
- 1099
- Direct Hire.

FR-021 - Visa Information

The candidate system shall support source-defined visa/status values:

- OPT/STEM OPT.
- H-1B.
- Green Card.
- US Citizen.
- International Remote Specialist.

FR-022 - Compliance Information

The system shall represent:

- HIPAA-aware frameworks.
- PCI DSS.
- Clinical credentialing audits.

Whether the platform itself provides legal compliance certification is **TBD**.

7.6 Global Timezone Matrix

FR-023

The system shall display the defined timezone overlap matrix:

Region	Coverage
North America	4-6 hours live standups + asynchronous sprints
UK	6-8 hours
Europe	6-8 hours
GCC	6-7 hours

Source-defined values are based on the master blueprint.

7.7 Five-Step Execution Workflow

FR-024 - Workflow

The platform shall represent the following workflow:

1. Technical & Compliance Discovery.
2. Market Mapping.
3. Hard-Coded Vetting.
4. Interview Orchestration.
5. Close & Integration.

FR-025 - Step 1

Input: Client requirements.

Processing: Stack analysis, clinical mapping, culture alignment, success profiling.

Responsible: Recruiter/BA/Technical Specialist.

Output: Discovery profile.

Status: Discovery.

FR-026 - Step 2

Processing: Candidate screening and passive sourcing.

Output: Candidate pool.

Status: Market Mapping.

FR-027 - Step 3

Processing: Code validation, system design review, behavioral assessment.

Output: Vetted candidate.

Status: Technical Vetting.

FR-028 - Step 4

Processing: Panel scheduling, briefing, feedback.
Output: Interview decision.
Status: Interview.

FR-029 - Step 5

Processing: Offer negotiation and onboarding check-ins.
Output: Deployment.
Status: Closed/Integrated.

7.8 Case Studies

FR-030 - Case Study Listing

The system shall provide `/case-studies`.

FR-031 - Filtering

Users shall filter case studies by:

- All.
- Enterprise Web Apps.
- Health-Tech & EMR.
- SaaS.

FR-032 - Case Study Data

Each case study should support:

- Challenge.
- Requirements.
- Architecture.
- Database schema.
- Microservices layout where applicable.
- Technology stack.
- Validation logs.
- Test coverage.
- Performance metrics.
- Business/ROI impact.
- CTA.

FR-033 - Featured Case Studies

The homepage shall support featured cards for:

1. Enterprise HR-Tech & AI-HRMS.
2. Compliant Health-Tech EMR Integration Hub.
3. High-Throughput Distributed Aggregator.

FR-034 - Case Study Cross-Linking

Each case study shall provide pathways to:

- Technical proposal/deployment sprint.
 - Technology tracks.
-

7.9 AI-HRMS Client Portal

FR-035 - Natural Language Search

The system shall provide a candidate search interface capable of accepting natural-language queries.

Example source query:

"Filter software engineers with 5+ years in Node.js and C2C readiness."

FR-036 - Candidate Matching

Matching results may display:

- Match score.
- Visa status.
- Engagement model.
- Timezone overlap.
- Candidate profile.

FR-037 - System Design Audit

The showcase shall support presentation of:

- Code quality score.
- Test coverage.
- Redis/Kafka validation.
- Integration benchmark results.

FR-038 - Behavioral Scorecard

The system shall support display of:

- HEXACO.
- OCEAN.
- BEI.

AI Requirement Classification

Capability	Status
Resume parsing	Source-defined AI capability
Natural-language search	Source-defined AI capability
Candidate matching	Source-defined AI capability
Reverse search	Source-defined AI capability
Ranking algorithm	TBD
AI model/provider	TBD
Training methodology	TBD
Explainability implementation	TBD

The numeric scores shown in the source should be treated as demonstration/example data unless confirmed as actual production metrics.

7.10 Pricing and Commercial Engagement

FR-039 - Direct Hire

Source-defined commercial information:

- Standard fee: 15%-20% first-year compensation.
- Initial three hires: market entry rate of 12%.
- 90-day replacement guarantee.

FR-040 - Staff Augmentation

Source-defined:

- Hourly/monthly billing.
- 10% rate reduction for six-month squad commitments.
- Two-week risk-free trial.

FR-041 - EOR

The platform shall present EOR/payroll capability across 15+ countries.

Exact payroll provider and technical integration are TBD.

Rule: Pricing must remain configurable and must not be hard-coded into application architecture.

7.11 Talent Academy

FR-042 - Academy

Route:

`/ecosystem/academy/`

FR-043 - Readiness Index

The candidate shall be able to see:

- Overall readiness.
- Skill gaps.
- Recommended training.
- Eligibility status.

FR-044 - Courses

The source defines example training modules covering:

- Distributed Systems & RAG Architecture.
- HIPAA & PCI DSS.
- US Enterprise Readiness.

FR-045 - Badges

The system shall support:

- Active badges.
- Locked badges.
- Badge eligibility.

FR-046 - Unlocking

Completion of required courses may unlock:

- Full-time matching.
- Gig squads.
- Higher-rate gig tiers.

Exact scoring and unlocking formulas are **TBD**.

7.12 Refer & Earn

FR-047 - Referral Submission

Referral users shall be able to submit candidate profiles.

FR-048 - Referral Link

The system shall support unique referral links.

FR-049 - Referral Tracking

The system shall track stages such as:

Submitted → Screened → Interviewed → Placed

FR-050 - Payout Ledger

The system shall maintain:

- Cleared payout.
- Pending payout.
- Milestone status.
- Referral reward.

FR-051 - Rewards

The source defines example bounty values up to \$500.

Actual commercial payout configuration should be administrator-controlled.

7.13 Candidate Dashboard

FR-052 - Dashboard

Route:

`/careers/dashboard/`

The dashboard shall provide:

- Profile strength.
- ATS compatibility.
- Technical vetting score.
- Tier/readiness.
- Application pipeline.
- Matched roles.
- Project gigs.
- Skill benchmark.
- Recommended courses.

FR-053 - Application Pipeline

The candidate shall see application stages and statuses.

FR-054 - Job/Gig Feed

The system shall show matched:

- Open roles.
- Project gigs.

FR-055 - Readiness

The system shall identify the next recommended action required for a candidate to unlock additional opportunities.

7.14 Candidate Reverse Search

FR-056 - Reverse Search

Route:

`/talents/reverse-search/`

FR-057 - Profile Ingestion

The system shall ingest the candidate profile into the matching system.

FR-058 - Client Pipeline Scanning

The matching engine shall evaluate the candidate against available client pipelines.

FR-059 - Match Results

Results may include:

- Match score.
- Skill overlap.
- Timezone overlap.
- Authorization status.
- Compensation.

FR-060 - One-Click Pitch

The system shall require candidate authorization before submitting a profile to a hiring manager.

FR-061 - Privacy

The source explicitly indicates zero public profile exposure as a desired behavior.

Exact privacy implementation is TBD.

7.15 Candidate CV/Resume Upload

FR-062 - Sector Selection

The candidate shall select:

- Technology & Engineering.
- Healthcare & Clinical.

FR-063 - Dynamic Technology Fields

Technology fields shall include:

- Frontend.
- Backend.
- Full Stack.

- DevOps/Cloud.
- Data & AI/ML.
- Systems Architecture.
- Cybersecurity.

FR-064 - Technology Stack

Supported source-defined technologies include:

- React.js.
- Node.js.
- PHP/Laravel.
- Python/Django.
- Java/Spring.
- Go.
- C#/.NET.
- AWS/Azure.
- Kubernetes.

FR-065 - Healthcare Fields

Healthcare fields include:

- Physicians.
- Nursing.
- Medical Technicians.
- Health-Tech Engineers.
- Healthcare Administration.
- EHR Operations.

FR-066 - Experience

Technology:

- Junior.
- Mid-Level.
- Senior.
- Lead/Architect.

Healthcare:

- Clinical Practice.
- Advanced Specialist.
- Department Lead/Director.

FR-067 - File Upload

Supported source-defined formats:

- PDF.
- DOCX.
- RTF.

The source does not define maximum file size.

FR-068 - AI Resume Parsing

The system shall parse, where available:

- Contact information.
- Recent titles.
- Technology stack.
- Clinical certifications.

FR-069 - Inline Editing

Parsed fields shall be displayed for candidate review and editing.

FR-070 - Missing Data

Mandatory fields that cannot be parsed shall be highlighted and require user action.

The source specifically describes soft-yellow visual treatment for incomplete mandatory fields.

7.16 Contact System

FR-071 - Contact Page

Route:

`/contact`

FR-072 - Dual Contact Tabs

The system shall provide:

1. I Need Workforce Solutions.
2. Join Talent Network.

The second route shall redirect to `/career/upload_cv/`.

FR-073 - Lead Routing

Workforce inquiries shall route into the client/business-development pipeline.

Exact CRM integration is TBD.

7.17 Footer

FR-074

The global footer shall contain:

Solutions

- IT Staff Augmentation.
- Offshore Pods.
- EOR.
- Healthcare Staffing.

Company & Talent

- About Delivery Engine.
- Join Talent Network.
- ATS Template.
- Contact Execution Pod.

Ecosystem

- Academy.
- Refer & Earn.
- Reverse Job Search.
- Freelancer Space.

Proof

- 30+ Clients.
- 98% Retention.
- 40+ Hours Saved.

Legal

- Privacy Policy.
- Terms of Service.

- Security & HIPAA Compliance.

The source defines the footer architecture and 2026 copyright bar.

8. Page and Route Specification

Route	Page	User Type	Purpose	Authentication	Priority
/	Homepage	Public	Business conversion	No	P0
/case-studies	Case Studies	Public	Technical proof	No	P0
/ecosystem/academy/	Academy	Candidate	Training/readiness	Partial/TBD	P1
/ecosystem/referrals/	Referral Marketplace	Referral Partner	Referrals/payouts	Yes	P1
/careers/dashboard/	Candidate Dashboard	Candidate	Applications/gigs	Yes	P0
/talents/reverse-search/	Reverse Search	Candidate	Candidate-first matching	Yes	P1
/career/upload_cv/	CV/Resume Intake	Candidate	Resume submission	TBD	P0
/contact	Contact	Public	Lead generation	No	P0
/services/...	Services	Public	Service information	No	P1
/about	About	Public	Company information	No	P1
/technology/...	Technology Tracks	Public	Technology capabilities	No	P1
/healthcare/...	Healthcare	Public	Healthcare capabilities	No	P1
/admin/...	Admin	Admin	Internal management	Yes	P0
/api/...	API	Internal/Authenticated	Application services	Yes	P0

Routes not explicitly specified by the source are marked **Derived/TBD**.

9. User Journey / Workflow Specification

9.1 Client Hiring Journey

1. Client visits homepage.
2. Reviews services and proof.
3. Selects Technology or Healthcare track.
4. Uses Hiring Velocity Calculator.
5. Reviews case studies.
6. Selects Hire & Deploy / contact CTA.
7. Submits workforce requirement.
8. BA/recruitment team performs discovery.
9. Market mapping begins.
10. Candidates are sourced.
11. Technical validation occurs.
12. Interview is scheduled.
13. Client provides decision.
14. Offer and deployment process begins.
15. Onboarding check-ins follow.

9.2 Candidate Registration Journey

1. Candidate opens candidate intake.
2. Selects sector.
3. Selects domain.
4. Selects technology/compliance details.
5. Provides experience.
6. Provides authorization information.
7. Uploads resume.
8. Resume is parsed.
9. Candidate reviews parsed information.
10. Candidate corrects missing fields.
11. Candidate submits.
12. Profile enters talent ecosystem.

9.3 CV/Resume Parsing Journey

Upload → File Validation → Secure Storage → Parse → Extract Data →
Confidence/Validation → Candidate Review → Correction → Submit

9.4 Candidate Vetting Journey

Profile → Screening → Technical Validation → System Design Review → Behavioral
Assessment → Vetted Status

9.5 Interview Journey

Vetted Candidate → Panel Scheduling → Interview → Feedback → Decision

9.6 Hiring/Deployment Journey

Offer → Negotiation → Acceptance → Deployment → 30/60/90-Day Check-ins

9.7 Academy Journey

Profile → Gap Analysis → Course Recommendation → Enrollment → Completion → Badge → Eligibility Update

9.8 Referral Journey

Referral Link → Candidate Submission → Screening → Interview → Placement → Milestone → Payout

9.9 Reverse Search Journey

Profile Ingestion → Pipeline Scan → Matching → Ranked Results → Candidate Review → Authorization → One-Click Pitch

10. Authentication and Authorization

10.1 Public Access

Public users may access:

- Homepage.
- Case studies.
- Service pages.
- Technology pages.
- Healthcare pages.
- Contact page.

10.2 Authenticated Access

Authenticated access should be required for:

- Candidate dashboard.

- Referral tracking.
- Private candidate profile.
- Reverse matching.
- Application management.
- Internal administrative tools.

10.3 RBAC

Recommended roles:

- ADMIN
- CLIENT
- RECRUITER
- BUSINESS_ANALYST
- TECHNICAL_VALIDATOR
- CANDIDATE
- REFERRAL_PARTNER
- ACADEMY_USER

Technical Recommendation: Implement server-side RBAC with permission scopes rather than relying exclusively on frontend route guards.

10.4 Authentication Method

TBD.

Possible implementation:

- Email/password.
- OAuth/SSO.
- MFA for privileged users.

Final mechanism requires stakeholder approval.

11. Data Requirements

The following logical entities are required or derived from the source.

Entity	Status	Purpose
User	Derived	Authentication
Candidate	Source/Derived	Talent profile
Client	Derived	Employer profile
Job	Derived	Available role

Entity	Status	Purpose
Application	Source/Derived	Candidate application
Skill	Derived	Candidate capability
Technology	Source	Technology taxonomy
Resume	Source	Uploaded document
ResumeParsedData	Derived	Parsed resume information
CandidateMatch	Source	Matching result
Referral	Source	Referral submission
ReferralPayout	Source	Referral payment record
Course	Source	Academy content
Enrollment	Source	Course participation
Badge	Source	Candidate certification/status
Gig	Source	Project opportunity
CaseStudy	Source	Technical portfolio
AuditLog	Source	System audit
Interview	Source	Interview workflow
Deployment	Source	Hiring/deployment outcome
ContactSubmission	Source	Lead/contact data

11.1 Candidate

Potential fields:

- Candidate ID.
- Name.
- Email.
- Phone.
- Sector.
- Domain.
- Experience.
- Skills.
- Technologies.
- Visa/work authorization.
- Contract preference.
- Resume reference.
- Readiness score.
- ATS score.
- Vetting status.

11.2 Candidate Match

Potential fields:

- Candidate.
- Job/client.
- Match score.
- Skill overlap.
- Timezone overlap.
- Authorization status.
- Compensation information.
- Matching timestamp.
- Candidate authorization.
- Pitch status.

Exact scoring schema is TBD.

11.3 AuditLog

Potential fields:

- Actor.
- Action.
- Entity.
- Entity ID.
- Timestamp.
- IP address.
- Previous state.
- New state.
- Metadata.

12. API Requirements

The following are **Proposed API Designs**, not confirmed source requirements.

12.1 Authentication

Method	Endpoint	Purpose
POST	/api/v1/auth/login	Login
POST	/api/v1/auth/logout	Logout
POST	/api/v1/auth/refresh	Refresh session
GET	/api/v1/auth/me	Current user

12.2 Candidate

Method	Endpoint	Purpose
GET	/api/v1/candidates/me	Candidate profile
PATCH	/api/v1/candidates/me	Update profile
GET	/api/v1/candidates/me/readiness	Readiness
GET	/api/v1/candidates/me/badges	Badges

12.3 Resume

Method	Endpoint	Purpose
POST	/api/v1/resumes	Upload resume
GET	/api/v1/resumes/{id}	Resume metadata
POST	/api/v1/resumes/{id}/parse	Trigger parsing
PATCH	/api/v1/resumes/{id}/parsed-data	Candidate corrections

12.4 Matching

Method	Endpoint	Purpose
POST	/api/v1/matching/search	Candidate search
GET	/api/v1/candidates/me/matches	Candidate matches
POST	/api/v1/matches/{id}/authorize-pitch	Authorize pitch

12.5 Applications

Method	Endpoint	Purpose
GET	/api/v1/applications	Applications
POST	/api/v1/jobs/{id}/apply	Apply
GET	/api/v1/applications/{id}	Application detail

12.6 Referrals

Method	Endpoint	Purpose
POST	/api/v1/referrals	Submit referral
GET	/api/v1/referrals	Referral list
GET	/api/v1/referrals/ledger	Payout ledger

12.7 Academy

Method	Endpoint	Purpose
GET	/api/v1/courses	Course listing
POST	/api/v1/courses/{id}/enroll	Enrollment
GET	/api/v1/courses/{id}/progress	Progress

Method	Endpoint	Purpose
GET	/api/v1/badges	Badge status

12.8 Contact

POST /api/v1/contact

Validation:

- Required fields.
 - Email format.
 - Correct contact category.
-

13. AI/ML Requirements

13.1 Resume Parsing

Input: PDF/DOCX/RTF resume.

Output:

- Contact information.
- Titles.
- Skills.
- Technology stack.
- Certifications.

Human Review: Required before final candidate submission.

13.2 Candidate Matching

Input:

- Candidate profile.
- Job requirements.
- Skills.
- Experience.
- Engagement model.
- Authorization.
- Timezone.

Output:

- Match score.
- Match factors.
- Ranked candidates/matches.

13.3 Natural Language Search

The system should translate a natural-language hiring query into structured candidate search criteria.

13.4 Reverse Search

The system shall evaluate candidate profiles against client pipelines.

13.5 AI Confidence

TBD.

Recommended implementation:

- Store confidence values.
- Store source fields used for scoring.
- Allow human override.
- Log important AI decisions.

13.6 Explainability

For every significant AI match, the system should ideally show the principal factors contributing to the score.

This is a **Technical Recommendation**, not a source-confirmed business requirement.

13.7 Failure Handling

AI failure must not silently create or modify candidate information.

The candidate should be able to continue through manual correction where practical.

14. Non-Functional Requirements

14.1 Performance

Exact numeric targets are **TBD**.

Recommended targets:

- Public page initial response: < 2 seconds under normal conditions.
- Standard API response: < 500 ms for non-AI operations.
- Search response: < 2 seconds for normal queries.
- Background AI processing: asynchronous.

These numbers are recommendations and require technical approval.

14.2 Scalability

The architecture should support future growth in:

- Candidates.
- Clients.
- Jobs.
- Applications.
- Matches.
- Resume files.
- Academy users.

Exact capacity targets are TBD.

14.3 Availability

Production availability target: **TBD**.

14.4 Reliability

The system should provide:

- Transaction consistency.
- Retry mechanisms for asynchronous processing.
- Idempotency for critical submissions.
- Error recovery.

14.5 Accessibility

The UI should target modern accessibility standards.

Exact WCAG level: **TBD**.

14.6 Browser Compatibility

Support should include current versions of:

- Chrome.
- Edge.
- Firefox.
- Safari.

Exact browser-version matrix is TBD.

14.7 Mobile Responsiveness

All public and candidate-facing interfaces shall be responsive.

14.8 Observability

Recommended:

- Application logs.
 - API metrics.
 - Error tracking.
 - Infrastructure metrics.
 - AI processing metrics.
 - Queue monitoring.
-

15. Security Requirements

15.1 Authentication

- Secure credential handling.
- Session expiration.
- Secure password reset.
- MFA for privileged accounts - Recommendation.

15.2 Authorization

All protected operations must perform server-side authorization.

15.3 File Security

Resume files must:

- Validate MIME type.
- Validate extension.
- Use secure storage.
- Avoid executable content.
- Be accessible only to authorized parties.

Malware scanning is a **Technical Recommendation**.

15.4 Encryption

Recommended:

- TLS for network traffic.
- Encryption at rest for sensitive candidate documents.

Exact encryption architecture is TBD.

15.5 Audit Logging

Log:

- Authentication.
- Candidate changes.
- Resume parsing.
- AI decisions.
- Matching.
- Application changes.
- Referral payouts.
- Admin actions.
- Security events.

15.6 Healthcare

The source references HIPAA-aware frameworks and PCI DSS.

The platform must not claim legal HIPAA or PCI DSS certification unless formally verified.

Technical Recommendation: Conduct a formal security/compliance assessment before processing regulated healthcare information.

16. File Upload Requirements

Requirement	Status
PDF	Source
DOCX	Source
RTF	Source
Maximum file size	TBD
Malware scanning	Recommendation
Secure object storage	Recommendation
Access control	Required
Duplicate detection	TBD
Retention period	TBD
Secure deletion	Recommendation

Processing workflow:

Upload → Validate → Secure Store → Parse → Validate → Candidate Review → Submit

17. Admin and Internal Operations

17.1 Required/Derived Management Areas

The administrative system should support:

- Candidate management.
- Client management.
- Job management.
- Applications.
- Interviews.
- Referrals.
- Payouts.
- Courses.
- Badges.
- Case studies.
- AI matching.
- Audit logs.
- Contact submissions.

17.2 Admin Permissions

Admins should be able to:

- Create/update/archive records.
- Manage configurable business values.
- Review candidate information.
- Review AI results.
- Override statuses where authorized.
- Review audit history.

Exact admin UI is **TBD**.

18. Notification Requirements

Potential notifications include:

- Application status.
- Interview scheduling.
- Referral status.
- Referral payout.
- Course completion.
- Candidate match.
- One-click pitch.
- Contact submission.

The source does not define delivery channels.

TBD:

- Email.
- SMS.
- Push.
- In-app notifications.

Recommendation: Start with transactional email plus in-app notifications.

19. Audit and Logging Requirements

The system shall maintain auditable records for:

Event	Priority
Login/logout	P0
Candidate changes	P0
Resume upload	P0
Resume parsing	P0
AI decision	P0
Match creation	P0
Application status change	P0
Referral payout	P0
Admin action	P0
System error	P0

Audit logs should be immutable to ordinary users.

20. QA and Testing Requirements

20.1 Unit Testing

Test:

- Business rules.
- Validators.
- Calculation engine.
- Status transitions.
- Permissions.

20.2 Integration Testing

Test:

- API/database integration.
- Resume storage/parsing.
- Matching services.
- Notification integrations.
- Authentication.

20.3 UI Testing

Test:

- Navigation.

- Responsive layout.
- Forms.
- Dropdowns.
- Toggles.
- Calculator.
- Dashboards.

20.4 AI Testing

Test:

- Parsing accuracy.
- Missing information.
- Incorrect resume formatting.
- Matching relevance.
- Ranking consistency.
- Prompt/query variations.
- AI failure scenarios.

20.5 Security Testing

Include:

- Authentication testing.
- RBAC testing.
- File upload attacks.
- Injection testing.
- CSRF.
- XSS.
- Rate limiting.
- Access-control bypass.
- Sensitive-data exposure.

20.6 Performance Testing

Test:

- Public traffic.
- Candidate searches.
- Resume upload concurrency.
- Matching workload.
- Background queues.

20.7 UAT

Business stakeholders shall validate:

- Client journey.
 - Candidate journey.
 - Referral journey.
 - Academy workflow.
 - Matching.
 - Contact routing.
 - Case studies.
-

21. Sample Acceptance Criteria

AC-001 - CV/Resume Parsing

Given a candidate uploads a supported PDF resume

When parsing completes

Then supported candidate information shall be populated into the form

And the candidate shall be able to review and edit the data before submission.

AC-002 - Unsupported File

Given a candidate uploads an unsupported file

When validation executes

Then the upload shall be rejected

And the UI shall explain the supported formats.

AC-003 - Missing Mandatory Field

Given the parser cannot identify a mandatory field

When parsing completes

Then that field shall be highlighted

And the candidate shall be prompted to provide the missing information.

AC-004 - Reverse Search

Given a candidate has an active profile

When matching executes

Then eligible client pipelines shall be evaluated

And matching results shall be displayed.

AC-005 - One-Click Pitch

Given a candidate receives a match
When the candidate authorizes the pitch
Then the system shall record the authorization
And initiate the defined pitch workflow.

AC-006 - Referral

Given a referral partner submits a candidate
When the candidate enters the referral pipeline
Then the referral status shall be tracked.

AC-007 - Dashboard

Given an authenticated candidate
When the dashboard loads
Then the system shall display profile readiness, applications, matches, and recommended actions where available.

22. Error Handling

The system shall provide controlled handling for:

Error	Expected Behavior
Invalid login	Reject and display safe error
Invalid form	Highlight invalid fields
Invalid file	Reject upload
Unsupported format	Explain accepted formats
Parsing failure	Allow retry/manual entry
AI matching failure	Show controlled error and preserve data
API failure	Show recoverable error
Unauthorized access	Return authorization error
Missing required data	Prevent submission
Duplicate submission	Detect and notify
Payout issue	Mark transaction/problem status
Server error	Log internally and show generic message

Sensitive technical errors must not be exposed to public users.

23. DevOps and Deployment Requirements

The following architecture is a **Technical Recommendation**.

23.1 Environments

Three environments are recommended:

1. Development.
2. Staging.
3. Production.

23.2 CI/CD

Recommended pipeline:

Commit → Lint → Unit Tests → Security Scan → Build → Integration Tests → Deploy
Staging → UAT → Production

23.3 Version Control

Use Git-based source control.

Branching strategy: **TBD**.

23.4 Secrets

Secrets must be managed outside source code.

Recommended:

- Environment variables for non-sensitive configuration.
- Dedicated secrets manager for production secrets.

23.5 Database

Database technology: **TBD**.

The selected database must support:

- Relational entities.
- Transactions.
- Indexing.

- Candidate/job relationships.
- Audit data.

23.6 Background Workers

Background processing is recommended for:

- Resume parsing.
- AI matching.
- Bulk candidate processing.
- Notifications.
- Scheduled matching.

23.7 File Storage

Object storage is recommended for resumes and documents.

23.8 Monitoring

Recommended:

- Application monitoring.
- Server metrics.
- Database monitoring.
- Queue monitoring.
- Error tracking.
- Uptime monitoring.

23.9 Backup

Backup frequency and retention: **TBD**.

23.10 Rollback

Every production deployment should have a documented rollback mechanism.

24. Recommended Technical Architecture

This section contains recommendations only.

24.1 Frontend

Recommended:

- React/Next.js or equivalent modern component-based framework.
- TypeScript.
- Responsive CSS framework/design system.
- Server-side rendering where SEO benefits.

24.2 Backend

Recommended:

- REST API.
- Modular service architecture.
- Strong validation layer.
- RBAC.
- Background task processing.

Exact backend framework: **TBD**.

24.3 Database

Recommended relational database:

- PostgreSQL or equivalent.

24.4 Cache

Recommended:

- Redis or equivalent.

Potential uses:

- Session data.
- Caching.
- Rate limiting.
- Queue support.

24.5 Background Workers

Recommended:

- Dedicated asynchronous worker system.

24.6 AI Service

Recommended architecture:

Application API → AI Service → Parsing/Matching → Structured Output → Validation → Human Review

The AI provider/model is TBD.

24.7 Search

A dedicated search engine may be introduced when candidate volume requires it.

Technology: **TBD**.

24.8 Object Storage

Use secure object storage for resumes and documents.

24.9 API Gateway

Optional based on deployment architecture.

24.10 Monitoring

Recommended:

- Centralized logs.
- Metrics.
- Distributed tracing where required.
- Error monitoring.

25. Traceability Matrix

Requirement	Source	Feature	Role	Priority		Page
FR-001	Header	Navigation	Public	P0	Global	
FR-008	Section 1	Hero	Public	P0	/	
FR-011	Component 4	Calculator	Client	P0	/	
FR-017	Component 5	Sector Toggle	Public	P0	/	

Requirement	Source	Feature	Role	Priority	Page
FR-024	Section 4	Workflow	Client/Internal	P0	/
FR-030	Case Studies	Portfolio	Public	P0	/case-studies
FR-035	AI-HRMS	Candidate Search	Client/Internal	P1	TBD
FR-042	Academy	Training	Candidate	P1	/ecosystem/academy/
FR-047	Referral	Referral	Partner	P1	/ecosystem/referrals/
FR-052	Dashboard	Candidate Dashboard	Candidate	P0	/careers/dashboard/
FR-056	Reverse Search	Matching	Candidate	P1	/talents/reverse-search/
FR-062	CV/Resume Intake	Candidate Intake	Candidate	P0	/career/upload_cv/
FR-071	Contact	Lead Routing	Public	P0	/contact
FR-074	Footer	Navigation	Public	P0	Global

26. Open Questions / TBD

The following require stakeholder confirmation before implementation is finalized.

Product

1. What is the exact MVP boundary?
2. Which features are required for the first release?
3. Is the client portal a real operational portal or initially a UI demonstration?
4. Which case studies represent real client deployments?
5. Which metrics are verified production metrics versus illustrative examples?

Authentication

6. What authentication provider should be used?
7. Is social login required?
8. Is MFA mandatory for admins?
9. Is SSO required for enterprise clients?

AI

10. Which AI provider/model will be used?
11. What is the expected resume parsing accuracy?
12. How should candidate match scores be calculated?
13. How should AI confidence be represented?
14. Can recruiters override AI scores?

15. Should AI decisions be explainable to candidates?

Data

16. What is the database technology?
17. What is the expected candidate volume?
18. What is the expected resume storage volume?
19. What is the data retention policy?
20. What are the required data residency rules?

Commercial

21. Is pricing editable by administrators?
22. What is the exact Hiring Velocity investment formula?
23. How are referral payouts approved?
24. What payment/payout provider will be used?

Compliance

25. What exact HIPAA requirements apply?
26. Will actual PHI be processed?
27. What PCI DSS scope applies?
28. What legal/privacy policies must be implemented?

Notifications

29. Which notification channels are required?
30. Which events require email?
31. Which events require in-app notifications?

Infrastructure

32. Which cloud provider will host production?
33. What availability target is required?
34. What are the RPO/RTO requirements?
35. What monitoring platform will be used?

27. Development Priority

P0 - Critical / MVP

- Global navigation.
- Homepage.
- Hero and CTAs.
- Technology/Healthcare positioning.
- Hiring Velocity Calculator.
- Case studies.
- Contact.
- CV/Resume upload.
- Resume parsing.
- Candidate profile.
- Authentication.
- Candidate dashboard foundation.
- Core candidate/application data model.
- Admin foundation.
- Security baseline.

P1 - High

- AI-HRMS candidate search.
- Reverse search.
- Matching.
- Academy.
- Referral system.
- Candidate readiness.
- Technical validation records.
- Interview workflow.
- Notifications.

P2 - Medium

- Advanced analytics.
- Advanced search.
- Advanced behavioral scorecards.
- Expanded client portal.
- Advanced automation.

P3 - Future

- Advanced AI ranking.
- Automated optimization.
- Additional integrations.
- Advanced predictive analytics.

These P-level classifications are implementation recommendations and should be approved by the product owner.

28. Suggested Implementation Sequence

Phase 1 - Foundation

1. Repository setup.
2. Environment setup.
3. CI/CD.
4. Database.
5. Authentication.
6. RBAC.
7. Design system.
8. Global navigation/footer.

Phase 2 - Public Website

1. Homepage.
2. Services.
3. Technology.
4. Healthcare.
5. About.
6. Contact.
7. Case studies.
8. SEO.

Phase 3 - Candidate Intake

1. Candidate registration.
2. Dynamic sector form.
3. Resume upload.
4. Secure storage.
5. Resume parsing.
6. Candidate review.
7. Candidate profile.

Phase 4 - Candidate Operations

1. Dashboard.
2. Applications.
3. Jobs.
4. Matching foundation.
5. Technical vetting.

6. Interview workflow.

Phase 5 - AI-HRMS

1. Structured candidate search.
2. Natural-language search.
3. Matching.
4. Ranking.
5. Reverse search.
6. Pitch authorization.

Phase 6 - Talent Ecosystem

1. Academy.
2. Readiness scoring.
3. Badges.
4. Referral marketplace.
5. Payout ledger.

Phase 7 - Enterprise Operations

1. Client portal.
2. Advanced admin.
3. Analytics.
4. Notifications.
5. Integrations.

Phase 8 - Hardening

1. Security testing.
2. Performance testing.
3. Accessibility.
4. Disaster recovery.
5. UAT.
6. Production launch.

29. MVP Definition

Must Have

- Public website.

- Global navigation.
- Homepage.
- Technology/Healthcare tracks.
- Contact.
- Case studies.
- Candidate CV/Resume intake.
- PDF/DOCX/RTF upload.
- Resume parsing.
- Candidate profile.
- Authentication.
- Candidate dashboard foundation.
- Core job/application structure.
- Admin management foundation.
- Security controls.
- Production deployment.

Should Have

- Candidate matching.
- Reverse search.
- Academy.
- Referral system.
- Technical vetting.
- Interview management.
- Notifications.

Could Have

- Advanced AI search.
- Advanced behavioral scorecards.
- Advanced analytics.
- Client self-service portal.

Future

- Predictive matching.
- Automated candidate ranking optimization.
- Advanced AI-HRMS automation.
- Additional third-party enterprise integrations.

30. Consistency Review

30.1 Identified Conflicts

Conflict 1 - Deployment Timeline

The source uses both:

- "7-day deployment sprints".
- "2 to 14 days" deployment calculator output.
- "2 to 7 days" primary CTA.

These should not be treated as identical technical SLA values.

Action: Product owner must confirm whether these represent different service categories or marketing ranges.

Conflict 2 - Response Time

The architecture replaces the legacy "2 Hours Response Time" with:

"Millisecond response, from a Human."

This is a messaging requirement rather than a literal system latency SLA.

Action: Do not implement "millisecond human response" as an engineering SLA without confirmation.

Conflict 3 - AI-HRMS

The source presents AI capabilities but does not specify:

- Model.
- Provider.
- Architecture.
- Accuracy methodology.
- Training data.
- Evaluation framework.

Action: Technical discovery required.

Conflict 4 - Compliance

HIPAA and PCI DSS are presented as capabilities/frameworks, but certification scope is not defined.

Action: Legal/security review required.

31. Missing Requirements

The source does not sufficiently define:

- Authentication architecture.
- Password policy.
- User registration mechanics.
- Client onboarding.
- Job creation process.
- Application approval workflow.
- Detailed admin interface.
- Payment infrastructure.
- Referral payout provider.
- Notification infrastructure.
- AI model.
- Search infrastructure.
- Database.
- Cloud infrastructure.
- Backup policy.
- Disaster recovery.
- Data retention.
- Privacy consent.
- Terms acceptance.
- Exact API contracts.

These must be resolved during technical/product discovery.

32. Technical Risks

Risk 1 - AI Accuracy

Incorrect parsing or matching can result in poor candidate recommendations.

Mitigation: Human review, confidence thresholds, audit logs, evaluation datasets.

Risk 2 - Sensitive Candidate Data

Resumes may contain sensitive personal information.

Mitigation: Encryption, access control, retention policy, secure storage.

Risk 3 - Healthcare Data

Healthcare functionality may involve regulated information.

Mitigation: Formal compliance assessment before handling regulated data.

Risk 4 - Dynamic Matching Complexity

Matching across skills, experience, timezone, authorization, and engagement model can become computationally expensive.

Mitigation: Structured candidate indexing and asynchronous matching.

Risk 5 - Commercial Logic Changes

Pricing and bounty values may change frequently.

Mitigation: Configuration-driven commercial rules.

33. Security and Privacy Risks

Potential risks include:

- Resume data leakage.
- Unauthorized candidate access.
- Unauthorized client access.
- Privilege escalation.
- Malicious document uploads.
- AI prompt/data leakage.
- Sensitive information appearing in logs.
- Unauthorized candidate pitching.
- Referral payout manipulation.

Candidate authorization must be explicitly recorded before one-click pitching.

34. AI-Related Risks

1. Incorrect resume extraction.
2. Hallucinated candidate attributes.
3. Biased candidate ranking.
4. Incorrect match scores.
5. Insufficient explainability.
6. Exposure of private candidate information.
7. Prompt injection through uploaded documents.
8. AI service outage.
9. Cost escalation from large-scale AI processing.

Recommendation: Treat AI as decision support rather than an unrestricted autonomous hiring decision-maker.

35. Dependencies

The project depends on:

- Final UI/design approval.
 - Business-rule approval.
 - Pricing approval.
 - AI provider selection.
 - Infrastructure selection.
 - Authentication decision.
 - Compliance requirements.
 - Data retention policy.
 - Notification provider.
 - Payment/payout provider.
 - Final MVP scope.
-

36. Final Developer Handoff Checklist

- ☐ Business requirements reviewed.
- ☐ Architecture blueprint reviewed.
- ☐ UI requirements reviewed.
- ☐ Global navigation reviewed.
- ☐ Homepage reviewed.
- ☐ Calculator requirements reviewed.
- ☐ Case-study requirements reviewed.

- ☐ Candidate intake reviewed.
 - ☐ AI requirements reviewed.
 - ☐ Candidate dashboard reviewed.
 - ☐ Reverse search reviewed.
 - ☐ Academy reviewed.
 - ☐ Referral system reviewed.
 - ☐ Authentication requirements reviewed.
 - ☐ RBAC reviewed.
 - ☐ Database model reviewed.
 - ☐ API requirements reviewed.
 - ☐ Security requirements reviewed.
 - ☐ File upload requirements reviewed.
 - ☐ QA strategy reviewed.
 - ☐ DevOps architecture reviewed.
 - ☐ Monitoring requirements reviewed.
 - ☐ Backup requirements reviewed.
 - ☐ Disaster recovery reviewed.
 - ☐ Acceptance criteria reviewed.
 - ☐ TBD items documented.
 - ☐ Business-rule conflicts reviewed.
 - ☐ AI risks reviewed.
 - ☐ Privacy risks reviewed.
 - ☐ Stakeholder approval obtained.
 - ☐ Product Owner sign-off obtained.
 - ☐ Technical Lead sign-off obtained.
 - ☐ QA Lead sign-off obtained.
 - ☐ DevOps Lead sign-off obtained.
-

37. Final Technical Handoff Notes

The Pepoltek master blueprint should be treated as the **business and product source of truth**, while this SRS serves as the development interpretation of those requirements. The blueprint explicitly defines the major navigation structure, homepage components, workforce tracks, workflow, case studies, talent ecosystem, reverse search, CV/Resume intake, contact routing, and footer architecture.

The Development Team should not begin implementation of unspecified technical behavior by assuming undocumented requirements. Any unresolved item must be classified as:

- **Source Requirement**
- **Derived Requirement**
- **Technical Recommendation**
- **TBD**

The most important pre-development decisions are the MVP boundary, authentication model, AI architecture, data model, compliance scope, pricing/configuration rules, notification strategy, infrastructure architecture, and candidate-data retention policy.

SRS Version: 1.0

Status: Draft for Technical and Stakeholder Review

Next Action: Development, QA, DevOps, Product/Business stakeholders review and approve all P0 requirements and TBD items before implementation begins.