

CSE110 Fall 2025 Lab Exam - 01 Tentative Solutions and Rubrics

In case of any circumstance not present in the rubrics, feel free to discuss in assigned slack channel. This rubric is provided to maintain a similar marking scheme throughout all sections.

[SET-A]

SOLUTION

```
import java.util.Scanner;

public class Flight007{
    public static void main (String[] args){
        Scanner sc = new Scanner(System.in);
        double luggage = sc.nextDouble();
        int seat = sc.nextInt();
        int counter = 4;
        double extra = 0;

        if(luggage>35){
            extra = (luggage - 35)* 3 + seat * 21;

            if (extra>300){
                counter = 1;
            }
            else if (extra>200 && extra<=300){
                counter = 2;
            }
            else if (extra>100 && extra<=200){
                counter = 3;
            }
        }
        System.out.println("You have to pay BDT "+extra);
        System.out.println("Please go to counter "+counter);
    }
}
```

RUBRIC

SL	Points To Meet	Marks [10]
<u>1</u>	Imports Scanner	0.5
<u>2</u>	Takes two inputs (Integer or double)	1
<u>3</u>	Initiates variables counter and extra before if/else	2
<u>4</u>	Checks if Luggage weight is over 35	1
<u>5</u>	Calculated the extra charge before the nested if/else	1.5
<u>6</u>	Checks extra charge conditions	2
<u>7</u>	Stores the counter number	1
<u>8</u>	Prints the two statements	1 (0.5+0.5)

[SET-B]

SOLUTION

```
import java.util.Scanner;
public class zuraClub{
    public static void main(String [] args){
        Scanner sc = new Scanner(System.in);
        int age = sc.nextInt();
        int years = sc.nextInt();
        double discount;
        double fee = 5000;
        if(years<2){
            discount = 0;
        }
        else{
            if(age<18 || age>40){
                discount = 0.10;
            }
            else if(age>=18 && age<=40 && years>=5){
                discount = 0.25;
            }
            else{
                discount = 0.15;
            }
        }
        double discounted = fee*discount;
        fee = fee - discounted;
        System.out.println("You get a discount of BDT "+discounted);
        System.out.println("You have to pay BDT "+fee);
    }
}
```

RUBRIC

SL	Points To Meet	Marks [10]
<u>1</u>	Imports Scanner	0.5
<u>2</u>	Takes two integer inputs	1
<u>3</u>	Initiates variable discount outside if/else	1
<u>4</u>	Uses the fixed value of fees (5000)	0.5
<u>5</u>	Checks if membership years is greater than 2	1
<u>6</u>	Checks age and years range	2
<u>7</u>	Assigns the discount percentage properly	1
<u>8</u>	Calculates the discount	1
<u>9</u>	Calculates the fee to pay	1
<u>10</u>	Prints the print statements	1 (0.5+0.5)

