



### Insert Event/Collection: Guideline

Upload landing page image and Insert image name into Image table.

Insert into Event/Collection table, store the insert id in a variable - **\$event\_id** or **\$collection\_id**

Insert into Event\_collection\_info table, store the insert id in a variable - **\$info\_id**

Insert into event\_collection\_bridge the \$info\_id and the **\$event\_id** or **\$collection\_id**.

### Special columns

These columns contain strings with values separated by commas.

### Overview header, Overview content

This was done so that they can be converted into an array (**using the PHP explode()**) and then looped through to display the data.

overview_header varchar(255)	<input type="text"/>	Collection Name, By, Bags by, Held On
overview_content varchar(255)	<input type="text"/>	Desert Rhaspody, Kikoromeo, Baobab Fishskin bags, 23 November 2018

**COLLECTION NAME** Desert Rhaspody

**BY** Kikoromeo

**BAGS BY** Baobab Fishskin bags

**HELD ON** 23 November 2018

## Item\_name

This will store the collection or event name. They are two because in some cases we display the shortened version of the event/collection name and in other cases we display the full name.

item_name	varchar(255)	<input type="text"/>	<div>FIMA 2018, Festival International de la Mode Africaine</div>
-----------	--------------	----------------------	---

It is converted to an array then to display the shortened name you use `array[0]`, since it the first value and `array[1]` to display the full name since it the second value.