

Comments for Planning Application DM2025/01591

Application Summary

Application Number: DM2025/01591

Address: Ambulance Station Dorset Road Belmont SM2 6JH

Proposal: Change of use from Sui Generis (Ambulance Station) to mixed use Classes F1 (Places of Worship) and F2 (Community Hub) involving the erection of a part one, part two storey front and side extension, increase in height to part of building and provision of cycle and refuse stores.

Case Officer: Polly Davidson

Customer Details

Name: Ms Susie Sriranganathan

Address: 23 Elizabeth House Elizabeth drive Banstead Sm7 2fe

Comment Details

Commenter Type:

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment: I wish to formally object to the above planning application.

My father resides on Balmoral Way and I visit him regularly to assist with his day-to-day needs. I am therefore very familiar with the traffic conditions and access issues on this road.

Balmoral Way already experiences significant congestion, particularly during school peak times in the mornings and afternoons. At these times, vehicle movement is extremely restricted and visibility is compromised.

In addition, the road is frequently used for commuter parking by individuals accessing Belmont railway station and nearby bus routes. This results in extended on-street parking throughout the day, reducing available road width and making manoeuvring difficult.

The cumulative impact of:

- School peak-time congestion
- Commuter parking
- Narrow residential road layout

already creates challenging and at times unsafe conditions.

Of particular concern is emergency access. Should an ambulance, fire engine, or other emergency vehicle need to enter Balmoral Way, current parking patterns and congestion would make access extremely difficult, if not impossible. This raises serious public safety concerns for residents, many

of whom are elderly.

If this development proceeds, it will inevitably attract additional vehicles from surrounding areas, whether residents, visitors, service providers, or delivery vehicles. The increased traffic and parking demand would significantly exacerbate an already problematic situation and result in unacceptable highway pressure and disruption.

In my view, the proposal fails to adequately consider:

- Highway safety
- Emergency vehicle access
- Existing peak-time congestion
- The cumulative impact on a constrained residential road

I respectfully request that these concerns be fully assessed before any decision is made.