

Comments for Planning Application DM2025/01591

Application Summary

Application Number: DM2025/01591

Address: Ambulance Station Dorset Road Belmont SM2 6JH

Proposal: Change of use from Sui Generis (Ambulance Station) to mixed use Classes F1 (Places of Worship) and F2 (Community Hub) involving the erection of a part one, part two storey front and side extension, increase in height to part of building and provision of cycle and refuse stores.

Case Officer: Polly Davidson

Customer Details

Name: Mr Prakash Chandra Dhyani

Address: 10 Redclyffe Court York Road Cheam SM2 6HB

Comment Details

Commenter Type:

Stance: Customer objects to the Planning Application

Comment Reasons:

Comment:Hi,

I want to register my objection over few major concerns specific to that area and local community.

1. Traffic Congestion and Safety Risks Near the School:

The proposed site is located in very close proximity to a local school, an area that already experiences significant congestion during peak dropoff and pickup times. Introducing an additional use that is likely to generate concentrated footfall and vehicle movements-particularly where peak prayer times may overlap with school hours-will exacerbate existing bottlenecks.

The road layout provides limited space for safe manoeuvring, including threepoint turns, and any increase in vehicle volume will heighten the risk of obstruction, reduced visibility, and potential accidents involving schoolchildren and other pedestrians. This raises serious safeguarding concerns that must be carefully evaluated.

Please consider the traffic related to local amenities like Tennis club and bowling club.

2. Loss of an Essential Emergency and Community Service

The current premises serve as a base for ambulance and emergency support services, which provide critical coverage for residents across the area. Removing this facility would represent a direct reduction in essential emergency response capacity, impacting the wellbeing and safety of all members of the community.

In planning policy terms, this constitutes the loss of a vital community asset. Such services are difficult to relocate without negative operational impact, and once lost, they are unlikely to be

reinstated. It would be far more beneficial to retain or replace this type of universally accessible facility-one that supports and brings together all residents through essential health and emergency provision.

3. Impact on Community Cohesion and Balanced Use of Local Infrastructure

Introducing a highintensity use into an already constrained location risks placing additional pressure on local infrastructure, parking availability, and neighbouring residential amenities. Community facilities should enhance cohesion and inclusivity; therefore, any replacement for the ambulance space should ideally serve the broadest crosssection of local residents and address widely shared needs.

For these reasons, I respectfully request that the planning authority carefully reconsider this proposal in light of its significant implications for public safety, emergency response provision, and the overall suitability of this location for a highdensity use.

Thanks