

I.B. Tech - II Semester Idea Creation-2

“Study Planner”

Department of CSE-Branch (Data Science)

By

M. Akhila - 2311CS030352

L. Sindhuja - 2311CS030285

M. Laxmi Narasimha Chary - 2311CS030325

M. Upendra - 2311CS030355

M. Rohith - 2311CS030329

Under the Esteemed Guidance of

Mrs. Shara Lydia

Assistant. Professor - CSE



Malla Reddy University

Maisammaguda, Kompally, Hyderabad- 500100, Telangana State.
(Telangana State Private Universities Act No. 13 of 2020 & G. O. Ms. No.
14, Higher Education (UE) Department)



MALLA REDDY UNIVERSITY

(Telangana State Private Universities Act No. 13 of 2020 &
G.O.Ms.No. 14, Higher Education (UE) Department)

Maisammaguda, Kompally,
Hyderabad - 500100,
Telangana State.

Department of Computer Science and Engineering – Branch (Data Science)

CERTIFICATE

This is to certify that the Idea Creation report entitled “**Study Planner**” by **Akhila(2311CS030352), Sindhuja(2311CS030285), Laxmi Narasimha Chary(2311CS030325), Upendra(2311CS030355), Rohith (2311CS030329)** CSE- Branch (Data Science)Malla Reddy University, Hyderabad was submitted in partial fulfillment of the requirements for the completion of the course during the academic year 2023-2024, is a bonafide work carried out under our guidance and supervision.

Internal Guide	Idea Creation Coordinator	HOD
Mrs. Shara Lydia	Mr. T. A. Joseph Judson	Mr. J. Shashi Kumar

External Examiner

Acknowledgment

We have been truly blessed to have a wonderful internal guide, **Mrs. Shara Lydia** Department of CSE-Branch (Data Science), Malla Reddy University for guiding us to explore the ramification of our work and we express our sincere gratitude towards him for leading me through the completion of Project.

We would like express our gratitude to **Mr. T. A. Joseph Judson Asst. Professor**, Department of CSE, Idea creation Coordinator, for providing seamless support and right suggestions are given in the development of the application.

We would like to say our special thanks to **Mr J. Shashi Kumar, Incharge HOD, Asst. Professor**, Department of CSE-(Data Science), I. B. Tech, Malla Reddy University for providing seamless support and right suggestions are given in the development of the application.

We would like to convey our heartfelt gratitude to **Mrs. Lakshmi. T. K, Incharge HOD & Assistant Professor**, Department of CSE, I. B. Tech, Malla Reddy University for providing seamless support and right suggestions in the development of the application.

We would like to express out heartfelt thanks to **Dr. V. Dhanunjana Chari, Dean I B. Tech SOE & SOS**, Malla Reddy University for providing us with the conducive environment for carrying out academic schedules and project with ease.

We are grateful to **Vice Chancellor, Chancellor and The Management** Malla Reddy University for providing excellent infrastructure and their visionary thoughts to prepare ourselves industry ready by focusing on new technologies.

Finally, we would like to thank our family members and friends for their moral support and encouragement to achieve goals.

M. Akhila- 2311CS030352
L. Sindhuja- 2311CS030285
M. Laxmi Narasimha Chary- 2311CS030325
M. Upendra- 2311CS030355
M. Rohith- 2311CS030329

ABSTRACT

A study planner is an organized schedule that students create to outline time for study, this can be done either by using the traditional method i. e” pen and paper” or taking advantage of technological devices such as mobile phones and laptops.

A Study Planner is therefore a way or method for setting up a study plan. The Study Planner is usually includes a timetable which attaches the essence of time to each event. A Study Planner is needed for efficient time management among students considering all distraction that university life might bring is important for success, therefore taking advantage of the Andriod and IOS smartphone this project devises a way to help students manage their time and schedules on their phones.

The Study Planner for mobile devices is developed with a Rapid Application Development methodology which allows software to be developed faster, quickly tested and produces early prototypes.

A study planner is a digital tool designed to help students organize their academic schedules, manage tasks, set goals, and track progress. This abstract discusses the importance of regular updates for study planner apps. It highlights the benefits of bug fixes, performance improvements, new features, user feedback implementation, compatibility updates, and security enhancements. By staying updated, study planner apps can provide a seamless user experience, optimize functionality, and assist students in staying organized and achieving academic success.

INDEX

CHAPTER NO.	TITLE	PAGE NO.
1	Introduction	1
1.1	Summary of application	2
1.2	Background of application	3
2	Literature Survey and Existing System	4
2.1	Existing System	4
2.2		
3	Software and Hardware Requirements	6
3.1	Software Requirements	6
3.1.1	Java	6
3.1.2	Hardware requirements	6
4	Design- algorithm or flow chat	7-8
4.1	Screen Shots of APP	9-10
5	Application Code	11-50
6	Conclusion	51
7	Future scope	52
	References	53

LIST OF FIGURES

FIGURE NO	NAME OF THE FIGURE	PAGE NO.
Fig.1	Architecture of the Study Planner	7
Fig.2	Dataflow diagram of Study Planner	7
Fig.3	Screen shot for login page	9
Fig.4	Screen shot for signup page	10
Fig.5	Screen shot for homepage	18

Chapter - 1 INTRODUCTION

A study planner app is a tool designed to help students effectively manage their time, set goals, and organize their study materials. It provides a centralized platform where users can create schedules, track their progress, and stay motivated throughout their academic journey.

The main purpose of a study planner app is to assist students in optimizing their study habits and achieving academic success. By breaking down their tasks into manageable chunks, students can prioritize their workload and allocate appropriate time for each subject or assignment.

This helps them avoid procrastination and stay on track with their studies.

During examination periods, students often face various challenges that can hinder their academic success.

Time management: Exams require students to cover a vast amount of material within a limited time frame. Poor time management skills can lead to cramming, stress, and ultimately lower performance.

Stress and anxiety: Exams can be stressful, causing anxiety and affecting concentration and focus.

Lack of organization: Without proper organization, students may struggle to prioritize tasks, keep track of deadlines, and effectively study for exams. This can lead to a disorganized approach and subpar results.

Procrastination: Many students struggle with procrastination, delaying studying until the last minute. A study planner is a valuable tool for organizing your study schedule and maximizing your productivity.

The key to successful study planner is user-friendly design and seamless integration of features to enhance the overall study experience.

1.1 Summary of Application

Study planner is revolutionary app that improves the process of students preparation dedication towards their study with a unique structure of tables. With its intuitive interface and using python in back end. It is a efficient platform to have a good timetable for their Competitive exams.

By using students input data, it gives the best preparation timetable for students according to their class or level. It also asks student that for what level should it prepare timetable level like topper, average or a slow learner.

It also allows students to recreate timetable according to their convinience. Learners can also find easy chapters for their competative exams and it also helps with past time question paper It helps students with effective study methods like making mind maps, making flashcard and often remembering it, making user to practice SQ3R method. With user-friendly functions and features user easily can handle app with a satisfaction. Navigating through the app is effortless, allowing learners to get a proper timetable and engaging in a good learning experiences.

As students suffer with improper timetable and time management, Study planner helps to plan a proper timetable .The app also provides remainders and notifications to help users to stay on track with their studies. It strives to enhance the overall learning journey more comfortable and a culture of continuous education.

.

1.2 Background of App:

The development of Study planner app is designed for enhance to study according to a plan before a exam week and boosts their confidence and helps them to score good marks. Education plays a vital role in building their respect in society and their future development .It also helps in their academic Success.

We ourselves checked the loop holes in the present study planner apps like FOREST, TODOLIST, MY STUDY LIFE etc. Taking forest as example it provides gamification feature which distract them from studying. Todoist is only available in premium version and this all apps even doesn't provide effective time table for their preparation.

Our team individually consisting of different talents of developers , designers and study experts to bring a bright life to Study planner. Our team designed it in a user friendly manner to all the learners.

The most important aspect of the app is user interaction with our app developers regarding the features or update or of any bugs in the app. The app is to relieve students from stress and tension of exams. Study planner is design ed to prioritize a proper time table before exams for students. It also discuss with the student if there is any deletion or improper information in their book.

Overall,Study Planner is designed from our own student life experiences.It emerged from the deep understanding of student psychology,it suggests students to start a week prior to their exams with a meaningful quotes.Study Planner aims to revolutuionize the thoughts and psychology of students.

Chapter -2: Literature Survey and Existing Systems

Literature survey of study planner apps would involve researching and analyzing existing apps in this category. It would include studying their features, user reviews, and effectiveness in helping users plan and manage their study schedules. The survey would also explore any research or studies conducted on the impact of study planner apps on academic performance. By examining different study planner apps, you can gain insights into the best practices, popular features, and potential improvements for developing your own study planner app. It's always a good idea to gather information from various sources to create a comprehensive literature survey.

2.1 Existing System

Study Planner has several features to help you study better, check out:

1. Plan which subjects you need to study every day;
2. Option to add the list of activities for each study session;
3. History with the amount of hours you studied each day, month, week and throughout the period;
4. Notifications about subjects that you have to study and summary of the study day;
5. Customize your subjects with colors, names, amount of time studying;
6. Define how many subjects you want to study each day this week.

2.2 Proposed System:

Limited customization: Many study planning apps do not offer customization to their user. However, our app provides full customization to our users.

Lack of Flexibility: Certain apps have complex interfaces through which the user suffers to use the app.

Lack of concentration: Many study planner apps offer many games by which there is a scope of distraction for students. But our app provides games that may not effect students concentration.

Tracking progress: At present apps do not have progress tracking feature through which student doubts his/her preparation. Our app gives full tracking of student from day one.

Privacy concern: Now days Hackers are stealing the data through many ways but when user uses our app then his/her data won't leak at any cost because we use the toughest firewalls which are not that easy to crack.

Chapter -3: Software and Hardware Requirements

3.1 Software Requirements

Front End : Reactjs will be used to develop the user interface of the application.

Back End : Java is used as backend for storing and retrieving data.

Scripting Language : Javascript is used as scripting language.

Frame Work : Spring Framework is used as framework.

3.1.1 JAVA

Java is a popular programming language that's used for a wide range of applications, from building websites to developing mobile apps and even running large-scale systems. Java is known for its versatility, reliability, and platform independence, which means that programs written in Java can run on different operating systems without needing to be rewritten. It's also an object-oriented language, which allows for modular and reusable code.

3.2 Hardware Requirements

Processor : An Intel Core i5 processor or higher will provide sufficient processing power for running the application smoothly.

RAM : 8GB of RAM is recommended to ensure optimal performance while running the application.

Hard Disk : A Minimum of 150GB of free storage space is required to install the necessary software and store the files.

Chapter – 4




Fig. 1 Database diagram of Study Planner

4.1 System Architecture




Fig. 2 System Architecture of Study Planner

4.2 Algorithm

Here's algorithm for the STUDY PLANNER:

- 1.Start the study planner application.
- 2.Display the login or sign in page.
- 3.If the user is new, prompt them to sign in with their desired username and password.
- 4.If the user is already registered, prompt them to enter their login credentials.
- 5.Verify the user's credentials against the database or storage.
- 6.If the credentials are valid, redirect the user to their respective dashboard based on their user type (teacher or student).
- 7.If the credentials are invalid, display an error message and allow the user to retry or register again.

4.3 Screenshots of Application




Fig. 3 Login Page

1. The page appears first when an user or admin opens the application.
2. The User or Admin has to enter their user id and password to get logged in.
3. If you enter wrong , then it will show an error message as “invalid login credentials.
4. If you are a new user then you have to register by clicking signup.




Fig. 4 Sign Up Page

1. If a new user enters the webpage ,then he had to register.
2. For that he has to click Sign Up and enter his details and has to register.
3. They have to create an user id and password to login the next time when theywant to use the application.

Chapter - 5 Application Code

StudyPlanner.js

```
var MyClass = React.createClass({
  render: function() {
    return (
      <div>
        <title>Study Planner</title>
        <style dangerouslySetInnerHTML={{__html: "\n      button{\n        width:10%;\n        height:40px;\n        border-radius: 40px;\n        background-color: aliceblue;\n        border:none;\n        outline: none;\n        cursor:pointer;\n        font-size:1rem;\n        font-weight:500px;\n        transition:\n        all 0.4s ease;\n}\nbutton:hover{\n        background-color: darkgrey;\n}\nbody{\n        margin:2px;\n        background-image:\n        url(\"https://tse3.mm.bing.net/th?id=OIP.EGrtAf0XaVjNtCITjnL0wHaEK&pid=Api&\n        P=0&h=180\");\n        background-attachment: fixed;\n        background-repeat: no-repeat;\n        background-size: cover;\n        \n\n}\n.login{\n        background-color: beige;\n        width:20%;\n}\n\n" }} />
        <div><section>
          <br /><br /><br /><br /><br /><br /><br />
          <center>
            </center><br /><br /><br />
            <a href="login.html" /><center><a href="login.html"><b><button type="button"
            className="button">Log In</button><br /><br /></b>
            </a>
            <b>or</b><br /><br />
            <a href="signup.html"><b><button type="button" className="button">Sign
            Up</button><br /><br /></b></a>
```

```

        </center></section></div>
    </div>
  );
}
});

```

Login.js

```

var MyClass = React.createClass({
  render: function() {
    return (
      <div>
        <meta charSet="UTF-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0" />
        <link rel="stylesheet" href="style.css" />
        <title>Study Planner</title>
        <section>
          <form action="homepage.html">
            <center></center>
              <h1>Login</h1>
              <div className="inputbox">
                <ion-icon name="mail-outline" />
                <input type="email" required />
                <label htmlFor>Email</label>
              </div>
              <div className="inputbox">
                <ion-icon name="lock-closed-outline" />

```

```

        <input type="password" required />
        <label htmlFor>Password</label>
    </div>
    <div className="forget">
        <label htmlFor><input type="checkbox" />Remember me</label>
        <a href="#">Forget Password</a>
    </div>
    <button>Log in</button>
    <div className="register">
        <p>Don't have an account<a href="signup.html">Register</a></p>
    </div>
</form>
</section>
</div>
);
}
});

```

Signup.js

```

var MyClass = React.createClass({
  render: function() {
    return (
      <div>
        <meta charSet="UTF-8" />
        <meta name="viewport" content="width=device-width, initial-scale=1.0" />
        <link rel="stylesheet" href="style.css" />
        <title>Study Planner</title>
        <section>
          <form action="homepage.html">
            <center></center>

<h1>signup</h1>

<div className="inputbox">

<ion-icon name="mail-outline" />

<input type="email" required />

<label htmlFor>Email</label>

</div>

<div className="inputbox">

<ion-icon name="lock-closed-outline" />

<input type="password" required />

<label htmlFor>Password</label>

</div>

<div className="inputbox">

<ion-icon name="lock-closed-outline" />

<input type="password" required />

<label htmlFor> Repeat-Password</label>

</div>

<button>Signup</button>

<div className="register">

<p>Already have an account<a href="login.html">Login</a></p>

</div>

</form>

</section>

</div>

);

}

## Homepage.js

```
var MyClass = React.createClass({
 render: function() {
 return (
 <div>
 <meta charSet="UTF-8" />
 <meta name="viewport" content="width=device-width, initial-scale=1.0" />
 <link rel="stylesheet" href="style.css" />
 <title>Study Planner</title>
 <section>
 <form action="homepage.html">
 <center></center>
 <h1>signup</h1>
 <div className="inputbox">
 <ion-icon name="mail-outline" />
 <input type="email" required />
 <label htmlFor>Email</label>
 </div>
 <div className="inputbox">
 <ion-icon name="lock-closed-outline" />
 <input type="password" required />
 <label htmlFor>Password</label>
 </div>
 <div className="inputbox">
 <ion-icon name="lock-closed-outline" />
 <input type="password" required />
 </div>
 </form>
 </section>
 </div>
);
 }
});
```

```

 <label htmlFor> Repeat-Password</label>
 </div>
 <button>Signup</button>
 <div className="register">
 <p>Already have an accountLogin</p>
 </div>
</form>
</section>
</div>
);
}
});

```

## Calendar.js

```

var MyClass = React.createClass({
 render: function() {
 return (
 <div>
 <meta charSet="UTF-8" />
 <meta name="viewport" content="width=device-width, initial-scale=1.0" />
 <title>Study Planner</title>
 <style dangerouslySetInnerHTML={{__html: " body {\nfont-family: Arial, sans-serif;
margin: 0;\npadding: 0;\nbackground-color: #f4f4f4; text-align:center;\nfont-weight:
600;\n}\nheader {\nbackground-color: grey; color: white;\ntext-align: center; padding: 1em
0;\n}\nnav {\nbackground-color:darkgrey; text-align: center;\npadding: 0.5em 0;\n}\n\n" }} />
 <header><h1>Study Planner</h1></header>
 <nav><h2>Calendar</h2></nav>

 <h1><i>Enter a subject</i> </h1>
 <form action="timetable.html">
 <label htmlFor="subject">Subject:</label>
 <input type="text" id="subject" name="subject " required />


```

```

 <input type="submit" default Value="Submit" />
 </form>
</div>

);
}
});

```

## TimeTable.js

```

var MyClass = React.createClass({
 render: function() {
 return (
 <div>
 <meta charSet="UTF-8" />
 <meta name="viewport" content="width=device-width, initial-scale=1.0" />
 <title>Study Planner</title>
 <style dangerouslySetInnerHTML={{__html: " body {\nfont-family: Arial, sans-serif; margin:
0;\npadding: 0;\nbackground-color: #f4f4f4; text-align:center;\nfont-weight: 600;\n}\nheader
{\nbackground-color: grey; color: white;\ntext-align: center; padding: 1em 0;\n}\nnav {\nbackground-
color:darkgrey; text-align: center;\npadding: 0.5em 0;\n}\n\n" }} />
 <header><h1>Study Planner</h1></header>
 <nav><h2>Calendar</h2></nav>

 <h1><center>TIME TABLE</center></h1>
 <table border={5} cellSpacing={0} align="center">
 { /*<caption>Timetable</caption>*/ }
 <tbody><tr>
 <td align="center" height={50} width={100}>

 Day/Period

 </td>
 <td align="center" height={50} width={100}>
 I
9:30-10:20
 </td>
 <td align="center" height={50} width={100}>
 II
10:20-11:10
 </td>

```

```

<td align="center" height={50} width={100}>
 III
11:10-12:00
</td>
<td align="center" height={50} width={100}>
 12:00-12:40
</td>
<td align="center" height={50} width={100}>
 IV
12:40-1:30
</td>
<td align="center" height={50} width={100}>
 V
1:30-2:20
</td>
<td align="center" height={50} width={100}>
 VI
2:20-3:10
</td>
<td align="center" height={50} width={100}>
 VII
3:10-4:00
</td>
</tr>
<tr>
<td align="center" height={50}>
 Monday
</td>
<td align="center" height={50}>frontend introduction</td>
<td align="center" height={50}>frontend practice</td>
<td align="center" height={50}>backend introduction </td>
<td rowspan={6} align="center" height={50}>
 <h2>L
U
N
C
H</h2>
</td>
<td colspan={3} align="center" height={50}>backend practice</td>
<td align="center" height={50}>rewrite all</td>
</tr>
<tr>
<td align="center" height={50}>

```



```

 Tuesday
</td>
<td colSpan={2} align="center" height={50}>DBMS and SQL
</td>
<td align="center" height={50}>Practice of DBMS</td>
<td align="center" height={50}>Version control introduction</td>
<td align="center" height={50}>practicing of version control</td>
<td colSpan={2} align="center" height={50}>revision of prepared topics </td>
</tr>
<tr>
<td align="center" height={50}>
 Wednesday
</td>
<td align="center" height={50}>front end framework</td>
<td colSpan={2} align="center" height={50}>practicing frameworks</td>
<td align="center" height={50}>backend frameworks</td>
<td colSpan={3} align="center" height={50}>practicing backend frameworks</td>
</tr>
<tr>
<td align="center" height={50}>
 Thursday
</td>
<td colSpan="3s" align="center" height={50}>authentication and security in web
development</td>
<td colSpan={2} align="center" height={50}>practicing authentication and security</td>
<td align="center" height={50}>deployment and hosting of web applications</td>
<td colSpan={3} align="center" height={50}>practicing
</td>
</tr>
<tr>
<td align="center" height={50}>
 Friday
</td>
<td colSpan={3} align="center" height={50}>introduction to debugging

```

```

 </td>
 <td colSpan={2} align="center" height={50}>practicing</td>
 <td colSpan={2} align="center" height={50}>project management and collaboration</td>
 </tr>
 <tr>
 <td align="center" height={50}>
 Saturday
 </td>
 <td colSpan={3} &"4"align="center" height={50}>relaxation and personality
development</td>
 </tr>
</tbody></table>
</div>
);
}
});

```

```

var MyClass = React.createClass({
 render: function() {
 return (
 <div>
 <meta charSet="UTF-8" />
 <meta name="viewport" content="width=device-width, initial-scale=1.0" />
 <title>Study Planner</title>
 <style dangerouslySetInnerHTML={{__html: " body {\nfont-family: Arial, sans-serif; margin:
0;\npadding: 0;\nbackground-color: #f4f4f4; text-align:center;\nfont-weight: 600;\n}\nheader
{\nbackground-color: grey; color: white;\ntext-align: center; padding: 1em 0;\n}\nnav {\nbackground-
color:darkgrey; text-align: center;\npadding: 0.5em 0;\n}\n\n" }} />
 <header><h1>Study Planner</h1></header>
 <nav><h2>Calendar</h2></nav>

 <h1><center>TIME TABLE</center></h1>
 <table border={5} cellSpacing={0} align="center">
 {/*<caption>Timetable</caption>*/}
 <tbody><tr>
 <td align="center" height={50} width={100}>


```

```

 Day/Period

</td>
<td align="center" height={50} width={100}>
 I
9:30-10:20
</td>
<td align="center" height={50} width={100}>
 II
10:20-11:10
</td>
<td align="center" height={50} width={100}>
 III
11:10-12:00
</td>
<td align="center" height={50} width={100}>
 12:00-12:40
</td>
<td align="center" height={50} width={100}>
 IV
12:40-1:30
</td>
<td align="center" height={50} width={100}>
 V
1:30-2:20
</td>
<td align="center" height={50} width={100}>
 VI
2:20-3:10
</td>
<td align="center" height={50} width={100}>
 VII
3:10-4:00
</td>
</tr>
<tr>
<td align="center" height={50}>
 Monday
</td>
<td align="center" height={50}>frontend introduction</td>
<td align="center" height={50}>frontend practice</td>
<td align="center" height={50}>backend introduction </td>

```

```

<td rowspan={6} align="center" height={50}>
 <h2>L
U
N
C
H</h2>
</td>
<td colspan={3} align="center" height={50}>backend practice</td>
<td align="center" height={50}>rewrite all</td>
</tr>
<tr>
<td align="center" height={50}>
 Tuesday
</td>
<td colspan={2} align="center" height={50}>DBMS and SQL
</td>
<td align="center" height={50}>Practice of DBMS</td>
<td align="center" height={50}>Version control introduction</td>
<td align="center" height={50}>practicing of version control</td>
<td colspan={2} align="center" height={50}>revision of prepared topics </td>
</tr>
<tr>
<td align="center" height={50}>
 Wednesday
</td>
<td align="center" height={50}>front end framework</td>
<td colspan={2} align="center" height={50}>practicing frameworks</td>
<td align="center" height={50}>backend frameworks</td>
<td colspan={3} align="center" height={50}>practicing backend frameworks</td>
</tr>
<tr>
<td align="center" height={50}>
 Thursday
</td>
<td colspan="3s" align="center" height={50}>authentication and security in web
development</td>
<td colspan={2} align="center" height={50}>practicing authentication and security</td>
<td align="center" height={50}>deployment and hosting of web applications</td>

```

```

 <td colSpan={3} align="center" height={50}>practicing
 </td>
 </tr>
 <tr>
 <td align="center" height={50}>
 Friday
 </td>
 <td colSpan={3} align="center" height={50}>introduction to debugging
 </td>
 <td colSpan={2} align="center" height={50}>practicing</td>
 <td colSpan={2} align="center" height={50}>project management and collaboration</td>
 </tr>
 <tr>
 <td align="center" height={50}>
 Saturday
 </td>
 <td colSpan={3} &"4"align="center" height={50}>relaxation and personality
development</td>
 </tr>
</tbody></table>
</div>
);
}
});

```

## Videotutorials.js

```

var MyClass = React.createClass({
 render: function() {
 return (
 <div>
 <meta charSet="UTF-8" />
 <meta name="viewport" content="width=device-width, initial-scale=1.0" />
 <title>Study Planner</title>

```

```

 <style dangerouslySetInnerHTML={{__html: "\n body {\n font-family: Arial, sans-serif;\n margin: 0;\n padding: 0;\n background-color: #f4f4f4;\n text-align:center;\n font-weight: 600;\n }\n\n header {\n background-color: grey;\n color: white;\n text-align: center;\n padding: 1em 0;\n }\n\n nav {\n background-color:darkgrey;\n text-align: center;\n padding: 0.5em 0;\n }\n "}} />

 <header><h2>Study Planner</h2></header>

 <nav><h3>Video Tutorials</h3></nav>

 <p />

 <h4>

 Python Tutorials

 </h4>

 </div>

);
}
});

```

## Notes.js

```

var MyClass = React.createClass({
 render: function() {
 return (
 <div>
 <meta charSet="UTF-8" />
 <meta name="viewport" content="width=device-width, initial-scale=1.0" />

```

```

<title>Study Planner</title>
<style dangerouslySetInnerHTML={{__html: "\n body {\n font-family: Arial, sans-serif;\n
margin: 0;\n padding: 0;\n background-color: #f4f4f4;\n text-align:center;\n font-weight:
600;\n}\nheader {\n background-color: grey;\n color: white;\n text-align: center;\n padding: 1em
0;\n}\nnav {\n background-color:darkgrey;\n text-align: center;\n padding: 0.5em 0;\n}\n\n " }} />
<header><h1>Study Planner</h1></header>
<nav><h2>Notes</h2></nav>

<a href="https://www.freecodecamp.org/news/the-css-handbook-a-hand-y-guide-to-css-for-
developers-b56695917d11/">

</div>
);
}
});

```

## exams.js

```

var MyClass = React.createClass({
 render: function() {
 return (
 <div>
 <meta charSet="UTF-8" />
 <meta name="viewport" content="width=device-width, initial-scale=1.0" />
 <title>Study Planner</title>
 <style dangerouslySetInnerHTML={{__html: " body {\nfont-family: Arial, sans-serif; margin:
0;\npadding: 0;\nbackground-color: #f4f4f4; text-align:center;\nfont-weight: 600;\n}\nheader
{\nbackground-color: grey; color: white;\ntext-align: center; padding: 1em 0;\n}\nnav {\nbackground-
color:darkgrey; text-align: center;\npadding: 0.5em 0;\n}\n\n" }} />
 <header><h1>Study Planner</h1></header>

```

```

<nav><h2>Notes</h2></nav>

<a href="https://www.freecodecamp.org/news/the-css-handbook-a-handly-guide-to-css-
for- developers-b56695917d11/">


```

Exams.html

```

<meta charSet="UTF-8" />

<meta name="viewport" content="width=device-width, initial-scale=1.0" />

<title>Study Planner</title>

<style dangerouslySetInnerHTML={{__html: " body {\nfont-family: Arial, sans-serif; margin:
0;\npadding: 0;\nbackground-color: #f4f4f4; text-align:center;\nfont-weight: 600;\n}\n\nheader
{\nbackground-color: grey; color: white;\ntext-align: center; padding: 1em 0;\n}\n\nnav
{\nbackground-color:darkgrey; text-align: center;\npadding: 0.5em 0;\n}\ntable{\nwidth:1200px;
height:200px;\n}\n" }} />

<header><h1>Study Planner</h1></header>

<nav><h3>Exams</h3></nav>

<center><table border={2}>

 <caption>Exam TimeTable</caption>

 <tbody><tr>

 <th>Exam</th>

 <th>Date</th>

 <th>Timings </th>

 </tr>

```



```

<tr>
 <td>Python Programming</td>
 <td>17-01-2024</td>
 <td>10.30am-12.30pm</td>
</tr>
<tr>
 <td>UIWD</td>
 <td>19-10-2024</td>
 <td>01.00pm-3.30pm</td>
</tr>
<tr>
 <td>FSD</td>
 <td>21-01-2024</td>
 <td>10.30am-12.30pm</td>
</tr>
<tr>
 <td>Mathematics-1</td>
 <td>23-01-2024</td>
 <td>01.00pm-3.30pm</td>
</tr>
<tr>
 <td>English</td>
 <td>25-01-2024</td>
 <td>10.30am-12.30pm</td>
</tr>
</tbody></table></center>
<h3>Resources</h3>

```

<p>

</p><h5>Python Programming</h5><a href="notes.html"></a>

<a href="videotutorials.html"></a>

<a href="https://realpython.com/quizzes/"></a>

<h5>UIWD</h5><a href="#"></a>

<a href="#"></a>

<a href="https://www.testdome.com/tests/html-css-online-test/13"></a>

<h5>FSD</h5><a href="#"></a>

<a href="#"></a>

<a href="https://priyadogra.com/full-stack-development-quiz-mcq-questions-and- answers-national-level-free-certificate/"></a>

<h5>Mathematics-1</h5><a href="#"></a>

<a href="#"></a>

```


 <h5>English</h5>

 <p />
 </div>

);
}
});

```

## Style.js

```

var MyClass = React.createClass({
 render: function() {
 return (
 <div>
 *{' '}
 margin:0;
 padding:0;
 box-sizing:border-box;
 font-family:Georgia, 'Times New Roman', Times, serif;

```

```

 {}'
body{'{
display:flex;
align-items:center;
justify-content:center;
min-height:100vh;
background-
image:url('https://tse3.mm.bing.net/th?id=OIP.EGrvTAf0XaVjNtCITjnL0wHaEK&pid=Api&
p;P=0&h=180');
background-repeat: no-repeat;
background-size: cover;
}'
section{'{
position:relative;
max-width:400px;
background-color:transparent ;
border:2px;
backdrop-filter: blur(55px);
display:flex;
justify-content:center;
align-items:center;
padding: 2rem 3rem;
}'
h1{'{
font-size:2rem;
color:#fff;
text-align:center;
}'

```

```

.inputbox{'{'}
position: relative;
margin:30px 0;
max-width:310px;
border-bottom: 2px solid;
{'}}

.inputbox label {'{'}
position:absolute;
top:50px;
left:5px;
transform:translateY(-50%);
color:#fff;
font-size:1rem;
pointer-events:none;
transition:all 0.5s ease-in-out;
{'}}

input:focus-label;
input:valid-label;{'{'}

top: 5px;
{'}}

.inputbox input{'{'}

width:100%;
height:60px;
background: transparent;
border:none;
outline:none;
font-size:1rem;

```

```
padding: 0 35px 0 5px;
color:#fff;
{}}
.inputbox ion-icon:{'}
position:absolute;
right: 8px;
color:#fff;
font-size:1.2rem;
top:20px;
{}}
.forget{'}
margin: 35px 0;
font-size: 0.85rem;
color:#fff;
display:flex;
justify-content:space-between;
{}}
.forget label{'}
display:flex;
align-items:center;
{}}
.forget label input{'}
margin-right:3px;
{}}
.forget a{'}
color:#fff;
text-decoration:none;
```

```

font-weight:500px;
{}}
.forget a:hover{'}
text-decoration: underline;
{}}
button{'}
width:100%;
height:40px;
border-radius: 40px;
background-color: aliceblue;
border:none;
outline: none;
cursor:pointer;
font-size:1rem;
font-weight:500px;
transition: all 0.4s ease;
{}}
button:hover{'}
background-color: darkgrey;
{}}
.register{'}
font-size:0.9rem;
color:#fff;
text-align:center;
margin:25px 0 10px;
{}}
.register p a{'}

```

```

text-decoration: none;

color:#fff;

font-weight: 500px;

{''})

.register p a:hover{'')

text-decoration:underline;

{''})

</div>

);

}

});

```

## Calendar.java

```

import java.util.Scanner;

public class TimetableGenerator {

 public static void main(String[] args) {

 Scanner scanner = new Scanner(System.in);

 // Input: Number of subjects

 System.out.print("Enter the number of subjects: ");

 int numSubjects = scanner.nextInt();

 scanner.nextLine(); // Consume newline

 // Input: Subject names

 String[] subjects = new String[numSubjects];

 for (int i = 0; i < numSubjects; i++) {

 System.out.print("Enter subject " + (i + 1) + " name: ");

 subjects[i] = scanner.nextLine();

 }

 }

}

```



```

// Input: Total study hours available per day
System.out.print("Enter total study hours per day: ");
int totalStudyHours = scanner.nextInt();

// Calculate study hours per subject (evenly distributed)
int studyHoursPerSubject = totalStudyHours / numSubjects;

// Generate timetable
System.out.println("\nYour Timetable:");
for (String subject : subjects) {
 System.out.println(subject + ": " + studyHoursPerSubject + " hours");
}

scanner.close();
}
}

```

### **Videotutorials.java**

```

import java.awt.Desktop;
import java.net.URI;

public class Video {
 public static void main(String[] args) throws Exception{
 Desktop d = Desktop.getDesktop();
 d.browse(new URI("https://youtu.be/C_Y6yrkj9Sg?si=YpOeM0EZh4BRjlGp"));
 }
}

```

## Notes.java

```
import javax.swing.*;
import java.awt.*;
import java.awt.event.*;
import java.io.*;
import java.util.ArrayList;

public class NoteAppFrame extends JFrame {
 private JTextArea noteTextArea;
 private JComboBox<String> categoryComboBox;
 private ArrayList<Note> notes;

 public NoteAppFrame() {
 setTitle("JavaNote - Note Taking Application");
 setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
 setSize(600, 400);
 setLocationRelativeTo(null);

 notes = new ArrayList<>();

 noteTextArea = new JTextArea();
 categoryComboBox = new JComboBox<>();
 JButton createButton = new JButton("Create");
 JButton editButton = new JButton("Edit");
 JButton deleteButton = new JButton("Delete");
 JButton saveButton = new JButton("Save");
```

```

JPanel controlPanel = new JPanel();
controlPanel.setLayout(new FlowLayout());
controlPanel.add(createButton);
controlPanel.add(editButton);
controlPanel.add(deleteButton);
controlPanel.add(saveButton);

createButton.addActionListener(new ActionListener() {
 @Override
 public void actionPerformed(ActionEvent e) {
 createNote();
 }
});

editButton.addActionListener(new ActionListener() {
 @Override
 public void actionPerformed(ActionEvent e) {
 editNote();
 }
});

deleteButton.addActionListener(new ActionListener() {
 @Override
 public void actionPerformed(ActionEvent e) {
 deleteNote();
 }
});

```

```

saveButton.addActionListener(new ActionListener() {
 @Override
 public void actionPerformed(ActionEvent e) {
 saveNotes();
 }
});

add(controlPanel, BorderLayout.NORTH);
add(new JScrollPane(noteTextArea), BorderLayout.CENTER);

loadNotes();
}

private void loadNotes() {
 try {
 FileInputStream fileIn = new FileInputStream("notes.ser");
 ObjectInputStream in = new ObjectInputStream(fileIn);
 notes = (ArrayList<Note>) in.readObject();
 in.close();
 fileIn.close();
 populateCategoryComboBox();
 } catch (IOException | ClassNotFoundException ex) {
 ex.printStackTrace();
 }
}

private void saveNotes() {

```

```

try {
 FileOutputStream fileOut = new FileOutputStream("notes.ser");
 ObjectOutputStream out = new ObjectOutputStream(fileOut);
 out.writeObject(notes);
 out.close();
 fileOut.close();
} catch (IOException ex) {
 ex.printStackTrace();
}
}

```

```

private void createNote() {
 String title = JOptionPane.showInputDialog(this, "Enter note title:");
 String content = noteTextArea.getText();
 String category = categoryComboBox.getSelectedItem().toString();

 Note note = new Note(title, content, category);
 notes.add(note);
 populateCategoryComboBox();
 saveNotes();

 noteTextArea.setText("");
 JOptionPane.showMessageDialog(this, "Note created successfully!");
}

```

```

private void editNote() {
 int selectedNoteIndex = notes.size() > 0 ? categoryComboBox.getSelectedIndex() : -1;

```

```

if (selectedNoteIndex >= 0) {
 Note selectedNote = notes.get(selectedNoteIndex);
 selectedNote.setContent(noteTextArea.getText());
 saveNotes();
 JOptionPane.showMessageDialog(this, "Note edited successfully!");
} else {
 JOptionPane.showMessageDialog(this, "No note selected.");
}
}

private void deleteNote() {
 int selectedNoteIndex = notes.size() > 0 ? categoryComboBox.getSelectedIndex() : -1;

 if (selectedNoteIndex >= 0) {
 notes.remove(selectedNoteIndex);
 populateCategoryComboBox();
 saveNotes();
 noteTextArea.setText("");
 JOptionPane.showMessageDialog(this, "Note deleted successfully!");
 } else {
 JOptionPane.showMessageDialog(this, "No note selected.");
 }
}

private void populateCategoryComboBox() {
 categoryComboBox.removeAllItems();

```

```

 for (Note note : notes) {
 categoryComboBox.addItem(note.getTitle());
 }
 }
}

```

```

public static void main(String[] args) {
 SwingUtilities.invokeLater(() -> {
 JFrame frame = new NoteAppFrame();
 frame.setVisible(true);
 });
}
}

```

### **NoteAppFrame.java**

```

import javax.swing.*.*;
import java.awt.*.*;
import java.awt.event.*;
import java.io.*;
import java.util.ArrayList;

public class NoteAppFrame extends JFrame {
 private JTextArea noteTextArea;
 private JComboBox<String> categoryComboBox;
 private ArrayList<Note> notes;
 public NoteAppFrame() {
 setTitle("JavaNote - Note Taking Application");
 setDefaultCloseOperation(JFrame.EXIT_ON_CLOSE);
 setSize(600, 400);
 }
}

```

```

setLocationRelativeTo(null);

notes = new ArrayList<>();

noteTextArea = new JTextArea();
categoryComboBox = new JComboBox<>();

JButton createButton = new JButton("Create");
JButton editButton = new JButton("Edit");
JButton deleteButton = new JButton("Delete");
JButton saveButton = new JButton("Save");

JPanel controlPanel = new JPanel();
controlPanel.setLayout(new FlowLayout());
controlPanel.add(createButton);
controlPanel.add(editButton);
controlPanel.add(deleteButton);
controlPanel.add(saveButton);

createButton.addActionListener(new ActionListener() {
 @Override
 public void actionPerformed(ActionEvent e) {
 createNote();
 }
});

editButton.addActionListener(new ActionListener() {
 @Override

```



```

 public void actionPerformed(ActionEvent e) {
 editNote();
 }
 });

 deleteButton.addActionListener(new ActionListener() {
 @Override
 public void actionPerformed(ActionEvent e) {
 deleteNote();
 }
 });

 saveButton.addActionListener(new ActionListener() {
 @Override
 public void actionPerformed(ActionEvent e) {
 saveNotes();
 }
 });

 add(controlPanel, BorderLayout.NORTH);
 add(new JScrollPane(noteTextArea), BorderLayout.CENTER);

 loadNotes();
}

private void loadNotes() {
 try {
 FileInputStream fileIn = new FileInputStream("notes.ser");

```

```

 ObjectInputStream in = new ObjectInputStream(fileIn);
 notes = (ArrayList<Note>) in.readObject();
 in.close();
 fileIn.close();
 populateCategoryComboBox();
 } catch (IOException | ClassNotFoundException ex) {
 ex.printStackTrace();
 }
}

```

```

private void saveNotes() {
 try {
 FileOutputStream fileOut = new FileOutputStream("notes.ser");
 ObjectOutputStream out = new ObjectOutputStream(fileOut);
 out.writeObject(notes);
 out.close();
 fileOut.close();
 } catch (IOException ex) {
 ex.printStackTrace();
 }
}

```

```

private void createNote() {
 String title = JOptionPane.showInputDialog(this, "Enter note title:");
 String content = noteTextArea.getText();
 String category = categoryComboBox.getSelectedItem().toString();
 Note note = new Note(title, content, category);
}

```

```

 notes.add(note);
 populateCategoryComboBox();
 saveNotes();

 noteTextArea.setText("");
 JOptionPane.showMessageDialog(this, "Note created successfully!");
 }

 private void editNote() {
 int selectedNoteIndex = notes.size() > 0 ? categoryComboBox.getSelectedIndex() : -1;

 if (selectedNoteIndex >= 0) {
 Note selectedNote = notes.get(selectedNoteIndex);
 selectedNote.setContent(noteTextArea.getText());
 saveNotes();
 JOptionPane.showMessageDialog(this, "Note edited successfully!");
 } else {
 JOptionPane.showMessageDialog(this, "No note selected.");
 }
 }

 private void deleteNote() {
 int selectedNoteIndex = notes.size() > 0 ? categoryComboBox.getSelectedIndex() : -1;
 if (selectedNoteIndex >= 0) {
 notes.remove(selectedNoteIndex);
 populateCategoryComboBox();
 saveNotes();
 }
 }

```

```

 noteTextArea.setText("");
 JOptionPane.showMessageDialog(this, "Note deleted successfully!");
 } else {
 JOptionPane.showMessageDialog(this, "No note selected.");
 }
}

```

```

private void populateCategoryComboBox() {
 categoryComboBox.removeAllItems();
 for (Note note : notes) {
 categoryComboBox.addItem(note.getTitle());
 }
}

```

```

public static void main(String[] args) {
 SwingUtilities.invokeLater(() -> {
 JFrame frame = new NoteAppFrame();
 frame.setVisible(true);
 });
}

```

## **Exams.java**

```

import java.util.ArrayList;
import java.util.Date;
import java.util.List;
import java.util.Scanner;

```

```

class Reminder {
 private String message;
 private Date date;

 public Reminder(String message, Date date) {
 this.message = message;
 this.date = date;
 }

 public String getMessage() {
 return message;
 }

 public Date getDate() {
 return date;
 }
}

public class ReminderProgram {
 private List<Reminder> reminders;

 public ReminderProgram() {
 reminders = new ArrayList<>();
 }

 public void addReminder(String message, Date date) {

```

```

 Reminder reminder = new Reminder(message, date);
 reminders.add(reminder);
 }

 public void viewReminders() {
 for (Reminder reminder : reminders) {
 System.out.println("Reminder: " + reminder.getMessage() + " - Date: " +
reminder.getDate());
 }
 }

 public void deleteReminder(int index) {
 if (index >= 0 && index < reminders.size()) {
 reminders.remove(index);
 System.out.println("Reminder deleted successfully.");
 } else {
 System.out.println("Invalid reminder index.");
 }
 }

 // Other methods and user interface implementation

 public static void main(String[] args) {
 ReminderProgram program = new ReminderProgram();
 Scanner scanner = new Scanner(System.in);
 boolean running = true;

```

```

while (running) {
 System.out.println("\nReminder Program Menu:");
 System.out.println("1. Add Reminder");
 System.out.println("2. View Reminders");
 System.out.println("3. Delete Reminder");
 System.out.println("4. Exit");
 System.out.print("Enter your choice: ");
 int choice = scanner.nextInt();

 switch (choice) {
 case 1:
 System.out.print("Enter reminder message: ");
 scanner.nextLine(); // Consume newline
 String message = scanner.nextLine();
 System.out.print("Enter reminder date (yyyy-MM-dd HH:mm): ");
 String dateString = scanner.nextLine();
 // Parse date string and create a Date object
 // Add the reminder using program.addReminder(message, date);
 break;
 case 2:
 program.viewReminders();
 break;
 case 3:
 System.out.print("Enter index of reminder to delete: ");
 int index = scanner.nextInt();
 program.deleteReminder(index);
 }
}

```

```
 break;
 case 4:
 running = false;
 break;
 default:
 System.out.println("Invalid choice. Please try again.");
 }
}
}
```



## **Chapter – 6 Conclusion**

In concluding, Study planner is an exclusive app that simplifies the method of planning and studying for exams to all aspirants . With its user-friendly interface students can access the app with ease, study planner offers a comfortable and efficient solution for students who are serious towards their dream. Students have better features comparing with other past apps This app is invaluable tool or app for students seeking to enhance their academic performance and time management skills. As Study planner is built in with flash cards, Notes, Group study, Tips aspirants are able to set goals and feel great when they achieve .

Study planner offers a accessibility to diverse needs and planning for modern students. It also helps in balancing academic goals with a proper planning ,the app serves to be a proper companion ,by adapting the user requirement. As we know that technology plays in ones education

## Chapter - 7 Future Scope

Study Planner is a promising app for modern students with good potential for their improvement in studies. These are some options which we are looking to execute in future for app development, to enhance user interest towards app.

**1.Gamification Elements:** Games which won't distract students from their studies are manufactured. After games included we take feedback from users that are these useful or not.

**2.Real-time collaboration:** In future we allow user to collaborate among students, allowing them to work on projects together.

**3.Virtual Tutoring:** Unlike leaving students to themselves, for clarifying their doubts and explaining tough topics. They are monitored by Artificial Intelligence teacher.

## REFERENCES

1. <https://todoist.com/>
2. <https://mystudylife.com/>
3. <https://info.lse.ac.uk/current-students/Assets/Articles/10-best-apps-for-students>